

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
25 May 2001 (25.05.2001)

PCT

(10) International Publication Number  
**WO 01/36632 A2**

(51) International Patent Classification<sup>7</sup>: **C12N 15/12**,  
15/57, C07K 14/47, 14/705, C12N 9/48, C12Q 1/68,  
G01N 33/68, 33/50, A61K 38/17, 38/48

46490 Herzliya (IL). **BERNSTEIN, Jeanne** [IL/IL]; 23  
Harimon Street, 40300 Kfar Yona (IL).

(21) International Application Number: PCT/IL.00/00766

(74) Agent: **REINHOLD COHN AND PARTNERS**; P.O.B.  
4060, 61040 Tel Aviv (IL).

(22) International Filing Date:  
17 November 2000 (17.11.2000)

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,  
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,  
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,  
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,  
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,  
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
132978 17 November 1999 (17.11.1999) IL  
133455 10 December 1999 (10.12.1999) IL

(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European  
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,  
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (*for all designated States except US*): **COMPU-  
GEN LTD.** [IL/IL]; 72 Pinchas Rozen Street, 69512 Tel  
Aviv (IL).

**Published:**

— Without international search report and to be republished  
upon receipt of that report.

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **LEVINE, Zurit**  
[IL/IL]; 5 Hakozrim Street, 46360 Herzliya (IL). **DAVID,**  
**Anat** [IL/IL]; 11 Afner Street, 53292 Givatayim (IL).  
**AZAR, Idit** [IL/IL]; 2 Hankin Street, 76354 Rehovot (IL).  
**KHOSRAVI, Rami** [IL/IL]; 36 Yehuda Halevy Street,

For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.

WO 01/36632 A2

(54) Title: VARIANTS OF ALTERNATIVE SPLICING

(57) Abstract: The present invention concerns novel variants, amino acid and nucleic acid sequences obtained by alternative splicing of known sequences, expression vectors and host cells containing the variants' nucleic acid sequence, and antibodies reactive with the variants' products. The invention also concerns pharmaceutical compositions containing any of the above as well as methods of detection. A preferred example is the angiotensin converting enzyme (ACE) variant.

## VARIANTS OF ALTERNATIVE SPLICING

### FIELD OF THE INVENTION

The present invention concerns novel nucleic acid sequences, vectors and host cells containing them, amino acid sequences encoded by said sequences, and antibodies reactive with said amino acid sequences, as well as pharmaceutical  
5 compositions comprising any of the above. The present invention further concerns methods for screening for candidate activators or deactivators utilizing said amino acid sequences.

### BACKGROUND OF THE INVENTION

Alternative splicing (AS) is an important regulatory mechanism in higher  
10 eukaryotes (P.A. Sharp, *Cell* 77, 805-8152 (1994). It is thought to be one of the most important mechanisms for differential expression related to tissue or development stage specificity. It is known to play a major role in numerous biological systems, including human antibody responses, and sex determination in *Drosophila*, (S. Stamm, M.Q. Zhang, T.G. Marr and D.M. Helfman, *Nucleic  
15 Acids Research* 22, 1515-1526 (1994); B. Chabot, *Trends Genet.* 12, 472-478 (1996); R.E. Breitbart, A. Andreadis, B. Nadal-Ginard, *Annual Rev. Biochem.*, 56, 467-495 (1987); C.W. Smith, J.G. Patton, B. Nadal-Ginard, *Annu. Rev. Genet.*, 27, 527-577 (1989)).

Until recently it was commonly believed that alternative splicing existed in  
20 only a small fraction of genes (about 5%). A recent observation based on literature survey of known genes revises this conservative estimate to as high as an estimate that at least 30% of human genes are alternatively spliced (M.S. Gelfand, I. Dubchak, I. Draluk and M. Zorn, *Nucleic Acids Research* 27, 301-302 (1999). The importance of the actual frequency of this phenomenon lies not only



- 2 -

in the direct impact on the number of proteins created (100,000 human genes, for example, would be translated to a much higher number of proteins), but also in the diversity of functionality derived from the process.

Several mechanisms at different stages may be held responsible for the complexity of higher eukaryote which include: alternative splicing at the transcription level, RNA editing at the post-transcriptional level, and post-translational modifications are the ones characterized to date.

Angiotensin I-converting enzyme (ACE) is a peptidyl dipeptide hydrolase that is located mainly on the luminal surface of vascular endothelial cells but also in cells derived from the monocyte-macrophage system. Physiologically, ACE is a key enzyme in the renin-angiotensin system, converting angiotensin I into the potent vasopressor angiotensin II and also inactivating the vasodilator bradykinin.

Increased serum ACE activity (SACE) has been reported in pathologies involving stimulation of the monocytic cell line, primarily granulomatous diseases. Sarcoidosis is the most frequent and the better studied of these diseases; high SACE is not only a well-established marker for the diagnosis but is also a useful tool for following its course and evaluating the effect of therapy of this disease.

SACE can also be increased in nonsarcoidotic pulmonary granulomatous diseases such as silicosis and asbestosis, in extrathoracic granulomatous pathologies such as Gauchers disease and leprosis, and, to a lesser extent, in nongranulomatous disorders such as hyperthyroidism or cholestasis.

Decreased SACE has been reported in vascular pathologies involving an endothelial abnormality, such as deep vein thrombosis, and in endothelium dysfunctions related to the toxicity of chemo- and radiotherapy used in cancers, leukemias, and hematopoietic or organ transplantations.

- 3 -

SACE is also of interest for monitoring arterial hypertension treated with specific synthetic ACE inhibitors.

Various methods have been developed for determining SACE activities. The most widely used is the spectrophotometric assay using hippuryl-histidyl-leucine as substrate. Fluorimetric and radiochemical assays using both classic and novel substrates have been proposed, but they are time consuming, require special apparatus, and are not suited to automation. Kinetic spectrophotometry of furylacryloyl-phenylalanyl-glycyl-glycine hydrolysis is now used extensively because it is easy to automatize.

Information obtained in the last decade indicates that angiotensin II increases the production of several autocrine factors, including transforming growth factor beta1 (TGF-beta1), tumor necrosis factor-alpha (TNF-alpha), and platelet-derived growth factor A chain (PDGF). Angiotensin also increases the release of other growth factors such as endothelin, platelet-activating factor (PAF), and interleukin 6. In addition, it increases the "activity" of nuclear factor-kappaB (NF-kappaB) and the synthesis of angiotensinogen. The emerging picture indicates that the actions of angiotensin II may be related to factors that are released or upregulated by angiotensin II, possibly through NF-kappaB.

## GLOSSARY

In the following description and claims use will be made, at times, with a variety of terms, and the meaning of such terms as they should be construed in accordance with the invention is as follows:

**"Variant nucleic acid sequence"** – the sequence shown in any one of SEQ ID NO: 1 to SEQ ID NO: 87, native and known genes. It should be emphasized that the novel variants of the present invention are naturally occurring sequences resulting from alternative splicing of genes and not merely truncated, mutated or fragmented forms of known sequences which are artificially produced.

- 4 -

"*Angiotensin converting enzyme variant (ACEV)*" - a sequence shown in SEQ ID NO: 57 or 85 sequences having at least 90% *identity* (see below) to said sequence and *fragments* (see below) of the above sequences of least 20 b.p. long. These sequences are sequences coding for a novel, naturally occurring, alternative splice  
5 variants of the mouse angiotensin converting enzyme which convert angiotensin I to angiotensin II by release of the terminal His-Lew resulting in increase of vasoconstrictor activity of angiotensin.

"*Variant product - also referred at times as the "variant protein" or "variant polypeptide"*" - is an amino acid sequence encoded by the variant nucleic acid  
10 sequence SEQ ID NO: 88 to SEQ ID NO: 174.

"*ACEV product or ACEV protein*" - amino acid coded by the ACEV nucleic acid which is a naturally occurring mRNA sequence obtained as a result of alternative  
15 splicing of the ACE gene. The amino acid sequence may be a peptide, a protein, as well as peptides or proteins having *chemically modified* amino acids (see below) such as a glycopeptide or glycoprotein. The variant products are shown in SEQ ID NO: 144 or 172. The term also includes *homologies* (see below) of said sequences in which one or more amino acids has been added, deleted, *substituted* (see below)  
20 or *chemically modified* (see below) as well as *fragments* (see below) of this sequence having at least 10 amino acids. The above two products may be secreted.

"*Nucleic acid sequence*" - a sequence composed of DNA nucleotides, RNA nucleotides or a combination of both types and may include natural nucleotides,  
25 chemically modified nucleotides and synthetic nucleotides.

"*Amino acid sequence*" - a sequence composed of any one of the 20 naturally appearing amino acids, amino acids which have been *chemically modified* (see below), or composed of synthetic amino acids.

- 5 -

**"Fragment of variant nucleic acid sequence"** and **"fragment of ACEV nucleic acid sequence"** – novel short stretch of nucleic acid sequences of at least 20 b.p., which does not appear as a continuous stretch in the *original nucleic acid sequence* (see below). The fragment may be a sequence which was previously  
5 undescribed in the context of the published RNA and which affects the amino acid sequence encoded by the known gene. For example, where the variant nucleic includes a sequence which was not included in the original sequence (for example a sequence which was an intron in the original sequence) the fragment may contain said additional sequence. The fragment may also be a region which  
10 is not an intron, which was not present in the original sequence. For example where the variant lacks a non-terminal region which was present in the original sequence. The two stretches of nucleotides spanning this region (upstream and downstream) are brought together by splicing in the variant, but are spaced from each by the spliced out region in the original sequence and are thus not  
15 continuous in the original sequence. A continuous stretch of nucleic acids comprising said two splicing stretches of nucleotides is not present in the original sequence and thus falls under the definition of fragment.

**"Fragments of variant products"** - novel amino acid sequences coded by the  
20 **"fragment of variant nucleic acid sequence"** or **"fragment of ACEV nucleic acid sequence"** defined above.

**"Homologues of variants"** – amino acid sequences of variants in which one or more amino acids has been added, deleted or replaced. The addition, deletion or  
25 replacement should be in the regions or adjacent to regions where the variant differs from the *original sequence* (see below).

**"Conservative substitution"** - refers to the substitution of an amino acid in one class by an amino acid of the same class, where a class is defined by common  
30 physicochemical amino acid side chain properties and high substitution

- 6 -

frequencies in homologous proteins found in nature, as determined, for example, by a standard Dayhoff frequency exchange matrix or BLOSUM matrix. [Six general classes of amino acid side chains have been categorized and include: Class I (Cys); Class II (Ser, Thr, Pro, Ala, Gly); Class III (Asn, Asp, Gln, Glu);  
5 Class IV (His, Arg, Lys); Class V (Ile, Leu, Val, Met); and Class VI (Phe, Tyr, Trp). For example, substitution of an Asp for another class III residue such as Asn, Gln, or Glu, is a conservative substitution.

*"Non-conservative substitution"* - refers to the substitution of an amino acid in  
10 one class with an amino acid from another class; for example, substitution of an Ala, a class II residue, with a class III residue such as Asp, Asn, Glu, or Gln.

*"Chemically modified"* - when referring to the product of the invention, means a product (protein) where at least one of its amino acid residues is modified either by  
15 natural processes, such as processing or other post-translational modifications, or by chemical modification techniques which are well known in the art. Among the numerous known modifications typical, but not exclusive examples include: acetylation, acylation, amidation, ADP-ribosylation, glycosylation, GPI anchor formation, covalent attachment of a lipid or lipid derivative, methylation,  
20 myristylation, pegylation, prenylation, phosphorylation, ubiquitination, or any similar process.

*"Biologically active"* - refers to the variant product having some sort of biological activity, for example, some physiologically measurable effect on target  
25 cells, molecules or tissues.

*"Immunologically active"* defines the capability of a natural, recombinant or synthetic variant product, or any fragment thereof, to induce a specific immune response in appropriate animals or cells and to bind with specific antibodies.  
30 Thus, for example, an immunologically active fragment of variant product

- 7 -

denotes a fragment which retains some or all of the immunological properties of the variant product, e.g. can bind specific anti-variant product antibodies or which can elicit an immune response which will generate such antibodies or cause proliferation of specific immune cells which produce variant.

5

*"Optimal alignment"* - is defined as an alignment giving the highest percent identity score. Such alignment can be performed using a variety of commercially available sequence analysis programs, such as the local alignment program LALIGN using a ktup of 1, default parameters and the default PAM. A preferred  
10 alignment is the one performed using the CLUSTAL-W program from MacVector (TM), operated with an open gap penalty of 10.0, an extended gap penalty of 0.1, and a BLOSUM similarity matrix. If a gap needs to be inserted into a first sequence to optimally align it with a second sequence, the percent identity is calculated using only the residues that are paired with a corresponding  
15 amino acid residue (i.e., the calculation does not consider residues in the second sequences that are in the "gap" of the first sequence). In case of alignments of known gene sequences with that of the new variant, the optimal alignment invariably included aligning the identical parts of both sequences together, then keeping apart and unaligned the sections of the sequences that differ one from the  
20 other.

*"Having at least 90% identity"* - with respect to two amino acid or nucleic acid sequence sequences, refers to the percentage of residues that are identical in the two sequences when the sequences are optimally aligned. Thus, 90% amino acid  
25 sequence identity means that 90% of the amino acids in two or more optimally aligned polypeptide sequences are identical, however this definition explicitly excludes sequences which are 100% identical with the original sequence from which the variant of the invention was varied.

- 8 -

**"Isolated nucleic acid molecule having an variant nucleic acid sequence"** - is a nucleic acid molecule that includes the coding variant nucleic acid sequence. Said isolated nucleic acid molecule may include the variant nucleic acid sequence as an independent insert; may include the variant nucleic acid sequence fused to an additional coding sequences, encoding together a fusion protein in which the variant coding sequence is the dominant coding sequence (for example, the additional coding sequence may code for a signal peptide); the variant nucleic acid sequence may be in combination with non-coding sequences, e.g., introns or control elements, such as promoter and terminator elements or 5' and/or 3' untranslated regions, effective for expression of the coding sequence in a suitable host; or may be a vector in which the variant protein coding sequence is a heterologous.

**"Expression vector"** - refers to vectors that have the ability to incorporate and express heterologous DNA fragments in a foreign cell. Many prokaryotic and eukaryotic expression vectors are known and/or commercially available. Selection of appropriate expression vectors is within the knowledge of those having skill in the art.

**"Deletion"** - is a change in either nucleotide or amino acid sequence in which one or more nucleotides or amino acid residues, respectively, are absent.

**"Insertion" or "addition"** - is that change in a nucleotide or amino acid sequence which has resulted in the addition of one or more nucleotides or amino acid residues, respectively, as compared to the naturally occurring sequence.

**"Substitution"** - replacement of one or more nucleotides or amino acids by different nucleotides or amino acids, respectively. As regards amino acid sequences the substitution may be conservative or non- conservative.

- 9 -

**"Antibody"** – refers to IgG, IgM, IgD, IgA, or IgG antibody. The definition includes polyclonal antibodies or monoclonal antibodies. This term refers to whole antibodies or fragments of the antibodies comprising the antigen-binding domain of the anti-variant product antibodies, e.g. antibodies without the Fc  
5 portion, single chain antibodies, fragments consisting of essentially only the variable, antigen-binding domain of the antibody, etc.

***Distinguishing antibody*** – an antibody capable of binding to the variant product and not the original amino acid sequence from which it has been varied, or an  
10 antibody capable of binding to the original nucleic acid sequence and not to the variant production.

**"Activator"** - as used herein, refers to a molecule which mimics the effect of the natural variant product or at times even increases or prolongs the duration of the  
15 biological activity of said product, as compared to that induced by the natural product. The mechanism may be by any mechanism known to prolonging activities of biological molecules such as binding to receptors; prolonging the lifetime of the molecules; increasing the activity of the molecules on its target; increasing the affinity of molecules to its receptor; inhibiting degradation or  
20 proteolysis of the molecules, or mimicking the biological activity of the variants on their targets, etc. Activators may be polypeptides, nucleic acids, carbohydrates, lipids, or derivatives thereof, or any other molecules which can bind to and activate the variant product.

25 **"Deactivator"** or **("Inhibitor")** - refers to a molecule which modulates the activity of the variant product in an opposite manner to that of the activator, by decreasing or shortening the duration of the biological activity of the variant product. This may be done by any mechanism known to deactivate or inhibit biological molecules such as block of the receptor, block of active site,  
30 competition on binding site in target, enhancement of degradation, etc.



- 10 -

Deactivators may be polypeptides, nucleic acids, carbohydrates, lipids, or derivatives thereof, or any other molecules which bind to and modulate the activity of said product.

- 5    **"Treating a disease"** - refers to administering a therapeutic substance effective to ameliorate symptoms associated with a disease, to lessen the severity or cure the disease, or to prevent the disease from occurring.

10    **"Detection"** - refers to a method of detection of a disease, disorder, pathological or normal condition. This term may refer to detection of a predisposition to a disease as well as for establishing the prognosis of the patient by determining the severity of the disease.

15    **"Probe"** - the variant nucleic acid sequence, or a sequence complementary therewith, when used to detect presence of other similar sequences in a sample. The detection is carried out by identification of hybridization complexes between the probe and the assayed sequence. The probe may be attached to a solid support or to a detectable label.

20    **"Original sequence"** - the amino acid or nucleic acid sequence from which the variant of the invention have been varied as a result of alternative slicing.

## SUMMARY OF THE INVENTION

25    The present invention is based on the finding of several novel, naturally occurring splice variants, which are naturally occurring sequences obtained by alternative splicing of known genes. The novel splice variants of the invention are not merely truncated forms, fragments or mutations of known genes, but rather novel sequences which naturally occur within the body of individuals.

In particular the present invention concerns variants of alternative splice variants of angiotensin converting enzyme (ACEV).

The term "*alternative splicing*" in the context of the present invention and claims refers to: intron inclusion, exon exclusion, addition or deletion of terminal sequences in the variant as compared to the original sequences, as well as to the possibility of "*intron retention*". Intron retention is an intermediate stage in the  
5 processing of RNA transcripts, where prior to production of fully processed mRNA the intron (naturally spliced in the original sequence) is retained in the variant. These intermediately processed RNAs may have physiological significance and are also within the scope of the invention.

The novel variant products of the invention, including the ACEV-variant  
10 (ACEV), may have the same physiological activity as the original peptide from which they have been varied (although perhaps at a different level); may have an opposite physiological activity from the activity featured by the original peptide from which they are varied; may have a completely different, unrelated activity to the activity of the original from which they are varied; or alternatively may have no  
15 activity at all and this may lead to various diseases or pathological conditions. The novel variants of the invention may differ from the original sequence, from which they were varied by alternative splicing, by physiological properties not relating directly to their activities such as: tissue localization, temporal pattern of expression, rate of clearance, rate of degradation, manner of up- or down  
20 regulation, association with co-factors and cellular elements etc.

The novel variants may also serve for detection purposes, i.e. their presence or level may be indicative of a disease, disorder, pathological or normal condition or alternatively the ratio between the level variants and the level original peptide from which they were varied, or the ratio to other variants may be indicative to a  
25 disease, disorder, pathological or normal condition.

For example, for detectional purposes, it is possible to establish differential expression of various variants in various tissues. A certain variant may be expressed mainly in one tissue, while the original sequence from which it has been varied, or another variant may, be expressed mainly in another tissue.  
30 Understanding of the distribution of the variants in various tissues may be helpful

- 12 -

in basic research, for understanding the physiological function of the genes as well as may help in targeting pharmaceuticals or developing pharmaceuticals.

The study of the variants may also be helpful to distinguish various stages in the life cycles of the same type of cells which may also be helpful for development of pharmaceuticals for various pathological conditions in which cell cycles is non-normal, notably cancer.

Detection of various diseases in accordance with the invention is especially useful for detection of diseases which are associated with the function, (over function, under function, or malfunction) of proteins of the original sequence from which each variant of the invention has been obtained by alternative splicing. A list of the original proteins are given in the "Detailed Description" part of the specification. Thus, for example, if variant of SEQ ID NO: 3 is obtained from an original sequence which is coagulation factor XII, this sequence may be used to detect diseases involving excessive or diminished blood coagulation.

Thus the detection may by determination of the presence or the level of expression of the variant within a specific cell population, comprising said presence or level between various cell types in a tissue, between different tissues and between individuals.

Where the variant in the angiotensin converting enzyme (ACEV) the detection may be used for detection (including disposition) of one of the following diseases.

Cardiovascular diseases:

Including hypertension, neurological damage due to cerebral circulatory disorders, peripheral vascular diseases, arteriosclerosis, heart and kidney diseases relating to blood pressure, erection problems and migraine problems relating to circulation functions, heart failures (including recurrent infraction in patients with left ventricular dysfunction), acute phase of myocardial infarction, coronary arterial thrombosis and cardial insufficiency.

- 13 -

Renal diseases:

Hypertension adrenal injury (particularly in patients with type I or II diabetes), diabetic neuropathy, renal function deterioration in glomerular diseases

Muscular diseases:

5 Diseases involving growth of smooth muscle cells such as hypertrophy.

Immune disorders:

Various autoimmune diseases and diseases involving inflammatory mechanisms, for example, autoimmune manifestation affects in sarcoidosis, generation of immune complex nephritis, autoimmune encephatomyelitis, marker  
10 for chronic fatigue-immune dysfunction syndrome.

Multiple sclerosis:Cancer:

Especially those cancers effected by different growth factors including endothelia, platelet-activating factor (PAF) and interleukin 6. Examples of such  
15 cancers are tumors of the vascular system, and leukemias.

Diabetes:

Sarcoidosis – a disease of unknown origin characterized by the formation of granulomatous lesions that appear especially in the liver, lungs, skin and lymph nodes.

20 Nonaroidotic Pulmonary Granulomatous Diseases:

Such as silicosis and asbestosis, in extrathoracic granulomatous pathologies such as Gauchers disease and leprosis, and, to a lesser extent, in nongranulomatous disorders such as hyperthyroidism or cholestasis. (increased sACE)

25 Vascular Pathologies Involving An Endothelial Abnormality:

Deep vein thrombosis, and in endothelium dysfunctions related to the toxicity of chemo- and radiotherapy used in cancers, leukemias, and hematopoietic or organ transplantations.

Thus the present invention provides by its first aspect, a novel isolated  
30 nucleic acid molecule comprising or consisting of any one of the coding sequence

- 14 -

SEQ ID NO: 1 to SEQ ID NO: 87, fragments of said coding sequence having at least 20 nucleic acids (provided that said fragments are continuous stretches of nucleotides not present in the original sequence from which the variant was varied), or a molecule comprising a sequence having at least 90% identity to SEQ ID NO: 1 to SEQ ID NO: 87, provided that the molecule is not completely identical to the original sequence from which the variant was varied. In particular, the above variant is that of SEQ ID NO: 57 or SEQ ID NO: 85 being the ACEV nucleic acid sequence.

The present invention further provides a protein or polypeptide comprising or consisting of an amino acid sequence encoded by any of the above nucleic acid sequences, termed herein "*variant product*", for example, an amino acid sequence having the sequence as depicted in any one of SEQ ID NO: 88 to SEQ ID NO: 174, fragments of the above amino acid sequence having a length of at least 10 amino acids coded by the above fragments of the nucleic acid sequences, as well as homologues of the above amino acid sequences in which one or more of the amino acid residues has been substituted (by conservative or non-conservative substitution) added, deleted, or chemically modified. In particular, the product is the amino acid sequence of the ACEV as depicted in SEQ ID NO: 144 or 172.

The deletions, insertions and modifications should be in regions, or adjacent to regions, wherein the variant differs from the original sequence.

For example, where the variant is different from the original sequence by addition of a short stretch of 10 amino acids, in the terminal or non-terminal portion of the peptide, the invention also concerns homologues of that variant where the additional short stretch is altered for example, it includes only 8 additional amino acids, includes 13 additional amino acids, or it includes 10 additional amino acids, however some of them being conservative or non-conservative substitutes of the original additional 10 amino acids of the novel variants. In all cases the changes in the homolog, as compared to the original sequence, are in the same regions where the variant differs from the original sequence, or in regions adjacent to said region.

- 15 -

Another example is where the variant lacks a non-terminal region (for example of 20 amino acids) which is present in the original sequence (due for example to exon exclusion). The homologues may lack in the same region only 17 amino acids or 23 amino acids. Again the deletion is in the same region where the  
5 variant lacks a sequence as compared to the original sequence, or in a region adjacent thereto.

It should be appreciated that once a man versed in the art's attention is directed to the importance of a specific region, due to the fact that this region differs in the variant as compared to the original sequence, there is no problem in  
10 derivating said specific region by addition to it, deleting from it, or substituting some amino acids in it. Thus homologues of variants which are derivated from the variant by changes (deletion, addition, substitution) only in said region as well as in regions adjacent to it are also a part of the present invention. Generally, if the variant is distinguished from the original sequence by some sort of physiological  
15 activity, then the homolog is distinguished from the original sequence in essentially the same manner.

The present invention further provides nucleic acid molecule comprising or consisting of a sequence which encodes the above amino acid sequences, (including the fragments and homologues of the amino acid sequences and in  
20 particular the ACEV amino acid sequence). Due to the degenerative nature of the genetic code, a plurality of alternative nucleic acid, beyond those depicted in any one of SEQ ID NO: 1 to SEQ ID NO: 87, can code for the amino acid sequence of the invention. Those alternative nucleic acid sequences which code for the same amino acid sequences codes by the sequence SEQ ID NO: 1 to SEQ ID NO: 87 are  
25 also an aspect of the of the present invention.

The present invention further provides expression vectors and cloning vectors comprising any of the above nucleic acid sequences, as well as host cells transfected by said vectors.

- 16 -

The present invention still further provides pharmaceutical compositions comprising, as an active ingredient, said nucleic acid molecules, said expression vectors, or said protein or polypeptide.

These pharmaceutical compositions are suitable for the treatment of diseases  
5 and pathological conditions, which can be ameliorated or cured by raising the level of any one of the variant products of the invention. In particular, those diseases are diseases which are associated with malfunction or under function of the original sequence (for example, given in the "Detailed Description" part of the specification). Thus for example, SEQ ID NO: 3 and sequences encoded thereby  
10 may be used to treat diseases associated with coagulation of blood.

By a second aspect, the present invention provides a nucleic acid molecule comprising or consisting of a non-coding sequence which is complementary to that of any one of SEQ ID NO: 1 to SEQ ID NO: 87, or complementary to a sequence having at least 90% identity to said sequence (with the proviso added above) or a  
15 fragment of said two sequences (according to the above definition of fragment). The complementary sequence may be a DNA sequence which hybridizes with any one of SEQ of ID NO: 1 to SEQ ID NO: 87 or hybridizes to a portion of that sequence having a length sufficient to inhibit the transcription of the complementary sequence. The complementary sequence may be a DNA sequence  
20 which can be transcribed into an mRNA being an antisense to the mRNA transcribed from any one of SEQ ID NO: 1 to SEQ ID NO: 87 or into an mRNA which is an antisense to a fragment of the mRNA transcribed from any one of SEQ ID NO: 1 to SEQ ID NO: 87 which has a length sufficient to hybridize with the mRNA transcribed from SEQ ID NO: 1 to SEQ ID NO: 87, so as to inhibit its  
25 translation. The complementary sequence may also be the mRNA or the fragment of the mRNA itself.

The nucleic acids of the second aspect of the invention may be used for therapeutic or diagnostic applications for example as probes used for the detection of the variants of the invention. The presence of the variant transcript or the level of  
30 the variant transcript may be indicative of a multitude of diseases, disorders and

- 17 -

various pathological as well as normal conditions for example, as indicated above for the variants in general, and for the ACEV in particular. In addition or alternatively, the ratio of the level of the transcripts of the variants of the invention may also be compared to that of the transcripts of the original sequences from  
5 which have been varied, or to the level of transcript of other variants, and said ratio may be indicative to a multitude of diseases, disorders and various pathological and normal conditions.

The present invention also provides expression vectors comprising any one of the above defined complementary nucleic acid sequences and host cells  
10 transfected with said nucleic acid sequences or vectors, being complementary to those specified in the first aspect of the invention.

The invention also provides anti-variant product antibodies, namely antibodies directed against the variant product which specifically bind to said variant product. Said antibodies are useful both for diagnostic and therapeutic  
15 purposes. For example said antibody may be as an active ingredient in a pharmaceutical composition as will be explained below.

The present invention also provides pharmaceutical compositions comprising, as an active ingredient, the nucleic acid molecules which comprise or consist of said complementary sequences, or of a vector comprising said  
20 complementary sequences. The pharmaceutical composition thus provides pharmaceutical compositions comprising, as an active ingredient, said anti-variant product antibodies.

The pharmaceutical compositions comprising said anti-variant product antibodies or the nucleic acid molecule comprising said complementary sequence,  
25 are suitable for the treatment of diseases and pathological conditions where a therapeutically beneficial effect may be achieved by neutralizing the variant (either at the transcript or product level) or decreasing the amount of the variant product or blocking its binding to its target, for example, by the neutralizing effect of the antibodies, or by the effect of the antisense mRNA in decreasing the expression  
30 level of the variant sequence.



- 18 -

Examples of diseases which can be treated either with ACEV sequence, an expression vector comprising that sequence, a sequence complementary to the ACEV sequence, an expression vector comprising said complementary sequence, ACEV product or an antibody to the product is any one of the diseases mentioned  
5 in connection with the detection aspect above.

According to the third aspect of the invention the present invention provides methods for detecting the level of the transcript (mRNA) of said variant product in a body fluid sample, or in a specific tissue sample, for example by use of probes comprising or consisting of said coding sequences; as well as methods for detecting  
10 levels of expression of said product in tissue, e.g. by the use of antibodies capable of specifically reacting with the variant products of the invention. Detection of the level of the expression of the variant of the invention in particular as compared to that of the original sequence from which it was varied or compared to other variant sequences all varied from the same original sequence may be indicative of a  
15 plurality of physiological or pathological conditions. A preferred example is the detection of ACEV nucleic acid sequence, ACEV product or anti-ACEV antibody.

The method, according to this latter aspect, for detection of a nucleic acid sequence which encodes the variant product in a biological sample, comprises the steps of:

- 20 (a) providing a probe comprising at least one of the nucleic acid sequences defined above;
- (b) contacting the biological sample with said probe under conditions allowing hybridization of nucleic acid sequences thereby enabling formation of hybridization complexes;
- 25 (c) detecting hybridization complexes, wherein the presence of the complexes indicates the presence of nucleic acid sequence encoding the variant product in the biological sample.

The method as described above is qualitative, i.e. indicates whether the transcript is present in or absent from the sample. The method can also be  
30 quantitative, by determining the level of hybridization complexes and then

calibrating said levels to determining levels of transcripts of the desired variant in the sample.

Both qualitative and quantitative determination methods can be used for diagnostic, prognostic and therapy planning purposes.

5 By a preferred embodiment the probe is part of a nucleic acid chip used for detection purposes, i.e. the probe is a part of an array of probes each present in a known location on a solid support.

The nucleic acid sequence used in the above method may be a DNA sequence an RNA sequence, etc; it may be a coding or a sequence or a sequence  
10 complementary thereto (for respective detection of RNA transcripts or coding-DNA sequences). By quantization of the level of hybridization complexes and calibrating the quantified results it is possible also to detect the level of the transcript in the sample.

Methods for detecting mutations in the region coding for the variant product  
15 are also provided, which may be methods carried-out in a binary fashion, namely merely detecting whether there is any mismatches between the normal variant nucleic acid sequence of the invention and the one present in the sample, or carried-out by specifically detecting the nature and location of the mutation.

The present invention also concerns a method for detecting variant product  
20 in a biological sample, comprising the steps of:

(a) contacting with said biological sample the antibody of the invention, thereby forming an antibody-antigen complex; and

(b) detecting said antibody-antigen complex

wherein the presence of said antibody-antigen complex correlates with the  
25 presence of variant product in said biological sample.

Many diseases are diagnosed by detecting the presence of antibodies against a protein characterizing the disease in the blood, serum or any other body fluid of the patient. The present invention also concerns a method for detecting anti-variant antibody in a biological sample, comprising:

- 20 -

(a) contacting said sample with the variant product of the invention, thereby forming an antibody-antigen complex; and

(b) detecting said antibody-antigen complex

wherein the presence of said antibody-antigen complex correlates with the  
5 presence of anti-variant antibody in the sample.

As indicated above, both methods (for detection of variant product and for detection of the anti-variant antibody) can be quantitized to determine the level or the amount of the variant or antibody in the sample, alone or in comparison to the level of the original amino acid sequence from which it was varied or compared to  
10 the level of antibodies against the original amino acid sequence, and qualitative and quantitative results may be used for diagnostic, prognostic and therapy planning purposes.

The invention also concerns distinguishing antibodies, i.e. antibodies capable of binding either to the variant product or to the original sequence from  
15 which the variant has been varied, while not binding to the original sequence or the variant product respectively. These distinguishing antibodies may be used for detection purposes.

By yet another aspect the invention also provides a method for identifying candidate compounds capable of binding to the variant product and modulating its  
20 activity (being either activators or deactivators). The method includes:

(i) providing a protein or polypeptide comprising an amino acid sequence substantially as depicted in any one of SEQ ID NO: 88 to 174, or a fragment of such a sequence;

(ii) contacting a candidate compound with said amino acid sequence;

25 (iii) measuring the physiological effect of said candidate compound on the activity of the amino acid sequences and selecting those compounds which show a significant effect on said physiological activity.

The present invention also concerns compounds identified by the above methods described above, which compound may either be an activator of the  
30 variant product or a deactivator thereof.

## BRIEF DESCRIPTION OF THE DRAWINGS

In order to understand the invention and to see how it may be carried out in practice, a preferred embodiment will now be described, by way of non-limiting example only, with reference to the accompanying drawings, in which:

5       **Fig. 1** is a comparison between the amino acid sequence of SEQ ID NO: 88 and the original sequence from which it has been varied;

**Fig. 2** is a comparison between the amino acid sequence of SEQ ID NO: 89 and the original sequence from which it has been varied;

**Fig. 3** is a comparison between the amino acid sequence of SEQ ID NO: 90  
10 and the original sequence from which it has been varied;

**Fig. 4** is a comparison between the amino acid sequence of SEQ ID NO: 91 and the original sequence from which it has been varied;

**Fig. 5** is a comparison between the amino acid sequence of SEQ ID NO: 92 and the original sequence from which it has been varied;

15       **Fig. 6** is a comparison between the amino acid sequence of SEQ ID NO: 93 and the original sequence from which it has been varied;

**Fig. 7** is a comparison between the amino acid sequence of SEQ ID NO: 94 and the original sequence from which it has been varied;

**Fig. 8** is a comparison between the amino acid sequence of SEQ ID NO: 95  
20 and the original sequence from which it has been varied;

**Fig. 9** is a comparison between the amino acid sequence of SEQ ID NO: 96 and the original sequence from which it has been varied;

**Fig. 10** is a comparison between the amino acid sequence of SEQ ID NO: 97 and the original sequence from which it has been varied;

25       **Fig. 11** is a comparison between the amino acid sequence of SEQ ID NO: 98 and the original sequence from which it has been varied;

**Fig. 12** is a comparison between the amino acid sequence of SEQ ID NO: 99 and the original sequence from which it has been varied;

**Fig. 13** is a comparison between the amino acid sequence of SEQ ID  
30 NO: 100 and the original sequence from which it has been varied;

**Fig. 14** is a comparison between the amino acid sequence of SEQ ID NO: 101 and the original sequence from which it has been varied;

**Fig. 15** is a comparison between the amino acid sequence of SEQ ID NO: 102 and the original sequence from which it has been varied;

5       **Fig. 16** is a comparison between the amino acid sequence of SEQ ID NO: 103 and the original sequence from which it has been varied;

**Fig. 17** is a comparison between the amino acid sequence of SEQ ID NO: 104 and the original sequence from which it has been varied;

10       **Fig. 18** is a comparison between the amino acid sequence of SEQ ID NO: 105 and the original sequence from which it has been varied;

**Fig. 19** is a comparison between the amino acid sequence of SEQ ID NO: 106 and the original sequence from which it has been varied;

**Fig. 20** is a comparison between the amino acid sequence of SEQ ID NO: 107 and the original sequence from which it has been varied;

15       **Fig. 21** is a comparison between the amino acid sequence of SEQ ID NO: 108 and the original sequence from which it has been varied;

**Fig. 22** is a comparison between the amino acid sequence of SEQ ID NO: 109 and the original sequence from which it has been varied;

20       **Fig. 23** is a comparison between the amino acid sequence of SEQ ID NO: 110 and the original sequence from which it has been varied;

**Fig. 24** is a comparison between the amino acid sequence of SEQ ID NO: 111 and the original sequence from which it has been varied;

**Fig. 25** is a comparison between the amino acid sequence of SEQ ID NO: 112 and the original sequence from which it has been varied;

25       **Fig. 26** is a comparison between the amino acid sequence of SEQ ID NO: 113 and the original sequence from which it has been varied;

**Fig. 27** is a comparison between the amino acid sequence of SEQ ID NO: 114 and the original sequence from which it has been varied;

30       **Fig. 28** is a comparison between the amino acid sequence of SEQ ID NO: 115 and the original sequence from which it has been varied;

Fig. 29 is a comparison between the amino acid sequence of SEQ ID NO: 116 and the original sequence from which it has been varied;

Fig. 30 is a comparison between the amino acid sequence of SEQ ID NO: 117 and the original sequence from which it has been varied;

5 Fig. 31 is a comparison between the amino acid sequence of SEQ ID NO: 118 and the original sequence from which it has been varied;

Fig. 32 is a comparison between the amino acid sequence of SEQ ID NO: 119 and the original sequence from which it has been varied;

10 Fig. 33 is a comparison between the amino acid sequence of SEQ ID NO: 120 and the original sequence from which it has been varied;

Fig. 34 is a comparison between the amino acid sequence of SEQ ID NO: 121 and the original sequence from which it has been varied;

Fig. 35 is a comparison between the amino acid sequence of SEQ ID NO: 122 and the original sequence from which it has been varied;

15 Fig. 36 is a comparison between the amino acid sequence of SEQ ID NO: 123 and the original sequence from which it has been varied;

Fig. 37 is a comparison between the amino acid sequence of SEQ ID NO: 124 and the original sequence from which it has been varied;

20 Fig. 38 is a comparison between the amino acid sequence of SEQ ID NO: 125 and the original sequence from which it has been varied;

Fig. 39 is a comparison between the amino acid sequence of SEQ ID NO: 126 and the original sequence from which it has been varied;

Fig. 40 is a comparison between the amino acid sequence of SEQ ID NO: 127 and the original sequence from which it has been varied;

25 Fig. 41 is a comparison between the amino acid sequence of SEQ ID NO: 128 and the original sequence from which it has been varied;

Fig. 42 is a comparison between the amino acid sequence of SEQ ID NO: 129 and the original sequence from which it has been varied;

30 Fig. 43 is a comparison between the amino acid sequence of SEQ ID NO: 130 and the original sequence from which it has been varied;

**Fig. 44** is a comparison between the amino acid sequence of SEQ ID NO: 131 and the original sequence from which it has been varied;

**Fig. 45** is a comparison between the amino acid sequence of SEQ ID NO: 132 and the original sequence from which it has been varied;

5      **Fig. 46** is a comparison between the amino acid sequence of SEQ ID NO: 133 and the original sequence from which it has been varied;

**Fig. 47** is a comparison between the amino acid sequence of SEQ ID NO: 134 and the original sequence from which it has been varied;

**Fig. 48** is a comparison between the amino acid sequence of SEQ ID  
10 NO: 135 and the original sequence from which it has been varied;

**Fig. 49** is a comparison between the amino acid sequence of SEQ ID NO: 136 and the original sequence from which it has been varied;

**Fig. 50** is a comparison between the amino acid sequence of SEQ ID NO: 137 and the original sequence from which it has been varied;

15      **Fig. 51** is a comparison between the amino acid sequence of SEQ ID NO: 138 and the original sequence from which it has been varied;

**Fig. 52** is a comparison between the amino acid sequence of SEQ ID NO: 139 and the original sequence from which it has been varied;

**Fig. 53** is a comparison between the amino acid sequence of SEQ ID NO:  
20 140 and the original sequence from which it has been varied;

**Fig. 54** is a comparison between the amino acid sequence of SEQ ID NO: 141 and the original sequence from which it has been varied;

**Fig. 55** is a comparison between the amino acid sequence of SEQ ID NO: 142 and the original sequence from which it has been varied;

25      **Fig. 56** is a comparison between the amino acid sequence of SEQ ID NO: 143 and the original sequence from which it has been varied;

**Fig. 57** is a comparison between the amino acid sequence of SEQ ID NO: 144 and the original sequence from which it has been varied;

**Fig. 58** is a comparison between the amino acid sequence of SEQ ID NO:  
30 145 and the original sequence from which it has been varied;

Fig. 59 is a comparison between the amino acid sequence of SEQ ID NO: 146 and the original sequence from which it has been varied;

Fig. 60 is a comparison between the amino acid sequence of SEQ ID NO: 147 and the original sequence from which it has been varied;

5 Fig. 61 is a comparison between the amino acid sequence of SEQ ID NO: 148 and the original sequence from which it has been varied;

Fig. 62 is a comparison between the amino acid sequence of SEQ ID NO: 149 and the original sequence from which it has been varied;

10 Fig. 63 is a comparison between the amino acid sequence of SEQ ID NO: 150 and the original sequence from which it has been varied;

Fig. 64 is a comparison between the amino acid sequence of SEQ ID NO: 151 and the original sequence from which it has been varied;

Fig. 65 is a comparison between the amino acid sequence of SEQ ID NO: 152 and the original sequence from which it has been varied;

15 Fig. 66 is a comparison between the amino acid sequence of SEQ ID NO: 153 and the original sequence from which it has been varied;

Fig. 67 is a comparison between the amino acid sequence of SEQ ID NO: 154 and the original sequence from which it has been varied;

20 Fig. 68 is a comparison between the amino acid sequence of SEQ ID NO: 155 and the original sequence from which it has been varied;

Fig. 69 is a comparison between the amino acid sequence of SEQ ID NO: 156 and the original sequence from which it has been varied;

Fig. 70 is a comparison between the amino acid sequence of SEQ ID NO: 157 and the original sequence from which it has been varied;

25 Fig. 71 is a comparison between the amino acid sequence of SEQ ID NO: 158 and the original sequence from which it has been varied;

Fig. 72 is a comparison between the amino acid sequence of SEQ ID NO: 159 and the original sequence from which it has been varied;

30 Fig. 73 is a comparison between the amino acid sequence of SEQ ID NO: 160 and the original sequence from which it has been varied;



**Fig. 74** is a comparison between the amino acid sequence of SEQ ID NO: 161 and the original sequence from which it has been varied;

**Fig. 75** is a comparison between the amino acid sequence of SEQ ID NO: 162 and the original sequence from which it has been varied;

5       **Fig. 76** is a comparison between the amino acid sequence of SEQ ID NO: 163 and the original sequence from which it has been varied;

**Fig. 77** is a comparison between the amino acid sequence of SEQ ID NO: 164 and the original sequence from which it has been varied;

**Fig. 78** is a comparison between the amino acid sequence of SEQ ID NO: 10   165 and the original sequence from which it has been varied;

**Fig. 79** is a comparison between the amino acid sequence of SEQ ID NO: 166 and the original sequence from which it has been varied;

**Fig. 80** is a comparison between the amino acid sequence of SEQ ID NO: 167 and the original sequence from which it has been varied;

15       **Fig. 81** is a comparison between the amino acid sequence of SEQ ID NO: 168 and the original sequence from which it has been varied;

**Fig. 82** is a comparison between the amino acid sequence of SEQ ID NO: 169 and the original sequence from which it has been varied;

**Fig. 83** is a comparison between the amino acid sequence of SEQ ID NO: 20   170 and the original sequence from which it has been varied;

**Fig. 84** is a comparison between the amino acid sequence of SEQ ID NO: 171 and the original sequence from which it has been varied;

**Fig. 85** is a comparison between the amino acid sequence of SEQ ID NO: 172 and the original sequence from which it has been varied;

25       **Fig. 86** is a comparison between the amino acid sequence of SEQ ID NO: 173 and the original sequence from which it has been varied;

**Fig. 87** is a comparison between the amino acid sequence of SEQ ID NO: 174 and the original sequence from which it has been varied;

- 27 -

Fig. 88 shows immunohistochemical staining with antibodies against a fragment of the ACEV product of SEQ ID NO: 144; expressed in ductal epitilus in salivatory gland (magnification X 100);

Fig. 89 shows the same as in Fig. 89 (magnification X 400);

5 Fig. 90 shows immunohistochemical staining with antibodies against a fragment of ACEV product of SEQ ID NO: 144 expressed in salivary glands surrounding the lymph nodes; and

Fig. 91 shows RT-PCR results of the ACEV sequence expressed in salivary glands.

10

## DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

### Example I: Comparison of variants with original sequences

Original sequences were obtained from GenBank Version 110. Comparison between the original sequences and the novel variant sequences was  
15 made using the Pileup application from the GCG suite version 10.0 (January 1999), with the default values:

Gap creation penalty (GapWeight): 8

Gap extension penalty (GapLengthWeight): 2

The comparison is shown in Fig. 1 to 87 which show the comparison of  
20 each of the variant products depicted in SEQ ID NO: 88 to 174 with the original sequence from which it was varied.

The following is a list which gives the name and the description of each original sequence from which the alternative splice variant has been varied by alternative splicing. The description is followed by the internal reference to the  
25 novel variant (NV-NV... or NV-... etc.) and a short comparison between the variant and the original sequence. It should be noticed that several splice variants may have been originated from the same parent sequence by several different alternative splicings. The following table summarizes the accession number of the original sequence, the terminology of the new variant (RN-NV... or NV-...) and  
30 the description of the difference between the new variant and the original sequence.

Table

Accession	SEQ ID NO:	Description of the New Variant
AA2A_HUMAN	88	Gap between amino acids at the positions 237-247 of the original protein. Missing 6th transmembrane loop of the original Adenosine A2 receptor.
ASM_HUMAN	89	Insertion of 2 amino acids after amino acid at the position 34 and insertion of 54 amino acids after amino acid at the position 492 of the original SPHINGOMYELIN PHOSPHODIESTERASE protein.
FA12_HUMAN	90	Alternative 10 C-terminal amino acids. Has part of catalytic domain missing 1 active site.
GCSR_HUMAN	91	Deletion of 62 amino acids between the positions 320-382 of the original GRANULOCYTE COLONY STIMULATING FACTOR receptor. The deletion is in the EXTRACELLULAR domain in one of the FIBRONECTIN TYPE-III domains R1.
GCSR_HUMAN	92	Insertion of 37 amino acids in the extracellular domain after the position 574 of the original GRANULOCYTE COLONY STIMULATING FACTOR receptor.
GLR2_HUMAN	93	Replacement of 88 C-terminal amino acids of the original glutamate receptor 2 by alternative 42 amino acids. Has most of domains, might be missing 4th transmembrane domain.
GLUC_HUMAN	94	Gap; 156aa compared to 180aa; exact 1-108; gap 108-132; exact 132-180. Missing almost whole GLUCAGON-LIKE PEPTIDE 1
IHBA_HUMAN	95	Replacement of 128 N-terminal amino acids of the original inhibin protein by alternative 5 amino acids. The deleted part contains propep and glycosylation site of the original protein. The resulting new variant sustains the inhibin beta chain.
IL6_HUMAN	96	Deletion of 17 amino acids between the positions 79-96 of the original interleukin 6 protein. Has all necessary domains.
IL6_HUMAN	97	Deletion of 55 amino acids between the positions 6-61 of the original protein. Has only the beginning of signal peptide; has disulfide bonds and carbohydrate region.
REL1_HUMAN	98	Insertion of 35 amino acids after the amino acid

- 29 -

		at the position 70 of the original relaxin protein. The insertion is in the connecting peptide.
SY04_HUMAN	99	Deletion of 5 amino acids between the positions 65-69 of the original protein. Replacement of the amino acid at the position 70 of the original protein by an alternative amino acid. Missing part of strand.
TSP1_HUMAN	100	Truncated: exact 1-722 (731aa long compared to 1170aa), last 9 amino acids are different. Missing 7 X TSP TYPE-3-REPEATS CA-BINDING domain C-TERMINAL, missing CELL ATTACHMENT SITE, missing 1 out of 4 glycosylation sites. Has all other components including signal peptide.
TSP1_HUMAN	101	Truncated exact 1-548 (555aa long compared to 1170) last 7aa different. Missing 3 X EGF-TYPE REPEATS, missing 7 X TSP TYPE-3 REPEATS Ca-BINDING domain C-TERMINAL missing CELL ATTACHMENT SITE, missing all diSulfide bonds, missing 2 out of 4 glycosylation sites. Has all other domains (including signal peptide).
TSP1_HUMAN	102	Truncated: exact 1-490 (546aa long compared to 1170) last 56 amino acids are different. Missing 1 out of 3 X TXP TYPE-1 REPEATS (CS-LIKE), Missing 3 X EGF-TYPE REPEATS, missing 7 X TSP TYPE-3 REPEATS CA-BINDING domain C-TERMINAL missing CELL ATTACHMENT SITE, missing all diSulfide bonds, missing 2 out of 4 glycosylations. Has all other domains (including signal peptide).
TSP1_HUMAN	103	Truncated: exact 1-431aa (459aa long compared to 1170) last 28 amino acids are different. Missing 2 out of 3 X TSP TYPE-1 REPEATS (CS-LIKE), Missing 3 X EGF-TYPE REPEATS, missing 7 X TSP TYPE-3 REPEATS CA-BINDING domain C-TERMINAL missing CELL ATTACHMENT SITE, missing all disulfide bonds, missing 2 out of 4 glycosylations. Has all other domains (including signal peptide).
TYPH_HUMAN	104	Deletion of 119 amino acids between the positions 33-452 of the original protein. The resulting new variant is missing the 3 <sup>rd</sup> repeat of the original protein.

- 30 -

TYPH_HUMAN	105	Replacement of 48 amino acids between the positions 216-264 of the original protein by alternative 9 amino acids.
TYPH_HUMAN	106	Deletion of 119 amino acids between the positions 333-452, missing 3 <sup>rd</sup> repeat of the original protein. Replacement of 48 amino acids between the positions 216-264 of the original protein by alternative 9 amino acids.
IC1_HUMAN	107	Deletion of 19 amino acids between the positions 29-48 of the original protein. Missing 1 glycosylation out of 14.
PT16_HUMAN	108	Deletion of 261 N-terminal amino acids of the original protein (the first possible Met is at the position 261). The new variant has 116 amino acids compared to 376 in the original protein (exact 261-376), including the active site.
PT16_HUMAN	109	Deletion of 57 amino acids between the positions 267-325 of the original protein. The resulting new variant contains the active site.
PT16_HUMAN	110	Deletion of 189 amino acids between the positions 89-278 of the original protein. The resulting new variant contains the active site.
PT16_HUMAN	111	Replacement of 376 C-terminal amino acids of the original protein by alternative 5 amino acids. The resulting new variant doesn't contain the active site.
IAP2_HUMAN	112	Truncated: 305 amino acids compared to 618 aa (protein 2). The new variant contains exact positions 1-299, last 6 amino acids are different. Two SNIPs in position 235 and 241 of the original protein. The new variant is missing Zn Finger and half of 3 <sup>rd</sup> BIR repeat.
SET_HUMAN	113	Extra 83 amino acids in the N-terminus of the protein. The added sequence has predicted potential transmembrane domain (probable signal peptide?)
SET_HUMAN	114	Replacement of 24 C-terminal amino acids of the original protein by alternative 8 amino acids. Missing part of ASP/GLU-RICH and BREAKPOINT FOR TRANSLOCATION TO FORM SET-CAN ONCOGENE.
CDNC_HUMAN	115	Deletion of 178 amino acids at the positions 97-275 of the original protein. Insertion of 121 amino acids at the N-terminus. The resulting new variant is missing PAPA repeats.
F13B_MOUSE	116	Deletion of 87 C-terminal amino acids of the original protein. SNIP at position 236 (L->V). The resulting new variant is missing the last

- 31 -

		shushi repeat.
EGF_MOUSE	117	Deletion of 641 amino acids between the positions 67-708 of the original protein. Missing 4 EGF-like domains, 2 glycosylations, 9 diSulfide bonds.
EGF_MOUSE	118	Deletion of 641 amino acids between the positions 67-708, and deletion of 45 amino acids between the positions 1020-1065 of the original protein. Missing 4 EGF-like domains, 2 glycosylations, 9 diSulfide bonds. Missing transmembrane domain.
EGF_MOUSE	119	Deletion of 641 amino acids between the positions 67-708 of the original protein. Missing 4 EGF-like domains, 2 glycosylations, 9 diSulfide bonds. Replacement of 419 C-terminal amino acids by 5 amino acids.
EGF_MOUSE	120	Deletion of 841 amino acids between the positions 18-859 of the original protein. Missing 5 EGF-like domains and 2 glycosylation sites.
EGF_MOUSE	121	Deletion of 774 amino acids between the positions 5-779 of the original protein. Missing signal peptide, 5 EGF-like domains, and 2 glycosylation sites.
P53_MOUSE	122	Deletion of 336 N-terminal amino acids of the original protein. Missing ASP/GLU-RICH (ACIDIC), missing hydrophobic domain, missing NUCLEAR LOCALIZATION SIGNAL, missing 1 out of 2 PHOSPHORYLATION sites.
NME3_HUMAN	123	Deletion of 381 N-terminal amino acids of the original protein. Missing 2 out of 4 glycosylation sites.
TRFE_HUMAN	124	Deletion of 34 amino acids between the positions 654-689 of the original protein. Loss of disulfide bond.
TRFE_HUMAN	125	Deletion of 52 amino acids between the positions 447-499 of the original protein. Loss of disulfide bond.
BAA23795	126	Replacement of 83 C-terminal amino acids from probable cytoplasmic domain of the original protein by alternative 4 amino acids. Resulting in truncated new variant: 4787 compared to 4866, exact 1-4783 with last 4 amino acids different.
VIPS_HUMAN	127	Replacement of 64 C-terminal amino acids of the original protein by alternative 7 amino acids. The resulting new variant is missing the

		last transmembrane and the cytoplasmic domains.
PACR_HUMAN	128	Deletion of 22 amino acids between the positions 88-110 of the original protein. The deletion is an extracellular loop.
NRP_HUMAN	129	Deletion of 540 C-terminal amino acids of the original protein, resulting in truncated new variant (383 compared to 923 amino acids). The new variant is missing part of the extracellular domain, the cytoplasmic and the transmembrane domains.
NRP_HUMAN	130	Replacement of 595 C-terminal amino acids of the original protein by alternative 11 amino acids. The resulting new variant is truncated (339 compared to 923 amino acids, exact 1-328 with last 11 amino acids different), and is missing part of the extracellular domain, the cytoplasmic and the transmembrane domains.
gi 1899200	131	Deletion of 114 amino acids between the positions 1257-1372 of the original N-METHYL D-ASPARTATE RECEPTOR SUBTYPE 2A protein.
VIPS_HUMAN	132	Replacement of 56 C-terminal amino acids from the cytoplasmic domain of the original protein by alternative 73 amino acids.
VIPS_HUMAN	133	Replacement of 56 C-terminal amino acids from the cytoplasmic domain of the original protein by alternative 70 amino acids.
IGIR_HUMAN	134	Deletion of 22 amino acids between the positions 1268-1291 of the original protein. The deleted fragment is part of the cytoplasmic domain of INSULIN-LIKE GROWTH FACTOR I RECEPTOR, BETA-CHAIN.
NRP_HUMAN	135	Replacement of 282 C-terminal amino acids of the original protein, including the transmembrane domain and the MAM domain, by alternative 3 amino acids.
NRP_HUMAN	136	Deletion of 83 amino acids between the positions 538-622 of the original protein. The deleted region includes part of the F5/8 TYPE C 2 domain and part of the MAM domain.
NRP_HUMAN	137	Deletion of 385 C-terminal amino acids of the original protein, including the transmembrane domain and the MAM domain.
FGR3_HUMAN	138	Replacement of 496 C-terminal amino acids of the original protein by alternative 79 amino acids.. The deleted region includes the C-terminal part of the extracellular domain, the

- 33 -

		transmembrane domain, the cytoplasmic domain, the protein kinase domain and the two ATP binding domains.
F13B_MOUSE	139	Replacement of 340 aa of the c-terminus of the original protein in 3aa deletion of sushi 6-10 domain
EGF_MOUSE	140	Deletion of 144 amino acids between the positions 1020-1165, including the transmembrane domain and part of the cytoplasmic domain of the original protein.
EGF_MOUSE	141	Replacement of 418 C-terminal amino acids of the original protein by alternative 5 amino acids. The deleted region includes the EGF active chain, 4 out of 9 EGF-like domains within the extracellular region of the protein, the transmembrane and the cytoplasmic regions.
EGF_MOUSE	142	Deletion of 641 amino acids between the positions 66-707 of the original protein. The deleted region is in the extracellular part of the protein and it includes 4 out of 9 EGF-like domains. NV-20 contains the original signal peptide, part of the extracellular domain, the epidermal growth factor chain (located between the positions 977-1029 of the original protein), and the original transmembrane and the cytoplasmic domains.
EGF_MOUSE	143	Deletion of 842 amino acids between the positions 17-859 of the original protein (including replacement of the amino acid in the position 859 by an alternative one). The deleted region is in the extracellular part of the protein and it includes 5 out of 9 EGF-like domains. NV-20 contains the original signal peptide, part of the extracellular domain, the epidermal growth factor chain (located between the positions 977-1029 of the original protein), and the original transmembrane and the cytoplasmic domains.
ACE_MOUSE	144	Replacement of 77 C-terminal amino acids of the original protein, including the entire transmembrane and cytoplasmic domains, by alternative 14 amino acids.
ESR1_MOUSE	145	Replacement of 229 C-terminal amino acids of the original protein, including part of the steroid-binding domain, by alternative 12 amino acids.
FA7_MOUSE	146	Deletion of 101 amino acids, between the positions 119-220 of the original protein. The



		deleted region contains 74 amino acids from the C-terminal end of the factor VII light chain, and 26 amino acids from the N-terminal end of the factor VII heavy catalytic chain. The deleted region includes EGF-like 2 domain and the cleavage site (by factor XA, factor XIIA, factor IXA, or thrombin) of the original protein.
CAL0_MOUSE	147	Deletion of 33 amino acids, spanning the positions 18-50, between the signal and the calcitonin peptide in the original precursor protein.
Gi 2826776	148	Replacement of the last 7 C-terminal amino acids of the original protein by alternative 11 amino acids.
PTI6_HUMAN	149	Replacement of the last 4 C-terminal amino acids of the original protein by alternative 28 amino acids.
PTI6_HUMAN	150	Replacement of the last 16 C-terminal amino acids of the original protein by alternative 12 amino acids.
_RIN1_HUMAN	151	Replacement of 158 last C-terminal amino acids of the original protein by alternative 71 amino acids with probable transmembrane region.
CDNC_HUMAN	152	Addition of 121 amino acids at the N-terminus of the protein.
CDN2_HUMAN	153	Replacement of 5 amino acids at the positions 18, 24, 27, 30, 37 of the original protein by alternative amino acids. Replacement of last 4 C-terminal amino acids of the original protein by alternative 20 amino acids.
CDN5_HUMAN	154	Replacement of the last 6 C-terminal amino acids of the original protein by alternative 52 amino acids.
HEP2_HUMAN	155	Deletion of 150 amino acids, between the positions 334-485, of the original protein. The deleted region includes the reactive bond (the active site) of the original protein. NV-33 does contain the chemotactic activity domain, the glycosaminoglycan-binding site and the hirudin-like 2 x 11 AA approximate repeats, Asp/Glu rich.
TFP2_HUMAN	156	Replacement of 36 C-terminal amino acids of the original protein by alternative 12 amino acids. The deleted region includes part of the BPTI/KUNITZ inhibitor domain-3 and the poly-Lysine domain of the original protein.
TFP2_HUMAN	157	Deletion of 25 amino acids, between the positions 153-178 of the original protein, and

- 35 -

		replacement of the amino acid at the position 179 by alternative one. The deleted region includes the active site and part of the BPTI/KUNITZ inhibitor domain-3.
TFPI_HUMAN	158	Replacement of 95 C-terminal amino acids of the original protein, containing the entire BPTI/KUNITZ inhibitor-3 domain, by alternative 16 amino acids.
IC1_HUMAN	159	Insertion of 136 aa at position 227 of the original protein.
PTI6_HUMAN	160	Replacement of last 15 aa in the original protein in 28 aa, the cds of the NV has no stop codon.
PTI6_HUMAN	161	Replacement of last 185 aa of the original protein in 13 aa. The NV lacks the ACT site.
PTI6_HUMAN	162	Replacement of last 230 aa of the original protein in 10 aa. The NV lacks the ACT site.
TYPH_HUMAN	163	Insertion of 35 aa at position 387 of the original protein.
CDNC_HUMAN	164	Replacement of 220 aa of the c-terminus of the original protein in 47 aa. Deletion of all 9 x 4 aa repeats of p-a-p-a. Deletion of the potential nuclear localization signal (278-281 in the original protein).
FGR3_HUMAN	165	Replacement of 264 aa of the c-terminus of the original protein in 19 aa. Deletion of part of the potential cytoplasmatic protein (397-806 in the original protein), part of the protein kinase domain (472-761), deletion of the ACT site (617).
TFP2_HUMAN	166	Replacement of 58 aa of the c-terminus of the original protein in 12 aa. Deletion of part of the bpti/kunitz inhibitor 3 domain (158-208 in the original protein).
TRFE_HUMAN	167	Insertion of 32 aa at position 366 of the original protein.
VIPS_HUMAN	168	Replacement of 388 aa of the c-terminus of the original protein in 27 aa. Deletion of all potential 7 trans membrana domain.
TFPI_HUMAN	169	Replacement of 180 aa of the n-terminus of the original protein in 37 aa. Deletion of the signal peptide and deletion of the bpti/kunitz inhibitor 1 and 2 domains.
P53_MOUSE	170	Replacement of 246 aa of the n-terminus of

- 36 -

		the original protein in 13 aa. Deletion of the asp/glu-rich (acidic) domain.
P53_MOUSE	171	Replacement of 246 aa of the n-terminus of the original protein in 13 aa. Deletion of the asp/glu-rich (acidic) domain.
ACE_MOUSE	172	Replacement of 77 aa of the c-terminus of the original protein in 17 aa. Deletion of the entire transmembrane and cytoplasmatic domains.
ESR1_MOUSE	173	Deletion of 225 aa of the c-terminus of the original protein. Deletion of most of the steroid binding domain (315-599 in the original protein). RT-PCR results implies that the NV exhibits similarity to thr somatic ACE (results not shown).
vesicular GABA and glycine transporter (mouse), gi 2826776	174	Replacement of 73 aa of the c-terminus of the original protein in 21 aa.

**Identification of the original sequence from which the novel  
Variant was variant**

5

The following is the explanation of the definition to be used in the following:

- Accession:** Accession number of the original sequence in the GeneBank database
- Name:** Name of the original sequence in the database
- Function:** Physiological activity.

15

**SEQ ID NO : Sequence number of variant**

**Description:** the difference between the variant and the original sequence.

- Accession:** AA2A\_HUMAN
- Name:** Adenosine A2 receptor
- Function:** Receptor for adenosine.

20

**SEQ ID 1**

- 37 -

**Description:** Gap between amino acids at the positions 237-247 of the original protein. Missing 6th transmembrane loop of the original Adenosine A2 receptor.

5 **Accession:** ASM\_HUMAN  
**Name:** SPHINGOMYELIN PHOSPHODIESTERASE  
**Function:** Converts sphingomyelin to ceramide.

**SEQ ID : 2**

10

**Description:** Insertion of 2 amino acids after amino acid at the position 34 and insertion of 54 amino acids after amino acid at the position 492 of the original SPHINGOMYELIN PHOSPHODIESTERASE protein.

15 **Accession:** FA12\_HUMAN  
**Name:** COAGULATION FACTOR XII  
**Function:** Factor XII is a serum glycoprotein that participates in the initiation of blood coagulation, fibrinolysis, and the generation of bradykinin and angiotensin.

20

**SEQ ID : 3**

**Description:** Alternative 10 C-terminal amino acids. Has part of catalytic domain missing 1 active site.

25

**Accession:** GCSR\_HUMAN  
**Name:** GRANULOCYTE COLONY STIMULATING FACTOR receptor  
**Function:** Receptor for granulocyte colony-stimulating factor (g- csf).  
30 In addition it may function in some adhesion or recognition events at the cell surface.

**SEQ ID : 4**

35 **Description:** Deletion of 62 amino acids between the positions 320-382 of the original GRANULOCYTE COLONY STIMULATING FACTOR receptor.

- 38 -

The deletion is in the EXTRACELLULAR domain in one of the FIBRONECTIN TYPE-III domains R1.

**Accession:** GCSR\_HUMAN

5 **Name:** GRANULOCYTE COLONY STIMULATING FACTOR  
receptor

**Function:** Receptor for granulocyte colony-stimulating factor (g- csf).  
In addition it may function in some adhesion or recognition  
events at the cell surface.

10

**SEQ ID : 5**

**Description:** Insertion of 37 amino acids in the extracellular domain after the  
position 574 of the original GRANULOCYTE COLONY STIMULATING  
15 **FACTOR** receptor.

**Accession:** GLR2\_HUMAN

**Name:** Glutamate receptor 2

20 **Function:** L-glutamate acts as an excitatory neurotransmitter at many  
synapses in the central nervous system. the postsynaptic  
actions of Glu are mediated by a variety of receptors are  
named according to their selective agonists

**SEQ ID : 6**

25

**Description:** Replacement of 88 C-terminal amino acids of the original  
glutamate receptor 2 by alternative 42 amino acids. Has most of domains, might  
be missing 4th transmembrane domain.

30 **Accession:** GLUC\_HUMAN

**Name:** Glucagon

**Function:** Promotes hydrolysis of glycogen and lipids, and raises the  
blood sugar level.

35 **SEQ ID : 7**

- 39 -

**Description** Gap; 156aa compared to 180aa; exact 1-108; gap 108-132; exact 132-180. Missing almost whole GLUCAGON-LIKE PEPTIDE 1

**Accession:** IHBA\_HUMAN

5 **Name:** Inhibin; erythroid differentiation factor

**Function:** Inhibin is a gonadal glycopeptide that inhibits the secretion of follitropin by the pituitary gland. On the other hand activin activates the secretion of follitropin. Activin is also important in embryonic axial development.

10

**SEQ ID : 8**

**Description:** Replacement of 128 N-terminal amino acids of the original inhibin protein by alternative 5 amino acids. The deleted part contains propep and  
15 glycosylation site of the original protein. The resulting new variant sustains the inhibin beta chain.

**Accession:** IL6\_HUMAN

**Name:** Interleukin 6

20 **Function:** IL-6 is a cytokine with a wide variety of biological functions: it plays an essential role in the final differentiation of B-cells into Ig-secreting cells, it induces myeloma and plasmacytoma growth, it induces nerve cells differentiation.

25 **SEQ ID : 9**

**Description:** Deletion of 17 amino acids between the positions 79-96 of the original interleukin 6 protein. Has all necessary domains.

30 **Accession:** IL6\_HUMAN

**Name:** Interleukin 6

**Function:** IL-6 is a cytokine with a wide variety of biological functions: it plays an essential role in the final differentiation of B-cells into Ig-secreting cells, it induces myeloma  
35 and plasmacytoma growth, it induces nerve cells differentiation.

- 40 -

**SEQ ID : 10**

**Description:** Deletion of 55 amino acids between the positions 6-61 of the original protein. Has only the beginning of signal peptide; has disulfide bonds and carbohydrate region.

**Accession:** REL1\_HUMAN

**Name:** Relaxin

**Function:** Relaxin is an ovarian hormone that acts with estrogen to produce dilatation of the birth canal in many mammals.

**SEQ ID : 11**

**Description:** Insertion of 35 amino acids after the amino acid at the position 70 of the original relaxin protein. The insertion is in the connecting peptide.

**Accession:** SY04\_HUMAN

**Name:** SMALL INDUCIBLE CYTOKINE A4, MACROPHAGE INFLAMMATORY PROTEIN 1-BETA

**Function:** Monokine with inflammatory and chemokinetic properties

**SEQ ID : 12**

**Description:** Deletion of 5 amino acids between the positions 65-69 of the original protein. Replacement of the amino acid at the position 70 of the original protein by an alternative amino acid. Missing part of strand.

**Accession:** TSP1\_HUMAN

**Name:** Thrombospondin adhesive glycoprotein

**Function:** Adhesive glycoprotein that mediates cell-to-cell and cell-to-matrix interactions. Can bind to fibrinogen, fibronectin, laminin and type v collagen

**SEQ ID : 13**

35

**Description:** Truncated exact 1-722 (731aa long compared to 1170aa), last 9 amino acids are different. Missing 7 X TSP TYPE-3 REPEATS CA-BINDING

- 41 -

domain C-TERMINAL, missing CELL ATTACHMENT SITE, missing 1 out of 4 glycosylation sites. Has all other components including signal peptide

**Accession:** TSP1\_HUMAN

5 **Name:** Thrombospondin adhesive glycoprotein

**Function:** Adhesive glycoprotein that mediates cell-to-cell and cell-to-matrix interactions. Can bind to fibrinogen, fibronectin, laminin and type v collagen

10 **SEQ ID : 14**

**Description:** Truncated exact 1-548 (555aa long compared to 1170) last 7aa different. Missing 3 X EGF-TYPE REPEATS, missing 7 X TSP TYPE-3 REPEATS Ca-BINDING domain C-TERMINAL missing CELL  
15 ATTACHMENT SITE, missing all diSulfide bonds, missing 2 out of 4 glycosylation sites. Has all other domains (including signal peptide).

**Accession:** TSP1\_HUMAN

**Name:** Thrombospondin adhesive glycoprotein

20 **Function:** Adhesive glycoprotein that mediates cell-to-cell and cell-to-matrix interactions. Can bind to fibrinogen, fibronectin, laminin and type v collagen

**SEQ ID : 15**

25 **Description:** Truncated exact 1-490 (546aa long compared to 1170) last 56 amino acids are different. Missing 1 out of 3 X TSP TYPE-1 REPEATS (CS-LIKE), Missing 3 X EGF-TYPE REPEATS, missing 7 X TSP TYPE-3 REPEATS CA-BINDING domain C-TERMINAL missing CELL  
30 ATTACHMENT SITE, missing all diSulfide bonds, missing 2 out of 4 glycosylations. Has all other domains (including signal peptide).

**Accession:** TSP1\_HUMAN

**Name:** Thrombospondin adhesive glycoprotein

35 **Function:** Adhesive glycoprotein that mediates cell-to-cell and cell-to-matrix interactions. Can bind to fibrinogen, fibronectin, laminin and type v collagen



- 42 -

## SEQ ID : 16

**Description:** Truncated: exact 1-431aa (459aa long compared to 1170) last 28  
5 amino acids are different. Missing 2 out of 3 X TSP TYPE-1 REPEATS  
(CS-LIKE), Missing 3 X EGF-TYPE REPEATS, missing 7 X TSP TYPE-3  
REPEATS CA-BINDING domain C-TERMINAL missing CELL  
ATTACHMENT SITE, missing all diSulfide bonds, missing 2 out of 4  
glycosylations. Has all other domains (including signal peptide).

10

**Accession:** TYPH\_HUMAN

**Name:** PLATELET-DERIVED ENDOTHELIAL CELL GROWTH  
FACTOR

15

**Function:** May have a role in maintaining the integrity of the blood  
vessels. Has growth promoting activity on endothelial cells,  
angiogenic activity *in vivo* and chemotactic activity on  
endothelial cells *in vitro*.

20

CATALYSES THE REVERSIBLE PHOSPHOROLYSIS  
OF THYMIDINE. THE PRODUCED MOLECULES ARE  
THEN UTILIZED AS CARBON AND ENERGY  
SOURCES OR IN THE RESCUE OF PYRIMIDINE  
BASES FOR NUCLEOTIDE SYNTHESIS.

25

SIMILARITY: BELONGS TO THYMIDINE/  
PYRIMIDINE-NUCLEOSIDE PHOSPHORYLASES  
FAMILY.

## SEQ ID : 17

30 **Description:** Deletion of 119 amino acids between the positions 333-452 of  
the original protein. The resulting new variant is missing the 3rd repeat of the  
original protein.

**Accession:** TYPH\_HUMAN

35 **Name:** PLATELET-DERIVED ENDOTHELIAL CELL GROWTH  
FACTOR

- 43 -

**Function:** May have a role in maintaining the integrity of the vessels. Has growth promoting activity on endothelial cells, angiogenic activity in vivo and chemotactic activity on endothelial cells *in vitro*.

5 CATALYSES THE REVERSIBLE PHOSPHOROLYSIS OF THYMIDINE. THE PRODUCED MOLECULES ARE THEN UTILIZED AS CARBON AND ENERGY SOURCES OR IN THE RESCUE OF PYRIMIDINE BASES FOR NUCLEOTIDE SYNTHESIS.

10 SIMILARITY: BELONGS TO THYMIDINE/PYRIMIDINE-NUCLEOSIDE PHOSPHORYLASES FAMILY.

**SEQ ID : 18**

15 **Description:** Replacement of 48 amino acids between the positions 216-264 of the original protein by alternative 9 amino acids.

**Accession:** TYPH\_HUMAN

20 **Name:** PLATELET-DERIVED ENDOTHELIAL CELL GROWTH FACTOR

**Function:** May have a role in maintaining the integrity of the vessels. Has growth promoting activity on endothelial cells, angiogenic activity in vivo and chemotactic activity on endothelial cells *in vitro*.

25 CATALYSES THE REVERSIBLE PHOSPHOROLYSIS OF THYMIDINE. THE PRODUCED MOLECULES ARE THEN UTILIZED AS CARBON AND ENERGY SOURCES OR IN THE RESCUE OF PYRIMIDINE BASES FOR NUCLEOTIDE SYNTHESIS.

30 SIMILARITY: BELONGS TO THYMIDINE/PYRIMIDINE-NUCLEOSIDE PHOSPHORYLASES FAMILY.

- 44 -

**SEQ ID : 19**

**Description:** Deletion of 119 amino acids between the positions 333-452, missing 3rd repeat of the original protein. Replacement of 48 amino acids  
5 between the positions 216-264 of the original protein by alternative 9 amino acids.

**Accession:** IC1\_HUMAN

**Name:** PLASMA PROTEASE C1 INHIBITOR

10 **Function:** Activation of the c1 complex is under control of the c1-. Inhibitor. IT FORMS A PROTEOLYTICALLY INACTIVE STOICHIOMETRIC COMPLEX WITH THE C1R OR C1S PROTEASES. MAY PLAY A POTENTIALLY CRUCIAL  
15 ROLE IN REGULATING IMPORTANT PHYSIOLOGICAL PATHWAYS INCLUDING COMPLEMENT ACTIVATION, BLOOD COAGULATION, FIBRINOLYSIS AND THE GENERATION OF KININS.  
PTM: HIGHLY GLYCOSYLATED (49%).  
20 SIMILARITY: BELONGS TO THE SERPIN FAMILY.

**SEQ ID NO : 20**

**Description:** Deletion of 19 amino acids between the positions 29-48 of the  
25 original protein. Missing 1 glycosylation out of 14.

**Accession:** PTI6\_HUMAN

**Name:** PLACENTAL THROMBIN INHIBITOR

**Function:** Cytoplasmic antiproteinase.  
30 SIMILARITY: BELONGS TO THE SERPIN FAMILY. OV-SERPIN SUBFAMILY.

**SEQ ID : 21**

35 **Description:** Deletion of 261 N-terminal amino acids of the original protein (the first possible Met is at the position 261). The new variant has 116 amino

- 45 -

acids compared to 376 in the original protein (exact 261-376), including the active site.

**Accession:** PTI6\_HUMAN

**Name:** PLACENTAL THROMBIN INHIBITOR

5 **Function:** Cytoplasmic antiproteinase  
SIMILARITY: BELONGS TO THE SERPIN FAMILY.  
OV-SERPIN SUBFAMILY.

**SEQ ID : 22**

10

**Description:** Deletion of 57 amino acids between the positions 267-325 of the original protein. The resulting new variant contains the active site.

**Accession:** PTI6\_HUMAN

**Name:** PLACENTAL THROMBIN INHIBITOR

15 **Function:** Cytoplasmic antiproteinase

**SEQ ID : 23**

20 **Description:** Deletion of 189 amino acids between the positions 89-278 of the original protein. The resulting new variant contains the active site.

**Accession:** PTI6\_HUMAN

**Name:** PLACENTAL THROMBIN INHIBITOR

**Function:** Cytoplasmic antiproteinase

25

**SEQ ID : 24**

30 **Description:** Replacement of 376 C-terminal amino acids of the original protein by alternative 5 amino acids. The resulting new variant doesn't contain the active site.

**Accession:** IAP2\_HUMAN

**Name:** INHIBITOR OF APOPTOSIS PROTEIN 2

35 **Function:** Apoptotic suppressor. The BIR motifs region interacts with TNF receptor associated factors 1 and 2 (traf1 and traf2) to form an heteromeric complex, which is then recruited to the tumor necrosis factor receptor 2 (TNFR2).

- 46 -

**SEQ ID : 25**

**Description:** Truncated: 305 amino acids compared to 618 aa(protein 2). The  
5 new variant contains exact positions 1-299, last 6 amino acids are different. Two  
SNIPs in positions 235 and 241 of the original protein. The new variant is  
missing Zn Finger and half of 3rd BIR repeat.

**Accession:** SET\_HUMAN  
10 **Name:** PHOSPHATASE 2A INHIBITOR I2PP2A  
**Function:** May be involved in the generation of intracellular signaling  
events that lead to regulation of transcriptional activity after  
binding of a ligand to HLA class II molecules. Potent  
inhibitor of protein phosphatase 2a.

15

**SEQ ID : 26**

**Description:** Extra 83 amino acids in the N-terminus of the protein. The  
added sequence has predicted potential transmembrane domain (probable signal  
20 peptide?)

**Accession:** SET\_HUMAN  
**Name:** PHOSPHATASE 2A INHIBITOR I2PP2A  
**Function:** May be involved in the generation of intracellular signaling  
25 events that lead to regulation of transcriptional activity after  
binding of a ligand to HLA class II molecules. Potent  
inhibitor of protein phosphatase 2a.

**SEQ ID : 27**

30

**Description:** Replacement of 24 C-terminal amino acids of the original  
protein by alternative 8 amino acids. Missing part of ASP/GLU-RICH and  
BREAKPOINT FOR TRANSLOCATION TO FORM SET-CAN  
ONCOGENE.

35

**Accession:** CDNC\_HUMAN  
**Name:** CYCLIN-DEPENDENT KINASE INHIBITOR 1C

- 47 -

**Function:** POTENT TIGHT-BINDING INHIBITOR OF SEVERAL  
G1 CYCLIN/CDK COMPLEXES (CYCLIN E-CDK2,  
CYCLIN D2-CDK4, AND CYCLIN A-CDK2) AND, TO  
LESSER EXTENT, OF THE MITOTIC CYCLIN B-CDC2.  
NEGATIVE REGULATOR OF CELL PROLIFERATION.  
MAY PLAY A ROLE IN MAINTENANCE OF THE  
NONPROLIFERATIVE STATE THROUGHOUT LIFE.  
SUBCELLULAR LOCATION: NUCLEAR (BY  
SIMILARITY).  
DISEASE: CDKN1C MUTATIONS ARE INVOLVED IN  
TUMOR FORMATION.

**SEQ ID : 28**

**Description:** Deletion of 178 amino acids at the positions 97-275 of the  
original protein. Insertion of 121 amino acids at the N-terminus. The resulting  
new variant is missing PAPA repeats.

**Accession:** F13B\_MOUSE

**Name:** COAGULATION FACTOR XIII B CHAIN

**Function:** The B chain of factor XIII is not catalytically active, but is  
thought to stabilize the a subunits and regulate the rate of  
transglutaminase formation by thrombin

**SEQ ID : 29****Description**

Deletion of 87 C-terminal amino acids of the original protein. SNIP at position  
236 (L->V). The resulting new variant is missing the last shushi repeat.

**Accession:** EGF\_MOUSE

**Name:** PRO-EPIDERMAL GROWTH FACTOR

**Function:** Stimulates the growth of various epidermal and epithelial  
tissues.

**SEQ ID : 30**

- 48 -

**Description:** Deletion of 641 amino acids between the positions 67-708 of the original protein. Missing 4 EGF-like domains, 2 glycosylations, 9 diSulfide bonds.

5 **Accession:** EGF\_MOUSE  
**Name:** PRO-EPIDERMAL GROWTH FACTOR  
**Function:** Stimulates the growth of various epidermal and epithelial Tissues

- 49 -

**SEQ ID : 31**

**Description:** Deletion of 641 amino acids between the positions 67-708, and deletion of 45 amino acids between the positions 1020-1065 of the original protein. Missing 4 EGF-like domains, 2 glycosylations, 9 diSulfide bonds. Missing transmembrane domain.

**Accession:** EGF\_MOUSE  
**Name:** PRO-EPIDERMAL GROWTH FACTOR  
**Function:** Stimulates the growth of various epidermal and epithelial tissues

**SEQ ID : 32**

**Description:** Deletion of 641 amino acids between the positions 67-708 of the original protein. Missing 4 EGF-like domains, 2 glycosylations, 9 diSulfide bonds. Replacement of 419 C-terminal amino acids by 5 amino acids.

**Accession:** EGF\_MOUSE  
**Name:** PRO-EPIDERMAL GROWTH FACTOR  
**Function:** Stimulates the growth of various epidermal and epithelial Tissues

**SEQ ID : 33**

**Description:** Deletion of 841 amino acids between the positions 18-859 of the original protein. Missing 5 EGF-like domains and 2 glycosylation sites.

**Accession:** EGF\_MOUSE  
**Name:** PRO-EPIDERMAL GROWTH FACTOR  
**Function:** Stimulates the growth of various epidermal and epithelial Tissues



- 50 -

**SEQ ID : 34**

**Description:** Deletion of 774 amino acids between the positions 5-779 of the original protein. Missing signal peptide, 5 EGF-like domains, and 2 glycosylation sites.

**Accession:** P53\_MOUSE  
**Name:** CELLULAR TUMOR ANTIGEN P53  
**Function:** Acts as a tumor suppressor in many tumor types. Induces growth arrest or apoptosis depending on the physiological circumstances or cell type, but both activities are involved in tumor suppression.

**SEQ ID : 35**

**Description:** Deletion of 336 N-terminal amino acids of the original protein. Missing ASP/GLU-RICH (ACIDIC), missing hydrophobic domain, missing NUCLEAR LOCALIZATION SIGNAL, missing 1 out of 2 PHOSPHORYLATION sites.

**Accession:** NME3\_HUMAN  
**Name:** GLUTAMATE [NMDA] RECEPTOR SUBUNIT EPSILON 3  
**Function:** NMDA receptor subtype of glutamate-gated ion channels possesses high calcium permeability and voltage-dependent sensitivity to magnesium and is mediated by glycine.

**SEQ ID : 36**

**Description:** Deletion of 381 N-terminal amino acids of the original protein. Missing 2 out of 4 glycosylation sites.

**Accession:** TRFE\_HUMAN  
**Name:** SEROTRANSFERRIN  
**Function:** Iron binding transport proteins

- 51 -

**SEQ ID : 37**

**Description:** Deletion of 34 amino acids between the positions 654-689 of the original protein. Loss of disulfide bond.

5

**Accession:** TRFE\_HUMAN  
**Name:** SEROTRANSFERRIN  
**Function:** Iron binding transport proteins

10 **SEQ ID : 38**

**Description:** Deletion of 52 amino acids between the positions 447-499 of the original protein. Loss of disulfide bond.

15 **Accession:** BAA23795  
**Name:** Brain ryanodine receptor

**SEQ ID : 39**

20

**Description:** Replacement of 83 C-terminal amino acids from probable cytoplasmic domain of the original protein by alternative 4 amino acids. Resulting in truncated new variant: 4787 compared to 4866, exact 1-4783 with last 4 amino acids different.

25

**Accession:** VIPS\_HUMAN  
**Name:** VASOACTIVE      INTESTINAL      POLYPEPTIDE  
RECEPTOR 2

30

**Function:** This is a receptor for VIP as well as PACAP-38 and -27, the activity of this receptor is mediated by G proteins which activate adenylyl cyclase. Can be coupled to phospholipase C.

**SEQ ID : 40**

35 **Description:** Replacement of 64 C-terminal amino acids of the original protein by alternative 7 amino acids. The resulting new variant is missing the last transmembrane and the cytoplasmic domains.

- 52 -

**Accession:** PACR\_HUMAN  
**Name:** PITUITARY ADENYLATE CYCLASE ACTIVATING POLYPEPTIDE TYPE RECEPTOR

**Function:** This is a receptor for PACAP-27 and PACAP-38. The activity of this receptor is mediated by G proteins which activate adenylyl cyclase. May regulate the release of adrenocorticotropin, luteinizing hormone, growth hormone, prolactin, epinephrine.

10 **SEQ ID : 41**

**Description:** Deletion of 22 amino acids between the positions 88-110 of the original protein. The deletion is in extracellular loop.

15 **Accession:** NRP\_HUMAN  
**Name:** NEUROPILIN VASCULAR ENDOTHELIAL CELL GROWTH FACTOR 165 RECEPTOR  
**Function:** Calcium-independent cell adhesion molecule that function during the formation of certain neuronal circuits. Binds to semaphorin III and to the VEGF165 isoform of VEGF

20 **SEQ ID : 42**

**Description:** Deletion of 540 C-terminal amino acids of the original protein, resulting in truncated new variant (383 compared to 923 amino acids). The new variant is missing part of the extracellular domain, the cytoplasmic and the transmembrane domains.

**Accession:** NRP\_HUMAN  
30 **Name:** NEUROPILIN VASCULAR ENDOTHELIAL CELL GROWTH FACTOR 165 RECEPTOR  
**Function:** Calcium-independent cell adhesion molecule that during the formation of certain neuronal circuits. Binds to semaphorin III and to the VEGF165 isoform of VEGF

35

- 53 -

**R2\_NV43**

**Description:** Replacement of 595 C-terminal amino acids of the original protein by alternative 11 amino acids. The resulting new variant is truncated (339 compared to 923 amino acids, exact 1-328 with last 11 amino acids different), and is missing part of the extracellular domain, the cytoplasmic and the transmembrane domains.

**Accession:** gi|1899200

**Name:** N-METHYL D-ASPARTATE RECEPTOR SUBTYPE 2A

**Function:** NMDA RECEPTOR SUBTYPE OF GLUTAMATE-GATED ION CHANNELS POSSESSES HIGH CALCIUM PERMEABILITY AND VOLTAGE-DEPENDENT SENSITIVITY TO MAGNESIUM AND IS MEDIATED BY GLYCINE.

SUBUNIT: HETERODIMER OF AN EPSILON SUBUNIT AND A ZETA SUBUNIT.

SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN.

SIMILARITY: BELONGS TO THE LIGAND-GATED IONIC CHANNELS FAMILY.

**SEQ ID : 44:**

**Description:** Deletion of 114 amino acids between the positions 1257-1372 of the original protein.

**Accession:** VIPS\_HUMAN

**Name:** VASOACTIVE INTESTINAL POLYPEPTIDE RECEPTOR 2

**Function:** THIS IS A RECEPTOR FOR VIP AS WELL AS PACAP-38 AND -27, THE ACTIVITY OF THIS RECEPTOR IS MEDIATED BY G PROTEINS WHICH ACTIVATE ADENYLYL CYCLASE. CAN BE COUPLED TO PHOSPHOLIPASE C.

SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN.

- 54 -

SIMILARITY: BELONGS TO FAMILY 2 OF  
G-PROTEIN COUPLED RECEPTORS.

**SEQ ID : 45:**

5

**Description:** Replacement of 56 C-terminal amino acids from the cytoplasmic domain of the original protein by alternative 73 amino acids.

10 **SEQ ID : 46**

**Description:** Replacement of 56 C-terminal amino acids from the cytoplasmic domain of the original protein by alternative 70 amino acids.

15

**Accession:** IG1R\_HUMAN

**Name:** INSULIN-LIKE GROWTH FACTOR I RECEPTOR  
PRECURSOR

20

**Function:** THIS RECEPTOR BINDS INSULIN-LIKE GROWTH  
FACTOR I (IGF I) WITH A HIGH AFFINITY AND IGF II  
WITH A LOWER AFFINITY. IT HAS A  
TYROSINE-PROTEIN KINASE ACTIVITY.

CATALYTIC ACTIVITY: ATP + A PROTEIN TYROSINE  
= ADP + PROTEIN TYROSINE PHOSPHATE.

25

SUBUNIT: TETRAMER OF 2 ALPHA AND 2 BETA  
CHAINS LINKED BY DISULFIDE BONDS. THE ALPHA  
CHAINS

CONTRIBUTE TO THE FORMATION OF THE LIGAND-  
BINDING DOMAIN, WHILE THE BETA CHAIN  
CARRIES THE KINASE DOMAIN.

30

SUBCELLULAR LOCATION: TYPE I MEMBRANE  
PROTEIN.

SIMILARITY: BELONGS TO THE INSULIN RECEPTOR  
FAMILY OF TYROSINE- PROTEIN KINASES.

35

SIMILARITY: CONTAINS 2 FIBRONECTIN TYPE  
III-LIKE DOMAINS.

- 55 -

**SEQ ID : 47**

**Description:** Deletion of 22 amino acids between the positions 1268-1291 of the original protein. The deleted fragment is part of the cytoplasmic domain of  
5 INSULIN-LIKE GROWTH FACTOR I RECEPTOR, BETA-CHAIN.

**Accession:** NRP\_HUMAN

**Name:** NEUROPILIN

10 **Function:** CALCIUM-INDEPENDENT CELL ADHESION  
MOLECULE THAT FUNCTION DURING THE  
FORMATION OF CERTAIN NEURONAL CIRCUITS.  
BINDS TO SEMAPHORIN III AND TO THE VEGF165  
ISOFORM OF VEGF.  
15 SUBCELLULAR LOCATION: TYPE I MEMBRANE  
PROTEIN.  
SIMILARITY: CONTAINS 2 CUB DOMAINS.  
SIMILARITY: CONTAINS 2 F5/8 TYPE C DOMAINS.  
SIMILARITY: CONTAINS 1 MAM DOMAIN.

20

**SEQ ID : 48**

**Description:** Replacement of 282 C-terminal amino acids of the original protein, including the transmembrane domain and the MAM domain, by  
25 alternative 3 amino acids.

**SEQ ID : 49**

**Description:** Deletion of 83 amino acids between the positions 538-622 of  
30 the original protein. The deleted region includes part of the F5/8 TYPE C 2  
domain and part of the MAM domain.

**SEQ ID : 50**

35 **Description:** Deletion of 385 C-terminal amino acids of the original protein, including the transmembrane domain and the MAM domain.

- 56 -

**Accession:** FGR3\_HUMAN

**Name:** FIBROBLAST GROWTH FACTOR RECEPTOR 3

**Function:** SUBCELLULAR LOCATION: TYPE I MEMBRANE  
5 PROTEIN.

10 DISEASE: DEFECTS IN FGFR3 ARE THE CAUSE OF  
THE AUTOMOSOMAL DOMINANT DISEASE  
ACHONDROPLASIA (ACH); THE MOST FREQUENT  
FORM OF SHORT-LIMB DWARFISM. ACH IS  
CHARACTERIZED BY A LONG, NARROW TRUNK,  
SHORT EXTREMITIES, PARTICULARLY IN THE  
PROXIMAL (RHIZOMELIC) SEGMENTS, A LARGE  
HEAD WITH FRONTAL BOSSING, HYPOPLASIA OF  
THE MIDFACE AND A TRIDENT CONFIGURATION  
15 OF THE HANDS.

DISEASE: DEFECTS IN FGFR3 ARE A CAUSE OF  
CROUZON SYNDROME, ALSO CALLED  
CRANIOFACIAL DYSOSTOSIS TYPE I (CFD1).  
CHARACTERIZED BY CRANIOSYNOSTOSIS  
(PREMATURE FUSION OF THE SKULL SUTURES),  
20 HYPERTELORISM, EXOPHTHALMOS AND  
EXTERNAL STRABISMUS, PARROT-BEAKED NOSE,  
SHORT UPPER LIP, HYPOPLASTIC MAXILLA, AND  
A RELATIVE MANDIBULAR PROGNATHISM.

25 DISEASE: DEFECTS IN FGFR3 ARE A CAUSE OF  
THANATOPHORIC DYSPLASIA (TD) (ALSO KNOWN  
AS THANATOPHORIC DWARFISM), THE MOST  
COMMON NEONATAL LETHAL SKELETAL  
DYSPLASIA, AFFECTED INDIVIDUALS DISPLAY  
30 FEATURES SIMILAR TO THOSE SEEN IN  
HOMOZYGOUS ACHONDROPLASIA. IT CAUSES  
SEVERE SHORTENING OF THE LIMBS WITH  
MACROCEPHALY, NARROW THORAX AND SHORT  
RIBS. IN THE MOST COMMON SUBTYPE (TD1),  
35 FEMUR ARE CURVED, WHILE IN TD2, STRAIGHT  
FEMURS ARE ASSOCIATED WITH CLOVERLEAF  
SKULL.

- 57 -

DISEASE: DEFECTS IN FGFR3 ARE A CAUSE OF CRANIOSYNOSTOSIS ADELAIDE TYPE (CRS3), A FORM OF CORONAL SYNOSTOSIS (CS) CHARACTERIZED BY CRANIOSYNOSTOSIS, MIDFACE HYPOPLASIA, DOWNSLANDING PALPEBRAL FISSURES, PTOSIS, HIGHLY ARCHED PALATE, MID-TO-MODERATE SENSORINEURAL HEARING LOSS, NORMAL STATURE, BRADYDACTYLY, BROAD BIG TOES. RADIOLOGICALLY HANDS AND FEET SHOW THIMBLE-LIKE MIDDLE PHALANGES, CONED EPIPHYSES, AND CARPAL AND TARSAL FUSIONS.

DISEASE: DEFECTS IN FGFR3 ARE A CAUSE OF THE AUTOSOMAL DOMINANT DISEASE HYPOCHONDROPLASIA CHARACTERIZED BY DISPROPORTIONATE SHORT STATURE. IT RESEMBLE ACHONDROPLASIA, BUT WITH A LESS SEVERE PHENOTYPE.

SIMILARITY: BELONGS TO THE FIBROBLAST GROWTH FACTOR RECEPTOR FAMILY.

SIMILARITY: CONTAINS 3 IMMUNOGLOBULIN-LIKE DOMAINS.

#### SEQ ID : 51

**Description:** Replacement of 496 C-terminal amino acids of the original protein by alternative 79 amino acids.. The deleted region includes the C-terminal part of the extracellular domain, the transmembrane domain, the cytoplasmic domain, the protein kinase domain and the two ATP binding domains.

#### EGF MOUSE

#### EPIDERMAL GROWTH FACTOR

**FUNCTION:** THE GROWTH FACTOR STIMULATES THE GROWTH OF VARIOUS EPIDERMAL AND EPITHELIAL TISSUES IN VIVO AND IN VITRO AND OF SOME FIBROBLASTS IN CELL CULTURE.  
**SUBCELLULAR LOCATION:** TYPE I MEMBRANE PROTEIN.



- 58 -

SIMILARITY: CONTAINS 8 COMPLETE AND ONE INCOMPLETE EGF-LIKE DOMAINS.

**SEQ ID NO : 52**

5

Deletion of 144 amino acids between the positions 1020-1165, including the transmembrane domain and part of the cytoplasmic domain of the original protein.

10 **SEQ ID NO : 53**

Replacement of 418 C-terminal amino acids of the original protein by alternative 5 amino acids. The deleted region includes the EGF active chain, 4 out of 9 EGF-like domains within the extracellular region of the protein, the  
15 transmembrane and the cytoplasmic regions.

**SEQ ID NO : 54**

Deletion of 641 amino acids between the positions 66-707 of the original protein.  
20 The deleted region is in the extracellular part of the protein and it includes 4 out of 9 EGF-like domains. NV-20 contains the original signal peptide, part of the extracellular domain, the epidermal growth factor chain (located between the positions 977-1029 of the original protein), and the original transmembrane and the cytoplasmic domains.

25

**SEQ ID NO : 55**

Deletion of 842 amino acids between the positions 17-859 of the original protein  
30 (including replacement of the amino acid in the position 859 by an alternative one). The deleted region is in the extracellular part of the protein and it includes 5 out of 9 EGF-like domains. NV-20 contains the original signal peptide, part of the extracellular domain, the epidermal growth factor chain (located between the positions 977-1029 of the original protein), and the original transmembrane and  
35 the cytoplasmic domains.

**ACE\_MOUSE**

40

**ANGIOTENSIN-CONVERTING ENZYME**

- 59 -

FUNCTION: CONVERTS ANGIOTENSIN I TO ANGIOTENSIN II BY  
RELEASE OF THE TERMINAL HIS-LEU, THIS RESULTS IN AN  
5 INCREASE OF THE VASOCONSTRICTOR ACTIVITY OF ANGIOTENSIN.  
CATALYTIC ACTIVITY: RELEASE OF A C-TERMINAL DIPEPTIDE,  
OLIGOPEPTIDE-|-XAA-XBB, WHEN XAA IS NOT PRO, AND XBB IS  
NEITHER ASP NOR GLU. CONVERTS ANGIOTENSIN I TO  
ANGIOTENSIN II.

10 COFACTOR: BINDS TWO ZINC IONS (BY SIMILARITY).

SUBCELLULAR LOCATION: TYPE I MEMBRANE PROTEIN.

ALTERNATIVE PRODUCTS: THE TESTICULAR ANGIOTENSIN-  
CONVERTING ENZYME IS TRANSCRIBED FROM THE SAME GENE AS  
THE SOMATIC ISOFORM, PROBABLY FROM AN ALTERNATIVE START  
15 SITE.

SIMILARITY: BELONGS TO PEPTIDASE FAMILY M2 (ZINC  
METALLOPROTEASE).

20 SEQ ID NO : 56

Replacement of 77 C-terminal amino acids of the original protein, including the  
entire transmembrane and cytoplasmic domains, by alternative 14 amino acids.

25 ESRI\_MOUSE

### ESTROGEN RECEPTOR

30 FUNCTION: THE STEROID HORMONES AND THEIR RECEPTORS ARE  
INVOLVED IN THE REGULATION OF EUKARYOTIC GENE  
EXPRESSION AND AFFECT CELLULAR PROLIFERATION AND  
DIFFERENTIATION IN TARGET TISSUES.

SUBUNIT: HOMODIMER.

35 SUBCELLULAR LOCATION: NUCLEAR.

DOMAIN: COMPOSED OF THREE DOMAINS: A MODULATING  
N-TERMINAL DOMAIN, A DNA-BINDING DOMAIN AND A  
C-TERMINAL STEROID-BINDING DOMAIN.

40 MISCELLANEOUS: IN THE ABSENCE OF LIGAND, STEROID HORMONE  
RECEPTORS ARE THOUGHT TO BE WEAKLY ASSOCIATED WITH  
NUCLEAR COMPONENTS; HORMONE BINDING GREATLY INCREASES  
RECEPTOR AFFINITY. THE HORMONE-RECEPTOR COMPLEX APPEARS  
TO RECOGNIZE DISCRETE DNA SEQUENCES UPSTREAM OF  
TRANSCRIPTIONAL START SITES.

- 60 -

SIMILARITY: BELONGS TO THE NUCLEAR HORMONE RECEPTORS  
FAMILY. NR3 SUBFAMILY.

**SEQ ID : 57**

5

Replacement of 229 C-terminal amino acids of the original protein, including part of the steroid-binding domain, by an alternative 12 amino acids.

10

**FA7\_MOUSE****COAGULATION FACTOR VII PRECURSOR**

15 FUNCTION: CIRCULATES IN THE BLOOD IN A ZYMOGEN FORM.  
FACTOR VII IS CONVERTED TO FACTOR VIIA BY FACTOR XA,  
FACTOR XIIA, FACTOR IXA, OR THROMBIN BY MINOR PROTEOLYSIS.  
IN THE PRESENCE OF TISSUE FACTOR AND CALCIUM IONS, FACTOR  
VIIA THEN CONVERTS FACTOR X TO FACTOR XA BY LIMITED  
20 PROTEOLYSIS. FACTOR VIIA WILL ALSO CONVERT FACTOR IX TO  
FACTOR IXA IN THE PRESENCE OF TISSUE FACTOR AND CALCIUM  
(BY SIMILARITY).

CATALYTIC ACTIVITY: HYDROLYSES ONE ARG-|-ILE BOND IN  
FACTOR X TO FORM FACTOR XA.

25 SUBUNIT: HETERODIMER OF A LIGHT CHAIN AND A HEAVY CHAIN  
LINKED BY A DISULFIDE BOND (BY SIMILARITY).

TISSUE SPECIFICITY: PLASMA.

PTM: THE VITAMIN K-DEPENDENT, ENZYMATIC CARBOXYLATION  
OF SOME GLUTAMIC ACID RESIDUES ALLOWS THE MODIFIED  
30 PROTEIN TO BIND CALCIUM (BY SIMILARITY).

SIMILARITY: CONTAINS 2 EGF-LIKE DOMAINS.

SIMILARITY: BELONGS TO PEPTIDASE FAMILY S1; ALSO KNOWN AS  
THE TRYPSIN FAMILY.

**35 SEQ ID : 58**

Deletion of 101 amino acids, between the positions 119-220 of the original  
protein. The deleted region contains 74 amino acids from the C-terminal end of  
the factor VII light chain, and 26 amino acids from the N-terminal end of the  
40 factor VII heavy catalytic chain. The deleted region includes EGF-like 2 domain  
and the cleavage site (by factor XA, factor XIIA, factor IXA, or thrombin) of

- 61 -

the original protein.

### CAL0\_MOUSE

5

#### CALCITONIN PRECURSOR

FUNCTION: CAUSES A RAPID BUT SHORT-LIVED DROP IN THE LEVEL  
OF CALCIUM AND PHOSPHATE IN BLOOD BY PROMOTING THE  
10 INCORPORATION OF THOSE IONS IN THE BONES.

ALTERNATIVE PRODUCTS: THE CALCITONIN PRECURSOR AND THE  
CALCITONIN RELATED PEPTIDE PRECURSOR ARE OBTAINED BY  
TISSUE-SPECIFIC SPLICING OF THE SAME GENE.

SIMILARITY: BELONGS TO THE CALCITONIN FAMILY.

15

**SEQ ID NO : 59**

Deletion of 33 amino acids, spanning the positions 18-50, between the signal and  
the calcitonin peptide in the original precursor protein.

20

**gi 2826776**

### VESICULAR INHIBITORY AMINO ACID TRANSPORTER

25

function="uptake of GABA and glycine into synaptic vesicles"

**SEQ ID NO : 60**

30

Replacement of the last 7 C-terminal amino acids of the original protein by  
alternative 11 amino acids.

35

### PTI6\_HUMAN

#### PLACENTAL THROMBIN INHIBITOR

40

CYTOPLASMIC ANTIPROTEINASE, PROTEASE INHIBITOR 6.  
SIMILARITY: BELONGS TO THE SERPIN FAMILY. OV-SERPIN  
SUBFAMILY.

- 62 -

**SEQ ID NO : 61**

Replacement of the last 4 C-terminal amino acids of the original protein by alternative 28 amino acids.

5

**SEQ ID NO : 62**

Replacement of the last 16 C-terminal amino acids of the original protein by alternative 12 amino acids.

10

**RIN1\_HUMAN**

15

**RAS INTERACTION/INTERFERENCE PROTEIN 1**  
**(RAS INHIBITOR JC99)**  
**(FRAGMENT)**

**SEQ ID NO : 63**

20

Replacement of 158 last C-terminal amino acids of the original protein by alternative 71 amino acids with probable transmembrane region.

25

**CDNC\_HUMAN****CYCLIN-DEPENDENT KINASE INHIBITOR 1C P57**

30

FUNCTION: POTENT TIGHT-BINDING INHIBITOR OF SEVERAL G1 CYCLIN/CDK COMPLEXES (CYCLIN E-CDK2, CYCLIN D2-CDK4, AND CYCLIN A-CDK2) AND, TO LESSER EXTENT, OF THE MITOTIC CYCLIN B-CDC2. NEGATIVE REGULATOR OF CELL PROLIFERATION. MAY PLAY A ROLE IN MAINTENANCE OF THE NONPROLIFERATIVE STATE THROUGHOUT LIFE.

35

SUBCELLULAR LOCATION: NUCLEAR (BY SIMILARITY).  
DISEASE: CDKN1C MUTATIONS ARE INVOLVED IN TUMOR FORMATION.

40

**SEQ ID NO : 64**

Addition of 121 amino acids at the N-terminus of the protein.

- 63 -

**CDN2\_HUMAN**

5       **CYCLIN-DEPENDENT KINASE 4 INHIBITOR A (CDK4I)**  
          **(MULTIPLE TUMOR SUPPRESSOR 1) (MTS1)**

10       FUNCTION: INTERACTS STRONGLY WITH CDK4 AND CDK6. INHIBITS  
          ITS ABILITY TO INTERACT WITH CYCLINS D. COULD ACT AS A  
          NEGATIVE REGULATOR OF THE PROLIFERATION OF NORMAL  
          CELLS.

          SUBUNIT: HETERODIMER WITH CDK4 OR CDK6.

15       DISEASE: CDKN2A MUTATIONS ARE INVOLVED IN TUMOR  
          FORMATION IN A WIDE RANGE OF TISSUES.

          SIMILARITY: BELONGS TO THE CDKN2 FAMILY OF  
          CYCLIN-DEPENDENT KINASE INHIBITORS.

          SIMILARITY: CONTAINS 4 ANK REPEATS.

20

**SEQ ID NO : 65**

          Replacement of 5 amino acids at the positions 18, 24, 27, 30, 37 of the original  
          protein by alternative amino acids. Replacement of last 4 C-terminal amino acids  
25       of the original protein by alternative 20 amino acids.

**CDN5\_HUMAN**

30       **CYCLIN-DEPENDENT KINASE 4 INHIBITOR B**  
          **(MULTIPLE TUMOR SUPPRESSOR 2)**

35       FUNCTION: INTERACTS STRONGLY WITH CDK4 AND CDK6. POTENT  
          INHIBITOR. POTENTIAL EFFECTOR OF TGF-BETA INDUCED CELL  
          CYCLE ARREST.

          SUBUNIT: HETERODIMER OF P14 WITH CDK4.

          DISEASE: CDKN2B MUTATIONS ARE INVOLVED IN TUMOR  
          FORMATION.

40       SIMILARITY: BELONGS TO THE CDKN2 FAMILY OF  
          CYCLIN-DEPENDENT KINASE INHIBITORS.

          SIMILARITY: CONTAINS 2 ANK REPEATS.

- 64 -

## SEQ ID NO : 66

Replacement of the last 6 C-terminal amino acids of the original protein by alternative 52 amino acids.

5

## HEP2\_HUMAN

**HEPARIN COFACTOR II PRECURSOR**  
**PROTEASE INHIBITOR LEUSERPIN 2**

10

FUNCTION: THROMBIN INHIBITOR ACTIVATED BY THE GLYCOSAMINOGLYCANS, HEPARIN OR DERMATAN SULFATE. IN THE PRESENCE OF THE LATTER, HC-II BECOMES THE PREDOMINANT THROMBIN INHIBITOR IN PLACE OF ANTITHROMBIN III (AT). ALSO INHIBITS CHYMOTRYPSIN, BUT IN A GLYCOSAMINOGLYCAN-INDEPENDENT MANNER.

15

FUNCTION: PEPTIDES AT THE N-TERMINAL OF HC-II HAVE CHEMOTACTIC ACTIVITY FOR BOTH MONOCYTES AND NEUTROPHILS.

20

TISSUE SPECIFICITY: EXPRESSED PREDOMINANTLY IN LIVER.

DOMAIN: THE N-TERMINAL ACIDIC REPEAT REGION MEDIATES, IN PART, THE

GLYCOSAMINOGLYCAN-ACCELERATED THROMBIN INHIBITION.

DISEASE: DEFECTS IN HCF2 ARE ASSOCIATED WITH THROMBOSIS (THROMBOPHILIA).

25

SIMILARITY: BELONGS TO THE SERPIN FAMILY.

## SEQ ID NO : 67

30

Deletion of 150 amino acids, between the positions 334-485, of the original protein. The deleted region includes the reactive bond (the active site) of the original protein. NV-33 does contain the chemotactic activity domain, the glycosaminoglycan-binding site and the hirudin-like 2 x 11 AA approximate repeats, Asp/Glu rich.

35

## TFP2\_HUMAN

**TISSUE FACTOR PATHWAY INHIBITOR 2 PRECURSOR**

40

FUNCTION: SEEMS TO INHIBIT TRYPSIN, FACTOR VII(A)/TISSUE FACTOR, WEAKLY FACTOR XA. HAS NO EFFECT ON THROMBIN.

- 65 -

DOMAIN: THIS INHIBITOR CONTAINS THREE INHIBITORY DOMAINS.  
SIMILARITY: BELONGS TO THE BPTI/KUNITZ FAMILY OF  
INHIBITORS. HIGHLY SIMILAR TO TPFI.

5 **SEQ ID NO : 68**

Replacement of 36 C-terminal amino acids of the original protein by alternative  
12 amino acids. The deleted region includes part of the BPTI/KUNITZ inhibitor  
domain-3 and the poly-Lysine domain of the original protein.

10

**SEQ ID NO : 69**

Deletion of 25 amino acids, between the positions 153-178 of the original  
15 protein, and replacement of the amino acid at the position 179 by alternative one.  
The deleted region includes the active site and part of the BPTI/KUNITZ  
inhibitor domain-3.

20

**TFPI\_HUMAN**

**TISSUE FACTOR PATHWAY INHIBITOR PRECURSOR (TFPI)**

25 **SEQ ID NO : 70**

Replacement of 95 C-terminal amino acids of the original protein, containing the  
entire BPTI/KUNITZ inhibitor-3 domain, by alternative 16 amino acids.

30

**Example II: Variant nucleic acid sequence**

The nucleic acid sequences of the invention include nucleic acid  
sequences which encode variant product and fragments and analogs thereof. The  
nucleic acid sequences may alternatively be sequences complementary to the  
35 above coding sequence, or to a region of said coding sequence. The length of the  
complementary sequence is sufficient to avoid the expression of the coding  
sequence. The nucleic acid sequences may be in the form of RNA or in the form  
of DNA, and include messenger RNA, synthetic RNA and DNA, cDNA, and  
genomic DNA. The DNA may be double-stranded or single-stranded, and if



- 66 -

single-stranded may be the coding strand or the non-coding (anti-sense, complementary) strand. The nucleic acid sequences may also both include dNTPs, rNTPs as well as non naturally occurring sequences. The sequence may also be a part of a hybrid between an amino acid sequence and a nucleic acid  
5 sequence.

In a general embodiment, the nucleic acid sequence has at least 90%, identity with any one of the sequence identified as SEQ ID NO: 1 to SEQ ID NO: 174 provided that this sequence is not completely identical with that of the original sequence.

10 The nucleic acid sequences may include the coding sequence by itself. By another alternative the coding region may be in combination with additional coding sequences, such as those coding for fusion protein or signal peptides, in combination with non-coding sequences, such as introns and control elements, promoter and terminator elements or 5' and/or 3' untranslated regions, effective  
15 for expression of the coding sequence in a suitable host, and/or in a vector or host environment in which the variant nucleic acid sequence is introduced as a heterologous sequence.

The nucleic acid sequences of the present invention may also have the product coding sequence fused in-frame to a marker sequence which allows for  
20 purification of the variant product. The marker sequence may be, for example, a hexahistidine tag to provide for purification of the mature polypeptide fused to the marker in the case of a bacterial host, or, the marker sequence may be a hemagglutinin (HA) tag when a mammalian host, e.g. COS-7 cells, is used. The HA tag corresponds to an epitope derived from the influenza hemagglutinin  
25 protein (Wilson, I., *et al. Cell* 37:767 (1984)).

Also included in the scope of the invention are fragments as defined above also referred to herein as oligonucleotides, typically having at least 20 bases, preferably 20-30 bases corresponding to a region of the coding-sequence nucleic acid sequence. The fragments may be used as probes, primers, and when

- 67 -

complementary also as antisense agents, and the like, according to known methods.

As indicated above, the nucleic acid sequence may be substantially a depicted in any one of SEQ ID NO: 1 to SEQ ID NO: 87 or fragments thereof or  
5 sequences having at least 90% identity to the above sequence as explained above. Alternatively, due to the degenerative nature of the genetic code, the sequence may be a sequence coding for any one of the amino acid sequence of SEQ ID NO: 88 to SEQ ID NO: 174, or fragments or analogs of said amino acid sequence.

10

#### A. Preparation of nucleic acid sequences

The nucleic acid sequences may be obtained by screening cDNA libraries using oligonucleotide probes which can hybridize to or PCR-amplify nucleic acid sequences which encode the variant products disclosed above. cDNA libraries  
15 prepared from a variety of tissues are commercially available and procedures for screening and isolating cDNA clones are well-known to those of skill in the art. Such techniques are described in, for example, Sambrook *et al.* (1989) Molecular Cloning: A Laboratory Manual (2nd Edition), Cold Spring Harbor Press, Plainview, N.Y. and Ausubel FM *et al.* (1989) Current Protocols in Molecular  
20 Biology, John Wiley & Sons, New York, N.Y.

The nucleic acid sequences may be extended to obtain upstream and downstream sequences such as promoters, regulatory elements, and 5' and 3' untranslated regions (UTRs). Extension of the available transcript sequence may be performed by numerous methods known to those of skill in the art, such as  
25 PCR or primer extension (Sambrook *et al.*, *supra*), or by the RACE method using, for example, the Marathon RACE kit (Clontech, Cat. # K1802-1).

Alternatively, the technique of "restriction-site" PCR (Gobinda *et al.* *PCR Methods Applic.* 2:318-22, (1993)), which uses universal primers to retrieve flanking sequence adjacent a known locus, may be employed. First, genomic  
30 DNA is amplified in the presence of primer to a linker sequence and a primer

- 68 -

specific to the known region. The amplified sequences are subjected to a second round of PCR with the same linker primer and another specific primer internal to the first one. Products of each round of PCR are transcribed with an appropriate RNA polymerase and sequenced using reverse transcriptase.

5 Inverse PCR can be used to amplify or extend sequences using divergent primers based on a known region (Triglia, T. *et al.*, *Nucleic Acids Res.* 16:8186, (1988)). The primers may be designed using OLIGO(R) 4.06 Primer Analysis Software (1992; National Biosciences Inc, Plymouth, Minn.), or another appropriate program, to be 22-30 nucleotides in length, to have a GC content of  
10 50% or more, and to anneal to the target sequence at temperatures about 68-72°C. The method uses several restriction enzymes to generate a suitable fragment in the known region of a gene. The fragment is then circularized by intramolecular ligation and used as a PCR template.

Capture PCR (Lagerstrom, M. *et al.*, *PCR Methods Applic.* 1:111-19, 15 (1991)) is a method for PCR amplification of DNA fragments adjacent to a known sequence in human and yeast artificial chromosome DNA. Capture PCR also requires multiple restriction enzyme digestions and ligations to place an engineered double-stranded sequence into a flanking part of the DNA molecule before PCR.

20 Another method which may be used to retrieve flanking sequences is that of Parker, J.D., *et al.*, *Nucleic Acids Res.*, 19:3055-60, (1991)). Additionally, one can use PCR, nested primers and PromoterFinder™ libraries to "walk in" genomic DNA (PromoterFinder™; Clontech, Palo Alto, CA). This process avoids the need to screen libraries and is useful in finding intron/exon junctions. Preferred  
25 libraries for screening for full length cDNAs are ones that have been size-selected to include larger cDNAs. Also, random primed libraries are preferred in that they will contain more sequences which contain the 5' and upstream regions of genes.

A randomly primed library may be particularly useful if an oligo d(T) library does not yield a full-length cDNA. Genomic libraries are useful for  
30 extension into the 5' nontranslated regulatory region.

- 69 -

The nucleic acid sequences and oligonucleotides of the invention can also be prepared by solid-phase methods, according to known synthetic methods. Typically, fragments of up to about 100 bases are individually synthesized, then joined to form continuous sequences up to several hundred bases.

5

**B. Use of variant nucleic acid sequence for the production of variant products**

In accordance with the present invention, nucleic acid sequences specified  
10 above may be used as recombinant DNA molecules that direct the expression of variant products.

As will be understood by those of skill in the art, it may be advantageous to produce variant product-encoding nucleotide sequences possessing codons other than those which appear in any one of SEQ ID NO: 1 to SEQ ID NO: 87  
15 which are those which naturally occur in the human genome. Codons preferred by a particular prokaryotic or eukaryotic host (Murray, E. *et al. Nuc Acids Res.*, 17:477-508, (1989)) can be selected, for example, to increase the rate of variant product expression or to produce recombinant RNA transcripts having desirable properties, such as a longer half-life, than transcripts produced from naturally  
20 occurring sequence.

The nucleic acid sequences of the present invention can be engineered in order to alter a variant product coding sequence for a variety of reasons, including but not limited to, alterations which modify the cloning, processing and/or expression of the product. For example, alterations may be introduced  
25 using techniques which are well known in the art, e.g., site-directed mutagenesis, to insert new restriction sites, to alter glycosylation patterns, to change codon preference, etc.

The present invention also includes recombinant constructs comprising one or more of the sequences as broadly described above. The constructs  
30 comprise a vector, such as a plasmid or viral vector, into which a nucleic acid sequence of the invention has been inserted, in a forward or reverse orientation.

- 70 -

In a preferred aspect of this embodiment, the construct further comprises regulatory sequences, including, for example, a promoter, operably linked to the sequence. Large numbers of suitable vectors and promoters are known to those of skill in the art, and are commercially available. Appropriate cloning and  
5 expression vectors for use with prokaryotic and eukaryotic hosts are also described in Sambrook, *et al.*, (*supra*).

The present invention also relates to host cells which are genetically engineered with vectors of the invention, and the production of the product of the invention by recombinant techniques. Host cells are genetically engineered (i.e.,  
10 transduced, transformed or transfected) with the vectors of this invention which may be, for example, a cloning vector or an expression vector. The vector may be, for example, in the form of a plasmid, a viral particle, a phage, etc. The engineered host cells can be cultured in conventional nutrient media modified as appropriate for activating promoters, selecting transformants or amplifying the  
15 expression of the variant nucleic acid sequence. The culture conditions, such as temperature, pH and the like, are those previously used with the host cell selected for expression, and will be apparent to those skilled in the art.

The nucleic acid sequences of the present invention may be included in any one of a variety of expression vectors for expressing a product. Such vectors  
20 include chromosomal, nonchromosomal and synthetic DNA sequences, e.g., derivatives of SV40; bacterial plasmids; phage DNA; baculovirus; yeast plasmids; vectors derived from combinations of plasmids and phage DNA, viral DNA such as vaccinia, adenovirus, fowl pox virus, and pseudorabies. However, any other vector may be used as long as it is replicable and viable in the host.  
25 The appropriate DNA sequence may be inserted into the vector by a variety of procedures. In general, the DNA sequence is inserted into an appropriate restriction endonuclease site(s) by procedures known in the art. Such procedures and related sub-cloning procedures are deemed to be within the scope of those skilled in the art.

- 71 -

The DNA sequence in the expression vector is operatively linked to an appropriate transcription control sequence (promoter) to direct mRNA synthesis. Examples of such promoters include: LTR or SV40 promoter, the *E.coli lac* or *trp* promoter, the phage lambda *PL* promoter, and other promoters known to control expression of genes in prokaryotic or eukaryotic cells or their viruses. The expression vector also contains a ribosome binding site for translation initiation, and a transcription terminator. The vector may also include appropriate sequences for amplifying expression. In addition, the expression vectors preferably contain one or more selectable marker genes to provide a phenotypic trait for selection of transformed host cells such as dihydrofolate reductase or neomycin resistance for eukaryotic cell culture, or such as tetracycline or ampicillin resistance in *E.coli*.

The vector containing the appropriate DNA sequence as described above, as well as an appropriate promoter or control sequence, may be employed to transform an appropriate host to permit the host to express the protein. Examples of appropriate expression hosts include: bacterial cells, such as *E.coli*, *Streptomyces*, *Salmonella typhimurium*; fungal cells, such as yeast; insect cells such as *Drosophila* and *Spodoptera Sf9*; animal cells such as CHO, COS, HEK 293 or Bowes melanoma; adenoviruses; plant cells, etc. The selection of an appropriate host is deemed to be within the scope of those skilled in the art from the teachings herein. The invention is not limited by the host cells employed.

In bacterial systems, a number of expression vectors may be selected depending upon the use intended for the variant product. For example, when large quantities of variant product are needed for the induction of antibodies, vectors which direct high level expression of fusion proteins that are readily purified may be desirable. Such vectors include, but are not limited to, multifunctional *E.coli* cloning and expression vectors such as *Bluescript(R)* (Stratagene), in which the variant polypeptide coding sequence may be ligated into the vector in-frame with sequences for the amino-terminal Met and the subsequent 7 residues of beta-galactosidase so that a hybrid protein is produced;

- 72 -

*pIN* vectors (Van Heeke & Schuster *J. Biol. Chem.* **264**:5503-5509, (1989)); *pET* vectors (Novagen, Madison WI); and the like.

In the yeast *Saccharomyces cerevisiae* a number of vectors containing constitutive or inducible promoters such as alpha factor, alcohol oxidase and  
5 PGH may be used. For reviews, see Ausubel *et al.* (*supra*) and Grant *et al.*, (*Methods in Enzymology* **153**:516-544, (1987)).

In cases where plant expression vectors are used, the expression of a sequence encoding variant product may be driven by any of a number of promoters. For example, viral promoters such as the 35S and 19S promoters of  
10 *CaMV* (Brisson *et al.*, *Nature* **310**:511-514, (1984)) may be used alone or in combination with the omega leader sequence from TMV (Takamatsu *et al.*, *EMBO J.*, **6**:307-311, (1987)). Alternatively, plant promoters such as the small subunit of RUBISCO (Coruzzi *et al.*, *EMBO J.* **3**:1671-1680, (1984); Broglie *et al.*, *Science* **224**:838-843, (1984)); or heat shock promoters (Winter J and  
15 Sinibaldi R.M., *Results Probl. Cell Differ.*, **17**:85-105, (1991)) may be used. These constructs can be introduced into plant cells by direct DNA transformation or pathogen-mediated transfection. For reviews of such techniques, see Hobbs S. or Murry L.E. (1992) in McGraw Hill Yearbook of Science and Technology, McGraw Hill, New York, N.Y., pp 191-196; or Weissbach and Weissbach (1988)  
20 *Methods for Plant Molecular Biology*, Academic Press, New York, N.Y., pp 421-463.

Variant product may also be expressed in an insect system. In one such system, *Autographa californica* nuclear polyhedrosis virus (AcNPV) is used as a vector to express foreign genes in *Spodoptera frugiperda* cells or in *Trichoplusia*  
25 larvae. The variant product coding sequence may be cloned into a nonessential region of the virus, such as the polyhedrin gene, and placed under control of the polyhedrin promoter. Successful insertion of variant coding sequence will render the polyhedrin gene inactive and produce recombinant virus lacking coat protein coat. The recombinant viruses are then used to infect *S. frugiperda* cells or

- 73 -

*Trichoplusia* larvae in which variant protein is expressed (Smith *et al.*, *J. Virol.* 46:584, (1983); Engelhard, E.K. *et al.*, *Proc. Nat. Acad. Sci.* 91:3224-7, (1994)).

In mammalian host cells, a number of viral-based expression systems may be utilized. In cases where an adenovirus is used as an expression vector, a  
5 variant product coding sequence may be ligated into an adenovirus transcription/translation complex consisting of the late promoter and tripartite leader sequence. Insertion in a nonessential E1 or E3 region of the viral genome will result in a viable virus capable of expressing variant protein in infected host cells (Logan and Shenk, *Proc. Natl. Acad. Sci.* 81:3655-59, (1984). In addition,  
10 transcription enhancers, such as the Rous sarcoma virus (RSV) enhancer, may be used to increase expression in mammalian host cells.

Specific initiation signals may also be required for efficient translation of a variant product coding sequence. These signals include the ATG initiation codon and adjacent sequences. In cases where variant product coding sequence,  
15 its initiation codon and upstream sequences are inserted into the appropriate expression vector, no additional translational control signals may be needed. However, in cases where only coding sequence, or a portion thereof, is inserted, exogenous transcriptional control signals including the ATG initiation codon must be provided. Furthermore, the initiation codon must be in the correct  
20 reading frame to ensure transcription of the entire insert. Exogenous transcriptional elements and initiation codons can be of various origins, both natural and synthetic. The efficiency of expression may be enhanced by the inclusion of enhancers appropriate to the cell system in use (Scharf, D. *et al.*, (1994) *Results Probl. Cell Differ.*, 20:125-62, (1994); Bittner *et al.*, *Methods in*  
25 *Enzymol* 153:516-544, (1987)).

In a further embodiment, the present invention relates to host cells containing the above-described constructs. The host cell can be a higher eukaryotic cell, such as a mammalian cell, or a lower eukaryotic cell, such as a yeast cell, or the host cell can be a prokaryotic cell, such as a bacterial cell.  
30 Introduction of the construct into the host cell can be effected by calcium



- 74 -

phosphate transfection, DEAE-Dextran mediated transfection, or electroporation (Davis, L., Dibner, M., and Battey, I. (1986) Basic Methods in Molecular Biology). Cell-free translation systems can also be employed to produce polypeptides using RNAs derived from the DNA constructs of the present invention.

A host cell strain may be chosen for its ability to modulate the expression of the inserted sequences or to process the expressed protein in the desired fashion. Such modifications of the protein include, but are not limited to, acetylation, carboxylation, glycosylation, phosphorylation, lipidation and acylation. Post-translational processing which cleaves a "pre-pro" form of the protein may also be important for correct insertion, folding and/or function. Different host cells such as CHO, HeLa, MDCK, 293, WI38, etc. have specific cellular machinery and characteristic mechanisms for such post-translational activities and may be chosen to ensure the correct modification and processing of the introduced, foreign protein.

For long-term, high-yield production of recombinant proteins, stable expression is preferred. For example, cell lines which stably express variant product may be transformed using expression vectors which contain viral origins of replication or endogenous expression elements and a selectable marker gene. Following the introduction of the vector, cells may be allowed to grow for 1-2 days in an enriched media before they are switched to selective media. The purpose of the selectable marker is to confer resistance to selection, and its presence allows growth and recovery of cells which successfully express the introduced sequences. Resistant clumps of stably transformed cells can be proliferated using tissue culture techniques appropriate to the cell type.

Any number of selection systems may be used to recover transformed cell lines. These include, but are not limited to, the herpes simplex virus thymidine kinase (Wigler M., et al., Cell 11:223-32, (1977)) and adenine phosphoribosyltransferase (Lowy I., et al., Cell 22:817-23, (1980)) genes which can be employed in *tk*- or *aprt*- cells, respectively. Also, antimetabolite,

- 75 -

antibiotic or herbicide resistance can be used as the basis for selection; for example, *dhfr* which confers resistance to methotrexate (Wigler M., *et al.*, *Proc. Natl. Acad. Sci.* 77:3567-70, (1980)); *npt*, which confers resistance to the aminoglycosides neomycin and G-418 (Colbere-Garapin, F. *et al.*, *J. Mol. Biol.*, 5 150:1-14, (1981)) and *als* or *pat*, which confer resistance to chlorsulfuron and phosphinotricin acetyltransferase, respectively (Murry, *supra*). Additional selectable genes have been described, for example, *trpB*, which allows cells to utilize indole in place of tryptophan, or *hisD*, which allows cells to utilize histinol in place of histidine (Hartman S.C. and R.C. Mulligan, *Proc. Natl. Acad. Sci.* 10 85:8047-51, (1988)). The use of visible markers has gained popularity with such markers as anthocyanins, beta-glucuronidase and its substrate, GUS, and luciferase and its substrates, luciferin and ATP, being widely used not only to identify transformants, but also to quantify the amount of transient or stable protein expression attributable to a specific vector system (Rhodes, C.A. *et al.*, 15 *Methods Mol. Biol.*, 55:121-131, (1995)).

Host cells transformed with a nucleotide sequence encoding variant product may be cultured under conditions suitable for the expression and recovery of the encoded protein from cell culture. The product produced by a recombinant cell may be secreted or contained intracellularly depending on the 20 sequence and/or the vector used. As will be understood by those of skill in the art, expression vectors containing nucleic acid sequences encoding variant product can be designed with signal sequences which direct secretion of variant product through a prokaryotic or eukaryotic cell membrane.

The variant product may also be expressed as a recombinant protein with 25 one or more additional polypeptide domains added to facilitate protein purification. Such purification facilitating domains include, but are not limited to, metal chelating peptides such as histidine-tryptophan modules that allow purification on immobilized metals, protein A domains that allow purification on immobilized immunoglobulin, and the domain utilized in the FLAGS 30 extension/affinity purification system (Immunex Corp, Seattle, Wash.). The

- 76 -

inclusion of a protease-cleavable polypeptide linker sequence between the purification domain and variant product is useful to facilitate purification. One such expression vector provides for expression of a fusion protein comprising a variant polypeptide fused to a polyhistidine region separated by an enterokinase  
5 cleavage site. The histidine residues facilitate purification on IMIAC (immobilized metal ion affinity chromatography, as described in Porath, *et al.*, *Protein Expression and Purification*, 3:263-281, (1992)) while the enterokinase cleavage site provides a means for isolating variant polypeptide from the fusion protein. *pGEX* vectors (Promega, Madison, Wis.) may also be used to express  
10 foreign polypeptides as fusion proteins with glutathione S-transferase (GST). In general, such fusion proteins are soluble and can easily be purified from lysed cells by adsorption to ligand-agarose beads (e.g., glutathione-agarose in the case of GST-fusions) followed by elution in the presence of free ligand.

Following transformation of a suitable host strain and growth of the host  
15 strain to an appropriate cell density, the selected promoter is induced by appropriate means (e.g., temperature shift or chemical induction) and cells are cultured for an additional period. Cells are typically harvested by centrifugation, disrupted by physical or chemical means, and the resulting crude extract retained for further purification. Microbial cells employed in expression of proteins can  
20 be disrupted by any convenient method, including freeze-thaw cycling, sonication, mechanical disruption, or use of cell lysing agents, or other methods, which are well known to those skilled in the art.

The variant products can be recovered and purified from recombinant cell cultures by any of a number of methods well known in the art, including  
25 ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography, and lectin chromatography. Protein refolding steps can be used, as necessary, in completing configuration of the mature protein. Finally, high

- 77 -

performance liquid chromatography (HPLC) can be employed for final purification steps.

### C. Diagnostic applications utilizing nucleic acid sequences

5 The nucleic acid sequences of the present invention may be used for a variety of diagnostic purposes. The nucleic acid sequences may be used to detect and quantitate expression of the variant in patient's cells, e.g. biopsied tissues, by detecting the presence of mRNA coding for variant product. Alternatively, the assay may be used to detect soluble variant in the serum or blood. This assay  
10 typically involves obtaining total mRNA from the tissue or serum and contacting the mRNA with a nucleic acid probe. The probe is a nucleic acid molecule of at least 20 nucleotides, preferably 20-30 nucleotides, capable of specifically hybridizing with a sequence included within the sequence of a nucleic acid molecule encoding variant product under hybridizing conditions, detecting the  
15 presence of mRNA hybridized to the probe, and thereby detecting the expression of variant. This assay can be used to distinguish between absence, presence, and excess expression of variant product and to monitor levels of variant expression during therapeutic intervention. In addition, the assay may be used to compare the levels of the variant of the invention to the levels of the original sequence from  
20 which it has been varied or to levels of other variants, which comparison may have some physiological meaning.

The invention also contemplates the use of the nucleic acid sequences as a diagnostic for diseases resulting from inherited defective variant sequences, or diseases in which the ratio of the amount of the original sequence from which the  
25 variant was varied to the novel variants of the invention is altered. These sequences can be detected by comparing the sequences of the defective (i.e., mutant) variant coding region with that of a normal coding region. Association of the sequence coding for mutant variant product with abnormal variant product activity may be verified. In addition, sequences encoding mutant variant products  
30 can be inserted into a suitable vector for expression in a functional assay system

- 78 -

(e.g., colorimetric assay, complementation experiments in a variant protein deficient strain of HEK293 cells) as yet another means to verify or identify mutations. Once mutant genes have been identified, one can then screen populations of interest for carriers of the mutant gene.

5        Individuals carrying mutations in the nucleic acid sequence of the present invention may be detected at the DNA level by a variety of techniques. Nucleic acids used for diagnosis may be obtained from a patient's cells, including but not limited to such as from blood, urine, saliva, placenta, tissue biopsy and autopsy material. Genomic DNA may be used directly for detection or may be amplified  
10 enzymatically by using PCR (Saiki, *et al.*, *Nature* 324:163-166, (1986)) prior to analysis. RNA or cDNA may also be used for the same purpose. As an example, PCR primers complementary to the nucleic acid of the present invention can be used to identify and analyze mutations in the gene of the present invention. Deletions and insertions can be detected by a change in size of the amplified  
15 product in comparison to the normal genotype.

Point mutations can be identified by hybridizing amplified DNA to radiolabeled RNA of the invention or alternatively, radiolabeled antisense DNA sequences of the invention. Sequence changes at specific locations may also be revealed by nuclease protection assays, such as RNase and S1 protection or the  
20 chemical cleavage method (e.g. Cotton, *et al.* *Proc. Natl. Acad. Sci. USA*, 85:4397-4401, (1988)), or by differences in melting temperatures. "Molecular beacons" (Kostrikis L.G. *et al.*, *Science* 279:1228-1229, (1998)), hairpin-shaped, single-stranded synthetic oligo- nucleotides containing probe sequences which are complementary to the nucleic acid of the present invention, may also be used  
25 to detect point mutations or other sequence changes as well as monitor expression levels of variant product. Such diagnostics would be particularly useful for prenatal testing.

Another method for detecting mutations uses two DNA probes which are designed to hybridize to adjacent regions of a target, with abutting bases, where  
30 the region of known or suspected mutation(s) is at or near the abutting bases.

- 79 -

The two probes may be joined at the abutting bases, e.g., in the presence of a ligase enzyme, but only if both probes are correctly base paired in the region of probe junction. The presence or absence of mutations is then detectable by the presence or absence of ligated probe.

5 Also suitable for detecting mutations in the variant product coding sequence are oligonucleotide array methods based on sequencing by hybridization (SBH), as described, for example, in U.S. Patent No. 5,547,839. In a typical method, the DNA target analyte is hybridized with an array of oligonucleotides formed on a microchip. The sequence of the target can then be  
10 "read" from the pattern of target binding to the array.

#### **D. Gene mapping utilizing nucleic acid sequences**

The nucleic acid sequences of the present invention are also valuable for chromosome identification. The sequence is specifically targeted to and can  
15 hybridize with a particular location on an individual human chromosome. Moreover, there is a current need for identifying particular sites on the chromosome. Few chromosome marking reagents based on actual sequence data (repeat polymorphisms) are presently available for marking chromosomal location. The mapping of DNAs to chromosomes according to the present  
20 invention is an important first step in correlating those sequences with genes associated with disease.

Briefly, sequences can be mapped to chromosomes by preparing PCR primers (preferably 20-30 bp) from the variant cDNA. Computer analysis of the 3' untranslated region is used to rapidly select primers that do not span more than  
25 one exon in the genomic DNA, which would complicate the amplification process. These primers are then used for PCR screening of somatic cell hybrids containing individual human chromosomes. Only those hybrids containing the human gene corresponding to the primer will yield an amplified fragment.

PCR mapping of somatic cell hybrids or using instead radiation hybrids  
30 are rapid procedures for assigning a particular DNA to a particular chromosome.

- 80 -

Using the present invention with the same oligonucleotide primers, sublocalization can be achieved with panels of fragments from specific chromosomes or pools of large genomic clones in an analogous manner. Other mapping strategies that can similarly be used to map to its chromosome include *in situ* hybridization, prescreening with labeled flow-sorted chromosomes and preselection by hybridization to construct chromosome specific-cDNA libraries.

Fluorescence *in situ* hybridization (FISH) of a cDNA clone to a metaphase chromosomal spread can be used to provide a precise chromosomal location in one step. This technique can be used with cDNA as short as 50 or 60 bases. For a review of this technique, see Verma *et al.*, *Human Chromosomes: a Manual of Basic Techniques*, (1988) Pergamon Press, New York.

Once a sequence has been mapped to a precise chromosomal location, the physical position of the sequence on the chromosome can be correlated with genetic map data. Such data are found, for example, in the OMIM database (Center for Medical Genetics, Johns Hopkins University, Baltimore, MD and National Center for Biotechnology Information, National Library of Medicine, Bethesda, MD). The OMIM gene map presents the cytogenetic map location of disease genes and other expressed genes. The OMIM database provides information on diseases associated with the chromosomal location. Such associations include the results of linkage analysis mapped to this interval, and the correlation of translocations and other chromosomal aberrations in this area with the advent of polygenic diseases, such as cancer, in general and prostate cancer in particular.

- 81 -

**E. Therapeutic applications of nucleic acid sequences**

Nucleic acid sequences of the invention may also be used for therapeutic purposes. Turning first to the second aspect of the invention (i.e. inhibition of expression of variant), expression of variant product may be modulated through antisense technology, which controls gene expression through hybridization of complementary nucleic acid sequences, i.e. antisense DNA or RNA, to the control, 5' or regulatory regions of the gene encoding variant product. For example, the 5' coding portion of the nucleic acid sequence sequence which codes for the product of the present invention is used to design an antisense oligonucleotide of from about 10 to 40 base pairs in length. Oligonucleotides derived from the transcription start site, e.g. between positions -10 and +10 from the start site, are preferred. An antisense DNA oligonucleotide is designed to be complementary to a region of the nucleic acid sequence involved in transcription (Lee *et al.*, *Nucl. Acids, Res.*, 6:3073, (1979); Cooney *et al.*, *Science* 241:456, (1988); and Dervan *et al.*, *Science* 251:1360, (1991)), thereby preventing transcription and the production of the variant products. An antisense RNA oligonucleotide hybridizes to the mRNA *in vivo* and blocks translation of the mRNA molecule into the variant products (Okano *J. Neurochem.* 56:560, (1991)). The antisense constructs can be delivered to cells by procedures known in the art such that the antisense RNA or DNA may be expressed *in vivo*. The antisense may be antisense mRNA or DNA sequence capable of coding such antisense mRNA. The antisense mRNA or the DNA coding thereof can be complementary to the full sequence of nucleic acid sequences coding for the variant protein or to a fragment of such a sequence which is sufficient to inhibit production of a protein product.

Turning now to the first aspect of the invention, i.e. expression of variant, expression of variant product may be increased by providing coding sequences for coding for said product under the control of suitable control elements ending its expression in the desired host.



- 82 -

The nucleic acid sequences of the invention may be employed in combination with a suitable pharmaceutical carrier. Such compositions comprise a therapeutically effective amount of the compound, and a pharmaceutically acceptable carrier or excipient. Such a carrier includes but is not limited to saline, buffered saline, dextrose, water, glycerol, ethanol, and combinations thereof. The formulation should suit the mode of administration.

The products of the invention as well as any activators and deactivators compounds (see below) which are polypeptides, may also be employed in accordance with the present invention by expression of such polypeptides *in vivo*, which is often referred to as "*gene therapy*." Cells from a patient may be engineered with a nucleic acid sequence (DNA or RNA) encoding a polypeptide *ex vivo*, with the engineered cells then being provided to a patient to be treated with the polypeptide. Such methods are well-known in the art. For example, cells may be engineered by procedures known in the art by use of a retroviral particle containing RNA encoding a polypeptide of the present invention.

Similarly, cells may be engineered *in vivo* for expression of a polypeptide *in vivo* by procedures known in the art. As known in the art, a producer cell for producing a retroviral particle containing RNA encoding the polypeptide of the present invention may be administered to a patient for engineering cells *in vivo* and expression of the polypeptide *in vivo*. These and other methods for administering a product of the present invention by such method should be apparent to those skilled in the art from the teachings of the present invention. For example, the expression vehicle for engineering cells may be other than a retrovirus, for example, an adenovirus which may be used to engineer cells *in vivo* after combination with a suitable delivery vehicle.

Retroviruses from which the retroviral plasmid vectors mentioned above may be derived include, but are not limited to, Moloney Murine Leukemia Virus, spleen necrosis virus, retroviruses such as Rous Sarcoma Virus, Harvey Sarcoma Virus, avian leukosis virus, gibbon ape leukemia virus, human immunodeficiency virus, adenovirus, Myeloproliferative Sarcoma Virus, and mammary tumor virus.

- 83 -

The retroviral plasmid vector is employed to transduce packaging cell lines to form producer cell lines. Examples of packaging cells which may be transfected include, but are not limited to, the *PE501*, *PA317*, *psi-2*, *psi-AM*, *PA12*, *T19-14X*, *VT-19-17-H2*, *psi-CRE*, *psi-CRIP*, *GP+E-86*, *GP+envAm12*,  
5 and *DAN* cell lines as described in Miller (*Human Gene Therapy*, Vol. 1, pg. 5-14, (1990)). The vector may transduce the packaging cells through any means known in the art. Such means include, but are not limited to, electroporation, the use of liposomes, and  $\text{CaPO}_4$  precipitation. In one alternative, the retroviral plasmid vector may be encapsulated into a liposome, or coupled to a  
10 lipid, and then administered to a host.

The producer cell line generates infectious retroviral vector particles which include the nucleic acid sequence(s) encoding the polypeptides. Such retroviral vector particles then may be employed, to transduce eukaryotic cells, either *in vitro* or *in vivo*. The transduced eukaryotic cells will express the nucleic  
15 acid sequence(s) encoding the polypeptide. Eukaryotic cells which may be transduced include, but are not limited to, embryonic stem cells, embryonic carcinoma cells, as well as hematopoietic stem cells, hepatocytes, fibroblasts, myoblasts, keratinocytes, endothelial cells, and bronchial epithelial cells.

The genes introduced into cells may be placed under the control of  
20 inducible promoters, such as the radiation-inducible Egr-1 promoter, (Maceri, H.J., *et al.*, *Cancer Res.*, 56(19):4311 (1996)), to stimulate variant production or antisense inhibition in response to radiation, eg., radiation therapy for treating tumors.

### 25 **Example III. Variant product**

The substantially purified variant product of the invention has been defined above as the product coded from the nucleic acid sequence of the invention. Preferably the amino acid sequence is an amino acid sequence having at least 90% identity to any one of the sequences identified as SEQ ID NO: 88 to  
30 SEQ ID NO: 174 provided that the amino acid sequence is not identical to that of

- 84 -

the original sequence from which it has been varied. The protein or polypeptide may be in mature and/or modified form, also as defined above. Also contemplated are protein fragments having at least 10 contiguous amino acid residues, preferably at least 10-20 residues, derived from the variant product, as well as homologues as explained above.

The sequence variations are preferably those that are considered conserved substitutions, as defined above. Thus, for example, a protein with a sequence having at least 90% sequence identity with any of the products identified as SEQ ID NO: 88 to SEQ ID NO: 174, preferably by utilizing conserved substitutions as defined above is also part of the invention, and provided that it is not identical to the original peptide from which it has been varied. In a more specific embodiment, the protein has or contains any one of the sequence identified as SEQ ID NO: 88 to SEQ ID NO: 174. The variant product may be (i) one in which one or more of the amino acid residues in a sequence listed above are substituted with a conserved or non-conserved amino acid residue (preferably a conserved amino acid residue), or (ii) one in which one or more of the amino acid residues includes a substituent group, or (iii) one in which the variant product is fused with another compound, such as a compound to increase the half-life of the protein (for example, polyethylene glycol (PEG)), or a moiety which serves as targeting means to direct the protein to its target tissue or target cell population (such as an antibody), or (iv) one in which additional amino acids are fused to the variant product. Such fragments, variants and derivatives are deemed to be within the scope of those skilled in the art from the teachings herein.

#### 25 A. Preparation of variant product

Recombinant methods for producing and isolating the variant product, and fragments of the protein are described above.

In addition to recombinant production, fragments and portions of variant product may be produced by direct peptide synthesis using solid-phase techniques (cf. Stewart *et al.*, (1969) Solid-Phase Peptide Synthesis, WH Freeman Co, San

- 85 -

Francisco; Merrifield J., *J. Am. Chem. Soc.*, 85:2149-2154, (1963)). In vitro peptide synthesis may be performed using manual techniques or by automation. Automated synthesis may be achieved, for example, using Applied Biosystems 431A Peptide Synthesizer (Perkin Elmer, Foster City, Calif.) in accordance with  
5 the instructions provided by the manufacturer. Fragments of variant product may be chemically synthesized separately and combined using chemical methods to produce the full length molecule.

**B. Therapeutic uses and compositions utilizing the variant product**

10

The variant product of the invention is generally useful in treating diseases and disorders which are characterized by a lower than normal level of variant expression, and or diseases which can be cured or ameliorated by raising the level of the variant product, even if the level is normal.

15

Variant products or fragments may be administered by any of a number of routes and methods designed to provide a consistent and predictable concentration of compound at the target organ or tissue. The product-containing compositions may be administered alone or in combination with other agents, such as stabilizing compounds, and/or in combination with other pharmaceutical  
20 agents such as drugs or hormones.

Variant product-containing compositions may be administered by a number of routes including, but not limited to oral, intravenous, intramuscular, transdermal, subcutaneous, topical, sublingual, or rectal means as well as by nasal application. Variant product-containing compositions may also be administered  
25 via liposomes. Such administration routes and appropriate formulations are generally known to those of skill in the art.

The product can be given via intravenous or intraperitoneal injection. Similarly, the product may be injected to other localized regions of the body. The product may also be administered via nasal insufflation. Enteral administration is  
30 also possible. For such administration, the product should be formulated into an

- 86 -

appropriate capsule or elixir for oral administration, or into a suppository for rectal administration.

The foregoing exemplary administration modes will likely require that the product be formulated into an appropriate carrier, including ointments, gels, 5 suppositories. Appropriate formulations are well known to persons skilled in the art.

Dosage of the product will vary, depending upon the potency and therapeutic index of the particular polypeptide selected.

A therapeutic composition for use in the treatment method can include the 10 product in a sterile injectable solution, the polypeptide in an oral delivery vehicle, the product in an aerosol suitable for nasal administration, or the product in a nebulized form, all prepared according to well known methods. Such compositions comprise a therapeutically effective amount of the compound, and a pharmaceutically acceptable carrier or excipient. Such a carrier includes but is not 15 limited to saline, buffered saline, dextrose, water, glycerol, ethanol, and combinations thereof. The product of the invention may also be used to modulate endothelial differentiation and proliferation as well as to modulate apoptosis either *ex vivo* or *in vitro*, for example, in cell cultures.

#### 20 **Example IV. Screening methods for activators and deactivators (inhibitors)**

The present invention also includes an assay for identifying molecules, such as synthetic drugs, antibodies, peptides, or other molecules, which have a modulating effect on the activity of the variant product, e.g. activators or 25 deactivators of the variant product of the present invention. Such an assay comprises the steps of providing an variant product encoded by the nucleic acid sequences of the present invention, contacting the variant protein with one or more candidate molecules to determine the candidate molecules modulating effect on the activity of the variant product, and selecting from the molecules a 30 candidate's molecule capable of modulating variant product physiological activity.

- 87 -

The variant product, its catalytic or immunogenic fragments or oligopeptides thereof, can be used for screening therapeutic compounds in any of a variety of drug screening techniques. The fragment employed in such a test may be free in solution, affixed to a solid support, borne on a cell membrane or  
5 located intracellularly. The formation of binding complexes, between variant product and the agent being tested, may be measured. Alternatively, the activator or deactivator may work by serving as agonist or antagonist, respectively, of the variant receptor, binding entity or target site, and their effect may be determined in connection with any of the above.

10 Another technique for drug screening which may be used provides for high throughput screening of compounds having suitable binding affinity to the variant product is described in detail by Geysen in PCT Application WO 84/03564, published on Sep. 13, 1984. In summary, large numbers of different small peptide test compounds are synthesized on a solid substrate, such as plastic  
15 pins or some other surface. The peptide test compounds are reacted with the full variant product or with fragments of variant product and washed. Bound variant product is then detected by methods well known in the art. Substantially purified variant product can also be coated directly onto plates for use in the aforementioned drug screening techniques. Alternatively, non-neutralizing  
20 antibodies can be used to capture the peptide and immobilize it on a solid support.

Antibodies to the variant product, as described in Example VI below, may also be used in screening assays according to methods well known in the art. For example, a "sandwich" assay may be performed, in which an anti-variant  
25 antibody is affixed to a solid surface such as a microtiter plate and variant product is added. Such an assay can be used to capture compounds which bind to the variant product. Alternatively, such an assay may be used to measure the ability of compounds to influence with the binding of variant product to the variant receptor, and then select those compounds which effect the binding.

## Example V. Anti-variant antibodies

### A. Synthesis

In still another aspect of the invention, the purified variant product is used to produce anti-variant antibodies which have diagnostic and therapeutic uses  
5 related to the activity, distribution, and expression of the variant product.

Antibodies to the variant product may be generated by methods well known in the art. Such antibodies may include, but are not limited to, polyclonal, monoclonal, chimeric, humanized, single chain, Fab fragments and fragments produced by an Fab expression library. Antibodies, i.e., those which inhibit  
10 dimer formation, are especially preferred for therapeutic use.

A fragment of the variant product for antibody induction does not require biological activity but have to feature immunological activity; however, the protein fragment or oligopeptide must be antigenic. Peptides used to induce specific antibodies may have an amino acid sequence consisting of at least five  
15 amino acids, preferably at least 10 amino acids of the sequences specified in any one of SEQ ID NO: 88 to SEQ ID NO: 174. Preferably they should mimic a portion of the amino acid sequence of the natural protein and may contain the entire amino acid sequence of a small, naturally occurring molecule. Short stretches of variant protein amino acids may be fused with those of another  
20 protein such as keyhole limpet hemocyanin and antibody produced against the chimeric molecule. Procedures well known in the art can be used for the production of antibodies to variant product.

For the production of antibodies, various hosts including goats, rabbits, rats, mice, etc may be immunized by injection with variant product or any  
25 portion, fragment or oligopeptide which retains immunogenic properties. Depending on the host species, various adjuvants may be used to increase immunological response. Such adjuvants include but are not limited to Freund's, mineral gels such as aluminum hydroxide, and surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, keyhole limpet

- 89 -

hemocyanin, and dinitrophenol. BCG (bacilli Calmette-Guerin) and *Corynebacterium parvum* are potentially useful human adjuvants.

Monoclonal antibodies to variant protein may be prepared using any technique which provides for the production of antibody molecules by continuous  
5 cell lines in culture. These include but are not limited to the hybridoma technique originally described by Koehler and Milstein (*Nature* 256:495-497, (1975)), the human B-cell hybridoma technique (Kosbor *et al.*, *Immunol. Today* 4:72, (1983); Cote *et al.*, *Proc. Natl. Acad. Sci.* 80:2026-2030, (1983)) and the EBV-hybridoma technique (Cole, *et al.*, *Mol. Cell Biol.* 62:109-120, (1984)).

10 Techniques developed for the production of "chimeric antibodies", the splicing of mouse antibody genes to human antibody genes to obtain a molecule with appropriate antigen specificity and biological activity can also be used (Morrison *et al.*, *Proc. Natl. Acad. Sci.* 81:6851-6855, (1984); Neuberger *et al.*, *Nature* 312:604-608, (1984); Takeda *et al.*, *Nature* 314:452-454, (1985)).  
15 Alternatively, techniques described for the production of single chain antibodies (U.S. Pat. No. 4,946,778) can be adapted to produce single-chain antibodies specific for the variant protein.

Antibodies may also be produced by inducing *in vivo* production in the lymphocyte population or by screening recombinant immunoglobulin libraries or  
20 panels of highly specific binding reagents as disclosed in Orlandi *et al.* (*Proc. Natl. Acad. Sci.* 86:3833-3837, 1989)), and Winter G and Milstein C., (*Nature* 349:293-299, (1991)).

Antibody fragments which contain specific binding sites for variant protein may also be generated. For example, such fragments include, but are not  
25 limited to, the F(ab')<sub>2</sub> fragments which can be produced by pepsin digestion of the antibody molecule and the Fab fragments which can be generated by reducing the disulfide bridges of the F(ab')<sub>2</sub> fragments. Alternatively, Fab expression libraries may be constructed to allow rapid and easy identification of monoclonal Fab fragments with the desired specificity (Huse W.D. *et al.*, *Science*  
30 256:1275-1281, (1989)).



- 90 -

**B. Diagnostic applications of antibodies**

A variety of protocols for competitive binding or immunoradiometric assays using either polyclonal or monoclonal antibodies with established specificities are well known in the art. Such immunoassays typically involve the formation of complexes between the variant product and its specific antibody and the measurement of complex formation. A two-site, monoclonal-based immunoassay utilizing monoclonal antibodies reactive to two noninterfering epitopes on a specific variant product is preferred, but a competitive binding assay may also be employed. These assays are described in Maddox D.E., *et al.*, 10 (*J. Exp. Med.* 158:1211, (1983)).

Antibodies which specifically bind variant product are useful for the diagnosis of conditions or diseases characterized by expression of the novel variant of the invention (where normally it is not expressed) by over or under expression of variant as well as for detection of diseases in which the proportion between the amount of the variants of the invention and the original sequence from which it varied is altered. Alternatively, such antibodies may be used in assays to monitor patients being treated with variant product, its activators, or its deactivators. Diagnostic assays for variant protein include methods utilizing the antibody and a label to detect variant product in human body fluids or extracts of 15 cells or tissues. The products and antibodies of the present invention may be used with or without modification. Frequently, the proteins and antibodies will be labeled by joining them, either covalently or noncovalently, with a reporter molecule. A wide variety of reporter molecules are known in the art.

A variety of protocols for measuring the variant product, using either 25 polyclonal or monoclonal antibodies specific for the respective protein are known in the art. Examples include enzyme-linked immunosorbent assay (ELISA), radioimmunoassay (RIA), and fluorescent activated cell sorting (FACS). As noted above, a two-site, monoclonal-based immunoassay utilizing monoclonal antibodies reactive to two non-interfering epitopes on variant product is preferred, but a competitive binding assay may be employed. These assays are 30

- 91 -

described, among other places, in Maddox, *et al. (supra)*. Such protocols provide a basis for diagnosing altered or abnormal levels of variant product expression. Normal or standard values for variant product expression are established by combining body fluids or cell extracts taken from normal subjects, preferably  
5 human, with antibody to variant product under conditions suitable for complex formation which are well known in the art. The amount of standard complex formation may be quantified by various methods, preferably by photometric methods. Then, standard values obtained from normal samples may be compared with values obtained from samples from subjects potentially affected by disease.  
10 Deviation between standard and subject values establishes the presence of disease state.

The antibody assays are useful to determine the level of variant product present in a body fluid sample, in order to determine whether it is being expressed at all, whether it is being overexpressed or underexpressed in the  
15 tissue, or as an indication of how variant levels of variable products are responding to drug treatment.

By another aspect the invention concerns methods for determining the presence or level of various anti-variant antibodies in a biological sample obtained from patients, such as blood or serum sample using as an antigen the  
20 variant product. Determination of said antibodies may be indicative to a plurality of pathological conditions or diseases.

### **C. Therapeutic uses of antibodies**

In addition to their diagnostic use the antibodies may have a therapeutical  
25 utility in blocking or decreasing the activity of the variant product in pathological conditions where beneficial effect can be achieved by such a decrease.

The antibody employed is preferably a humanized monoclonal antibody, or a human Mab produced by known globulin-gene library methods. The antibody is administered typically as a sterile solution by IV injection, although  
30 other parenteral routes may be suitable. Typically, the antibody is administered

- 92 -

in an amount between about 1-15 mg/kg body weight of the subject. Treatment is continued, e.g., with dosing every 1-7 days, until a therapeutic improvement is seen.

Although the invention has been described with reference to specific  
5 methods and embodiments, it is appreciated that various modifications and changes may be made without departing from the invention.

### **Example VI. Expression of ACEV**

#### **(a) Immunohistochemical staining:**

The immunohistochemical staining was performed using Histostain plus Kit  
10 (Zymed Laboratories Inc.). Mouse salivary gland micron sections were prepared using a R. Gung microtome and fixed on superfrost plus slides with 2% Tespa. Deparaffinization was performed in xylene for 10 min. Dehydration was performed three times in absolute ethanol and once 95% ethanol. The slides were washed in DDW and then incubated with 3% H<sub>2</sub>O for 5 min. Subsequently, the slide were washed in  
15 DDW and twice in 0.05M TrisHCl pH 7.6 (Optimax wash Buffer, BioGenex). The rest of the procedure was performed following the manufacturer's instructions. The results are shown in Figs. 88 and 89.

The immunohistochemical staining was performed on mouse salivary gland  
20 micron sections. The immunohistochemistry was done using specific polyclonal antibodies designed against the c-terminus of SEQ ID NO: 144 (12 amino-acids), which are unique to said ACEV product and lack in the original ACE protein (Fig 88-a,b,d magnification X 100; Fig 89-b magnification X 400) compared with the pre-immune rabbit's serum (Fig 88-c, Fig. 89-a).

25 ACE was found to express in ductal epifilus (Fig 88-a,b,d, Fig 89-b).

The same procedure was repeated for mouse lymph node sectors stained with pre-immune serum (Fig. 90a, 90c – magnifications X 100, X 200, respectively) and immune serum (Fig. 90b and 90c magnifications X 100, X 200 respectively).

The results show positive staining in salivary glands.

- 93 -

(b) RT - PCR

RNA Purification and cDNA Synthesis Total RNA was extracted from different mouse tissues using Tri-Reagent System (Molecular Research Center, Inc., Cincinnati, OH). Synthesis of first-strand cDNA was carried out using Oligo(dT)15 (Promega, 5 Madison, WI), Superscript II (Gibco/BRL, Gaithersburg, MD), Rnasin (Promega, Madison, WI) and dNTP's (Gibco/BRL, Gaithersburg, MD). + with Superscript II, - without Superscript II.

Polymerase Chain Reaction (PCR): PCR was performed using Expand Long Template PCR system (Roche). As a template cDNA from different tissues was used. 10 The PCR reaction on PTC-225 (MJ Research, Inc.). PCR products were analyzed on an automated DNA sequencer ABI Prizem 310 Genetic Analyzer (Perkin Elmer).

The results are shown in Fig. 91. As can be seen the ACEV of the invention was expressed in skin, lung, heart, thymus, spleen, bone marrow and brain tissue

- 94 -

## CLAIMS:

1. An isolated nucleic acid sequence, of an alternative splicing variant, selected from the group consisting of:
  - (i) the nucleic acid sequence depicted in any one of SEQ ID NO: 1 to  
5 SEQ ID NO: 87;
  - (ii) nucleic acid sequences having at least 90% identity with the sequence of (i) with the proviso that each sequence is different than the original nucleic acid sequence from which the sequences of (i) have been varied by alternative splicing; and
  - 10 (iii) fragments of (i) or (ii) of at least 20 b.p., provided that said fragment contains a sequence which is not present, as a continuous stretch of nucleotides, in the original nucleic acid sequence from which the sequences of (i) have been varied by alternative splicing.
2. An isolated nucleic acid sequence complementary to the nucleic acid  
15 sequence of Claim 1.
3. An amino acid sequence selected from the group consisting of:
  - (i) an amino acid sequence coded by the isolated nucleic acid sequence of alternative splice variants of Claim 1;
  - (ii) homologues of the amino acid sequences of (i) in which one or more  
20 amino acids has been added, deleted, replaced or chemically modified in the region or adjacent to the region where the amino acid sequences differs from the original amino acid sequence, coded by the original nucleic acid sequence from which the variant has been varied.
- 25 4. An amino acid sequence according to Claim 3, as depicted in any one of SEQ ID NO: 88 to SEQ ID NO: 174.
5. An isolated nucleic acid sequence coding for any one of the amino acid sequences of Claim 3 or 4.
6. A purified antibody which binds specifically to any of the amino acid  
30 sequence of Claim 3 or 4.

- 95 -

7. An expression vector comprising any one of the nucleic acid sequences of Claim 1 or 5 and control elements for the expression of the nucleic acid sequence in a suitable host.
8. An expression vector comprising any one of the nucleic acid sequences of Claim 2, and control elements for the expression of the nucleic acid sequences in a suitable host.
9. A host cell transfected by the expression vector of Claim 7 or 8.
10. A pharmaceutical composition comprising a pharmaceutically acceptable carrier and as an active ingredient an agent selected from the group consisting of:
- 10 (i) the expression vector of Claim 7; and
  - (ii) any one of the amino acid sequences of Claim 3 or 4.
11. A pharmaceutical composition according to Claim 10, for treatment of diseases which can be ameliorated or cured by raising the level of any one of the amino acid sequences depicted in SEQ ID NO: 88 to SEQ ID NO: 174.
- 15 12. A pharmaceutical composition comprising a pharmaceutically acceptable carrier and as an active ingredient an agent selected from the group consisting of:
- (i) any one of the nucleic acid sequences of Claim 2;
  - (ii) the expression vector of Claim 8; and
  - (iii) the purified antibody of Claim 6.
- 20 13. A pharmaceutical composition according to Claim 12, for treatment of diseases which can be ameliorated or cured by decreasing the level of any one of the amino acid sequences depicted in SEQ ID NO: 88 to SEQ ID NO: 174.
14. A method for detecting an variant nucleic acid sequence in a biological sample, comprising the steps of:
- 25 (a) hybridizing to nucleic acid material of said biological sample any one of the nucleic acid sequences of Claim 1 or 2; and
  - (b) detecting said hybridization complex;
- wherein the presence of said hybridization complex correlates with the presence of an variant nucleic acid sequence in the said biological sample.
- 30 15. A method for determining the level of variant nucleic acid sequences in a biological sample comprising the steps of:

- 96 -

(a) hybridizing to nucleic acid material of said biological sample any one of the nucleic acid sequences of Claim 1 or 2; and

(b) determining the amount of hybridization complexes and normalizing said amount to provide the level of the variant nucleic acid sequences in the sample.

16. A method for determining the ratio between the level of variant of the nucleic acid sequence in a first biological sample and the level of the original sequence from which the variant has been varied by alternative splicing in a second biological sample comprising:

10 (a) determining the level of the variant nucleic acid sequence in the first biological sample according to the method of Claim 15;

(b) determining the level of the original sequence in the second biological sample; and

(c) comprising the levels obtained in (a) and (b) to give said ratio.

15 17. A method according to Claim 16, wherein said first and said second biological samples are the same sample.

18. A method according to any of Claims 14 to 17, wherein the nucleic acid material of said biological sample are mRNA transcripts.

19. A method according to Claim 18, where the nucleic acid sequence is present in a nucleic acid chip.

20. A method for identifying candidate compounds capable of binding to the variant product and modulating its activity the method comprising:

(i) providing any one of the amino acid sequences as defined in Claim 3 or 4;

25 (ii) contacting a candidate compound with said amino acid sequence;

(iii) determining the effect of said candidate compound on the biological activity of said protein or polypeptide and selecting those compounds which show a significant effect on said biological activity.

21. A method according to Claim 20, wherein the compound is an activator and the measured effect is increase in the biological activity.

- 97 -

22. A method according to Claim 20, wherein the compound is an deactivator and the effect is decrease in the biological activity.
23. An activator of any one of the amino acid sequences of Claim 3 or 4.
24. An deactivator of any one of the amino acid sequences of Claims 3 or 4.
- 5 25. A method for detecting any one of the amino acid sequences of Claim 3 or 4 in a biological sample, comprising the steps of:
- (a) contacting with said biological sample the antibody of Claim 8, thereby forming an antibody-antigen complex; and
  - (b) detecting said antibody-antigen complex
- 10 wherein the presence of said antibody-antigen complex correlates with the presence of the desired amino acid in said biological sample.
26. A method for detecting the level of the amino acid sequence of any one of Claim 3 or 4 in a biological sample, comprising the steps of:
- (a) contacting with said biological sample the antibody of Claim 8,
- 15 thereby forming an antibody-antigen complex; and
- (b) detecting the amount of said antibody-antigen complex and normalizing said amount to provide the level of said amino acid sequence in the sample.
27. A method for determining the ratio between the level of any one of the
- 20 amino acid sequences of Claims 3 or 4 present in a first biological sample and the level of the original amino acid sequences from which they were varied by alternative splicing, present in a second biological sample, the method comprising:
- (a) determining the level of the amino acid sequences of Claims 3 or 4 into a first sample by the method of Claim 26;
- 25 (b) determining the level of the original amino acid sequence in the second sample; and
- (c) comparing the level obtained in (a) and (b) to give said ratio.
28. A method according to Claim 27, wherein said first and said second biological samples are the same sample.
- 30 29. A method for detecting any one of the antibodies of Claim 6 in a biological sample comprising the steps of:



- 98 -

(a) contacting said biological sample with any one of the amino acid sequences of Claim 3 or 4 thereby forming an antibody-antigen complex; and

(b) detecting said antibody-antigen complex

wherein the presence of said antibody-antigen complex correlates with the presence of the antibody in said biological sample.

30. A method for detecting the level of any one of the antibodies of Claim 6 in a biological sample comprising the steps of:

(a) contacting said biological sample with any one of the amino acid sequences of Claim 3;

10 (b) detecting the amount of said antibody-antigen complex and normalizing said amount to provide the levels of said antibody in the sample.

31. An isolated nucleic acid sequence according to Claim 1 of an alternative splicing variant of an angiotensin converting enzyme (ACEV) selected from the group consisting of:

15 (i) the nucleic acid sequence depicted in SEQ ID NO: 57 or SEQ ID NO: 85;

(ii) nucleic acid sequences having at least 90% identity with the sequence of (i) with the proviso that each sequence is different than the original nucleic acid sequence from which the sequences of (i) have been varied by alternative splicing; and

20 (iii) fragments of (i) or (ii) of at least 20 b.p., provided that said fragment contains a sequence which is not present, as a continuous stretch of nucleotides, in the original nucleic acid sequence from which the sequences of (i) have been varied by alternative splicing.

25 32. An isolated nucleic acid sequence complementary to the nucleic acid sequence of Claim 31.

33. An amino acid sequence selected from the group consisting of:

(i) an amino acid sequence coded by the isolated nucleic acid sequence of alternative splice variants of Claim 31;

30 (ii) homologues of the amino acid sequences of (i) in which one or more amino acids has been added, deleted, replaced or chemically modified in the region

- 99 -

or adjacent to the region where the amino acid sequences differs from the original amino acid sequence, coded by the original nucleic acid sequence from which the variant has been varied.

34. An amino acid sequence according to Claim 33, as depicted in SEQ ID NO:  
5 144 or SEQ ID NO: 172.

35. An isolated nucleic acid sequence coding for any one of the amino acid sequences of Claim 33 or 34.

36. A purified antibody which binds specifically to any of the amino acid sequence of Claim 33 or 34.

10 37. An expression vector comprising any one of the nucleic acid sequences of Claim 31 or 35 and control elements for the expression of the nucleic acid sequence in a suitable host.

38. An expression vector comprising any one of the nucleic acid sequences of Claim 32, and control elements for the expression of the nucleic acid sequences in a  
15 suitable host.

39. A host cell transfected by the expression vector of Claim 37 or 38.

40. A pharmaceutical composition comprising a pharmaceutically acceptable carrier and as an active ingredient an agent selected from the group consisting of:

- (i) the expression vector of Claim 37; and
- 20 (ii) any one of the amino acid sequences of Claim 33 or 34.

41. A pharmaceutical composition according to Claim 40, for treatment of diseases which can be ameliorated or cured by raising the level of any one of the amino acid sequences depicted in SEQ ID NO: 144 or SEQ ID NO: 172.

42. A pharmaceutical composition comprising a pharmaceutically acceptable  
25 carrier and as an active ingredient an agent selected from the group consisting of:

- (i) any one of the nucleic acid sequences of Claim 32;
- (ii) the expression vector of Claim 38; and
- (iii) the purified antibody of Claim 36.

43. A pharmaceutical composition according to Claim 42, for treatment of  
30 diseases which can be ameliorated or cured by decreasing the level of the amino acid sequences depicted in SEQ ID NO: 144 or SEQ ID NO: 172.

- 100 -

44. A pharmaceutical composition according to Claim 40 or 42 for the treatment of a disease selected from: cardiovascular disorders, congestive heart failure, hypertension, renal hypertension, diabetes, multiple sclerosis, sarcoidosis, nonsarcoidotic pulmonary granulomatous diseases, vascular pathologies involving  
5 an endothelial abnormality and cancer.

45. A method for detecting an variant nucleic acid sequence in a biological sample, comprising the steps of:

(a) hybridizing to nucleic acid material of said biological sample any one of the nucleic acid sequences of Claim 31 or 32; and

10 (b) detecting said hybridization complex;

wherein the presence of said hybridization complex correlates with the presence of an variant nucleic acid sequence in the said biological sample.

46. A method for determining the level of variant nucleic acid sequences in a biological sample comprising the steps of:

15 (a) hybridizing to nucleic acid material of said biological sample any one of the nucleic acid sequences of Claim 31 or 32; and

(b) determining the amount of hybridization complexes and normalizing said amount to provide the level of the variant nucleic acid sequences in the sample.

20 47. A method for determining the ratio between the level of variant of the nucleic acid sequence in a first biological sample and the level of the original sequence from which the variant has been varied by alternative splicing in a second biological sample comprising:

(a) determining the level of the variant nucleic acid sequence in the first  
25 biological sample according to the method of Claim 46;

(b) determining the level of the original sequence in the second biological sample; and

(c) comprising the levels obtained in (a) and (b) to give said ratio.

48. A method according to Claim 47, wherein said first and said second  
30 biological samples are the same sample.

- 101 -

49. A method according to any of Claims 45 to 48, wherein the nucleic acid material of said biological sample are mRNA transcripts.
50. A method according to Claim 49, where the nucleic acid sequence is present in a nucleic acid chip.
- 5 51. A method for identifying candidate compounds capable of binding to the variant product and modulating its activity the method comprising:
- (i) providing any one of the amino acid sequences as defined in Claim 33 or 34;
  - (ii) contacting a candidate compound with said amino acid sequence;
  - 10 (iii) determining the effect of said candidate compound on the biological activity of said protein or polypeptide and selecting those compounds which show a significant effect on said biological activity.
52. A method according to Claim 51, wherein the compound is an activator and the measured effect is increase in the biological activity.
- 15 53. A method according to Claim 51, wherein the compound is an deactivator and the effect is decrease in the biological activity.
54. An activator of any one of the amino acid sequences of Claim 33 or 34.
55. An deactivator of any one of the amino acid sequences of Claims 33 or 34.
56. A method for detecting any one of the amino acid sequences of Claim 33 or 20 34 in a biological sample, comprising the steps of:
- (a) contacting with said biological sample the antibody of Claim 38, thereby forming an antibody-antigen complex; and
  - (b) detecting said antibody-antigen complex
- wherein the presence of said antibody-antigen complex correlates with the 25 presence of the desired amino acid in said biological sample.
57. A method for detecting the level of the amino acid sequence of any one of Claim 33 or 34 in a biological sample, comprising the steps of:
- (a) contacting with said biological sample the antibody of Claim 38, thereby forming an antibody-antigen complex; and

- 102 -

(b) detecting the amount of said antibody-antigen complex and normalizing said amount to provide the level of said amino acid sequence in the sample.

58. A method for determining the ratio between the level of any one of the amino acid sequences of Claims 33 or 34 present in a first biological sample and the level of the original amino acid sequences from which they were varied by alternative splicing, present in a second biological sample, the method comprising:

(a) determining the level of the amino acid sequences of Claims 33 or 34 into a first sample by the method of Claim 57;

10 (b) determining the level of the original amino acid sequence in the second sample; and

(c) comparing the level obtained in (a) and (b) to give said ratio.

59. A method according to Claim 58, wherein said first and said second biological samples are the same sample.

15 60. A method for detecting any one of the antibodies of Claim 36 in a biological sample comprising the steps of:

(a) contacting said biological sample with any one of the amino acid sequences of Claim 3 or 4 thereby forming an antibody-antigen complex; and

(b) detecting said antibody-antigen complex

20 wherein the presence of said antibody-antigen complex correlates with the presence of the antibody in said biological sample.

61. A method for detecting the level of any one of the antibodies of Claim 36 in a biological sample comprising the steps of:

(a) contacting said biological sample with any one of the amino acid sequences of Claim 33;

(b) detecting the amount of said antibody-antigen complex and normalizing said amount to provide the levels of said antibody in the sample.

1/209

1 MPIMGSSVYITVELAIAVLAILGNVLVCWAVWLSNLTQNVNTNYFVVS LAA 50  
|||||  
1 MPIMGSSVYITVELAIAVLAILGNVLVCWAVWLSNLTQNVNTNYFVVS LAA 50

51 ADIAVGVLAIPEFAITISTGFCAACHGCLFIACFVLVLTQSSIFSLLAIAI 100  
|||||  
51 ADIAVGVLAIPEFAITISTGFCAACHGCLFIACFVLVLTQSSIFSLLAIAI 100

101 DRYIAIRIPLRYNGLVTGTRAKGIIAICWVLSFAIGLTPMLGWNNCGQPK 150  
|||||  
101 DRYIAIRIPLRYNGLVTGTRAKGIIAICWVLSFAIGLTPMLGWNNCGQPK 150

151 EGKNHSQGC GEGQVACLFEDVVP MNVMVYFNFFACVLVPLLLMLGVYLRI 200  
|||||  
151 EGKNHSQGC GEGQVACLFEDVVP MNVMVYFNFFACVLVPLLLMLGVYLRI 200

201 FLAARRQLKQMESQPLPGERARSTLQKEVHAAKSLA.....PLH 239  
|||||  
201 FLAARRQLKQMESQPLPGERARSTLQKEVHAAKSLAIVGLFALCWLPLH 250

FIG. 1



3/209

```

1 MPRYGASLRQSCPRSGREQQDGTAGAPGLLWMGLVLALALALALALSDS 90
  |||||
1 MPRYGASLRQSCPRSGREQQDGTAGAPGLLWMG..LALALALALALSDS 48

. . .
91 RVLWAPAEAHPLSPQGHPARLHRIVPRLRDVFGWGNLTCPICKGLFTAIN 140
  |||||
49 RVLWAPAEAHPLSPQGHPARLHRIVPRLRDVFGWGNLTCPICKGLFTAIN 98

. . .
141 LGLKKEPNVARVGSVAIKLCNLLKIAPPAVCQSIVHLFEDDMVEVWRRSV 190
  |||||
99 LGLKKEPNVARVGSVAIKLCNLLKIAPPAVCQSIVHLFEDDMVEVWRRSV 148

. . .
191 LSPSEACGLLLGSTCGHWDIFSSWNISLPTVPKPPKPPSPAPGAPVSR 240
  |||||
149 LSPSEARGLLLGSTCGHWDIFSSWNISLPTVPKPPKPPSPAPGAPVSR 198

. . .

241 ILFLTDLHWDHDYLEGTDPCADPLCCRRGSLPPASRPGAGYWGEYSKC 290
  |||||
199 ILFLTDLHWDHDYLEGTDPCADPLCCRRGSLPPASRPGAGYWGEYSKC 248

```

FIG. 2



4/209

```

291 DLPLRTLESLLSGLGPAGPFDMVYWTGDI PAHDVWHQTRQDQLRALT TTVT 340
    |||||
249 DLPLRTLESLLSGLGPAGPFDMVYWTGDI PAHDVWHQTRQDQLRALT TTVT 298
    .
341 ALVRKFLGPVPVYPVAVGNHES TPVNSFPFPFIEGNHSSRWLYEAMAKAWE 390
    |||||
299 ALVRKFLGPVPVYPVAVGNHES TPVNSFPFPFIEGNHSSRWLYEAMAKAWE 348
    .
391 PWLP AEALRTL RIGGFYALSPY PGLRLISLNMNFC SRENFWLLINSTDPA 440
    |||||
349 PWLP AEALRTL RIGGFYALSPY PGLRLISLNMNFC SRENFWLLINSTDPA 398
    .
441 GQLQWL VGELQAAEDRGDKVHI IGHIPPGHCLKSWSNYYRIVARYENTL 490
    |||||
399 GQLQWL VGELQAAEDRGDKVHI IGHIPPGHCLKSWSNYYRIVARYENTL 448
    .
491 AAQFFGHTHVDEFEVFYDEETLSRPLAVAF LAPSATTYIGLNPLVSEAE G 540
    |||||
449 AAQFFGHTHVDEFEVFYDEETLSRPLAVAF LAPSATTYIGLN P..... 491
    .

```

FIG. 2 (CONT.<sup>1</sup>)

5/209

```

541 SLPYPGVGGIGEGGWSQSLQSMGRMCGPSLEIPLLLAPPVSPTSLAGYRV 590
      |||||
492 .....GYRV 495

      .
591 YQIDGNYSGSSHVVLDHETIILNLTQANIPGAIPHWWQLLYRARETYGLPN 640
      |||||
496 YQIDGNYSGSSHVVLDHETIILNLTQANIPGAIPHWWQLLYRARETYGLPN 545

      .
641 TLPTAWHNLVYRMRGDMQLFQTFWFLYHKGHPPEPCGTPCRLATLCAQL 690
      |||||
546 TLPTAWHNLVYRMRGDMQLFQTFWFLYHKGHPPEPCGTPCRLATLCAQL 595

      .
      691 SARADSPALCRHLMFPGSLPEAQSLWPRPLFC 722
      |||||
      596 SARADSPALCRHLMFPGSLPEAQSLWPRPLFC 627

```

FIG. 2 (CONT.<sup>2</sup>)

**6/209**

```

1 LLLGFLVSLSTLSIPPWEAPKEHKYKAEHHTVVLTVTGEPCHFQY 50
  |||
4 LLLGFLVSLSTLSIPPWEAPKEHKYKAEHHTVVLTVTGEPCHFQY 53

51 HRQLYHKCTHKGRPGQPWCATTPNFDQDQRWGYCLEPKVKDCHSKHSP 100
  |||
54 HRQLYHKCTHKGRPGQPWCATTPNFDQDQRWGYCLEPKVKDCHSKHSP 103

101 CQKGGTCVNMPSGPHCLCPQHLTGNHCQKEKCFEPQLLRFHFKNEIWYRT 150
  |||
104 CQKGGTCVNMPSGPHCLCPQHLTGNHCQKEKCFEPQLLRFHFKNEIWYRT 153

151 EQAAVARCQCKGPD AHCQRLASQACRTNPC LHGGRCLVEGHRLCHCPVG 200
  |||
154 EQAAVARCQCKGPD AHCQRLASQACRTNPC LHGGRCLVEGHRLCHCPVG 203

201 YTGPFCDVDTKASCYDGRGLSYRGLARTT LSGAPCQPWASEATYRNVTA E 250
  |||
204 YTGPFCDVDTKASCYDGRGLSYRGLARTT LSGAPCQPWASEATYRNVTA E 253

```

**FIG. 3**

7/209

251	QARNWGLGGHAFCRNPNDIRPWCFLNRDRLSWEYCDLAQCQTPTQAAP	300
254	QARNWGLGGHAFCRNPNDIRPWCFLNRDRLSWEYCDLAQCQTPTQAAP	303
	.	
301	PTPVSPRLHVPLMPAQAPPKPQPTRTPPQSQTPGALPAKREQPPSLTR	350
304	PTPVSPRLHVPLMPAQAPPKPQPTRTPPQSQTPGALPAKREQPPSLTR	353
	.	
351	NGPLSCGQRLRKSLSSMTRVVGGVALRGAHPYIAALYWGHSEFCAGSLIA	400
354	NGPLSCGQRLRKSLSSMTRVVGGVALRGAHPYIAALYWGHSEFCAGSLIA	403
	.	
401	PCWVLTAAHCLQDRPAPEDLTVVLGQERRNHSCEPCQTLAVRSYRLHEAF	450
404	PCWVLTAAHCLQDRPAPEDLTVVLGQERRNHSCEPCQTLAVRSYRLHEAF	453
	.	
451	SPVSYQHDLALLRLQEDADGSCALLSPYVQVPVCLPSGAARPSETTLCQVA	500
454	SPVSYQHDLALLRLQEDADGSCALLSPYVQVPVCLPSGAARPSETTLCQVA	503
	501 GWGHQFEAS 509       .	
	504 GWGHQFEGA 512	

**FIG. 3 (CONT.)**

8/209

```

1  MARLGNCSLTWAALIIILLPGSLEECGHISVSAPIVHLDGPITASCIKQ  50
   | | | | | | | | | | | | | | | | | | | | | | | | | | | |
1  MARLGNCSLTWAALIIILLPGSLEECGHISVSAPIVHLDGPITASCIKQ  50

   . . . . .
51  NCSHLDPEPQILWRLGAELQPGGRQQRQLSDGTQESIITLPHLNHTQAFLS  100
   | | | | | | | | | | | | | | | | | | | | | | | | | | | |
51  NCSHLDPEPQILWRLGAELQPGGRQQRQLSDGTQESIITLPHLNHTQAFLS  100

   . . . . .
101 CCLNWGNSLQILDQVELRAGYPPIPHNLSCLMNLTSSSLICQWEPGPET  150
   | | | | | | | | | | | | | | | | | | | | | | | | | | | |
101 CCLNWGNSLQILDQVELRAGYPPIPHNLSCLMNLTSSSLICQWEPGPET  150

   . . . . .
151 HLPTSFTLKSFKSRGNCQTQGDSILDCVPKDQGSHCCIPRKHLLLYQNMG  200
   | | | | | | | | | | | | | | | | | | | | | | | | | | | |
151 HLPTSFTLKSFKSRGNCQTQGDSILDCVPKDQGSHCCIPRKHLLLYQNMG  200

   . . . . .
201 IWVQAEALGTSMSPQLCLDPMDVVVKLEPPMLRTMDPSPEAAPQAGCLQ  250
   | | | | | | | | | | | | | | | | | | | | | | | | | | | |
201 IWVQAEALGTSMSPQLCLDPMDVVVKLEPPMLRTMDPSPEAAPQAGCLQ  250

```

FIG. 4

9/209

```

251 LCWEPWQPGHLINQKCELRHKPQGEASWALVGPLPLEALQYELCGLLPA 300
   |||||
251 LCWEPWQPGHLINQKCELRHKPQGEASWALVGPLPLEALQYELCGLLPA 300

301 TAYTLQIRCIRWPLPGHWSL..... 320
   |||||
301 TAYTLQIRCIRWPLPGHWSLSPSLELRTTERTVRLDTWWRQRQLDPR 350

321 .....GAILPLCNTTELSCTFHLP 339
   |||||
351 TVQLFWKPVLEEDSGRIQGYVSWRPSGQAGAILPLCNTTELSCTFHLP 400

340 SEAQEVALVAYNSAGTSRPTPVVFSESRGPALTRLHAMARDPHSLWVGWE 389
   |||||
401 SEAQEVALVAYNSAGTSRPTPVVFSESRGPALTRLHAMARDPHSLWVGWE 450

390 PPNPWPQGYVIEWGLGPPSASNSNKTWRMEQNGRATGFLLENIRPFQLY 439
   |||||
451 PPNPWPQGYVIEWGLGPPSASNSNKTWRMEQNGRATGFLLENIRPFQLY 500

```

FIG. 4 (CONT.<sup>1</sup>)



11/209

```
690 LYGQLLGSTSPGPGHYLRCDSTQPLLAGLTPSPKSYENLWFQASPLGTL 739  
      |||||  
751 LYGQLLGSTSPGPGHYLRCDSTQPLLAGLTPSPKSYENLWFQASPLGTL 800
```

.

```
740 VTPAPSQEDDCVFGPLLNFPLLQGI RVHGMEALGSF 775  
      |||||  
801 VTPAPSQEDDCVFGPLLNFPLLQGI RVHGMEALGSF 836
```

**FIG. 4 (CONT. <sup>3</sup>)**



12/209

```

MARLGNCSLTWAALIILLPGSLEECGHISVSAPIVHLGDPITASCIKQ 50
|||||
1 MARLGNCSLTWAALIILLPGSLEECGHISVSAPIVHLGDPITASCIKQ 50

51 NCSHLDPEPQILWRLGAELQPGGRQQRRLSDGTQESIITLPHLNHTQAFLS 100
|||||
51 NCSHLDPEPQILWRLGAELQPGGRQQRRLSDGTQESIITLPHLNHTQAFLS 100

101 CCLNWGNSLQILDQVELRAGYPPIPHNLSCLMNLTSSLICQWEPGPET 150
|||||
101 CCLNWGNSLQILDQVELRAGYPPIPHNLSCLMNLTSSLICQWEPGPET 150

151 HLPTSFTLKSFKSRGNCQTQGDSILDCVPKDQGQSHCCIPRKHLLLYQNMG 200
|||||
151 HLPTSFTLKSFKSRGNCQTQGDSILDCVPKDQGQSHCCIPRKHLLLYQNMG 200

201 IWVQAENALGTSMPQLCLDPMDVVKLEPPMLRTMDPSPEAAPQAGCLQ 250
|||||
201 IWVQAENALGTSMPQLCLDPMDVVKLEPPMLRTMDPSPEAAPQAGCLQ 250

```

FIG. 5



14/209

```

. . . . .
501 EIIIVTPLYQDTMGPSQHVYAYSQEMAPSHAPELHLKHIGKTWAQLEWVPE 550
|||||
501 EIIIVTPLYQDTMGPSQHVYAYSQEMAPSHAPELHLKHIGKTWAQLEWVPE 550

. . . . .
551 PPELGKSPLTHYTI FWTNAQNQSFCEXLSSTAPEGLEGAQLPRRXFT 600
|||||
551 PPELGKSPLTHYTI FWTNAQNQSF..... 574

. . . . .
601 IQAYADRTPLPAAILNASSRGFVLHGLEPASLYHIHLMAASQAGATNSTV 650
. |||||
575 .....SAILNASSRGFVLHGLEPASLYHIHLMAASQAGATNSTV 613

. . . . .
651 LTLMTLTPEGSELHIIILGLFGLLLLTCLCGTAWLCCSPNRKNPLWPSVP 700
|||||
614 LTLMTLTPEGSELHIIILGLFGLLLLTCLCGTAWLCCSPNRKNPLWPSVP 663

. . . . .
701 DPAHSSLGSWVPTIMEEDAFQLPGLGTPPITKLTVLEEDEKPPVPWESHN 750
|||||
664 DPAHSSLGSWVPTIMEEDAFQLPGLGTPPITKLTVLEEDEKPPVPWESHN 713

```

FIG. 5 (CONT.<sup>2</sup>)

15/209

```

7751 SSETCGLPTLVQTYVLQGDPRAVSTQPQSQSGTSDQVLYGQLLGSPTSPG 800
      |||||
7714 SSETCGLPTLVQTYVLQGDPRAVSTQPQSQSGTSDQVLYGQLLGSPTSPG 763
      |||||

8801 PGHYLRCDSTQPLLAGLTPSPKSYENLWFQASPLGTLVTPAPSQEDDCVF 850
      |||||
7764 PGHYLRCDSTQPLLAGLTPSPKSYENLWFQASPLGTLVTPAPSQEDDCVF 813
      |||||

      .
      851 GPLLNFPLLQGIRVHGMEALGSF 873
          |||||
      814 GPLLNFPLLQGIRVHGMEALGSF 836
          |||||

```

**FIG. 5 (CONT'.<sup>3</sup>)**

16/209

1 MQKIMHISVLLSPVLWGLIFGVSSNSIQIGGLFPRGADQEYSAFRVGMVQ 50  
|||||  
1 MQKIMHISVLLSPVLWGLIFGVSSNSIQIGGLFPRGADQEYSAFRVGMVQ 50

51 FSTSEFRLTPHIDNLEVANSFAVTNAFCQSFRGVYAIFGFYDKKSVNTI 100  
|||||  
51 FSTSEFRLTPHIDNLEVANSFAVTNAFCQSFRGVYAIFGFYDKKSVNTI 100

101 TSFCGTLHVSEFITPSFPTDGTTHPFVIQMRPDLKGALLSLIEYYQWDKFAY 150  
|||||  
101 TSFCGTLHVSEFITPSFPTDGTTHPFVIQMRPDLKGALLSLIEYYQWDKFAY 150

151 LYDSDRGLSTLQAVLDSAAEKKWQVTAINVGNINNDKKDEMYRSLFQDLE 200  
|||||  
151 LYDSDRGLSTLQAVLDSAAEKKWQVTAINVGNINNDKKDEMYRSLFQDLE 200

201 LKKERRVILDCERDKVNDIVDQVITIGKHVKGYHYIIANLEFTDGDLLKI 250  
|||||  
201 LKKERRVILDCERDKVNDIVDQVITIGKHVKGYHYIIANLEFTDGDLLKI 250

FIG. 6

17/209

251	QFGANVSGFQIVDYDDSLVSKFIERWSTLEEKEYPGAHTTIKYTSALT	300
251	QFGANVSGFQIVDYDDSLVSKFIERWSTLEEKEYPGAHTTIKYTSALT	300
301	YDAVQVMTEAFRNLRKQRIEISRRGNAGDCLANPAVPWGQGV EIERALKQ	350
301	YDAVQVMTEAFRNLRKQRIEISRRGNAGDCLANPAVPWGQGV EIERALKQ	350
351	VQVEGLSGNIKFDQNGKRINYTIMELKTNGPRKIGYWSEVDKMVVTLT	400
351	VQVEGLSGNIKFDQNGKRINYTIMELKTNGPRKIGYWSEVDKMVVTLT	400
401	ELPSGNDTSGLENKTVVVTTILESYPVMMKKNHEMLEGNER YEGYCVDLA	450
401	ELPSGNDTSGLENKTVVVTTILESYPVMMKKNHEMLEGNER YEGYCVDLA	450

**FIG. 6 (CONT.)<sup>1</sup>**

18/209

451	AEIAKHCGFKYKLTIVGDGKYGARDADTKIWNGMVGELVYGKADIAIAPL	500
451	AEIAKHCGFKYKLTIVGDGKYGARDADTKIWNGMVGELVYGKADIAIAPL	500
501	TITLVREEVIDFSKPFMSLGISIMIKKPQKSKPGVFSFLDPLAYEIWMC	550
501	TITLVREEVIDFSKPFMSLGISIMIKKPQKSKPGVFSFLDPLAYEIWMC	550
551	VFAYIGVSVVFLVSRFSPYEWHTTEEFEDGRETQSSSESTNEFGIFNSLWF	600
551	VFAYIGVSVVFLVSRFSPYEWHTTEEFEDGRETQSSSESTNEFGIFNSLWF	600
601	SLGAFMRQGCDISPRSLSGRIVGGVWFFTLIIISSYTANLAAFLTVERM	650
601	SLGAFMRQGCDISPRSLSGRIVGGVWFFTLIIISSYTANLAAFLTVERM	650
651	VSPIESAEDLSKQTEIAYGTLDSGSTKEFFRRRSKIAVFDKMWTYMRSAP	700
651	VSPIESAEDLSKQTEIAYGTLDSGSTKEFFRRRSKIAVFDKMWTYMRSAP	700

**FIG. 6 (CONT.)<sup>2</sup>**

19/209

701 SVFVRTTAEGVARVRKSKGYAYLLESTMNEYIEQRKPCDTMKVGGNLD 750  
|||||  
701 SVFVRTTAEGVARVRKSKGYAYLLESTMNEYIEQRKPCDTMKVGGNLD 750  
751 KGYGIATPKGSSLGTPVNLAVLKLSEQGVLDKLNKWWYDKGEXG 795  
|||||  
751 KGYGIATPKGSSLGTPVNLAVLKLSEQGVLDKLNKWWYDKGECG 795

FIG. 6 (CONT.<sup>3</sup>)



20/209

```

1  MKSIYFVAGLFVMLVQGSWQRSLQDTEEKSRFSASQADPLSDPDQMNE 50
   |||||||
1  MKSIYFVAGLFVMLVQGSWQRSLQDTEEKSRFSASQADPLSDPDQMNE 50

51 KRHSQGTFTSDYSKYLDSTRRAQDFVQWLMTKRNRRNNIAKRHDEFERHAE 100
   |||||||
51 KRHSQGTFTSDYSKYLDSTRRAQDFVQWLMTKRNRRNNIAKRHDEFERHAE 100

101 GTFTSVI.....FPEEVAIVEELGRRHADGS 126
    ||||| :      |||||||
101 GTFTSDVSSYLEGQAAKEFIAWLVKGRGRDDFPEEVAIVEELGRRHADGS 150

127 FSDEMNTISDNLAARDFINWLIQTKITDRK 156
    |||||||
151 FSDEMNTILDNLAARDFINWLIQTKITDRK 180

```

FIG. 7

21/209

6 SGTARKTLHF EISKEGSDLSVVERAEVWFLKVPKANRTRTKVTIRLFQQ 55  
|||||  
129 SGTARKTLHF EISKEGSDLSVVERAEVWFLKVPKANRTRTKVTIRLFQQ 178  
56 QKHPQGS LDTGEEAEVGLKGERSELLSEKVVVDARKSTWHVFPVSSSIQ 105  
|||||  
179 QKHPQGS LDTGEEAEVGLKGERSELLSEKVVVDARKSTWHVFPVSSSIQ 228  
106 RLLDQGKSSLDVRIACEQCQESGASVLLGKKKKKEEGEGKKKGEGG 155  
|||||  
229 RLLDQGKSSLDVRIACEQCQESGASVLLGKKKKKEEGEGKKKGEGG 278  
156 AGADEEKEQSHRPFMLQARQSEDPHRRRRRRGLECDGKVNICKKQFFV 205  
|||||  
279 AGADEEKEQSHRPFMLQARQSEDPHRRRRRRGLECDGKVNICKKQFFV 328

FIG. 8



23/209

```

1 MNSFSTSAFGPVAFSLGLLLVLPAAFPAPVPPGEDSKDVAAPHRQPLTSS 50
  |||||
1 MNSFSTSAFGPVAFSLGLLLVLPAAFPAPVPPGEDSKDVAAPHRQPLTSS 50

51 ERIDKQIRYILDGISALRKETCNXSNMC.....EKDG 82
  |||||
51 ERIDKQIRYILDGISALRKETCNKSNMCESKEALAENNLNLPKMAEKDG 100

83 CFQSGFNEETCLVKIITGLLEFEVYLEYLQNRFFESSEEQARAVQMSTKVL 132
  |||||
101 CFQSGFNEETCLVKIITGLLEFEVYLEYLQNRFFESSEEQARAVQMSTKVL 150

133 IQFLQKKAKNLDAITTPDPPTNASLLTKLQAQNWQLQDMTTHLILRSFKE 182
  |||||
151 IQFLQKKAKNLDAITTPDPPTNASLLTKLQAQNWQLQDMTTHLILRSFKE 200

183 FLQSSLRALRQM 194
  |||||
201 FLQSSLRALRQM 212

```

FIG. 9

24/209

1 MNSFST..... 6  
|||||  
1 MNSFSAFGPVAFSLGLLVLPAAFPAPVPPGEDSKDVAAPHRQPLTSS 50  
7 .....TCNKSNMCESSKEALAENNLNLPKMAEKDG 36  
|||||  
51 ERIDKQIRYILDGISAIRKETCNKSNMCESSKEALAENNLNLPKMAEKDG 100  
37 CFQSGFNEETCLVKIITGLLEFEVYLEYLQNRFESSEEQARAVQMSTKVL 86  
|||||  
101 CFQSGFNEETCLVKIITGLLEFEVYLEYLQNRFESSEEQARAVQMSTKVL 150  
87 IQFLQKKAKNLDAITTPDPPTTNASLLTKLQAQNWQLQDMTTHLILRSFKE 136  
|||||  
151 IQFLQKKAKNLDAITTPDPPTTNASLLTKLQAQNWQLQDMTTHLILRSFKE 200  
137 FLQSSLRALRQM 148  
|||||  
201 FLQSSLRALRQM 212

FIG. 10

25/209

```

1  MPRLFLHLLLEFCLLLNQFSRAVAACKWKDDVIKLCGRELVRAQIAICGMS 50
   |||||||
1  MPRLFLHLLLEFCLLLNQFSRAVAACKWKDDVIKLCGRELVRAQIAICGMS 50
   .
51 TWSKRSLSQEDAPQTPRPVAAGDFIQTVSLGISPDGGKALRTGSCFTREF 100
   |||||||
51 TWSKRSLSQEDAPQTPRPVA..... 70
   .
101 LGALSKLVPSFINKDTETIIIMLEFIANLPPELKAALSERQPSLPQLQY 150
   .:|||||
71.... EIVPSFINKDTETIIIMLEFIANLPPELKAALSERQPSLPQLQY 115
   .
151 VPALKDSSLLFEEFKKLIRNRQSEAADSNPSELKYLGLDTHSQKKRRPYV 200
   |||||.|||||
116 VPALKDSNLSFEEFKKLIRNRQSEAADSNPSELKYLGLDTHSQKKRRPYV 165
   .
201 ALFEKCCLLIGCTKRSLAKYC 220
   |||||||
166 ALFEKCCLLIGCTKRSLAKYC 185

```

FIG. 11

26/209

```

1 MKLCVTVLSLLMLVAAFCSPALSAPMGSDPPTACCFSTARKLPRNFVVD 50
  |||||
1 MKLCVTVLSLLMLVAAFCSPALSAPMGSDPPTACCFSTARKLPRNFVVD 50

      . . . . .
51 YYETSSLCSQPAVV...GKQVCADPSESWVQEVVYDLELN 87
  |||||
51 YYETSSLCSQPAVVFQTKRSKQVCADPSESWVQEVVYDLELN 92

```

FIG. 12







29/209

```

501  WDICSVTCGGGVQKRSRLCENNPTPQFGGKDCVGDVTENQICNKQDCPIDG  550
    | | | | | | | | | | | | | | | | | | | | | | | | | | | |
501  WDICSVTCGGGVQKRSRLCENNPTPQFGGKDCVGDVTENQICNKQDCPIDG  550

551  CLSNPCFAGVKCTSYPDGSWKCGACPPGYSNGIQCTDVDECKEVPDACEF  600
    | | | | | | | | | | | | | | | | | | | | | | | | | | | |
551  CLSNPCFAGVKCTSYPDGSWKCGACPPGYSNGIQCTDVDECKEVPDACEF  600

601  NHNGEHRCENTDPGYNCLPCPPRFTGSQPFQGGVEHATANKQVCKPRNPC  650
    | | | | | | | | | | | | | | | | | | | | | | | | | | | |
601  NHNGEHRCENTDPGYNCLPCPPRFTGSQPFQGGVEHATANKQVCKPRNPC  650

651  TDGTHDCNKNAKCNLYLGHYSDPMYRCECKPGYAGNGIICGEDTDLDGWPN  700
    | | | | | | | | | | | | | | | | | | | | | | | | | | | |
651  TDGTHDCNKNAKCNLYLGHYSDPMYRCECKPGYAGNGIICGEDTDLDGWPN  700

701  ENLVCVANATYHCKKDCNCPNLP  722
    | | | | | | | | | | | | | | | | | | | | | | | | | | | |
701  ENLVCVANATYHCKKDCNCPNLP  722

```

FIG. 13 (CONT.<sup>2</sup>)

30/209

1 MGLAWGLGVFLMHVCGTNRIPESGGDNVFDIFELTGAARKSGRRLLVK 50  
|||||  
1 MGLAWGLGVFLMHVCGTNRIPESGGDNVFDIFELTGAARKSGRRLLVK 50

51 GPDSSPAFRIEDANLIPVPDDKFQDLVDAVRAEKGFLLASLRQMKKT 100  
|||||  
51 GPDSSPAFRIEDANLIPVPDDKFQDLVDAVRTEKGFLLASLRQMKKT 100

101 RGTLALERKDHSGQVFSVVSNGKAGTLDLSLTQVGKQHVVSVEEALLAT 150  
|||||  
101 RGTLALERKDHSGQVFSVVSNGKAGTLDLSLTQVGKQHVVSVEEALLAT 150

151 GQWKSITLFVQEDRAQLYIDCEKMENAEILDVPIQSVFTRDLASIALRIA 200  
|||||  
151 GQWKSITLFVQEDRAQLYIDCEKMENAEILDVPIQSVFTRDLASIALRIA 200

201 KGGVNDNFQGVQLQNVRFVFGTTPEDILRNKGCSSSTSVLLTLDNNVVNGS 250  
|||||  
201 KGGVNDNFQGVQLQNVRFVFGTTPEDILRNKGCSSSTSVLLTLDNNVVNGS 250

FIG. 14

31/209

251 SPAIRTNIGHKTKDLQAICGISDELSSMVLELRGLRTIVTTLQDSIRK 300  
|||||  
251 SPAIRTNIGHKTKDLQAICGISDELSSMVLELRGLRTIVTTLQDSIRK 300  
|||||  
301 VTEENKELANELRRPPLCYHNGVQYRNNEEWTVDSCTECHCQNSVTICKK 350  
|||||  
301 VTEENKELANELRRPPLCYHNGVQYRNNEEWTVDSCTECHCQNSVTICKK 350  
|||||  
351 VSCPIMPCSNATVPDGECCPRCWPSADSADDGSPWSEWTSCSTSCGNGIQ 400  
|||||  
351 VSCPIMPCSNATVPDGECCPRCWPSADSADDGSPWSEWTSCSTSCGNGIQ 400  
|||||  
401 QGRSCDSLNNRCEGSSVQTRTCHIQECDKRFKQDGGWSHWPSSCSVT 450  
|||||  
401 QGRSCDSLNNRCEGSSVQTRTCHIQECDKRFKQDGGWSHWPSSCSVT 450  
|||||  
451 CGDGVITRIRLNCNSPSPQMNGKPCGEARETKACKKDACPINGGWGPWSP 500  
|||||  
451 CGDGVITRIRLNCNSPSPQMNGKPCGEARETKACKKDACPINGGWGPWSP 500  
|||||

FIG. 14 (CONT.<sup>1</sup>)



33/209

```

1  MGLAWGLGVLFMHVCGTNRIPESGGDNVFDIFELTGAARKGSGRRLVK  50
  |||||
1  MGLAWGLGVLFMHVCGTNRIPESGGDNVFDIFELTGAARKGSGRRLVK  50

51  GPDSSPAFRIEDANLIPVPDDKFQDLVDAVRAEKGFLLASLRQMCKT  100
  |||||
51  GPDSSPAFRIEDANLIPVPDDKFQDLVDAVRTEKGFLLASLRQMCKT  100

101  RGTLLALERKDHSGQVFSVSNKGAGTLDLSLTVQKQHVVSVVEEALLAT  150
  |||||
101  RGTLLALERKDHSGQVFSVSNKGAGTLDLSLTVQKQHVVSVVEEALLAT  150

151  GQWKSITLFEVQEDRAQLYIDCEKMENAEILDVPIQSVFTRDLASIALRIA  200
  |||||
151  GQWKSITLFEVQEDRAQLYIDCEKMENAEILDVPIQSVFTRDLASIALRIA  200

201  KGGVNDNFQGVLQNVRFVFGTTPEDILLRNKGCSSSTSVLLTLDNNVVNGS  250
  |||||
201  KGGVNDNFQGVLQNVRFVFGTTPEDILLRNKGCSSSTSVLLTLDNNVVNGS  250

```

FIG. 15

34/209

251 SPAIRNYIGHKTKDLQAICIGISCDELSSMVLELRGLRTIVTTLQDSIRK 300  
|||||  
251 SPAIRNYIGHKTKDLQAICIGISCDELSSMVLELRGLRTIVTTLQDSIRK 300  
|||||  
301 VTEENKELANELRRPPLCYHNGVQYRNNEEWTVDSCTECHCQNSVTICKK 350  
|||||  
301 VTEENKELANELRRPPLCYHNGVQYRNNEEWTVDSCTECHCQNSVTICKK 350  
|||||  
351 VSCPIPCSNA TVPDGECPCRCWPSPDSADDDGWSPWSEWTSCSTSCGNGIQ 400  
|||||  
351 VSCPIPCSNA TVPDGECPCRCWPSPDSADDDGWSPWSEWTSCSTSCGNGIQ 400  
|||||  
401 QRGRSCDSLNNRCEGSSVQTRTCHI QECDKRFKQDGGWSHWPSSCSVT 450  
|||||  
401 QRGRSCDSLNNRCEGSSVQTRTCHI QECDKRFKQDGGWSHWPSSCSVT 450  
|||||  
451 CGDGVITRIRLCNSPSPQMNGKPCGEARETKACKKDACP 490  
|||||  
451 CGDGVITRIRLCNSPSPQMNGKPCGEARETKACKKDACP 490  
|||||

FIG. 15 (CONT. <sup>1</sup>)

35/209

1 MGLAWGLGVLFMLHVCCTNRIPESGGDNSVFDIFELTGAARKGSGRRLVK 50  
|||||  
1 MGLAWGLGVLFMLHVCCTNRIPESGGDNSVFDIFELTGAARKGSGRRLVK 50

51 GPDSSPAFRIEDANLIPVPDDKFQDLDVDAVRAEKGFLLASLRQMKKT 100  
|||||  
51 GPDSSPAFRIEDANLIPVPDDKFQDLDVDAVRTEKGFLLASLRQMKKT 100

101 RGTLLALERKDHSGQVFSVVSNGKAGTLDLSLTVQGKHVVSVVEEALLAT 150  
|||||  
101 RGTLLALERKDHSGQVFSVVSNGKAGTLDLSLTVQGKHVVSVVEEALLAT 150

151 GQWKSITLFVQEDRAQLYIDCEKMENAEILDVPIQSVFTRDLASIALRIA 200  
|||||  
151 GQWKSITLFVQEDRAQLYIDCEKMENAEILDVPIQSVFTRDLASIALRIA 200

201 KGGVNDNFQGVQLQNVRFVFGTTPEDILRNKGCSSSTSVLLTLDNNVVNGS 250  
|||||  
201 KGGVNDNFQGVQLQNVRFVFGTTPEDILRNKGCSSSTSVLLTLDNNVVNGS 250

FIG. 16



36/209

```

      . . . . .
251 SPAIRNYIGHKTKDLQAICGISDELSSMVLELRGLRTIVTTLQDSIRK 300
      | | | | | | | | | | | | | | | | | | | | | | | | | | | |
251 SPAIRNYIGHKTKDLQAICGISDELSSMVLELRGLRTIVTTLQDSIRK 300

      . . . . .
301 VTEENKELANELRRPPLCYHNGVQYRNNEEWTVDSCTECHCQNSVTICKK 350
      | | | | | | | | | | | | | | | | | | | | | | | | | | | |
301 VTEENKELANELRRPPLCYHNGVQYRNNEEWTVDSCTECHCQNSVTICKK 350

      . . . . .
351 VSCPIMPCSNATVPDGECCPRCWPSDSADDDGWSFWSEWTSCSTSCGNGIQ 400
      | | | | | | | | | | | | | | | | | | | | | | | | | | | |
351 VSCPIMPCSNATVPDGECCPRCWPSDSADDDGWSFWSEWTSCSTSCGNGIQ 400

      . . . . .
401 QGRSCDSLNNRCEGSSVQTRTCHIÇECDKCRCKHLSLGTW 441
      | | | | | | | | | | | | | | | | | | | | | | | | | | | |
401 QGRSCDSLNNRCEGSSVQTRTCHIÇECDKCRFKQ...DGGW 438

```

FIG. 16 (CONT.<sup>1</sup>)



**38/209**

```

251 LAKTLVGVGASLGRVAAALTAMDKPLGRCVGHAEVEEALLCMDGAGPP 300
|||||
251 LAKTLVGVGASLGRVAAALTAMDKPLGRCVGHAEVEEALLCMDGAGPP 300

301 DLRDLVTTLGGALLWLSGHAGTQAQGAARVAAA..... 333
|||||
301 DLRDLVTTLGGALLWLSGHAGTQAQGAARVAAALDDGSALGRFERMLAAQ 350

.
.
.

334 ..RALQEALVLSDRAPFAAPSPFAELVLPQQ 363
|||||
451 QSRALQEALVLSDRAPFAAPLPFAELVLPQQ 482

```

FIG. 17 (CONT.)<sup>1</sup>

39/209

```

1 MAALMTPGTGAPPAPGDFSGEGSQGLPDPSPPEPKQLPELIRMKRDGGRLS 50
  |||||
1 MAALMTPGTGAPPAPGDFSGEGSQGLPDPSPPEPKQLPELIRMKRDGGRLS 50

51 EADIRGFVAAVVNGSAQGAQIGAMLMAIRLFGMDLEETSVLTQALAQSGQ 100
  |||||
51 EADIRGFVAAVVNGSAQGAQIGAMLMAIRLFGMDLEETSVLTQALAQSGQ 100

101 QLEWPEAWRQQLVDKHSHTGGVGDKVSLVLAPALAACGCKVPMISGRGLGH 150
  |||||
101 QLEWPEAWRQQLVDKHSHTGGVGDKVSLVLAPALAACGCKVPMISGRGLGH 150

151 TGGTLDKLESIPGFNVISPEQMQLLDQAGCCIVGQSEQLVPADGILYA 200
  |||||
151 TGGTLDKLESIPGFNVISPEQMQLLDQAGCCIVGQSEQLVPADGILYA 200

201 ARDVTATVDSLPLIT.....G.....WRG.SQ..P....R 223
  |||||
201 ARDVTATVDSLPLITASILSKKLVEGLSALVVDVKF.GGAAVFPNQEQR 249
  .

```

FIG. 18

**FIG. 18 (CONT.)<sup>1</sup>**

[illegible]

FIG. 19

[illegible]

**FIG. 19 (CONT.<sup>1</sup>)**

43/209

```

1 MASRLTLTLLLLLAGDRASSNPATSS.....VI 31
  |||||
1 MASRLTLTLLLLLAGDRASSNPATSSSSQDPESLQDRGEGKVATTVI 50
  |||||
32 SKMLFVEPILEVSSLPTTNSTTNSATKITANTTDEPTTQPTTEPTTQPTI 81
  |||||
51 SKMLFVEPILEVSSLPTTNSTTNSATKITANTTDEPTTQPTTEPTTQPTI 100
  |||||
82 QPTQPTTQLPTDSPTQPTTGSGFCPGPVTLCSDLESHTAEVLGDALVDFS 131
  |||||
101 QPTQPTTQLPTDSPTQPTTGSGFCPGPVTLCSDLESHTAEVLGDALVDFS 150
  |||||
132 LKLYHAFSAMKKVETNMAFSPFSIASLLTQVLLGAGENTKTNLESILSYP 181
  |||||
151 LKLYHAFSAMKKVETNMAFSPFSIASLLTQVLLGAGENTKTNLESILSYP 200
  |||||
182 KDFTCVHQALKGFTTKGVTSVSQIFHSPDLAIRDTFVNASRTLYSSSPRV 231
  |||||
201 KDFTCVHQALKGFTTKGVTSVSQIFHSPDLAIRDTFVNASRTLYSSSPRV 250
  |||||

```

**FIG. 20**



44/209

232	LSNNSDANLELINTWVAKNTNKKISRLLDLSLPSDTRLVLLNAIYLSAKWK	281
251	LSNNSDANLELINTWVAKNTNKKISRLLDLSLPSDTRLVLLNAIYLSAKWK	300
282	TTFDPKKTRMEPFHFKNQSVIKVPMNMSKKYPVAHFIDQTLKAKVGQLQLS	331
301	TTFDPKKTRMEPFHFKNQSVIKVPMNMSKKYPVAHFIDQTLKAKVGQLQLS	350
332	HNLSLVILVPQNLKHRLEDMEQALSPSVFKAIMEKLEMSKFQPTLLTLPR	381
351	HNLSLVILVPQNLKHRLEDMEQALSPSVFKAIMEKLEMSKFQPTLLTLPR	400
382	IKVTTSQDMLSIMKLEFFDFSVDLNLCLGTEDPDQLQVSAMQHQTIVLELT	431
401	IKVTTSQDMLSIMKLEFFDFSVDLNLCLGTEDPDQLQVSAMQHQTIVLELT	450
432	ETGVEAAAAAISVARTLLVFEVQQPFVFLWDQQQHKFPVFMGRVYDPRA	481
451	ETGVEAAAAAISVARTLLVFEVQQPFVFLWDQQQHKFPVFMGRVYDPRA	500

FIG. 20 (CONT.<sup>1</sup>)

45/209

[illegible]

**FIG. 21**

46/209

```

1 MDVLAENGTFALNLLKTLGKDNSKNVFFSPMSMCSALAMVYMGAKGNTA 50
  |||||
1 MDVLAENGTFALNLLKTLGKDNSKNVFFSPMSMCSALAMVYMGAKGNTA 50

51 AQMAQILSFNKSGGGDIHQGFQSLLTEVNKTGTQYLLRVANRFLFGEKSC 100
  |||||
51 AQMAQILSFNKSGGGDIHQGFQSLLTEVNKTGTQYLLRVANRFLFGEKSC 100

101 DFLSSFRDSCQKFYQAEEMEELDFISAVEKSRKHINTWVAEKTEGKIAELL 150
  |||||
101 DFLSSFRDSCQKFYQAEEMEELDFISAVEKSRKHINTWVAEKTEGKIAELL 150

151 SPGSVDPLTRLVLVNAVYFRGNWDEQFDKENTEERLFKVSKNEEKPVQMM 200
  |||||
151 SPGSVDPLTRLVLVNAVYFRGNWDGQFDKENTEERLFKVSKNEEKPVQMM 200

201 FKQSTFKKTYIGEIFTQILVLPYVGKELNMIIMLPDETDLRTVEKELTY 250
  |||||
201 FKQSTFKKTYIGEIFTQILVLPYVGKELNMIIMLPDETDLRTVEKELTY 250

```

**FIG. 22**

47/209

```

251 EKFEVWTRLDMMDEEEV..... 267
    |||||
251 EKFEVWTRLDMMDEEEVSLPRFKLEESYDMESVLRNLGMTDAFELGKA 300
    .
268 .....EEGTEAAAAATAAIMMRCARFVPRFC 293
    |||||
301 DFGMSQTDLSLSKVVKSFVEVNEEGTEAAAAATAAIMMRCARFVPRFC 350
    .
294 ADHPFLFFIQHKTNGILFCGRFSSP 319
    |||||
351 ADHPFLFFIQHKTNGILFCGRFSSP 376

```

FIG. 22 (CONT.<sup>1</sup>)

```

1 MDVLAEANGTFALNLLKTLGKDNSKNVFFSPMSMSCALAMVYMGAKGNTA 50
  |||||
1 MDVLAEANGTFALNLLKTLGKDNSKNVFFSPMSMSCALAMVYMGAKGNTA 50

51 AQMAQILSFNKSGGGGDIHQGFQSLLTEVNKTGTQYLLR..... 89
  |||||
51 AQMAQILSFNKSGGGGDIHQGFQSLLTEVNKTGTQYLLRVANRLFGEKSC 100

.
.
.

90 .....ESYDMESVLRNLGMTDAFELGKA 112
  |||||

251 EKFEWTRLDMMDEEEVSLPRFKLEESYDMESVLRNLGMTDAFELGKA 300

.
.
.
1113 DFSGMSQTDLSLSKVVKHSFVEVNEEGTEAAAAATAAIMMRCARFVPRFC 162
  |||||
301 DFSGMSQTDLSLSKVVKHSFVEVNEEGTEAAAAATAAIMMRCARFVPRFC 350

.
163 ADHPFLFFIQHSKTNIGILFCGRFSSP 188
  |||||
351 ADHPFLFFIOHRKTNIGILFCGRFSSP 376

```

48/209

**FIG. 23**

49/209

1 MDVLAEANGTFALNLLKTLGKDNSKNVFFSPMSALAMVYMGAKGNTA 50  
 |||||  
 1 MDVLAEANGTFALNLLKTLGKDNSKNVFFSPMSALAMVYMGAKGNTA 50

51 AQMAQ 55  
 |||||  
 51 AQMAQ 55

FIG. 24

**50/209**

**FIG. 25**

51/209

83 MSAPAAKVSKKELNSNHDGADTSEKEQQEAIEHIDEVQNEIDRLNEQAS 132  
|||||  
1 MSAPAAKVSKKELNSNHDGADTSEKEQQEAIEHIDEVQNEIDRLNEQAS 50  
.  
133 EEILKVEQKYNKLRQPFQKRSELIAKIPNFWVTTFVNHPQVSALLGEED 182  
|||||  
51 EEILKVEQKYNKLRQPFQKRSELIAKIPNFWVTTFVNHPQVSALLGEED 100  
.  
183 EEALHYLTRVEVTEFEDIKSGYRIDFYFDENPYFENKVLKSFHNLNESGD 232  
|||||  
101 EEALHYLTRVEVTEFEDIKSGYRIDFYFDENPYFENKVLKSFHNLNESGD 150  
.  
233 PSSKSTEIKWKSGKDLTKRSSQTQNKASRKQRHEEPESFTWTFDHS DAG 282  
|||||  
151 PSSKSTEIKWKSGKDLTKRSSQTQNKASRKQRHEEPESFTWTFDHS DAG 200  
.  
283 ADELGEVIKDDIWPNPLOYYLVPDMDDEEGEGEEDDDDDDEEEGLE DIDE 332  
|||||  
201 ADELGEVIKDDIWPNPLOYYLVPDMDDEEGEGEEDDDDDDEEEGLE DIDE 250  
.  
333 EGDEDEGEDEDDDEEGEGEEDGEDD 359  
|||||  
251 EGDEDEGEDEDDDEEGEGEEDGEDD 277

FIG. 26





53/209

```
121 MSDASLRSTMERLVARGTFPVLVRTSACRSLFGPVDHEELSRELQARL 170
    |||||
1  MSDASLRSTMERLVARGTFPVLVRTSACRSLFGPVDHEELSRELQARL 50

171 AELNAEDQNRWDYDFQQDMPLRGPGRLQWTEVDSVPAFYRETVQI... 217
    |||||
51 AELNAEDQNRWDYDFQQDMPLRGPGRLQWTEVDSVPAFYRETVQVGRC 100

218 .....FFAKRRSAPEKSSGVDVPAPCPSPA 243
    |||||
251 AAGTAAASANGAAIKKLSGPLISDFFAKRRSAPEKSSGVDVPAPCPSPA 300

244 APGVGSVEQTPRKRLR 279
    |||||
301 APGVGSVEQTPRKRLR 316
```

FIG. 28

54/209

```

2 MTLRHLPFILLILSGELYAEEKQCDFPTVENGRIAQYYTFFKSFYFPM 51
  |||||
1 MTLRHLPFILLILSGELYAEEKQCDFPTVENGRIAQYYTFFKSFYFPM 50
  |||||

52 VDKKLSFFCLAGYATESGKQEEQIRCTAEGWSPNPRCYKKCLKPDLRNGY 101
  |||||
51 VDKKLSFFCLAGYATESGKQEEQIRCTAEGWSPNPRCYKKCLKPDLRNGY 100
  |||||

1102 VSNDKVLYKLQERMSYGCSSGYKTTGGKDEEVVHCLSAGWSSQPSCKREQ 151
  |||||
1101 VSNDKVLYKLQERMSYGCSSGYKTTGGKDEEVVHCLSAGWSSQPSCKREQ 150
  |||||

1152 ETCLAPELEHGNYSTTQRTFKVKDI VAYTCTAGYYTTTGKQTGEAECQAN 201
  |||||
1151 ETCLAPELEHGNYSTTQRTFKVKDI VAYTCTAGYYTTTGKQTGEAECQAN 200
  |||||

202 GWSLTPQCNKLMCSSLRLIENGYFHPVKQTYEEGDVVQFFCHENYYLSGS 251
  |||||
201 GWSLTPQCNKLMCSSLRLIENGYFHPVKQTYEEGDLVQFFCHENYYLSGS 250
  |||||

```

**FIG. 29**

55/209

252 DLIQYNFGWY PESPICEGRNRRCPPPPVPLNSKI QPHSTTYRHGERVHI 301  
|||||  
251 DLIQYNFGWY PESPICEGRNRRCPPPPVPLNSKI QPHSTTYRHGERVHI 300  
|||||  
302 ECELNFVIQ GSEELLCENGKWT EPPKCI EEKEKVACEQPPSVENGVAHPH 351  
|||||  
301 ECELNFVIQ GSEELLCENGKWT EPPKCI EEKEKVACEQPPSVENGVAHPH 350  
|||||  
352 SEIYYS GDKVTYRCGGGYS LRGSSTITCN RGRWTL PPECVENIENCKPPP 401  
|||||  
351 SEIYYS GDKVTYRCGGGYS LRGSSTITCN RGRWTL PPECVENIENCKPPP 400  
|||||  
402 DIANGVVVDGLLASYTTGSSVEYRCNEY YLLKGSETSRCEQGA WSSPPVC 451  
|||||  
401 DIANGVVVDGLLASYTTGSSVEYRCNEY YLLKGSETSRCEQGA WSSPPVC 450  
|||||  
452 LEPCTIDVDHMRN RNNIQLKWKYEGKILHGDLIDFVCKQ GYNLSPSIP LSE 501  
|||||  
451 LEPCTIDVDHMRN RNNIQLKWKYEGKILHGDLIDFVCKQ GYNLSPSIP LSE 500  
|||||

FIG. 29 (CONT.<sup>1</sup>)

56/209

502 ISAQCNRGDVRYPMCIKESKGMCA\$PPVIRNGDIVSSAARTYENGSSVE 551  
|||||  
501 ISAQCNRGDVRYPMCIKESKGMCA\$PPVIRNGDIVSSAARTYENGSSVE 550  
552 YRCFDNHFLQGSQNVYCV\$DGVWTT\$PPSCLEP 582  
|||||  
551 YRCFDNHFLQGSQNVYCV\$DGVWTT\$PPSCLEP 581

FIG. 29 (CONT.<sup>2</sup>)

57/209

```

1 MPWGRRPTWLLAFLLVFLKISILSVTAWQTGNCQPGPLERSERSGTCAG 50
  |||||
1 MPWGRRPTWLLAFLLVFLKISILSVTAWQTGNCQPGPLERSERSGTCAG 50

. . . . .
51 PAPFLVFSQGKKSISRI..... 66
  |||||
51 PAPFLVFSQGKKSISRIDPDGTNHQQLVVDAGISADMDIHYKKERLYWVDV 100
.
.
.
.
.
67 ..... WAI PSVIRVNKRTGQNRVRLQGSMLKPSSLVVVHPLAKPGADP 109
  |||||
701 DHLWVSDWAI PSVIRVNKRTGQNRVRLQGSMLKPSSLVVVHPLAKPGADP 750

. . . . .
110 CLYRNGGCEHICQESLGTARCLCREGFVKAWDGKMCPLQDYPILSGENAD 159
  |||||
751 CLYRNGGCEHICQESLGTARCLCREGFVKAWDGKMCPLQDYPILSGENAD 800
.
.
.

```

FIG. 30

58/209

160 LSKEVTSLSNSTQAEVPDDDDGTESSTLVAEIMVSGMNYEDDCPGGCGSH 209  
|||||  
801 LSKEVTSLSNSTQAEVPDDDDGTESSTLVAEIMVSGMNYEDDCPGGCGSH 850  
|||||  
210 ARCVSDGETAECQCLKGFARDGNLCSDIDECVLARSDCPSTSSRCINTEG 259  
|||||  
851 ARCVSDGETAECQCLKGFARDGNLCSDIDECVLARSDCPSTSSRCINTEG 900  
|||||  
260 GYVCRCEGYEGDGISCFDIDECQGAHNCAENAACTNTEGGYNCTCAGR 309  
|||||  
901 GYVCRCEGYEGDGISCFDIDECQGAHNCAENAACTNTEGGYNCTCAGR 950  
|||||  
310 PSSPGLSCPDDSTAPSLLEDGHHLDRNSYPGCPSSYDGYCLNGVCMHIE 359  
|||||  
951 PSSPGRSCPDDSTAPSLLEDGHHLDRNSYPGCPSSYDGYCLNGVCMHIE 1000  
|||||  
360 SLDSYTCNCVIGYSGDRCQTRDLRWELRHAGYGQKHDIMVVAVCMVALV 409  
|||||  
1001 SLDSYTCNCVIGYSGDRCQTRDLRWELRHAGYGQKHDIMVVAVCMVALV 1050  
|||||

FIG. 30 (CONT.<sup>1</sup>)





60/209

```

1 MPWGRRPTWLLAFLLVFLKISILSVTAWQTGNCQPGPLERSERSGTCAG 50
  |||||
1 MPWGRRPTWLLAFLLVFLKISILSVTAWQTGNCQPGPLERSERSGTCAG 50
  . . . . .
51 PAPFLVFSQGKKSISRI..... 66
  |||||
51 PAPFLVFSQGKKSISRIDPDGTDGNTNHQQLVVDAGISADMDIHYKKERLYWVDV 100
  . . .
67 ..... WAIPSVIRVNKRTGQNRVRLQGSMLKPSLVLVHPLAKPGADP 109
  |||||
701 DHLWVSDWAIIPSVIRVNKRTGQNRVRLQGSMLKPSLVLVHPLAKPGADP 750
  . . .
110 CLYRNGGCEHICQESLGTARCLCREGFVKAWDGKMCPLPDYPILSGENAD 159
  |||||
751 CLYRNGGCEHICQESLGTARCLCREGFVKAWDGKMCPLPDYPILSGENAD 800
  . . .

```

FIG. 31

61/209

160 LSKEVTSLSNSTQAEVPDDDDGTESSTLVAEIMVSGMNYEDDCGPGGCGSH 209  
|||||  
801 LSKEVTSLSNSTQAEVPDDDDGTESSTLVAEIMVSGMNYEDDCGPGGCGSH 850  
210 ARCVSDGETAECQCLKG FARDGNLCS DIDE CVLARSDCPSTSSRCINTEG 259  
|||||  
851 ARCVSDGETAECQCLKG FARDGNLCS DIDE CVLARSDCPSTSSRCINTEG 900  
260 GYVCRCEGYEGDGISCFDIDECQRGAHNCAENAACTNTEGGYNCTCAGR 309  
|||||  
901 GYVCRCEGYEGDGISCFDIDECQRGAHNCAENAACTNTEGGYNCTCAGR 950  
310 PSSPGLSCPDPSTAPSL LGEDGHHLDRNSYPGCPSSYDGYCLNGGVCMHIE 359  
|||||  
951 PSSPGRSCPDPSTAPSL LGEDGHHLDRNSYPGCPSSYDGYCLNGGVCMHIE  
1000

FIG. 31 (CONT.<sup>1</sup>)

62/209

360 SLDSYTCNCVIGYSGDRCQT..... 379  
|||||  
1001 SLDSYTCNCVIGYSGDRCQTRDLRWELRHAGYGQKHDIMVVAVCMVALV 1050  
.  
.  
.  
380 .....PPSSDRGPQIEGNHLSYRYPVGPEKLSLQSANG 415  
|||||  
1151 PHIDGMGTGQSCWIPPSSDRGPQIEGNHLSYRYPVGPEKLSLQSANG 1200  
.  
416 SCHERAPDLPRQTEPVQ 432  
|||||  
1201 SCHERAPDLPRQTEPVK 1217

FIG. 31 (CONT.<sup>2</sup>)

**FIG. 32**

64/209

```

:      1 MPWGRRPTWLLAFLLV..... 17
      |||||
      1 MPWGRRPTWLLAFLLVFLKISILSVTAWQTGNCQPGPLERSERSGTCAG 50

      .
      .
      .
      .
      18 .....SAECQCLKGFARDGNLCSDIDECVLARSDCPSTSSRCINTEG 59
      .|||||
      851 ARCVSDGETAECQCLKGFARDGNLCSDIDECVLARSDCPSTSSRCINTEG 900

      .
      .
      .
      60 GYVCRCEGYEGDGISCFDIDECQRGAHNCAENAACTNTEGGYNCTCAGR 109
      |||||
      901 GYVCRCEGYEGDGISCFDIDECQRGAHNCAENAACTNTEGGYNCTCAGR 950

      .
      .
      .
      110 PSSPGLSCPDSTAPSLLGEDGHHLDRNSYPGCPSSYDGYCLNGGVCMHIE 159
      |||||
      951 PSSPGRSCPDSTAPSLLGEDGHHLDRNSYPGCPSSYDGYCLNGGVCMHIE 1000

```

FIG. 33

160 SLDSYTCNCVIGYSGDRCQTRDLRWELRHAGYGQKHDIMVVAVCMVALV 209  
|||||  
1001 SLDSYTCNCVIGYSGDRCQTRDLRWELRHAGYGQKHDIMVVAVCMVALV 1050  
210 LLLLLGMWGTYYYRTRKQLSNPPKNPCDEPSGVSSSGPDSSSGAAVASC 259  
|||||  
1051 LLLLLGMWGTYYYRTRKQLSNPPKNPCDEPSGVSSSGPDSSSGAAVASC 1100  
260 PQPWFVLEKHQDPKNGSLPADGTNGAVVDAGLSPSLQLGSHLTSWRQK 309  
|||||  
1101 PQPWFVLEKHQDPKNGSLPADGTNGAVVDAGLSPSLQLGSHLTSWRQK 1150  
310 PHIDGMGTGQSCWIPPSSDRGPQIEGNHLSYRVPVGPEKLHSLQSANG 359  
|||||  
1151 PHIDGMGTGQSCWIPPSSDRGPQIEGNHLSYRVPVGPEKLHSLQSANG 1200  
360 SCHERAPDLPRQTEPVQ 376  
|||||  
1201 SCHERAPDLPRQTEPVK 1217

FIG. 33 (CONT.<sup>1</sup>)

66/209

```

1  MPWGR..... 5
   |||||
1  MPWGRPTWLLAFLVLKISILSVTAWQTGNCQPGPLERSERSGTCAG 50

      .
      .
      .

6  . . . . . KAWDGKMCLPQDYPILSGENAD 27
   |||||
751 CLYRNGGCEHICQESLGTARCLCREGFVKAWDGKMCLPQDYPILSGENAD 800

      .
      .
      .

28 LSKEVTSLSNSTQAEVPDDDGTESTSLVAEIMVSGMNYEDDCGPGCGSH 77
   |||||
801 LSKEVTSLSNSTQAEVPDDDGTESTSLVAEIMVSGMNYEDDCGPGCGSH 850

      .
      .
      .

78 ARCVSDGETAECQCLKGFARDGNLCSIDIECVLARSDCPSTSSRCINTEG 127
   |||||
851 ARCVSDGETAECQCLKGFARDGNLCSIDIECVLARSDCPSTSSRCINTEG 900

```

FIG. 34

67/209

**FIG. 34 (CONT.<sup>1</sup>)**



68/209

378 PHIDGMGTGQSCWIPSSDRGPQIEGNHSLPSYRPVGPEKLHSLQSANG 427  
 1151 PHIDGMGTGQSCWIPSSDRGPQIEGNHSLPSYRPVGPEKLHSLQSANG 1200

428 SCHERAPDLPRQTEPVQ 444  
 1201 SCHERAPDLPRQTEPVK 1217

FIG. 34 (CONT.<sup>2</sup>)

69/209

1 MFRELNEALELKDAHAATEESGDSRAHSSYLKTKKGQSTSRHKKTMVKKVG 50  
 |||||  
 337 MFRELNEALELKDAHAATEESGDSRAHSSYLKTKKGQSTSRHKKTMVKKVG 386

51 PDSD 54  
 |||||  
 387 PDSD 390

FIG. 35

70/209

1 MKYPVWPRYSASLQPVVDSRHLTVATLEERPFI VESPDPGTG GCV PNTV 50  
|||||  
382 MKYPVWPRYSASLQPVVDSRHLTVATLEERPFI VESPDPGTG GCV PNTV 431  
51 PCRRQSNHTFSSG DVA PYTKLCKGFCIDILKKLARVVKFSYDLYLV TNG 100  
|||||  
432 PCRRQSNHTFSSG DVA PYTKLCKGFCIDILKKLARVVKFSYDLYLV TNG 481  
101 KHGKRVRGVWNGMIGEVYK RADMAIGSLTINEERSEI VDFSVPFVETGI 150  
|||||  
482 KHGKRVRGVWNGMIGEVYK RADMAIGSLTINEERSEI VDFSVPFVETGI 531  
151 SVMVAR SNGTVSPSAFLEPYSPAVWMMFVMCLTVVAITVFMFEYFSPVS 200  
|||||  
532 SVMVAR SNGTVSPSAFLEPYSPAVWMMFVMCLTVVAITVFMFEYFSPVS 581  
201 YNQNLTRGKKSGGPAFTIGKSVLLWALVFNN SVPIENPRGTTSKIMVLV 250  
|||||  
582 YNQNLTRGKKSGGPAFTIGKSVLLWALVFNN SVPIENPRGTTSKIMVLV 631  
.

FIG. 36

71/209

251 WAFFAVIFLASYTANLAAFMIEQYIDTVSGLSDKKFQRPDQYPPFRFG 300  
|||||  
632 WAFFAVIFLASYTANLAAFMIEQYIDTVSGLSDKKFQRPDQYPPFRFG 681  
301 TVPNGSTERNIRSNYRDMHMHVKNQSVEDALTSCLKMGKLDAFIYDAA 350  
|||||  
682 TVPNGSTERNIRSNYRDMHMHVKNQSVEDALTSCLKMGKLDAFIYDAA 731  
351 VLNYMAGKDEGCKLVTIGSGKVFATTGYGIAQKDSHWKRAIDLALLQFL 400  
|||||  
732 VLNYMAGKDEGCKLVTIGSGKVFATTGYGIAQKDSHWKRAIDLALLQFL 781  
401 GDGETQKLETVWLSGICQNEKNEVMSSKLDIDNMAGVFYMLLVAMGLALL 450  
|||||  
782 GDGETQKLETVWLSGICQNEKNEVMSSKLDIDNMAGVFYMLLVAMGLALL 831  
451 VFAWEHLVYWKLRHSVPNSSQLDFLLAFSRGIYSCFSGVQSLASPPRQAS 500  
|||||  
832 VFAWEHLVYWKLRHSVPNSSQLDFLLAFSRGIYSCFSGVQSLASPPRQAS 881  
.

FIG. 36 (CONT.<sup>1</sup>)

72/209

501 PDLTASSAQASVLKMLQAARDMVTTAGVSSSLDRATRTIENWGGRRAPP 550  
|||||  
882 PDLTASSAQASVLKMLQAARDMVTTAGVSSSLDRATRTIENWGGRRAPP 931  
|||||  
551 PSPCPTPRSGPSPCLPTPDRPPEPSPTGWGPPDGGRAALVRRAPQPPGRP 600  
|||||  
932 PSPCPTPRSGPSPCLPTPDRPPEPSPTGWGPPDGGRAALVRRAPQPPGRP 981  
|||||  
601 PTPGPPPLSDVSRVSRPPAWEARWPVRTGHCGRHLSASERPLSPARCHYSS 650  
|||||  
982 PTPGPPPLSDVSRVSRPPAWEARWPVRTGHCGRHLSASERPLSPARCHYSS 1031  
|||||  
651 FPRADRSGRPFLPLFPPEPELEDPLLGPEQLARREALLHAAWARGSRPR 700  
|||||  
1032 FPRADRSGRPFLPLF...PELEDPLLGKEQLARREALLHAAWARGSRPR 1078  
|||||  
701 HASLPSSVAEAFARPSSLPAGCTGPACARPDGHSACRRLAQAQSMCLPIY 750  
|||||  
1079 HASLPSSVAEAFARPSSLPAGCTGPACARPDGHSACRRLAQAQSMCLPIY 1128  
|||||

FIG. 36 (CONT.<sup>2</sup>)

73/209

```

751 REACQEGEQAGAPAWQHRQHVCLHAHAHLPCWGAVCPHLPPCASHGWL 800
    | | | | | | | | | | | | | | | | | | | | | | | | | | | |
1129 REACQEGEQAGAPAWQHRQHVCLHAHAHLPCWGAVCPHLPPCASHGWL 1178
    . . . . .
801 SGAWGPLGHRGRTLGLTGYRDSGGLDEISXVARGTQGFPCTWRRISS 850
    | | | | | | | | | | | | | | | | | | | | | | | | | | | |
1179 SGAWGPLGHRGRTLGLTGYRDSGGLDEISRVARGTQGFPCTWRRISS 1228
    851 LESEV 855
        | | | | |
    1229 LESEV 1233

```

**FIG. 36 (CONT. <sup>3</sup>)**

74/209

1 MRLAVGALLVCAVLGLCLAVPDKTVRWCAVSEHEATKCQSFDRDHMKSVIP 50  
|||||  
1 MRLAVGALLVCAVLGLCLAVPDKTVRWCAVSEHEATKCQSFDRDHMKSVIP 50  
|||||  
51 SDGPSVACVKKASYLDCIRAIANEADAVTLDAGLVYDAYLAPNNLKPVV 100  
|||||  
51 SDGPSVACVKKASYLDCIRAIANEADAVTLDAGLVYDAYLAPNNLKPVV 100  
|||||  
101 AEFYGSKEDPQTFYYAVAVVKKDSGFQMNQLRGKKSCHTGLGRSAGWNIP 150  
|||||  
101 AEFYGSKEDPQTFYYAVAVVKKDSGFQMNQLRGKKSCHTGLGRSAGWNIP 150  
|||||  
151 IGLLYCDLPEPRKPLEKAVANFFSGSCAPCADGTDFFPQLCQLCPGCGCST 200  
|||||  
151 IGLLYCDLPEPRKPLEKAVANFFSGSCAPCADGTDFFPQLCQLCPGCGCST 200  
|||||  
201 LNQYFGYSGAFKCLKDGAGDVAFVKHSTIFENLANKADRQYELLCLDNT 250  
|||||  
201 LNQYFGYSGAFKCLKDGAGDVAFVKHSTIFENLANKADRQYELLCLDNT 250  
|||||

FIG. 37

75/209

251 RKPVDEYKDCCHLAQVPSHTTVVARSMGGKEDLIWELLNQAQEHFGKDSKE 300  
|||||  
251 RKPVDEYKDCCHLAQVPSHTTVVARSMGGKEDLIWELLNQAQEHFGKDSKE 300  
|||||  
301 FQFSSPHGKDLLFKDSAHHGFLKVPVRMDAKMYLGYEYVTAIRNLREGTC 350  
|||||  
301 FQFSSPHGKDLLFKDSAHHGFLKVPVRMDAKMYLGYEYVTAIRNLREGTC 350  
|||||  
351 PEPTDECKPVKWCALSHHERLKCDEWSVNSVGKIECVSAETTEDCIAKI 400  
|||||  
351 PEPTDECKPVKWCALSHHERLKCDEWSVNSVGKIECVSAETTEDCIAKI 400  
|||||  
401 MNGEADAMSLDGGFVYIAGKCGLVPVLAENYNKSDNCEDTPEAGYFAVAV 450  
|||||  
401 MNGEADAMSLDGGFVYIAGKCGLVPVLAENYNKSDNCEDTPEAGYFAVAV 450  
|||||  
451 VKKSASDLTWDNLKGKKKSCHTAFGRTAGWNI PMGLLYNKINHCRFDEFFS 500  
|||||  
451 VKKSASDLTWDNLKGKKKSCHTAVGRTAGWNI PMGLLYNKINHCRFDEFFS 500  
|||||

FIG. 37 (CONT.<sup>1</sup>)







78/209

251 RKPVDEYKDCCHLAQVPSHTVVARSMGCKEDLIWELNQAQEHFGKDKSKE 300  
|||||  
251 RKPVDEYKDCCHLAQVPSHTVVARSMGCKEDLIWELNQAQEHFGKDKSKE 300  
301 FQLFSSPHGKDLLFKDSAAGFLKVPPRMDAKMYLGYEYVTAIRNLREGTC 350  
|||||  
301 FQLFSSPHGKDLLFKDSAAGFLKVPPRMDAKMYLGYEYVTAIRNLREGTC 350  
351 PEAPTDECKPVKWCALSHHERLKCDEWSVNSVGKIECVSAETTEDCIAKI 400  
|||||  
351 PEAPTDECKPVKWCALSHHERLKCDEWSVNSVGKIECVSAETTEDCIAKI 400  
401 MNGEADAMSLDGGFVYIAGKCGLVPVLAENYNKSDNCEDTPEAGYFA... 447  
|||||  
401 MNGEADAMSLDGGFVYIAGKCGLVPVLAENYNKSDNCEDTPEAGYFAVAV 450  
448 .....E 448  
451 VKKSASDLTWDNLKGKKSCHTAVGRTAGWNIPMGLLYNKINHCRFDEFFS 500

FIG. 38 (CONT.<sup>1</sup>)

[illegible]

FIG. 38 (CONT. 2)

80/209

1 MAEGEGGEDEIQFLRTEDEVVLQCIATIHKEQKFCCLAAEGLGNRLCFL 50  
|||||  
1 MAEGEGGEDEIQFLRTEDEVVLQCIATIHKEQKFCCLAAEGLGNRLCFL 50  
51 EPTSEAKYIPPDLCVCNFFVLEQSLSVRALQEMLAN TGENGEGGEGAAQGGH 100  
|||||  
51 EPTSEAKYIPPDLCVCNFFVLEQSLSVRALQEMLAN TGENGEGGEGAAQGGH 100  
101 RTLLYGHAVLLRHHSFSGMYLTCLTTSRSQTDKLA FDVGLREHATGEACWW  
|||||  
101 RTLLYGHAVLLRHHSFSGMYLTCLTTSRSQTDKLA FDVGLREHATGEACWW 150  
151 TIHPASKQRSEGEKVRIGDDLILVSVSSERYLHLSV SNNGNIQVDASFMT 200  
|||||  
151 TIHPASKQRSEGEKVRIGDDLILVSVSSERYLHLSV SNNGNIQVDASFMT 200  
201 LWNVHPTCSGSSIEEGYLLGGHVVRRLFHGHDECLT IPSTDQNDSQHRRI 250  
|||||  
201 LWNVHPTCSGSSIEEGYLLGGHVVRRLFHGHDECLT IPSTDQNDSQHRRI 250  
.

FIG. 39

81/209

[illegible]

**FIG. 39 (CONT.<sup>1</sup>)**

82/209

```

501 FAGIAREESGMWKEILNLLYKLLAALIRGNRNCAQFSNNLDWLISKLD 550
|||||
501 FAGIAREESGMWKEILNLLYKLLAALIRGNRNCAQFSNNLDWLISKLD 550

551 RLESSSGILEVLHCILTESPEALNLI AEGHIKSIISLLDKHGRNHKVLDI 600
|||||
551 RLESSSGILEVLHCILTESPEALNLI AEGHIKSIISLLDKHGRNHKVLDI 600

601 LCSLCLCNGVAVRANQNLCNLLPRRNLLLQTRLINDVTSIRPNIFLGV 650
|||||
601 LCSLCLCNGVAVRANQNLCNLLPRRNLLLQTRLINDVTSIRPNIFLGV 650

651 AEGSAQYKKWYFELIIDQVDPFLTAEPHLRVGWASSSGYAPXPGGEGW 700
|||||
651 AEGSAQYKKWYFELIIDQVDPFLTAEPHLRVGWASSSGYAPYPPGGEGW 700

701 GGNGVGDDLYSYGFDGLHLWSGRIPRAVASXNQHLRSDDVVSCCL.DLG 749
|||||
701 GGNGVGDDLYSYGFDGLHLWSGRIPRAVASINQHLLRSDDVGKLLPGPRG 750

```

FIG. 39 (CONT.<sup>2</sup>)

83/209

750 CPASHSASMGSPCRGCLRNFNNTDGLFFPVMFSAGVKVRFLMGGRHGEFK 799  
|||||  
751 CPASHSASMGSPCRGCLRNFNNTDGLFFPVMFSAGVKVRFLMGGRHGEFK 800  
|||||  
800 FLPPSGYAPCYEALLPKEKMRLEPVKEYKRDADGIRDLLGTTQFLSQASF 849  
|||||  
801 FLPPSGYAPCYEALLPKEKMRLEPVKEYKRDADGIRDLLGTTQFLSQASF 850  
|||||  
850 IPCPVDTSQVILPPHLEKIRDRLAENIHELWGMNKKIELGWTFGKIRDDNK 899  
|||||  
851 IPCPVDTSQVILPPHLEKIRDRLAENIHELWGMNKKIELGWTFGKIRDDNK 900  
|||||  
900 RQHPCLVEFSKLPETEKNYNLQMSTETLKTLLXLGCHIAHVNPAEEDLK 949  
|||||  
901 RQHPCLVEFSKLPETEKNYNLQMSTETLKTLLXLGCHIAHVNPAEEDLK 950  
|||||  
950 KVKLPKNYMSNGYKPAPLDLSDVKLLPPQEILVDKLAENAHNVWAKDRI 999  
|||||  
951 KVKLPKNYMSNGYKPAPLDLSDVKLLPPQEILVDKLAENAHNVWAKDRI 1000

FIG. 39 (CONT.<sup>3</sup>)



84/209

1000 KQGWYGIQQDLKNKRNPRLPYALLDERTKKNRDSLREAVRTFVGYG 1049  
|||||  
1001 KQGWYGIQQDLKNKRNPRLPYALLDERTKKNRDSLREAVRTFVGYG 1050  
|||||  
1050 NIEPSDQELADSAVEKVSIDKIRFFRVERSYXVRSKGWYFEFEVVTGGDM 1099  
|||||  
1051 NIEPSDQELADSAVEKVSIDKIRFFRVERSYXVRSKGWYFEFEVVTGGDM 1100  
|||||  
1100 RVGWARPGCRPDVELGADDQAFVFEGRGQRWHQSGYFGRTWQPGDVVG 1149  
|||||  
1101 RVGWARPGCRPDVELGADDQAFVFEGRGQRWHQSGYFGRTWQPGDVVG 1150  
|||||  
1150 CMINLDDASMIFTLNGELLITNKGSELAFAADYEIENGFPICCLGLSQIG 1199  
|||||  
1151 CMINLDDASMIFTLNGELLITNKGSELAFAADYEIENGFPICCLGLSQIG 1200  
|||||  
1200 RMNLGTDASTEKFYTMCGLQEGFEPFAVNMNRDVAMWFSKRLPTFVNVPK 1249  
|||||  
1201 RMNLGTDASTEKFYTMCGLQEGFEPFAVNMNRDVAMWFSKRLPTFVNVPK 1250

FIG. 39 (CONT.<sup>4</sup>)

85/209

1250 DHPHIEVMRIDGTMDSPPCCLKVTHKTFGTQNSNADMIYCRLSMPVECHSS 1299  
|||||  
1251 DHPHIEVMRIDGTMDSPPCCLKVTHKTFGTQNSNADMIYCRLSMPVECHSS 1300  
|||||  
1300 FSHSPCLDSEAFQKRKQMQEILSHTTTQCYAIRIFXGQDPSCVWVGWVT 1349  
|||||  
1301 FSHSPCLDSEAFQKRKQMQEILSHTTTQCYAIRIFGQDPSCVWVGWVT 1350  
|||||  
1350 PDYHLYSEKFDLNKNCTVTVTLGDERGRVHESVKRNCYMWVGDIVASS 1399  
|||||  
1351 PDYHLYSEKFDLNKNCTVTVTLGDERGRVHESVKRNCYMWVGDIVASS 1400  
|||||  
1400 QRSNRSNVDLEIGCLVDLAMGMLSF SANGKELGTCYQVEPNTKVFPVFL 1449  
|||||  
1401 QRSNRSNVDLEIGCLVDLAMGMLSF SANGKELGTCYQVEPNTKVFPVFL 1450  
|||||  
1450 QPTSTSLFQFELGKLKNAMPLSAAIFRSEEXNPVFPQCPRLDVQTIQPVL 1499  
|||||  
1451 QPTSTSLFQFELGKLKNAMPLSAAIFRSEEXNPVFPQCPRLDVQTIQPVL 1500  
|||||

FIG. 39 (CONT. <sup>5</sup>)



87/209

1700 TEAVQCSGAHIRDPVGGSEFQFVPVLKLTLLVMGVFDDDDVRQILL 1749  
|||||  
1701 TEAVQCSGAHIRDPVGGSEFQFVPVLKLTLLVMGVFDDDDVRQILL 1750  
|||||  
1750 IDPSVFGEHSAGTEEGAEKEEVTQVEEKAVEAGEKAGKEAPVKGLLQTRL 1799  
|||||  
1751 IDPSVFGEHSAGTEEGAEKEEVTQVEEKAVEAGEKAGKEAPVKGLLQTRL 1800  
|||||  
1800 PESVKLQMCELLSYLDCCELQHRVEAIVAFGDIYVSKLQANQKFRYNELM 1849  
|||||  
1801 PESVKLQMCELLSYLDCCELQHRVEAIVAFGDIYVSKLQANQKFRYNELM 1850  
|||||  
1850 QALNMSAALTARKTKEFRSPPEQINMLLNFLQGENCPCEIREEELYDF 1899  
|||||  
1851 QALNMSAALTARKTKEFRSPPEQINMLLNFLQGENCPCEIREEELYDF 1900  
|||||  
1900 HEDLLHCGVPLEEEEEEDTSWTGKLCALVYKIKGPPKPEKEQPTTEE 1949  
|||||  
1901 HEDLLHCGVPLEEEEEEDTSWTGKLCALVYKIKGPPKPEKEQPTTEE 1950

FIG. 39 (CONT.)

88/209

1950 ERCPTTLKELISQTMICWAQEDQIQDSELVRMMFNLLRRQYDSIGELLQA 1999  
|||||  
1951 ERCPTTLKELISQTMICWAQEDQIQDSELVRMMFNLLRRQYDSIGELLQA 2000  
2000 LRKTYTISHTSVSDTINLLAALGQIRSLLSVRMGKEEELLMINGLDIMN 2049  
|||||  
2001 LRKTYTISHTSVSDTINLLAALGQIRSLLSVRMGKEEELLMINGLDIMN 2050  
2050 NKVIFYQHPNLMRVLGMHETVMEVMNVNLGTEKSQIAFPKMVASCCRFLCY 2099  
|||||  
2051 NKVIFYQHPNLMRVLGMHETVMEVMNVNLGTEKSQIAFPKMVASCCRFLCY 2100  
2100 FCRISRQNKAMFEHLSYLLENSSVGLASPSMRGSTPLDVAASSVMDNNE 2149  
|||||  
2101 FCRISRQNKAMFEHLSYLLENSSVGLASPSMRGSTPLDVAASSVMDNNE 2150  
2150 LALSLEEPDLEKVVVTYLAGCGLQSCPMMLAKGYPDVGWNPIEGERYLSFL 2199  
|||||  
2151 LALSLEEPDLEKVVVTYLAGCGLQSCPMMLAKGYPDVGWNPIEGERYLSFL 2200

FIG. 39 (CONT.<sup>8</sup>)

89/209

2200 RFAVFNSESEENASVVVKLLIRRPECFGPALRGEGGNGLAAMQGAIK 2249  
|||||  
2201 RFAVFNSESEENASVVVKLLIRRPECFGPALRGEGGNGLAAMQGAIK 2250  
|||||  
2250 ISENPALDLP SQGYKREVSTEDDEEEEEIVHMGNAIMSFYSALIDLLGRC 2299  
|||||  
2251 ISENPALDLP SQGYKREVSTEDDEEEEEIVHMGNAIMSFYSALIDLLGRC 2300  
|||||  
2300 APEMHLIQTGKGEAIRIRSILRSLVPTEDLVGIIISIPKLP SLNKDGSVS 2349  
|||||  
2301 APEMHLIQTGKGEAIRIRSILRSLVPTEDLVGIIISIPKLP SLNKDGSVS 2350  
|||||  
2350 EPDMAXNFCPDH KAPMVLF LDRVYGIKDQTFLLH LLEVGF L PDLRASASL 2399  
|||||  
2351 EPDMAGNFCPDH KAPMVLF LDRVYGIKDQTFLLH LLEVGF L PDLRASASL 2400  
|||||  
2400 DTVSLSTTEAALNRYICS AVLPLLTRCAPLFXGTEHCTSLIDSTLQTI 2449  
|||||  
2401 DTVSLSTTEAALNRYICS AVLPLLTRCAPLFGGTEHCTSLIDSTLQTI 2450  
|||||

FIG. 39 (CONT.<sup>9</sup>)

90/209

2450 YRLSKGRSLTKAQRDTIEECLLAICNHLRPSMLQQLLRRLVFDVDPQLNEY 2499  
|||||  
2451 YRLSKGRSLTKAQRDTIEECLLAICNHLRPSMLQQLLRRLVFDVDPQLNEY 2500  
|||||  
2500 CKMPLKLLTNHYEQCWKYCYCLPSGWGSYGLAVEEELHLTEKLFWGI XDSL 2549  
|||||  
2501 CKMPLKLLTNHYEQCWKYCYCLPSGWGSYGLAVEEELHLTEKLFWGI IDSL 2550  
|||||  
2550 SHKKYDPDLFRMALPCLSAIAGALPPDYLDXRITATLEKQISVDADGNFD 2599  
|||||  
2551 SHKKYDPDLFRMALPCLSAIAGALPPDYLDXSRITATLEKQISVDADGNFD 2600  
|||||  
2600 PKPINTMNFSLPEKLEYIVTKYAEHSHDKWACDKSQSGWKYGISLDENVK 2649  
|||||  
2601 PKPINTMNFSLPEKLEYIVTKYAEHSHDKWACDKSQSGWKYGISLDENVK 2650  
|||||  
2650 THPLIRPFKTLTEKEKEIYRWPAERESLKTMLAVGWTVERTKEGEALVQQR 2699  
|||||  
2651 THPLIRPFKTLTEKEKEIYRWPAERESLKTMLAVGWTVERTKEGEALVQQR 2700

FIG. 39 (CONT.<sup>10</sup>)

91/209

2700 ENEKLRVSQANQNSYSPAPLDLSNVVLSRELQGMVEVVAENYHNIWAK 2749  
|||||  
2701 ENEKLRVSQANQNSYSPAPLDLSNVVLSRELQGMVEVVAENYHNIWAK 2750  
|||||  
2750 KKKLELESKGGSHPLLVPYDTLTAKEKFKDREKAQDLFKFLQVNGIIVS 2799  
|||||  
2751 KKKLELESKGGSHPLLVPYDTLTAKEKFKDREKAQDLFKFLQVNGIIVS 2800  
|||||  
2800 RGMKDMELDASSMEKRFXKFLKKILKYVDSAQEFIAHLEAIVSSGKTEK 2849  
|||||  
2801 RGMKDMELDASSMEKRFGYKFLKKILKYVDSAQEFIAHLEAIVSSGKTEK 2850  
|||||  
2850 SPRDQEIKFFAKVLLPLVDQYFTSHCLYFLSSPLKPLSSSGYASHKEKEM 2899  
|||||  
2851 SPRDQEIKFFAKVLLPLVDQYFTSHCLYFLSSPLKPLSSSGYASHKEKEM 2900  
|||||  
2900 VAGLFCKLAALVRHRISLFGSDSTTMVSLCHILAQTLDTRTVMKSGSELV 2949  
|||||  
2901 VAGLFCKLAALVRHRISLFGSDSTTMVSLCHILAQTLDTRTVMKSGSELV 2950

FIG. 39 (CONT.<sup>11</sup>)



92/209

2950 KAGLRAFFENAAEDLEKTS<sup>.</sup>ENLKL<sup>.</sup>GKFTHSR<sup>.</sup>TQIKGVSQNIN<sup>.</sup>YTTVALLP 2999  
|||||  
2951 KAGLRAFFENAAEDLEKTS<sup>.</sup>ENLKL<sup>.</sup>GKFTHSR<sup>.</sup>TQIKGVSQNIN<sup>.</sup>YTTVALLP 3000  
|||||  
3000 ILTSIFEHV<sup>.</sup>TQH<sup>.</sup>QFGMDLL<sup>.</sup>LGDVQ<sup>.</sup>ISCYHILCSLYSLGTGKNIYVERQ<sup>.</sup>RP 3049  
|||||  
3001 ILTSIFEHV<sup>.</sup>TQH<sup>.</sup>QFGMDLL<sup>.</sup>LGDVQ<sup>.</sup>ISCYHILCSLYSLGTGKNIYVERQ<sup>.</sup>RP 3050  
|||||  
3050 ALGEC<sup>.</sup>LASLAAAI<sup>.</sup>PVAFLEPTLNRYNPLSVFNTKTPRERSILGMPD<sup>.</sup>TVED 3099  
|||||  
3051 ALGEC<sup>.</sup>LASLAAAI<sup>.</sup>PVAFLEPTLNRYNPLSVFNTKTPRERSILGMPD<sup>.</sup>TVED 3100  
|||||  
3100 MCPDIPQ<sup>.</sup>LEGLMKEIND<sup>.</sup>LAESGARYTEM<sup>.</sup>PHVIEVILPMLCN<sup>.</sup>YLSYWWERG 3149  
|||||  
3101 MCPDIPQ<sup>.</sup>LEGLMKEIND<sup>.</sup>LAESGARYTEM<sup>.</sup>PHVIEVILPMLCN<sup>.</sup>YLSYWWERG 3150  
|||||  
3150 PENLPPSTG<sup>.</sup>PCCTKVTSEHLSLILGNILKIINN<sup>.</sup>NLGIDEASWMKRIA<sup>.</sup>VYA 3199  
|||||  
3151 PENLPPSTG<sup>.</sup>PCCTKVTSEHLSLILGNILKIINN<sup>.</sup>NLGIDEASWMKRIA<sup>.</sup>VYA 3200  
|||||

FIG. 39 (CONT.<sup>12</sup>)

93/209

3200 QPIISKARPDLLRSHFIPTLEKLLKKKAVKTVQEEELKADGKGDQTQAEEL 3249  
|||||  
3201 QPIISKARPDLLRSHFIPTLEKLLKKKAVKTVQEEELKADGKGDQTQAEEL 3250  
|||||  
3250 LILDEFVLCRDLYAFYPMLIRYVDNRRSNWIKSPDADSDQLFRMVAEVF 3299  
|||||  
3251 LILDEFVLCRDLYAFYPMLIRYVDNRRSNWIKSPDADSDQLFRMVAEVF 3300  
|||||  
3300 ILWCKSHNFKREEQNFVIQNEINNLAFLTGDSKSKMSKSGGQDQERKKTK 3349  
|||||  
3301 ILWCKSHNFKREEQNFVIQNEINNLAFLTGDSKSKMSKSGGQDQERKKTK 3350  
|||||  
3350 RRGDLYSIQTSLIVAALKKMLPIGLNMCTPGDQELISLAKSRYSHRDTDE 3399  
|||||  
3351 RRGDLYSIQTSLIVAALKKMLPIGLNMCTPGDQELISLAKSRYSHRDTDE 3400  
|||||  
3400 EVREHLRNNLHLQEKSDDDPAVKWQLNLYKDVCLKSEEPFNPEKTVERVQRI 3449  
|||||  
3401 EVREHLRNNLHLQEKSDDDPAVKWQLNLYKDVCLKSEEPFNPEKTVERVQRI 3450

FIG. 39 (CONT.<sup>13</sup>)

94/209

3450 SAAVFHLEQVEQLRSKKAVWHKLLSKQRKRAVVACFRMAPLYNLPRHRS 3499  
|||||  
3451 SAAVFHLEQVEQLRSKKAVWHKLLSKQRKRAVVACFRMAPLYNLPRHRS 3500  
|||||  
3500 INFLHGYQRFWIEETEEYSFEEKLVQDLAKSPKVEEEEEETEKQPDPLH 3549  
|||||  
3501 INFLHGYQRFWIEETEEYSFEEKLVQDLAKSPKVEEEEEETEKQPDPLH 3550  
|||||  
3550 QIILYFSRNALTERSKLEDDPLYTSYSSMMAKSCQSGEDEDEDEKETF 3599  
|||||  
3551 QIILYFSRNALTERSKLEDDPLYTSYSSMMAKSCQSGEDEDEDEKETF 3600  
|||||  
3600 EEKEMEKOQKTLYQQARLHERGAAEMVLQMISSASKGEMSPMVVETLKLGLIA 3649  
|||||  
3601 EEKEMEKOQKTLYQQARLHERGAAEMVLQMISSASKGEMSPMVVETLKLGLIA 3650  
|||||  
3650 ILNGGNAGVQQKMLDYLKEKKDAGFFQSLXGLMQSCSVLDLNAXERQNK 3699  
|||||  
3651 ILNGGNAGVQQKMLDYLKEKKDAGFFQSLPGLMQSCSVLDLNASERQNK 3700

FIG. 39 (CONT.<sup>14</sup>)

95/209

3700 EGLGMVTEEGTLIVREGEKVLQNDDEFTRDLFRFLQLLCEGHN SDFQNFL 3749  
|||||  
3701 EGLGMVTEEGTLIVREGEKVLQNDDEFTRDLFRFLQLLCEGHN SDFQNFL 3750  
|||||  
3750 RTQMGNTTTVNVIISTVDYLLRLQESISDFYWYYSGKDIIDESGQHNF SK 3799  
|||||  
3751 RTQMGNTTTVNVIISTVDYLLRLQESISDFYWYYSGKDIIDESGQHNF SK 3800  
|||||  
3800 ALAVTKQIFNSLTEYIQGPCIGNQQSLAHSRLWDVAVGFLHVFANMQMKL 3849  
|||||  
3801 ALAVTKQIFNSLTEYIQGPCIGNQQSLAHSRLWDVAVGFLHVFANMQMKL 3850  
|||||  
3850 SQDSSQIELLKELLDLLQDMVVMLLSLLEGNVVNGTIGKQMVD TLVESST 3899  
|||||  
3851 SQDSSQIELLKELLDLLQDMVVMLLSLLEGNVVNGTIGKQMVD TLVESST 3900  
|||||  
3900 NVEMILKFFDMFLKLDLTSSDTFKEYDPDGKGIISKKEFQKAMEGQKQY 3949  
|||||  
3901 NVEMILKFFDMFLKLDLTSSDTFKEYDPDGKGIISKKEFQKAMEGQKQY 3950

FIG. 39 (CONT.<sup>15</sup>)

96/209

3950 TQSEIDFLSCAEADENDMFNYVDFVDRFHEPAKDIGENVAVLLTNLSEH 3999  
|||||  
3951 TQSEIDFLSCAEADENDMFNYVDFVDRFHEPAKDIGENVAVLLTNLSEH 4000  
|||||  
4000 MPNDSRLKCLLDPAESVLNYFXPYLGRIEIMGGAKKIERVYFEISESRT 4049  
|||||  
4001 MPNDSRLKCLLDPAESVLNYFGPYLGRIEIMGGAKKIERVYFEISESRT 4050  
|||||  
4050 QWEKPQVKESKRQFIFDVVNEGGEQKMXL FVNFCEDTIFEMQLASQISE 4099  
|||||  
4051 QWEKPQVKESKRQFIFDVVNEGGEQKMG L FVNFCEDTIFEMQLASQISE 4100  
|||||  
4100 SDSADRPEEEEEDEDSYVLEIAGEEEEEEDGSLEPASAFAMACASVKRNV 4149  
|||||  
4101 SDSADRPEEEEEDEDSYVLEIAGEEEEEEDGSLEPASAFAMACASVKRNV 4150  
|||||  
4150 DFLKRATLKNLRKQYRNVKKMTAKELVKVLFSEFFWMLFVGLFQLLFTILG 4199  
|||||  
4151 DFLKRATLKNLRKQYRNVKKMTAKELVKVLFSEFFWMLFVGLFQLLFTILG 4200  
|||||

FIG. 39 (CONT.<sup>16</sup>)

97/209

4200 GIFQILWSTVFGGGLVEGAKNIRVTKILGDMPTQFGIHDDTMEAEAE 4249  
|||||  
4201 GIFQILWSTVFGGGLVEGAKNIRVTKILGDMPTQFGIHDDTMEAEAE 4250  
|||||  
4250 VMEPGITTELTVHFVFIKGEKGDTDIMSDLFGLHPKKEGSLKHGPEVGLGDL 4299  
|||||  
4251 VMEPGITTELTVHFVFIKGEKGDTDIMSDLFGLHPKKEGSLKHGPEVGLGDL 4300  
|||||  
4300 EIIIGKDEPPPLESTVQKKRKAQAEMKAANEAEKGKVESEKADMEDGEKED 4349  
|||||  
4301 EIIIGKDEPPPLESTVQKKRKAQAEMKAANEAEKGKVESEKADMEDGEKED 4350  
|||||  
4350 KDKEEEQAEYLWTEVTKKKKRRRCGQKVEKPEAFTANFFKGLEIYQTKLLH 4399  
|||||  
4351 KDKEEEQAEYLWTEVTKKKKRRRCGQKVEKPEAFTANFFKGLEIYQTKLLH 4400  
|||||  
4400 YLARNFYNLRFALFVAFAINFILLFYKVTEEPLEEETEDVANLWNSFND 4449  
|||||  
4401 YLARNFYNLRFALFVAFAINFILLFYKVTEEPLEEETEDVANLWNSFND 4450

FIG. 39 (CONT.<sup>17</sup>)



99/209

4700 PDMKCDDMMTCYLFHMYVGVRRAGGGIGDEIEDPAGDPYEMYRIVFDITFF 4749  
|||||  
4701 PDMKCDDMMTCYLFHMYVGVRRAGGGIGDEIEDPAGDPYEMYRIVFDITFF 4750  
|||||  
4750 FFVIVILLAIQGLIIDAFAFGELRDQQEQVREDME 4783  
|||||  
4751 FFVIVILLAIQGLIIDAFAFGELRDQQEQVREDME 4784

FIG. 39 (CONT.<sup>19</sup>)





101/209

```
251 LPTVCIGAWTAARLYLEDTCGWDNDHSDVPWWVIRIPILISIIVNFVLEI 300
|||||
251 LPTVCIGAWTAARLYLEDTCGWDNDHSDVPWWVIRIPILISIIVNFVLEI 300

301 SIIRILLQKLTSPDVGGNDQSQYKRLAKSTLLIPLFGVHYMVFAVFPIS 350
|||||
301 SIIRILLQKLTSPDVGGNDQSQYKRLAKSTLLIPLFGVHYMVFAVFPIS 350

351 ISSKYQILFELCLGSFQ 367
|||||
351 ISSKYQILFELCLGSFQ 367
```

FIG. 40 (Cont.<sup>1</sup>)

102/209

```

1  MAGVVHVSIAALLLPAPAMHSDCIFKKEQAMCLEKIQRANELMGFNDS 50
  |||||
1  MAGVVHVSIAALLLPAPAMHSDCIFKKEQAMCLEKIQRANELMGFNDS 50
  |||||

51  SPGCPGMWDNITCWKPAHVGEMVLVSCPELFRIFNPDQ..... 88
  |||||

51  SPGCPGMWDNITCWKPAHVGEMVLVSCPELFRIFNPDQVWETETIGESDF 100
  |||||

89  .....DMGVVSRNCTEDGWSEPPPHYFDACGFDEYESETGDQDYY 129
  |||||

101  GDSNSLDLSDMGVVSRNCTEDGWSEPPPHYFDACGFDEYESETGDQDYY 150
  |||||

130  LSVKALYTVGYSTSLVTLTTAMVILCRFRKLHCTRNFHNMNLFVSFMLRA 179
  |||||

151  LSVKALYTVGYSTSLVTLTTAMVILCRFRKLHCTRNFHNMNLFVSFMLRA 200
  |||||

180  ISVFIKDWILYAEQDSNHCFFISTVECKAVMVFFHYCVVSNYFWLFIEGLY 229
  |||||

201  ISVFIKDWILYAEQDSNHCFFISTVECKAVMVFFHYCVVSNYFWLFIEGLY 250
  |||||

```

FIG. 41

103/209

230 LFTLLVETFFPERRYFYWYTIIGWGTPVCVTVWATLRLYFDDTGCDMN 279  
|||||  
251 LFTLLVETFFPERRYFYWYTIIGWGTPVCVTVWATLRLYFDDTGCDMN 300  
|||||  
280 DSTALWWVIKGPVVG SIMVNFVLFIGIIVILVQKLQSPDMGNESSIYLR 329  
|||||  
301 DSTALWWVIKGPVVG SIMVNFVLFIGIIVILVQKLQSPDMGNESSIYLR 350  
|||||  
330 LARSTLLIPLFGIHYTVFAFSPENVSKRERLVFELGLGSFQGFVVAVLY 379  
|||||  
351 LARSTLLIPLFGIHYTVFAFSPENVSKRERLVFELGLGSFQGFVVAVLY 400  
|||||  
380 CFLNGEVQAEIKRKWRSWKVNRYFAVDFKHRHPSLASSGVNNGGTQLSILS 429  
|||||  
401 CFLNGEVQAEIKRKWRSWKVNRYFAVDFKHRHPSLASSGVNNGGTQLSILS 450  
|||||  
430 KSSSQIRMSGGLPADNLAT 447  
|||||  
451 KSSSQIRMSGGLPADNLAT 468  
|||||

FIG. 41 (CONT.<sup>1</sup>)



105/209

```
251 SIAKEGFSANYVLQSSVSEDFKCMALGMESGEIHSDQITASSQYSTN 300
|||||
251 SIAKEGFSANYVLQSSVSEDFKCMALGMESGEIHSDQITASSQYSTN 300
|||||
301 WSAERSRLNYPENGWTPGEDSYREWIQVDLGLLRFVTA VGTQGAISKETK 350
|||||
301 WSAERSRLNYPENGWTPGEDSYREWIQVDLGLLRFVTA VGTQGAISKETK 350
|||||
351 KKYVVKTYKIDVSSNGEDWITIKEGNKPVV 380
|||||
351 KKYVVKTYKIDVSSNGEDWITIKEGNKPVL 380
```

FIG. 42 (CONT.<sup>1</sup>)

106/209

1 MERGLPLLCAVLALVAPAGAFRNDECGDTIKIESPGYLTSYGPHSYHP 50  
51 SEKCEWLIQAPDPYQIRIMINFNPHFDLEDNRCKYDYVEVFDGENENGHFR 100  
|||||  
51 SEKCEWLIQAPDPYQIRIMINFNPHFDLEDNRCKYDYVEVFDGENENGHFR 100  
101 GKFCGKIAPPPVSSGPFLLFIKFVSDYETHGAGFSIRYEIFKRGPECSQN 150  
|||||  
101 GKFCGKIAPPPVSSGPFLLFIKFVSDYETHGAGFSIRYEIFKRGPECSQN 150  
151 YTPSGVIKSPGFPEKYPNSLECTYIVFAPKMSEIILEFESFDLEPDSNP 200  
|||||  
151 YTPSGVIKSPGFPEKYPNSLECTYIVFAPKMSEIILEFESFDLEPDSNP 200  
201 PGGMFCRYDRLEIWDGFPDVGPHIGRYCGQKTPGRIRSSSGILSMVFYTD 250  
|||||  
201 PGGMFCRYDRLEIWDGFPDVGPHIGRYCGQKTPGRIRSSSGILSMVFYTD 250

FIG. 43









110/209

5501	VYQRAVMAVGSLTINEERSEVVDFSVPFVETGISVMVSRNGTVSPSAFL	550
5501	VYQRAVMAVGSLTINEERSEVVDFSVPFVETGISVMVSRNGTVSPSAFL	550
551	EPFSASVWMMFVMLLIVSAIAVFVEEYFSPVGYNRNLAKGKAPHGPSFT	600
551	EPFSASVWMMFVMLLIVSAIAVFVEEYFSPVGYNRNLAKGKAPHGPSFT	600
601	IGKAIWLLWGLVFNNSPVQNPKGTTSKIMSVWAFFAVIFLASYTANLA	650
601	IGKAIWLLWGLVFNNSPVQNPKGTTSKIMSVWAFFAVIFLASYTANLA	650
651	AFMIQEEFVDQVTGLSDKKFQRPQHDYSPPFREGTVPNGSTERNIRNNYPY	700
651	AFMIQEEFVDQVTGLSDKKFQRPQHDYSPPFREGTVPNGSTERNIRNNYPY	700

**FIG. 44 (CONT. 2)**

111/209

701 MHQYMTKENQKVEDALVSLKTGKLDAFIYDAAVLNYKAGRDEGCKLVTI 750  
|||||  
701 MHQYMTKENQKVEDALVSLKTGKLDAFIYDAAVLNYKAGRDEGCKLVTI 750

751 GSGYIFATTGYGIALQKSPWKRQIDLALLQFVGDMEMEETLWLTGIC 800  
|||||  
751 GSGYIFATTGYGIALQKSPWKRQIDLALLQFVGDMEMEETLWLTGIC 800

801 HNEKNEVMSSQLDIDNMAGVFYMLAAAMALSITFIWEHLFYWKLRFCFT 850  
|||||  
801 HNEKNEVMSSQLDIDNMAGVFYMLAAAMALSITFIWEHLFYWKLRFCFT 850

851 GVCSDRPGLLFSISRGYSCIHGVIHIEKKKSPDFNLTSQSNMLKLLRS 900  
|||||  
851 GVCSDRPGLLFSISRGYSCIHGVIHIEKKKSPDFNLTSQSNMLKLLRS 900

901 AKNISSMSNMNSSRMDSPKRAADFIQRGSLIMDMVSDKGNLMYSDNRSFQ 950  
|||||  
901 AKNISSMSNMNSSRMDSPKRAADFIQRGSLIMDMVSDKGNLMYSDNRSFQ 950

FIG. 44 (CONT.<sup>3</sup>)

112/209

```
. . . . .
951 GKESIFGDNMNELQTFVANRQKDNLNNNYVFQGGHPLTLNESNPNTVEVAV 1000
|||||
951 GKESIFGDNMNELQTFVANRQKDNLNNNYVFQGGHPLTLNESNPNTVEVAV 1000

. . . . .
1001 STESKANRPRQLWKKSVD SIRQDSLSQNPVSRQDEATAENRTHSLKSPR 1050
|||||
1001 STESKANRPRQLWKKSVD SIRQDSLSQNPVSRQDEATAENRTHSLKSPR 1050

. . . . .
1051 YLPEE MAHSDISETSNRATCHREPDNSKNHKTCDNFKR SVASKYPKDCSE 1100
|||||
1051 YLPEE MAHSDISETSNRATCHREPDNSKNHKTCDNFKR SVASKYPKDCSE 1100

. . . . .
1101 VERTYLKTKSSSPRDKIY TIDGEEKPGFHLDP PQFVENVTLPENVDFPDP 1150
|||||
1101 VERTYLKTKSSSPRDKIY TIDGEEKPGFHLDP PQFVENVTLPENVDFPDP 1150

. . . . .
1151 YQDPSE NFRKGDSTLPMNRNPLHNEEGLSNNDQYKLYSKHFTLKDKGSPH 1200
|||||
1151 YQDPSE NFRKGDSTLPMNRNPLHNEEGLSNNDQYKLYSKHFTLKDKGSPH 1200
```

FIG. 44 (CONT.<sup>4</sup>)

113/209

```

1201 SETSERYRQNSTHCRSCLSNMPTYSGHFTMRSPFKCDACLRMGNLYDIDE 1250
      |||||
1201 SETSERYRQNSTHCRSCLSNMPTYSGHFTMRSPFKCDACLRMGNLYDIDE 1250
      .
1251 DQMLQET..... 1257
      |||||
1251 DQMLQETGNPATGEQVYQQDWAQNNALQLQKNKLRI SRQHSYDNI VDKPR 1300
      .
      .
      .
1258 .....RDDQRLVIGRCPSDPYKHS LPSQAVNDSY 1286
      |||||
1351 SKRSKSLPDHTSDNPF LSHRDDQRLVIGRCPSDPYKHS LPSQAVNDSY 1400
      .
1287 LRSSLRSTASYCSRDSRGHNDVYISEHVMPYAANKNNMYSTPRVLNCSN 1336
      |||||
1401 LRSSLRSTASYCSRDSRGHNDVYISEHVMPYAANKNNMYSTPRVLNCSN 1450
      .
      1337 RRVYKKMPSIESDV 1350
      |||||
      1451 RRVYKKMPSIESDV 1464

```

FIG. 44 (CONT. <sup>5</sup>)

114/209

1 MRTLLPPALLTCWLLAPVNSIHPECRHFHLEIQEEETKCXELLRSQTEKHK 50  
|||||  
1 MRTLLPPALLTCWLLAPVNSIHPECRHFHLEIQEEETKCAELLRSQTEKHK 50

51 ACSGVWDNITCWRPANVGETVTPCPKVF3NFYSKAGNISKNCTSDGWSE 100  
|||||  
51 ACSGVWDNITCWRPANVGETVTPCPKVF3NFYSKAGNISKNCTSDGWSE 100

101 TFPDFVDACGYSDPEDESKITFYILVKAIYTLGYSVSLMSLATGSIILCL 150  
|||||  
101 TFPDFVDACGYSDPEDESKITFYILVKAIYTLGYSVSLMSLATGSIILCL 150

151 FRKLHCTRNYIHLNLFSLFILRAISVLVKDDVLYSSSGTLHCPDQPSSWV 200  
|||||  
151 FRKLHCTRNYIHLNLFSLFILRAISVLVKDDVLYSSSGTLHCPDQPSSWV 200

201 GCKLSLVFLQCYCIMANFFWLLVEGLYLHTLLVAMLPPrRCFLAYLLIGWG 250  
|||||  
201 GCKLSLVFLQCYCIMANFFWLLVEGLYLHTLLVAMLPPrRCFLAYLLIGWG 250

FIG. 45

115/209

251 LPTVCIGAWTAARLYLEDTCWCWDTNDHSVPWWVIRIPILISIIVNFVLEI 300  
|||||  
251 LPTVCIGAWTAARLYLEDTCWCWDTNDHSVPWWVIRIPILISIIVNFVLEI 300  
301 SIIRILLQKLTSPDVGGNDQSQYKRLAKSTLLLIPLFGVHYMVFAVEFPI 350  
|||||  
301 SIIRILLQKLTSPDVGGNDQSQYKRLAKSTLLLIPLFGVHYMVFAVEFPI 350  
351 ISSKYQILFELCLGSGFQGLVVAVLYCFLNSEV 382  
|||||  
351 ISSKYQILFELCLGSGFQGLVVAVLYCFLNSEV 382

FIG. 45 (CONT.<sup>1</sup>)



116/209

1 MRTLLPPALLTCWLLAPVNSIHPECRFHLEIQEEETKCXELLRSQTEKHK 50  
|||||  
1 MRTLLPPALLTCWLLAPVNSIHPECRFHLEIQEEETKCAELLRSQTEKHK 50  
|||||  
51 A CSGVWDNITCWRPANVGETVTPCPKVFNFYSKAGNISKNCTSDGWSE 100  
|||||  
51 A CSGVWDNITCWRPANVGETVTPCPKVFNFYSKAGNISKNCTSDGWSE 100  
|||||  
101 TFPDFVDACGYSDPEDESKITFYILVKAIYTLGYSVSLMSLATGSIILCL 150  
|||||  
101 TFPDFVDACGYSDPEDESKITFYILVKAIYTLGYSVSLMSLATGSIILCL 150  
|||||  
151 FRKLHCTRNYIHLNLFSLFILLRAISVLVKDDVLYSSSGTLHCPDQPSSWV 200  
|||||  
151 FRKLHCTRNYIHLNLFSLFILLRAISVLVKDDVLYSSSGTLHCPDQPSSWV 200  
|||||  
201 GCKLSLVFLQYCIMANFFWLLVEGLYLHTLLVAMPLPRRCFLAYLLIGWG 250  
|||||  
201 GCKLSLVFLQYCIMANFFWLLVEGLYLHTLLVAMPLPRRCFLAYLLIGWG 250  
|||||

FIG. 46

117/209

251 LPTVCIGAWTAARLYLEDTCGWDNDHSDVPWWVIRIPILISIIVNEVLEI 300  
|||||  
251 LPTVCIGAWTAARLYLEDTCGWDNDHSDVPWWVIRIPILISIIVNEVLEI 300  
301 SIIRILLQKLTSPDVGGNDQSQYKRLAKSTLLLIPLFGVHYMVFAVEFPI 350  
|||||  
301 SIIRILLQKLTSPDVGGNDQSQYKRLAKSTLLLIPLFGVHYMVFAVEFPI 350  
351 ISSKYQILFELCLGSGFQGLVAVLYCFLNSEV 382  
|||||  
351 ISSKYQILFELCLGSGFQGLVAVLYCFLNSEV 382

FIG. 46 (CONT.<sup>1</sup>)





120/209

501 SKNRIITWHRYRPPDYRDLISFTVYYKEAPFKNVTEYDGDACGSNSWN 550  
|||||  
501 SKNRIITWHRYRPPDYRDLISFTVYYKEAPFKNVTEYDGDACGSNSWN 550  
551 MVDVDLPPNKDVEPGILLHGLKPWTQYAVYVKA VTLTMVENDHIRGAKSE 600  
|||||  
551 MVDVDLPPNKDVEPGILLHGLKPWTQYAVYVKA VTLTMVENDHIRGAKSE 600  
601 ILYIRTNASVPSIPLDVLSASNSSQLIVKWNPPSLPNGNLSYYIVRWQR 650  
|||||  
601 ILYIRTNASVPSIPLDVLSASNSSQLIVKWNPPSLPNGNLSYYIVRWQR 650  
651 QPQDGYLYRHNYCSKDKIPIRKYADGTIDIEEVTENPKTEVCGGEGPCC 700  
|||||  
651 QPQDGYLYRHNYCSKDKIPIRKYADGTIDIEEVTENPKTEVCGGEGPCC 700  
701 ACPKTEAEKQAEKEEAEYRKVFENFLHNSIFVPRPERKRRDVMQVANTTM 750  
|||||  
701 ACPKTEAEKQAEKEEAEYRKVFENFLHNSIFVPRPERKRRDVMQVANTTM 750

FIG. 47 (CONT.<sup>2</sup>)



122/209

1001 MSRELGGSGFMVYEGVAKGVKDEPETRVAIKTVNEAASMRRERIEFLNE 1050  
|||||  
1001 MSRELGGSGFMVYEGVAKGVKDEPETRVAIKTVNEAASMRRERIEFLNE 1050  
  
1051 ASVMKEFNCHHVRLLGVSQGGQPTLVIMELMTRGDLKSYLRSRPEMEN 1100  
|||||  
1051 ASVMKEFNCHHVRLLGVSQGGQPTLVIMELMTRGDLKSYLRSRPEMEN 1100  
  
1101 NPVLAPPSLSKMIQAGEIADGMAYLNANKFVHRDLAARNCMVAEDFTVK 1150  
|||||  
1101 NPVLAPPSLSKMIQAGEIADGMAYLNANKFVHRDLAARNCMVAEDFTVK 1150  
  
1151 IGDFGMTRDIYETDYRKGGKGLLPVRWMSPELKDGVFTTYSVDVWSFGV 1200  
|||||  
1151 IGDFGMTRDIYETDYRKGGKGLLPVRWMSPELKDGVFTTYSVDVWSFGV 1200  
  
1201 VLWEIATLAEQPYQGLSNEQVLRVFMEGGLLDKPDNCPDMLFELMRMCWQ 1250  
|||||  
1201 VLWEIATLAEQPYQGLSNEQVLRVFMEGGLLDKPDNCPDMLFELMRMCWQ 1250

FIG. 47 (CONT.<sup>4</sup>)

123/209

1251 YNPKMRPSFLEIISSIK.....EELDLEPENM 1277  
|||||  
1251 YNPKMRPSFLEIISSIKEEMEPGFREVSFYFSEENKLPEPEELDLEPENM 1300  
1278 ESVPLDPSASSSSSLPLPDRHSGHKAENGPGVGLVLRASFDERQPYAHMN 1327  
|||||  
1301 ESVPLDPSASSSSSLPLPDRHSGHKAENGPGVGLVLRASFDERQPYAHMN 1350  
1328 GGRKNERALPLPQSSSTC 1344  
|||||  
1351 GGRKNERALPLPQSSSTC 1367

FIG. 47 (CONT.<sup>5</sup>)



124/209

1 MERGLPLLCAVLALVAPAGAFRNDKCGDTIKIESPGYLTSYGPHSYHP 50  
|||||  
1 MERGLPLLCAVLALVAPAGAFRNDKCGDTIKIESPGYLTSYGPHSYHP 50

51 SEKCEWLIQAPDPYQRIMINFNPHFDLEDRDCKYDYVEVFDGENENGHFR 100  
|||||  
51 SEKCEWLIQAPDPYQRIMINFNPHFDLEDRDCKYDYVEVFDGENENGHFR 100

101 GKFCGKIAPPPVSSGPFLEIKFVSDYETHGAGFSIRYEI FKRGPESQN 150  
|||||  
101 GKFCGKIAPPPVSSGPFLEIKFVSDYETHGAGFSIRYEI FKRGPESQN 150

151 YTPSGVIKSPGFPEKYPNSLECTYIVFAPKMSEIILEFESFDLEPDSNP 200  
|||||  
151 YTPSGVIKSPGFPEKYPNSLECTYIVFAPKMSEIILEFESFDLEPDSNP 200

201 PGGMFCRYDRLEIWDGFPDVGPHIGRYCGQKTPGRIRSSSGILSMVFYTD 250  
|||||  
201 PGGMFCRYDRLEIWDGFPDVGPHIGRYCGQKTPGRIRSSSGILSMVFYTD 250

FIG. 48

125/209

251 SIAKEGFSANYSVLQSSVSEDFKCMEALMESGEIHSDQITASSQYSTN 300  
|||||  
251 SIAKEGFSANYSVLQSSVSEDFKCMEALMESGEIHSDQITASSQYSTN 300  
301 WSAERSRLNYPENGWTPGEDSYREWIQVDLGLLRFVTAAGTQGAISKETK 350  
|||||  
301 WSAERSRLNYPENGWTPGEDSYREWIQVDLGLLRFVTAAGTQGAISKETK 350  
351 KKYVVKTYKIDVSSNGEDWITKEGNKPVLFQGNTPD VVAVFPKPLI 400  
|||||  
351 KKYVVKTYKIDVSSNGEDWITKEGNKPVLFQGNTPD VVAVFPKPLI 400  
401 TRFVRIKPATWETGISMRFEVYGCKITDYPCSGMLGMVSLISDSQITSS 450  
|||||  
401 TRFVRIKPATWETGISMRFEVYGCKITDYPCSGMLGMVSLISDSQITSS 450  
451 NQGDRNWMPENIRLVTSRSGWALPPAPHSYINELQIDLGEKIVRGIII 500  
|||||  
451 NQGDRNWMPENIRLVTSRSGWALPPAPHSYINELQIDLGEKIVRGIII 500

FIG. 48 (CONT.<sup>1</sup>)

126/209

```
501 QGGKHRENKVFMRKFKIGYSNNGSDWKIMIMDDSKRKAKEGNNNYDTPE 550
|||||
501 QGGKHRENKVFMRKFKIGYSNNGSDWKIMIMDDSKRKAKEGNNNYDTPE 550
|||||
551 LRTPALSTRFIRIYPERATHGGLGLRMELLGCEVEAPTAGPTTPNGNLV 600
|||||
551 LRTPALSTRFIRIYPERATHGGLGLRMELLGCEVEAPTAGPTTPNGNLV 600
|||||
601 DECDDDDQANCHSGTGDDFQLTGGTTLATEKPTVIDSTIQS 641
|||||
601 DECDDDDQANCHSGTGDDFQLTGGTTLATEKPTVIDSTIQS 641
```

FIG. 48 (CONT.<sup>2</sup>)

127/209

1 MERGLPLLCAVLALVAPAGAFRNDKCGDTIKIESPGYLTSPGYPHSYHP 50  
|||||  
1 MERGLPLLCAVLALVAPAGAFRNDKCGDTIKIESPGYLTSPGYPHSYHP 50

51 SEKCEWLIQAPDPYQIRIMINFNPHFDLEDRDCKYDYVEVFDGENENGHFR 100  
|||||  
51 SEKCEWLIQAPDPYQIRIMINFNPHFDLEDRDCKYDYVEVFDGENENGHFR 100

101 GKFCGKIAPPPVVSSGPFLLFIKFVSDYETHGAGFSIRYEIFKRGPECSQN 150  
|||||  
101 GKFCGKIAPPPVVSSGPFLLFIKFVSDYETHGAGFSIRYEIFKRGPECSQN 150

151 YTPSGVIKSPGFPEKYPNSLECTYIVFAPKMSEIILEFESFDLEPDSNP 200  
|||||  
151 YTPSGVIKSPGFPEKYPNSLECTYIVFAPKMSEIILEFESFDLEPDSNP 200

201 PGGMFCRYDRLEIWDGFPDVGPHIGRYCGQKTPGRIRSSSGILSMVFYTD 250  
|||||  
201 PGGMFCRYDRLEIWDGFPDVGPHIGRYCGQKTPGRIRSSSGILSMVFYTD 250

FIG. 49













133/209

1 MGAPACALALCVAVAIVAGASSESLGTEQVRVVGRAAEVPGPEQGQEQLV 50  
|||||  
1 MGAPACALALCVAVAIVAGASSESLGTEQVRVVGRAAEVPGPEQGQEQLV 50

51 FGSGDAVELSCPPPGGGPMGPTVWVKDGTGLVPSEVLVGPQRLQVLNAS 100  
|||||  
51 FGSGDAVELSCPPPGGGPMGPTVWVKDGTGLVPSEVLVGPQRLQVLNAS 100

101 HEDSGAYSCRQRLTQRVLCHFVSRVTDAPSSGDDEDEGEAEEDTGVDTGA 150  
|||||  
101 HEDSGAYSCRQRLTQRVLCHFVSRVTDAPSSGDDEDEGEAEEDTGVDTGA 150

151 PYWTRPERMDKLLAVPAANTVFRCPAAGNPTPSISWLKNGREFRGEHR 200  
|||||  
151 PYWTRPERMDKLLAVPAANTVFRCPAAGNPTPSISWLKNGREFRGEHR 200

201 IGGIKLRHQQWSLVMESVVPSPDRGNVTCVVENKFGSIRQTYTLDVLERSP 250  
|||||  
201 IGGIKLRHQQWSLVMESVVPSPDRGNVTCVVENKFGSIRQTYTLDVLERSP 250

FIG. 51







137/209

1 MPWGRRPTWLLAFLLVFLKISILSVTAWQTGNCQPGPLERSERSGTCAG 50  
|||||  
1 MPWGRRPTWLLAFLLVFLKISILSVTAWQTGNCQPGPLERSERSGTCAG 50  
51 PAPFLVFSQGKISIRIDPDGTNHQQLVVDACISADMDIHYKKERLYWVDV 100  
|||||  
51 PAPFLVFSQGKISIRIDPDGTNHQQLVVDACISADMDIHYKKERLYWVDV 100  
101 ERQVLLRVFLNGTGLEKVCNVERKVSGLAIDWIDDEVLVVDQQNGVITVT 150  
|||||  
101 ERQVLLRVFLNGTGLEKVCNVERKVSGLAIDWIDDEVLVVDQQNGVITVT 150  
151 DMTGKNSRVLLSSLKHPSNIAVDPIERLMFWSSEVTGSLHRAHLKGVDVK 200  
|||||  
151 DMTGKNSRVLLSSLKHPSNIAVDPIERLMFWSSEVTGSLHRAHLKGVDVK 200  
201 TLLETGGISVLTLDVLDKRLFWVQDSGEGSHAYIHSCDYEGGSVRLIRHQ 250  
|||||  
201 TLLETGGISVLTLDVLDKRLFWVQDSGEGSHAYIHSCDYEGGSVRLIRHQ 250  
251 ARHSLSSMAFFGDRIFYSVLKSKAIWIANKHTGKDTVRLNLHPSFVTPGK 300  
|||||  
251 ARHSLSSMAFFGDRIFYSVLKSKAIWIANKHTGKDTVRLNLHPSFVTPGK 300

FIG. 53

138/209

301 LMVVHPRAQPRTEAAKDPDPPELLKQGRGPCRFGLCERDPKSHSSACAEG 350  
|||||  
301 LMVVHPRAQPRTEAAKDPDPPELLKQGRGPCRFGLCERDPKSHSSACAEG 350  
351 YTLSDRKYCEDVNECATQNHGCTLGCENTPGSYHCTCPTGFVLLPDGKQ 400  
|||||  
351 YTLSDRKYCEDVNECATQNHGCTLGCENTPGSYHCTCPTGFVLLPDGKQ 400  
401 CHELVSCPGNVSKCSHGCVLTSDGPRCICFAGSVLGRDGKTCTGCSSPDN 450  
|||||  
401 CHELVSCPGNVSKCSHGCVLTSDGPRCICFAGSVLGRDGKTCTGCSSPDN 450  
451 GGCSQICLPLRPGSWECDCFPGYDLQSDRKSCAASGPQPLLFFANSQDIR 500  
|||||  
451 GGCSQICLPLRPGSWECDCFPGYDLQSDRKSCAASGPQPLLFFANSQDIR 500  
501 HMFEDGTDYKVLLSRQMGVMVFALDYPDVESKIYFAQTALKWIERANMDGS 550  
|||||  
501 HMFEDGTDYKVLLSRQMGVMVFALDYPDVESKIYFAQTALKWIERANMDGS 550  
551 QRERLITEGVDTLEGLALDWIGRRIYWTDSGKSVVGGSDLGKHHRIIQ 600  
|||||  
551 QRERLITEGVDTLEGLALDWIGRRIYWTDSGKSVVGGSDLGKHHRIIQ 600

FIG. 53 (CONT. <sup>1</sup>)

139/209

601	ERISRPRGIAVHPRARRLFWTDVGMSPRIESASLQGS	DRVLIASSNLL	650
601	ERISRPRGIAVHPRARRLFWTDVGMSPRIESASLQGS	DRVLIASSNLL	650
651	SGITIDYLTDLTYWC	TKRSVIEMANLDGSKRRRLIQNDVGHPFSLAVFE	700
651	SGITIDYLTDLTYWC	TKRSVIEMANLDGSKRRRLIQNDVGHPFSLAVFE	700
701	DHLWVSDWAIPSVIRVNKRTGQNRVRLQGSMLKPSSLVVVHPLAKPGADP		750
701	DHLWVSDWAIPSVIRVNKRTGQNRVRLQGSMLKPSSLVVVHPLAKPGADP		750
751	CLYRNGGCEHICQESLGTARCLCREGFVKAWDGKMCLPDYPILSGENAD		800
751	CLYRNGGCEHICQESLGTARCLCREGFVKAWDGKMCLPDYPILSGENAD		800
801	LSKEVTSLSNSTQAEVPPDDDGTESTLVAEIMVSGMNYEDDCGPGCGSH		850
801	LSKEVTSLSNSTQAEVPPDDDGTESTLVAEIMVSGMNYEDDCGPGCGSH		850
851	ARCVSDGETAECQCLKGFARDGNLCS	DIDECVLARSDCPSTSSRCINTEG	900
851	ARCVSDGETAECQCLKGFARDGNLCS	DIDECVLARSDCPSTSSRCINTEG	900

**FIG. 53 (CONT. 2)**



140/209

```

851  ARCVSDGETAECQCLKG FARDGNLCSD IDECVLARSDCPSTSSRCINTEG 900
      ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
851  ARCVSDGETAECQCLKG FARDGNLCSD IDECVLARSDCPSTSSRCINTEG 900

      .
901  GYVCRCEGYEGDGI SCFDI DECQRGAHNCAENAACTNTEGGYNCTCAGR 950
      ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
901  GYVCRCEGYEGDGI SCFDI DECQRGAHNCAENAACTNTEGGYNCTCAGR 950

      .
951  PSSPGLSCP DSTAPSL LGEDGHHLDRNSYPGCPSSYDGYCLNGVCMHIE 1000
      ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
951  PSSPGRSCP DSTAPSL LGEDGHHLDRNSYPGCPSSYDGYCLNGVCMHIE 1000

      .
1001 SLDSYTCNCVIGYSGDR CQT..... 1020
      ||||| ||||| ||||| |||||

1001 SLDSYTCNCVIGYSGDR CQTRDLRWELRHAGYGQKH DIMVVAVCMVALV 1050

      .
1021 ..... PPSSDRGPQEIEGNSHLPSYRPPVGPEKLHSLQSANG 1056
      ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
1151 PHIDGMGTGQSCWIP PSSDRGPQEIEGNSHLPSYRPPVGPEKLHSLQSANG 1200

      .
1057 SCHERAPDLPRQTEPVQ 1073
      ||||| ||||| ||||| |||||
1201 SCHERAPDLPRQTEPVK 1217

```

Fig. 53 (Cont.<sup>3</sup>)

141/209

1 MPWGRRPTWLLAFLLVFLKISILSVTAWQTGNCQPGPLERSERSGTCAG 50  
|||||  
1 MPWGRRPTWLLAFLLVFLKISILSVTAWQTGNCQPGPLERSERSGTCAG 50  
51 PAPFLVFSQGKSI SRIDPDGTNHQQLVVDAGISADMDIHYKKERLYWVDV 100  
|||||  
51 PAPFLVFSQGKSI SRIDPDGTNHQQLVVDAGISADMDIHYKKERLYWVDV 100  
101 ERQVLLRVFLNGTGLEKVCNVERKVSGLAIDWIDDEVLWVDQQNGVITVT 150  
|||||  
101 ERQVLLRVFLNGTGLEKVCNVERKVSGLAIDWIDDEVLWVDQQNGVITVT 150  
151 DMTGKNSRVLLSSLKHPSNIAVDPIERLMFWSSEVTGSLHRAHLKGVDVK 200  
|||||  
151 DMTGKNSRVLLSSLKHPSNIAVDPIERLMFWSSEVTGSLHRAHLKGVDVK 200  
201 TLLETGGISVLTLDVLDKRLFWVQDSGEGSHAYIHSCDYEAGSVRLIRHQ 250  
|||||  
201 TLLETGGISVLTLDVLDKRLFWVQDSGEGSHAYIHSCDYEAGSVRLIRHQ 250

FIG. 54



143/209

501 HMHFDGTDYKVLRSQMGVMFALDYPDVESKIYFAQTALKWIERANMDGS 550  
|||||  
501 HMHFDGTDYKVLRSQMGVMFALDYPDVESKIYFAQTALKWIERANMDGS 550  
|||||  
551 QRERLITEGVDTLEGLALDWIGRRRIYWTDSGKSVVGSDLSGKHHRIIQ 600  
|||||  
551 QRERLITEGVDTLEGLALDWIGRRRIYWTDSGKSVVGSDLSGKHHRIIQ 600  
|||||  
601 ERISRPRGIAVHPRARRLFWTDVGMSPRIESASLQGSDDRVLIASSNLLEP 650  
|||||  
601 ERISRPRGIAVHPRARRLFWTDVGMSPRIESASLQGSDDRVLIASSNLLEP 650  
|||||  
651 SGITIDYLTDTLYWCDTKRSVIEMANLDGSKRRRLIQNDVGHPFSLAVFE 700  
|||||  
651 SGITIDYLTDTLYWCDTKRSVIEMANLDGSKRRRLIQNDVGHPFSLAVFE 700  
|||||  
701 DHLWVSDWAIPSVIRVNKRTGQNRVRLQGSMLKPSLVVHPLAKPGADP 750  
|||||  
701 DHLWVSDWAIPSVIRVNKRTGQNRVRLQGSMLKPSLVVHPLAKPGADP 750  
|||||  
751 CLYRNGGCEHICQESLGTARCLCREGEVKAWDGKMCLPQDYPILSGENA 799  
|||||  
751 CLYRNGGCEHICQESLGTARCLCREGEVKAWDGKMCLPQDYPILSGENA 799  
|||||

FIG. 54 (CONT. <sup>2</sup>)

144/209

```

1 MPWGRRPTWLLAFLLVFLKISILSVTAWQTGNCQPGPLERSERSGT CAG 50
  |||||||
1 MPWGRRPTWLLAFLLVFLKISILSVTAWQTGNCQPGPLERSERSGT CAG 50

51 PAPFLVFSQGKKSISRI..... 66
  |||||||

51 PAPFLVFSQGKKSISRIDPDGTDGTHHQQQLVVDAGISADMMDIHYKKERLYWVDV 100

67 .....WAIPSVIRVNRKTGQNRVRLQGSMLKPSSLVVVHPLAKPGADP 109
  |||||||

701 DHLWVSDWAIPSVIRVNRKTGQNRVRLQGSMLKPSSLVVVHPLAKPGADP 750

110 CLYRNGGCEHICQESLGTARCLCREGFVKAWDGKMCPLPQDYPILSGENAD 159
  |||||||

751 CLYRNGGCEHICQESLGTARCLCREGFVKAWDGKMCPLPQDYPILSGENAD 800

160 LSKEVTSLSNSTQAEVPDDDDGTESSTLVAEIMVSGMNYEDDCGPGGCGSH 209
  |||||||

801 LSKEVTSLSNSTQAEVPDDDDGTESSTLVAEIMVSGMNYEDDCGPGGCGSH 850
  .

```

FIG. 55

145/209

210 ARCVSDGETAECQCLKGFARDGNLCSIDIECVLARSDCPSTSSRCINTEG 259  
|||||  
851 ARCVSDGETAECQCLKGFARDGNLCSIDIECVLARSDCPSTSSRCINTEG 900

260 GYVCRCEGYEGDGISCFDIECQRGAHNCAENAACTNTEGGYNCTCAGR 309  
|||||  
901 GYVCRCEGYEGDGISCFDIECQRGAHNCAENAACTNTEGGYNCTCAGR 950

310 PSSPGLSCPDSTAPSLLGEDGHHLDRNSYPGCPSSYDGYCLNGGVCMHIE 359  
|||||  
951 PSSPGRSCPDSTAPSLLGEDGHHLDRNSYPGCPSSYDGYCLNGGVCMHIE 1000

360 SLDSYTCNCVIGYSGDRCQTRDLRWWEHLRHAGYGQKHDIMVVAVCMVALV 409  
|||||  
1001 SLDSYTCNCVIGYSGDRCQTRDLRWWEHLRHAGYGQKHDIMVVAVCMVALV 1050

410 LLLLLGMWGTYYYRTRKQLSNPPKNPCDEPSGVSSSGPDSSSGAAVASC 459  
|||||  
1051 LLLLLGMWGTYYYRTRKQLSNPPKNPCDEPSGVSSSGPDSSSGAAVASC 1100

FIG. 55 (CONT. <sup>1</sup>)

146/209

460 PQWFFVLEKHQDPKNGSLPADGTNGAVVDAGLSPLQLGSHLTSWRQK 509  
 11101 PQWFFVLEKHQDPKNGSLPADGTNGAVVDAGLSPLQLGSHLTSWRQK 1150

510 PHIDGMGTGQSCWIPSSDRGPQIEGNHSLPSYRPVGPEKLHSLQSANG 559  
 11151 PHIDGMGTGQSCWIPSSDRGPQIEGNHSLPSYRPVGPEKLHSLQSANG 1200

560 SCHERAPDLPRQTEPVQ 576  
 1201 SCHERAPDLPRQTEPVK 1217

**FIG. 55 (CONT. 2)**









150/209

251	QLEPLYNLHAYVRRALHRRYGDKYVNLRGPIPAHLLGDMWAQSWENIYD	300
251	QLEPLYNLHAYVRRALHRRYGDKYVNLRGPIPAHLLGDMWAQSWENIYD	300
301	MVVPFPDKPNLDVTSTMVQKGWNATHMFRVSEEFFTSGLSPMPPEFWAE	350
301	MVVPFPDKPNLDVTSTMVQKGWNATHMFRVSEEFFTSGLSPMPPEFWAE	350
351	SMLEKPTDGREVVCHASAWDFYNRKDFRIKQCTRVTMEQLATVHHEMGHV	400
351	SMLEKPTDGREVVCHASAWDFYNRKDFRIKQCTRVTMEQLATVHHEMGHV	400
401	QYYLQYKDLHVSRLRRGANPGFHEAIGDVLALS SVSTPAHLHKIGLLDHVTN	450
401	QYYLQYKDLHVSRLRRGANPGFHEAIGDVLALS SVSTPAHLHKIGLLDHVTN	450
451	DIESDINYLKMALEKIAFLPFGYLVDQWRWGVFSGRTPPSRYNFDWWYL	500
451	DIESDINYLKMALEKIAFLPFGYLVDQWRWGVFSGRTPPSRYNFDWWYL	500

**FIG. 57 (CONT.)<sup>1</sup>**



152/209

751 DMTTYSLSNICYTNGTCMPLEPDLTNMMATSRKYEEILLWAWKSWRDKVG 800  
|||||  
751 DMTTYSLSNICYTNGTCMPLEPDLTNMMATSRKYEEILLWAWKSWRDKVG 800  
|||||  
801 RAILPFFPKYVEFSNKKIANKNGYTDAGDSWRSLYESDNLEQDLEKLYQEL 850  
|||||  
801 RAILPFFPKYVEFSNKKIANKNGYTDAGDSWRSLYESDNLEQDLEKLYQEL 850  
|||||  
851 QPLYNLHAYVRRSLHRHYGSEYINLDGPIPAHLLGNMWAQTSNIYDLV 900  
|||||  
851 QPLYNLHAYVRRSLHRHYGSEYINLDGPIPAHLLGNMWAQTSNIYDLV 900  
|||||  
901 APFPSAPNIDATEAMIKQGWTPRRIFKEADNFFTSGLLPVPPEFWNKSM 950  
|||||  
901 APFPSAPNIDATEAMIKQGWTPRRIFKEADNFFTSGLLPVPPEFWNKSM 950  
|||||  
951 LEKPTDGREVVCHPSAWDFYNGKDFRIKQCTSVNMEDLVIAHHEMGIQY 1000  
|||||  
951 LEKPTDGREVVCHPSAWDFYNGKDFRIKQCTSVNMEDLVIAHHEMGIQY 1000  
|||||

FIG. 57 (CONT.<sup>3</sup>)

153/209

```

1001 FMQYKDLPVTFREGANPGFHEAIGDIMALSVSTPKHLYSLNLLSTEGSY 1050
|||||
1001 FMQYKDLPVTFREGANPGFHEAIGDIMALSVSTPKHLYSLNLLSTEGSY 1050

.
1051 EYDINFLMKMALDKIAFIPFSYLIDQWRWRVFDGSI TKENYNQEWWSLRL 1100
|||||
1051 EYDINFLMKMALDKIAFIPFSYLIDQWRWRVFDGSI TKENYNQEWWSLRL 1100

.
1101 KYQGLCPPVPRSQGDFDPGSKFHV PANVPYVRYFVSFIIQFQFHEALCRA 1150
|||||
1101 KYQGLCPPVPRSQGDFDPGSKFHV PANVPYVRYFVSFIIQFQFHEALCRA 1150

.
1151 AGHTGPLHKCDIYQSKEAGKLLADAMKLGYSKPWPEAMKLI TGQPNMSAS 1200
|||||
1151 AGHTGPLHKCDIYQSKEAGKLLADAMKLGYSKPWPEAMKLI TGQPNMSAS 1200

.
1201 AMMNYFKPLTEWLVTENRRRHGETL GWPEYNWAPNT 1235
|||||
1201 AMMNYFKPLTEWLVTENRRRHGETL GWPEYNWAPNT 1235

```

FIG. 57 (CONT. <sup>4</sup>)

154/209

```

1 MTMTLHTKASGMALLHQIQGNELEPLNRPQLKMPMERALGEVYVDNSKPT 50
  |||||
1 MTMTLHTKASGMALLHQIQGNELEPLNRPQLKMPMERALGEVYVDNSKPT 50

51 VFNYPEGAAAYEFNAAAAAAAAASAPVYGQSGIAYGPGSEAAAFSANSLSGA 100
  |||||
51 VFNYPEGAAAYEFNAAAAAAAAASAPVYGQSGIAYGPGSEAAAFSANSLSGA 100

101 FPQLNSVSPSPMLLLHPPPPQLSPFLHPHGQQVPYYLENEPSAYAVRDTGP 150
  |||||
101 FPQLNSVSPSPMLLLHPPPPQLSPFLHPHGQQVPYYLENEPSAYAVRDTGP 150

151 PAFYRSNSDNRQRNGRERLSSSNEKGNMIMESAKETRYCAVCNDYASGYH 200
  |||||
151 PAFYRSNSDNRQRNGRERLSSSNEKGNMIMESAKETRYCAVCNDYASGYH 200

```

**FIG. 58**







157/209

200 PLCLPEKSFSENTLARIRFSRVSGWGQLLDRGATALELMSIEVPRIMTQD 249  
 |||||  
 301 PLCLPEKSFSENTLARIRFSRVSGWGQLLDRGATALELMSIEVPRIMTQD 350  
 |||||  
 250 CLEHAKHSSNTPKITENMFCAGYMDGTDCKDACKGDSGGPHATHYHGTWYLT 299  
 |||||  
 351 CLEHAKHSSNTPKITENMFCAGYMDGTDCKDACKGDSGGPHATHYHGTWYLT 400  
 |||||  
 300 GVVSWGEGCAAIGHIGVYTRVSQYIDWLVRHMDSKLQGVFRLPLL 345  
 |||||  
 401 GVVSWGEGCAAIGHIGVYTRVSQYIDWLVRHMDSKLQGVFRLPLL 446

**FIG. 59 (CONT. 1)**





160/209

301 IDVKKFPISIGIIVFSYTSQIFLPSLEGNMQQPSEFHCMMNWTTHIAACVL 350  
|||||  
301 IDVKKFPISIGIIVFSYTSQIFLPSLEGNMQQPSEFHCMMNWTTHIAACVL 350  
|||||  
351 KGLFALVAYLTWADETKEVI.TDNLPGSIRAVVNFLVAKALLSYPLPFFA 400  
|||||  
351 KGLFALVAYLTWADETKEVI.TDNLPGSIRAVVNFLVAKALLSYPLPFFA 400  
|||||  
401 AVEVLEKSLFQEGSRAFFPACYG G DGR LKSWELTLRCALVVFTLLMAIYV 450  
|||||  
401 AVEVLEKSLFQEGSRAFFPACYG G DGR LKSWELTLRCALVVFTLLMAIYV 450  
|||||  
451 PHFALLMGLTGSLTGAGLCFLLPSLFHLRLWRKLLWHQVFFDVAIFVIG 500  
|||||  
451 PHFALLMGLTGSLTGAGLCFLLPSLFHLRLWRKLLWHQVFFDVAIFVIG 500  
|||||  
501 GICSVSGFVHSLEGLIEAYRT 521  
|||||  
501 GICSVSGFVHSLEGKFAGLET 521

FIG. 61 (CONT.<sup>1</sup>)

11 MDVLAEANGTFALNLLKTLGKDNSKNVFFSPMSCALAMVYMGAKGNTA 50

\_\_\_\_\_

1 MDVLAEANGTFALNLLKTLGKDNSKNVFFSPMSMSCALAMVYMGAKGNTA 50

51 AQMAQILSFNKSGGGDIHQGFQSLLTEVNKTGTQYLLRVANRLFGEKSC 100

\_\_\_\_\_

51 AQMAQILSFNKSGGGDIHQGFQSLLTEVNKTGTQYLLRVANRLFGEKSC 100

101 DFLSSFRDSCQFYQAEEMEELDFISAVEKSRKHINTWVAEKTEGKIAELL 150

\_\_\_\_\_

1101 DFLSSFRDSCQFYQAEEMEELDFISAVEKSRKHINTWVAEKTEGKIAELL 150

151 SPGSVDPLTRLVLVNAVYFRGNWDEQFDKENTEERLFKVSKNEEKPVQMM 200

\_\_\_\_\_

151 SPGSVDPLTRLVLVNAVYFRGNWDGQFDKENTEERLKFVSKNEEKPVQMM 200

201 FKQSTFKKTYIGEIFTQILVLPYVGKELNMIIMLPDETTDLRTVEKELTY 250

\_\_\_\_\_

201 FKQSTFKKTYIGEIFTQILVLPPYVGKELNMIIMLPDETTDLRTVEKELTY 250

161/209

**FIG. 62**

162/209

```
251 EKFVEWTRLDMMDEEEVEVSLPRFKLEESYDMESVLRNLGMTDAFELGKA 300
    |||||
251 EKFVEWTRLDMMDEEEVEVSLPRFKLEESYDMESVLRNLGMTDAFELGKA 300

301 DFIGMSQTDLSLSKVVKHSFVEVNEEGTEAAAAATAAIMMRCARFVPRFC 350
    |||||
301 DFIGMSQTDLSLSKVVKHSFVEVNEEGTEAAAAATAAIMMRCARFVPRFC 350

351 ADHPFLFFIQHSKTNIGILFCGR 372
    |||||
351 ADHPFLFFIQHRKTNIGILFCGR 372
```

FIG. 62 (CONT.<sup>1</sup>)

163/209

```

1 MDVLAEANGTFALNLLKTLGKDNSKNVFFSPMSMSCALAMVYMGAKGNTA 50
  |||||
1 MDVLAEANGTFALNLLKTLGKDNSKNVFFSPMSMSCALAMVYMGAKGNTA 50
  .
51 AQMAQILSFNKSGGGDIHQGFQSLLTEVNKTGTQYLLRVANRLFGEKSC 100
  |||||
51 AQMAQILSFNKSGGGDIHQGFQSLLTEVNKTGTQYLLRVANRLFGEKSC 100
  .
101 DFLSSFRDSCQKFYQAEEMEELDFISAVEKSRKHINTWVAEKTEGKIAELL 150
  |||||
101 DFLSSFRDSCQKFYQAEEMEELDFISAVEKSRKHINTWVAEKTEGKIAELL 150
  .
151 SPGSVDPLTRLVLVNAVYFRGNWDEQFDKENTEERLFKVSKNEEKPQMM 200
  |||||
151 SPGSVDPLTRLVLVNAVYFRGNWDGQFDKENTEERLFKVSKNEEKPQMM 200
  .
201 FKQSTFKKTYIGEIFTQILVLPYVGKELNMIIMLPDETTDLRTVEKELTY 250
  |||||
201 FKQSTFKKTYIGEIFTQILVLPYVGKELNMIIMLPDETTDLRTVEKELTY 250

```

**FIG. 63**



251 EKFEVWTRLDMMDEEEVEVS LPRFKLEESYDMESVLRLNLGMTDAFELGKA 300  
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |  
251 EKFEVWTRLDMMDEEEVEVS LPRFKLEESYDMESVLRLNLGMTDAFELGKA 300

301 DFSGMSQTDLSLSKVVKHSFVEVNEEGTEAAAAATAAIMMRCARFVPRFC 350  
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |  
301 DFSGMSQTDLSLSKVVKHSFVEVNEEGTEAAAAATAAIMMRCARFVPRFC 350

351 ADHPFLFFIQQR 362  
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |  
351 ADHPFLFFIQHR 362

164/209

164/209

```

351 ADHPFLFFIQQR 362
      | | | | | | | |
351 ADHPFLFFIQHR 362

```

**FIG. 63 (CONT. 1)**

```

351 ADHPFLFFIQQR 362
      | | | | | | | |
351 ADHPFLFFIQHR 362

```

165/209

157 VGYRVPAGSGPSLPPMPSLQEVDCGSPSSSEEEGVPGSRGSPATSPHLGR 206  
:|||||  
1 IGYRVPAGSGPSLPPMPSLQEVDCGSPSSSEEEGVPGSRGSPATSPHLGR 50

207 RRPLLRMSAAFCSL LAPERQVGRAAAALMQDRHTAAGQLVQDLLTQVRD 256  
|||||  
51 RRPLLRMSAAFCSL LAPERQVGRAAAALMQDRHTAAGQLVQDLLTQVRD 100

257 GORPQEEGIRQALSRARAMLSAELGPEKLVSPKRLEHVLEKSLHCSVLK 306  
|||||  
101 GORPQEEGIRQALSRARAMLSAELGPEKLVSPKRLEHVLEKSLHCSVLK 150

307 PLRPILAARLRRRLAADGSLGR LAEGLRLARAQGPAGF GSHLSLPSPVEL 356  
|||||  
151 PLRPILAARLRRRLAADGSLGR LAEGLRLARAQGPAGF GSHLSLPSPVEL 200

357 EQVRQKLLQLVRTYSPSAQVKRLLQACKLLYMALRTQEGEGSGADGFLPL 406  
|||||  
201 EQVRQKLLQLVRTYSPSAQVKRLLQACKLLYMALRTQEGEGSGADGFLPL 250

FIG. 64

166/209

407 LSLVLAHCDLPPELLLEAEYMSLELLEPSLLTGEGGYLTSLASALLSGL 456  
|||||  
251 LSLVLAHCDLPPELLLEAEYMSLELLEPSLLTGEGGYLTSLASALLSGL 300  
457 GQAHTPLSPVQELRRSLSLWEQRRLPATHCFQ 489  
|||||  
301 GQAHTPLSPVQELRRSLSLWEQRRLPATHCFQ 333

FIG. 64 (CONT.<sup>1</sup>)



168/209

372 AAGTAAASANGAAIKKLSGPLISDFFAKRKRSAPEKSSGVDVPAPCPSPSA 421  
|||||  
251 AAGTAAASANGAAIKKLSGPLISDFFAKRKRSAPEKSSGVDVPAPCPSPSA 300  
422 APGVGSVEQT<sup>1</sup>PRKRLR 437  
|||||  
301 APGVGSVEQT<sup>1</sup>PRKRLR 316

FIG. 65 (CONT.<sup>1</sup>)

169/209

1 MEPAAGSSMEPSADWLASAAARGLVEKVRQLLEAGADPNAPNSYGRRPIQ 50  
|||||  
1 MEPAAGSSMEPSADWLASAAARGRVEEVRLLEAGALPNAPNSYGRRPIQ 50  
|||||  
51 VMMGSARVAELLLHGAEPNCADPATLTRPVHDAAREGFDTLVVLHRA 100  
|||||  
51 VMMGSARVAELLLHGAEPNCADPATLTRPVHDAAREGFDTLVVLHRA 100  
|||||  
101 GARLDVRDAWGRLPVDLAEEIGHRDVARYLRAAAGGTRGSNHARIDAAEG 150  
|||||  
101 GARLDVRDAWGRLPVDLAEEIGHRDVARYLRAAAGGTRGSNHARIDAAEG 150  
151 PS 152  
||  
151 PS 152

FIG. 66

170/209

```
1 MREENKGMPSGGSGDEGLASAAARGLVEKVRQLLEAGADPNGVNRFGRRRA 50
  |||||
1 MREENKGMPSGGSGDEGLASAAARGLVEKVRQLLEAGADPNGVNRFGRRRA 50
  |||||
51 IQVMMGMSARVAELLLHGAEPNCADPATLTRPVHDAAREGEFDTLVVLH 100
  |||||
51 IQVMMGMSARVAELLLHGAEPNCADPATLTRPVHDAAREGEFDTLVVLH 100
  |||||
101 RAGARLDVRDVGRLPVDLAEELGHRDVARYLRAAAG 137
  |||||
101 RAGARLDVRDVGRLPVDLAEERGHRDVAGYLRTATG 137
```

FIG. 67

171/209

1 MKHSLNALLIFLIITSAGGSGKPLDQLEKGGETAQASADPQWEQLNNKNL 50  
|||||  
1 MKHSLNALLIFLIITSAGGSGKPLDQLEKGGETAQASADPQWEQLNNKNL 50  
.  
51 SMPLLPADFHKENTVTNDWIPEGEEDDDYLDLEKIFSEDDDDYIDIVDSLS 100  
|||||  
51 SMPLLPADFHKENTVTNDWIPEGEEDDDYLDLEKIFSEDDDDYIDIVDSLS 100  
.  
101 VSPTSDVSAGNILQLFHGKSRIQRLNILNAKFAFNLYRVLKQDVNTFDN 150  
|||||  
101 VSPTSDVSAGNILQLFHGKSRIQRLNILNAKFAFNLYRVLKQDVNTFDN 150  
.  
151 IFIAPVGISTAMGMISLGLKGETHEQVHSILHFKDFVNASSKYEITTIHN 200  
|||||  
151 IFIAPVGISTAMGMISLGLKGETHEQVHSILHFKDFVNASSKYEITTIHN 200  
.  
201 LFRKLTHRLFRNFGYTLRSVNDLYIQKQFPILLDFKTKVREYFAEAQI 250  
|||||  
201 LFRKLTHRLFRNFGYTLRSVNDLYIQKQFPILLDFKTKVREYFAEAQI 250

FIG. 68







174/209

1 MDPARPLGLSILLFLTEAALGDAAQEPTGNNAEICLLPLDYGPCRALLL 50  
|||||  
1 MDPARPLGLSILLFLTEAALGDAAQEPTGNNAEICLLPLDYGPCRALLL 50

51 RYYYDRYTQSCRQFLYGGCEGNANNFYTWEACDDACWRIEKVPKVCRLQV 100  
|||||  
51 RYYYDRYTQSCRQFLYGGCEGNANNFYTWEACDDACWRIEKVPKVCRLQV 100

101 SVDDQCEGSTEKYFFNLSSMTCEKFFSGGCHRNRIENRFPDEATCMGFCA 150  
|||||  
101 SVDDQCEGSTEKYFFNLSSMTCEKFFSGGCHRNRIENRFPDEATCMGFCA 150

151 PKK.....KYRTCDAFYTGCGGNDNNFVS 175  
|||:|||||

151 PKKIPFCYSPKDEGLCSANVTRYFNPRTCDAFYTGCGGNDNNFVS 200

176 REDCKRACAKALKKKKKMPKILRFASIRKIRKKQF 210  
|||||

201 REDCKRACAKALKKKKKMPKILRFASIRKIRKKQF 235

FIG. 70



```

1 MASRLTLTLLLLLAGDRASSNP NATSSSSQDPESLQDRGEGKVATTVI 50
  |||||
1 MASRLTLTLLLLLAGDRASSNP NATSSSSQDPESLQDRGEGKVATTVI 50

51 SKMLFVEPILEVSSLPTTNSTTNSATKITANTTDEPTTQPTTEPTTQPTI 100
  |||||
51 SKMLFVEPILEVSSLPTTNSTTNSATKITANTTDEPTTQPTTEPTTQPTI 100

101 QPTQPTTQLPTDPTQPTTGSGFCPGPVTLCSDLESHSTEAVLGDALVDFS 150
  |||||
101 QPTQPTTQLPTDPTQPTTGSGFCPGPVTLCSDLESHSTEAVLGDALVDFS 150

1151 LKLYHAFSAMKKVETNMAFSPFSIASLLTQVLLGAGENTKTNLESILSYP 200
  |||||
1151 LKLYHAFSAMKKVETNMAFSPFSIASLLTQVLLGAGENTKTNLESILSYP 200

```

**FIG. 72**

177/209

201 KDFTCVHQALKGFTTKGVTSVSQIFHSPVDWRLQLQSKSQEVLSQTSTKAR 250

|||||

201 KDFTCVHQALKGFTTKGVTSVSQIFHS..... 227

351 VFRYCFPEFLKYPDDLAIKRTFVNASRTLYSSSPRVLSNNSDANLELINT 400

|||||

228 ..... PDLAIRDTFVNASRTLYSSSPRVLSNNSDANLELINT 264

401 WVAKNTNKKISRLLDLSPLSDTRLVLLNAIYLSAKWKTTFDPKKTRMEPFH 450

|||||

265 WVAKNTNKKISRLLDLSPLSDTRLVLLNAIYLSAKWKTTFDPRKTRMEPFH 314

451 FKNSVIKVPMMNSKKYPVAHFIDQTLKAKVGQLQLSHNLSLVILVPQNLK 500

|||||

315 FKNSVIKVPMMNSKKYPVAHFIDQTLKAKVGQLQLSHNLSLVILVPQNLK 364

FIG. 72 (CONT. <sup>1</sup>)



179/209

1 MDVLAENGTFALNLLKTLGKDNSKNVFFSPMSMICALAMVYMGAKGNTA 50  
|||||  
1 MDVLAENGTFALNLLKTLGKDNSKNVFFSPMSMICALAMVYMGAKGNTA 50  
51 AQMAQILSFNKSGGGDIHQGFQSLLTEVNKTGTQYLLRVANRLFGEKSC 100  
|||||  
51 AQMAQILSFNKSGGGDIHQGFQSLLTEVNKTGTQYLLRVANRLFGEKSC 100  
101 DFLSSFRDSCQKFYQAEMEELDFISAVEKSRKHINTWVAEKTGKIAELL 150  
|||||  
101 DFLSSFRDSCQKFYQAEMEELDFISAVEKSRKHINTWVAEKTGKIAELL 150  
151 SPGSVDPLTRLVLVNAVYFRGNWDGQFDKENTEERLFKVSKNEEKPQMM 200  
|||||  
151 SPGSVDPLTRLVLVNAVYFRGNWDGQFDKENTEERLFKVSKNEEKPQMM 200  
201 FKQSTFKKTYIGEIFTQILVLPYVGKELNMIIMLPDETTDLRTVEKELTY 250  
|||||  
201 FKQSTFKKTYIGEIFTQILVLPYVGKELNMIIMLPDETTDLRTVEKELTY 250

FIG. 73







```

1 MDVLAENGTFALNLLKTLGKDNSKNVFFSPMSMSCALAMVYMGAKGNTA 50
  |||||
1 MDVLAENGTFALNLLKTLGKDNSKNVFFSPMSMSCALAMVYMGAKGNTA 50

51 AQMAQILSFENKSGGGDIHQGFQSLLTEVNKTGTQYLLRMANRLFGEKSC 100
  |||||
51 AQMAQILSFENKSGGGDIHQGFQSLLTEVNKTGTQYLLRVANRLFGEKSC 100

101 DFLSSFRDSCQKFYQAEMEEELDFISAVEKSRKHINTWVAEKTEGKM 146
  |||||
101 DFLSSFRDSCQKFYQAEMEEELDFISAVEKSRKHINTWVAEKTEGKI 146

```

182/209

**FIG. 75**



```

301 DLRDLVTTLGGALLWLSGHAGTQAQGAARVAAALDDGSALGRFERMLAAQ 350
    |||||
301 DLRDLVTTLGGALLWLSGHAGTQAQGAARVAAALDDGSALGRFERMLAAQ 350

351 GVDPGLARALCSGSPAERRQLLPRAREQEELLAPADGERSGESPSFRLRH 400
    |||||
351 GVDPGLARALCSGSPAERRQLLPRAREQEELLAPAD..... 386

401 PLPFFRRPFPSPRLSAPLPAGTVELVRALPLALVLHELGAGRSRAGEPL 450
    |||||
387 .....GTVELVRALPLALVLHELGAGRSRAGEPL 415

451 RLGVGAELLVDVGQRLRRGTPWLRVHRDGPALSGPQSRALQEALVLSRA 500
    |||||
416 RLGVGAELLVDVGQRLRRGTPWLRVHRDGPALSGPQSRALQEALVLSRA 465

    501 PFAAPSPFAELVLPQQ 517
        |||||
    466 PFAAPSPFAELVLPQQ 482

```

**FIG. 76 (CONT.)<sup>1</sup>**



186/209

1 MGAPACALALCVAVAIAGASSESLGTEQVRVVGRAAEVPGPEGQQEQLV 50  
|||||  
1 MGAPACALALCVAVAIAGASSESLGTEQVRVVGRAAEVPGPEGQQEQLV 50

51 FGSGDAVELSCPPPGGPMGPTVWVKDGTGLVPSEVLVGPQRLQVLNAS 100  
|||||  
51 FGSGDAVELSCPPPGGPMGPTVWVKDGTGLVPSEVLVGPQRLQVLNAS 100

101 HEDSGAYSCRQRLTQRVLCHFVSRVTDAPSSGDDEDEAEDTGVDTGA 150  
|||||  
101 HEDSGAYSCRQRLTQRVLCHFVSRVTDAPSSGDDEDEAEDTGVDTGA 150

151 PYWTRPERMDKLLAVPAANTVFRCPAAGNPTPSISWLKNGREFRGEHR 200  
|||||  
151 PYWTRPERMDKLLAVPAANTVFRCPAAGNPTPSISWLKNGREFRGEHR 200

201 IGGIKLRHQQWSLVMESVVPSPDRGNVTCVVENKFGSIRQTYTLDVLERSP 250  
|||||  
201 IGGIKLRHQQWSLVMESVVPSPDRGNVTCVVENKFGSIRQTYTLDVLERSP 250

251 HRPILQAGLPANQTAVLGSDVEFHCKVYSDAQPHIQWLKHVEVNGSKVGP 300  
|||||  
251 HRPILQAGLPANQTAVLGSDVEFHCKVYSDAQPHIQWLKHVEVNGSKVGP 300

FIG. 78

301	DGTPYVTVLKTAGANTDK	EVLSLHNVT	FEDAGEY	TCLAGNSIG	FSHH	350
301	DGTPYVTVLKTAGANTDK	EVLSLHNVT	FEDAGEY	TCLAGNSIG	FSHH	350
351	SAWL	VVLP	PAEEEL	VEADEAGSVYAGILSYGVGF	FLF	ILVVAAVTXCRLRS 400
351	SAWL	VVLP	PAEEEL	VEADEAGSVYAGILSYGVGF	FLF	ILVVAAVTLCLRS 400
401	PPKKG	LGSP	TVHKISR	FPLKRQVSLE	SNASMSSNTPLVRIAR	SSGEGPT 450
401	PPKKG	LGSP	TVHKISR	FPLKRQVSLE	SNASMSSNTPLVRIAR	SSGEGPT 450
451	LANV	SELELP	ADPKWELSRAR	TLGKPLGEGCFGQV	MAE	AIGIDKDRAA 500
451	LANV	SELELP	ADPKWELSRAR	TLGKPLGEGCFGQV	MAE	AIGIDKDRAA 500
501	KPVT	VAVK	MLKDDATDKD	LSDLVSEMEMMK	IGKHKNI	INLL 542
501	KPVT	VAVK	MLKDDATDKD	LSDLVSEMEMMK	IGKHKNI	INLL 542

**FIG. 78 (CONT. 1)**



188/209

1 MDPARPLGLSILLFLTEAALGDAAQEPTGNNAEICLLPLDYGPCRALLL 50  
|||||  
1 MDPARPLGLSILLFLTEAALGDAAQEPTGNNAEICLLPLDYGPCRALLL 50  
.  
51 RYYYDRYTQSCRQFLYGGCEGNRNNFYTWEACDDACWRIEKVPKVCRLQV 100  
|||||  
51 RYYYDRYTQSCRQFLYGGCEGNANNFYTWEACDDACWRIEKVPKVCRLQV 100  
.  
101 SVDDQCEGSTEKYFFNLSSMTCEKFFSGGCHRNRIENRFPDEATCMGFCA 150  
|||||  
101 SVDDQCEGSTEKYFFNLSSMTCEKFFSGGCHRNRIENRFPDEATCMGFCA 150  
.  
151 PKKIPSEFCYSPKDEGLCSANVTRYFN 177  
|||||  
151 PKKIPSEFCYSPKDEGLCSANVTRYFN 177

FIG. 79

189/209

1 MNQLRGKKSCHTGLGRSAGWNIPIGLLYCDLPEPRKPLEKAVANFFSGSC 50  
|||||  
1 MNQLRGKKSCHTGLGRSAGWNIPIGLLYCDLPEPRKPLEKAVANFFSGSC 50

51 APCADGTDFFQLCQLCPGCGCSTLNQYFGYSGAFKCLKDGAGDVAFVKHS 100  
|||||  
51 APCADGTDFFQLCQLCPGCGCSTLNQYFGYSGAFKCLKDGAGDVAFVKHS 100

101 TIFENLANKADRDQYELLCLDNTRKPVDEYKDCCHLAQVPSHTVVARSMGG 150  
|||||  
101 TIFENLANKADRDQYELLCLDNTRKPVDEYKDCCHLAQVPSHTVVARSMGG 150

151 KEDLIWELLNQAQEHFGKDKSKEFQLFSSPHGKDLLFKDSAHGFLKVPPR 200  
|||||  
151 KEDLIWELLNQAQEHFGKDKSKEFQLFSSPHGKDLLFKDSAHGFLKVPPR 200

201 MDAKMYLGYEYVTAIRNLREGTCPEAPTDECKPVKWCALSHHERLKCDEW 250  
|||||  
201 MDAKMYLGYEYVTAIRNLREGTCPEAPTDECKPVKWCALSHHERLKCDEW 250

FIG. 80

190/209

```

251 SVNSVGKIECVSAETTEDCIAKIMNGEADAMSLDGGFVYIAGKCGLVPVL 300
    |||||
251 SVNSVGKIECVSAETTEDCIAKIMNGEADAMSLDGGFVYIAGKCGLVPVL 300

301 AENYNKSDNCEDTPEAGYFÄVAVVKKSASDLTWDNLKGKKSCHTAVGRTA 350
    |||||
301 AENYNKSDNCEDTPEAGYFÄVAVVKKSASDLTWDNLKGKKSCHTAVGRTA 350

351 GWNIPMGLLYNKINH.....CEP 368
    |||||

351 GWNIPMGLLYNKINHCRFDEFFSEGCAPGSKKSSLCCKLMSGSLNLCEP 400

369 NNKEGYGYGTGAFRCLVEKGDVAFVKHQTVPQNTGGKNPDWPAKNLNEKD 418
    |||||
401 NNKEGYGYGTGAFRCLVEKGDVAFVKHQTVPQNTGGKNPDWPAKNLNEKD 450

419 YELLCLDGTRKPVVEEYANCHLARAPNHAVVTRKDKEACVHKILRQQQHLE 468
    |||||
451 YELLCLDGTRKPVVEEYANCHLARAPNHAVVTRKDKEACVHKILRQQQHLE 500

```

FIG. 80 (CONT. <sup>1</sup>)

191/209

469 GSNVTDCSGNFCLFRSETKDLLFRDDTVCLAKLHNRNTYEKYLGE EYVKA 518  
|||||  
501 GSNVTDCSGNFCLFRSETKDLLFRDDTVCLAKLHNRNTYEKYLGE EYVKA 550  
|||||  
519 VGNLRKCSSTSSLL EACTFRRP 539  
|||||  
551 VGNLRKCSSTSSLL EACTFRRP 571

FIG. 80 (CONT. <sup>2</sup>)



193/209

37 NGFQVDNYGTQLNAVNNSLTPQSTKVPSLFEFHGPSWCLTPADRGLCRAN 86  
|||||  
180 NGFQVDNYGTQLNAVNNSLTPQSTKVPSLFEFHGPSWCLTPADRGLCRAN 229  
|||||  
87 ENRFYNSVIGKCRPFKYSGCGNENNF<sup>.</sup>TSKQECLRACKKGFIQRISKGG 136  
|||||  
230 ENRFYNSVIGKCRPFKYSGCGNENNF<sup>.</sup>TSKQECLRACKKGFIQRISKGG 279  
|||||  
137 LIKTKRKRKKQ<sup>.</sup>RVKIA<sup>.</sup>YEEIFVKNM 161  
|||||  
280 LIKTKRKRKKQ<sup>.</sup>RVKIA<sup>.</sup>YEEIFVKNM 304  
|||||

FIG. 82

194/209

13 RPILTIITLEDSSGNLLGRDSFEVRVCASPRDPRTTEE 50  
|||||  
246 RPILTIITLEDSSGNLLGRDSFEVRVCACPRDRRTEE 283  
51 ENFRKKEVLCPELPPGSAKRALPTCTSASPPQKKKPLDGEYFTLKIRGRK 100  
|||||  
284 ENFRKKEVLCPELPPGSAKRALPTCTSASPPQKKKPLDGEYFTLKIRGRK 333  
101 RFEMFRELNEALELKDAHATEESGDSRAHSSYLKTKKGQSTSRHKKTMVK 150  
|||||  
334 RFEMFRELNEALELKDAHATEESGDSRAHSSYLKTKKGQSTSRHKKTMVK 383  
151 KVGPDSD 157  
|||||  
384 KVGPDSD 390

FIG. 83





196/209

```

1 MGAASGQRGRWPLSPPLMLSLVLLQPSAPALDPGLQPGNFSPDEAG 50
  |||||
1 MGAASGQRGRWPLSPPLMLSLVLLQPSAPALDPGLQPGNFSPDEAG 50

51 AQLFAESYNSSAEVVMFQSTVASWAHDTNITEENARRQEEAALVSQEF 100
  |||||
51 AQLFAESYNSSAEVVMFQSTVASWAHDTNITEENARRQEEAALVSQEF 100

101 VWGKKAKELYESIWQNFTDSKLRRIIGSIRTLGPANLPLAQRQQYNSLLS 150
  |||||
101 VWGKKAKELYESIWQNFTDSKLRRIIGSIRTLGPANLPLAQRQQYNSLLS 150

151 NMSRIYSTGKVCFPNKTATCWSLDPELTNILASSRSYAKLLFAWEGW 200
  |||||
151 NMSRIYSTGKVCFPNKTATCWSLDPELTNILASSRSYAKLLFAWEGW 200

201 VGIPLKPLYQDFTAISNEAYRQDDFSDTGAFWRWSWYESPSFEESLE 250
  |||||
201 VGIPLKPLYQDFTAISNEAYRQDDFSDTGAFWRWSWYESPSFEESLE 250

```

**FIG. 85**

251	QLEPLYNLHAYVRRALHRRYGDKYVNLRCPIPAHLLGDMWAQSWENIYD	300
251	QLEPLYNLHAYVRRALHRRYGDKYVNLRCPIPAHLLGDMWAQSWENIYD	300
301	MVVPFPDKNLDTVSTMVQKGNATHMFRVSEFFTSGLSPMPPEFWAE	350
301	MVVPFPDKNLDTVSTMVQKGNATHMFRVSEFFTSGLSPMPPEFWAE	350
351	SMLEKPTDGREVVCHASAWDEFYNRKDFRIKQCTRVTMQQLATVHHMGHV	400
351	SMLEKPTDGREVVCHASAWDEFYNRKDFRIKQCTRVTMQQLATVHHMGHV	400
401	QYYLQYKDLHVSLLRRGANPGFHEAIGDVLALSVESTPAHLHKIGLLDHVTN	450
401	QYYLQYKDLHVSLLRRGANPGFHEAIGDVLALSVESTPAHLHKIGLLDHVTN	450
451	DIESDINYLKMALEKIAFLPGYLVDOQRWGVFSGRTPPSRYNFDWWYL	500
451	DIESDINYLKMALEKIAFLPGYLVDOQRWGVFSGRTPPSRYNFDWWYL	500

**FIG. 85 (CONT.)<sup>1</sup>**

198/209

501 RTKYQGICPPVARNETHFDAGAKFHIPNVTPYIRYFVSFVLQFQFHQALC 550  
|||||  
501 RTKYQGICPPVARNETHFDAGAKFHIPNVTPYIRYFVSFVLQFQFHQALC 550  
|||||

551 KEAGHQGPLHQCDIYQSAQAGAKLKQVLQAGCSRWPQEVVKDLVGSDALD 600  
|||||  
551 KEAGHQGPLHQCDIYQSAQAGAKLKQVLQAGCSRWPQEVVKDLVGSDALD 600  
|||||

601 AKALLEYFQPVSQWLEEQNRNGEVLGWPNQWRPPLPDNYPEGIDLETD 650  
|||||  
601 AKALLEYFQPVSQWLEEQNRNGEVLGWPNQWRPPLPDNYPEGIDLETD 650  
|||||

651 EAKADRFVEEYDRTAQVLLNEYAEANWQYNTNITIEGSKILLEKSTEVS 700  
|||||  
651 EAKADRFVEEYDRTAQVLLNEYAEANWQYNTNITIEGSKILLEKSTEVS 700  
|||||

701 HTLKYGTRAKTFDVSFQNSSIKRIKKLQNLDRVLPKPKELEEYNQILL 750  
|||||  
701 HTLKYGTRAKTFDVSFQNSSIKRIKKLQNLDRVLPKPKELEEYNQILL 750  
|||||

751 DMETTSLSNICYTNNGTCMPLEPDLTNMMATSRKYEEELLWAWKSWRDKVG 800  
|||||  
751 DMETTSLSNICYTNNGTCMPLEPDLTNMMATSRKYEEELLWAWKSWRDKVG 800  
|||||

FIG. 85 (CONT. <sup>2</sup>)

199/209

```

      . . . . .
801 RAILPFFPKYVEFSNKIAKLNKYTDAGDSWRSLYESDNLEQDLEKLYQEL 850
      |||||
801 RAILPFFPKYVEFSNKIAKLNKYTDAGDSWRSLYESDNLEQDLEKLYQEL 850

      . . . . .
851 QPLYNLHAYVRRSLHRHYGSEYINLDGPIPAHLLGNMWAQTWSNIYDLV 900
      |||||
851 QPLYNLHAYVRRSLHRHYGSEYINLDGPIPAHLLGNMWAQTWSNIYDLV 900

      . . . . .
901 APFPSAPNIDATEAMIKQGWTPRRIFKEADNFFTSGLLLPVPPEFWNKSM 950
      |||||
901 APFPSAPNIDATEAMIKQGWTPRRIFKEADNFFTSGLLLPVPPEFWNKSM 950

      . . . . .
951 LEKPTDGREVVCHPSAWDFYNGKDFRIKQCTSVNMEDLVIAHHEMIGHIQY 1000
      |||||
951 LEKPTDGREVVCHPSAWDFYNGKDFRIKQCTSVNMEDLVIAHHEMIGHIQY 1000

      . . . . .
1001 FMQYKDLPVTTFREGANPGFHEAIGDIMALSVSTPKHLYSLNLLSTEGSGY 1050
      |||||
1001 FMQYKDLPVTTFREGANPGFHEAIGDIMALSVSTPKHLYSLNLLSTEGSGY 1050

```

FIG. 85 (CONT.<sup>3</sup>)



201/209

1 MTMTLHTKASGMALLHQIQGNELEPLNRPQLKMPMERALGEVYVDNSKPT 50  
|||||  
1 MTMTLHTKASGMALLHQIQGNELEPLNRPQLKMPMERALGEVYVDNSKPT 50

51 VFNYPEGAAYEFNAAAAAASAPVYGQSGIAYGPGSEAAAFSANSLSGA 100  
|||||  
51 VFNYPEGAAYEFNAAAAAASAPVYGQSGIAYGPGSEAAAFSANSLSGA 100

101 FPQLNSVSPSPMLLLHPPPPQLSPFLHPHGQQVPYYLENEPSAYAVRDTGP 150  
|||||  
101 FPQLNSVSPSPMLLLHPPPPQLSPFLHPHGQQVPYYLENEPSAYAVRDTGP 150

151 PAFYRSNSDNRRQNGRERLSSSNEKGNMIMESAKETRYCAVCNDYASGYH 200  
|||||  
151 PAFYRSNSDNRRQNGRERLSSSNEKGNMIMESAKETRYCAVCNDYASGYH 200

201 YGVWSCEGCKAFFKRSIQGHNDYMCPATNQCTIDKNRRRKSCQACRLRKCY 250  
|||||  
201 YGVWSCEGCKAFFKRSIQGHNDYMCPATNQCTIDKNRRRKSCQACRLRKCY 250

FIG. 86









205/209






FIG. 88

206/209



89B



89A

FIG. 89

207/209




FIG. 90

208/209





FIG. 91A

209/209



Liver RT+  
Liver RT-  
Skin RT+  
Skin RT-  
Thyroid RT+  
Thyroid RT-  
Bone marrow  
RT+  
Bone marrow RT-  
Salivary gland  
RT+  
Salivary gland  
RT-  
Lung RT+  
Lung RT-  
Heart RT+  
Heart RT-  
Thymus RT+  
Thymus RT-  
Spleen RT+  
Spleen RT-  
Brain RT+  
Brain RT-

FIG. 91B

## SEQUENCE LISTING

&lt;110&gt; COMPUGEN LTD

&lt;120&gt; VARIANTS OF ALTERNATIVE SPLICING

&lt;130&gt; 1293240-COMPUGEN

&lt;140&gt;

&lt;141&gt;

&lt;150&gt; IL132978

&lt;151&gt; 1999-11-17

&lt;150&gt; IL133455

&lt;151&gt; 1999-12-10

&lt;160&gt; 174

&lt;170&gt; PatentIn Ver. 2.1

&lt;210&gt; 1

&lt;211&gt; 2567

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 1

```
aattttcagc tgttctttgc tcaataataa cttttttatc accaagatat ctctctaagt 60
ttttgacata ttcttcattt gttttgataa aagttttctt attttcttag aaaaataagt 120
tactaaaagt catatatcat tgtatatctt caaaatattg cttaaaacta ggacttgat 180
ttaaattgtt tttcttctta aagacaattt gcaggtgcct caggaaccct gaagctgggc 240
tgagccatga tgctgctgcc agaaccctg cagagggcct ggtttcagga gactcagagt 300
cctctgtgaa aaagcccttg gagagcgccc cagcagggct gcacttggct cctgtgagga 360
aggggctcag gggctctggc cctccgctt gggccgggct gggagccagg cgggcggctg 420
ggctgcagca atggaccgtg agctggccca gcccgctcc gtgctgagcc tgctgtcgt 480
ctgtggccat gcccatcatg ggctcctcgg tgtacatcac ggtggagctg gccattgctg 540
tgctggccat cctgggcaat gtgctggtgt gctgggccgt gtggctcaac agcaacctgc 600
agaacgtcac caactacttt gtggtgtcac tggcgccggc cgacatcgca gtgggtgtgc 660
tcgccatccc ctttgccatc accatcagca ccgggttctg cgctgcctgc cagggctgcc 720
tcttcattgc ctgcttcgtc ctggctcctc cgcagagctc catcttcagt ctcttgcca 780
tcgccattga ccgtacatt gccatccgca tcccgctccg gtacaatggc ttggtgaccg 840
gcacgagggc taagggcac c attgccatct gctgggtgct gtcgtttgcc atcgccctga 900
ctcccatgct aggttggaac aactgcggtc agccaaagga gggcaagaac cactcccagg 960
gctgcgggga gggccaaagt gcctgtctct ttgaggatgt ggtcccatg aactacatgg 1020
tgtacttcaa cttctttgcc tgtgtgctgg tgccctgct gctcatgctg ggtgtctatt 1080
tgcgatctt cctggcgcg cgacgacagc tgaagcagat ggagagccag cctctgccgg 1140
gggagcgggc acggtccaca ctgcagaagg aggtccatgc tgccaagtca ctggctgccc 1200
ctacacatca tcaactgctt cactttcttc tgccccgact gcagccacgc cctctctgg 1260
ctcatgtacc tggccatcgt cctctccac accaattcgg ttgtgaatcc cttcatctac 1320
gcctaccgta tccgcgagtt ccgccagacc ttccgcaaga tcattcgag ccacgtcctg 1380
aggcagcaag aacctttcaa ggcagctggc accagtcccc gggctctggc agctcatggc 1440
agtgcaggag agcaggtcag cctccgtctc aacggccacc cgccaggagt gtgggccaac 1500
ggcagtgtc cccaccctga gcggaggccc aatggctatg ccctggggct ggtgagtgg 1560
gggagtgtcc aagagtccca ggggaacacg ggcctcccag acgtggagct ccttagccat 1620
gagctcaagg gagtgtgccc agagccccct ggcctagatg accccctggc ccaggatgga 1680
gcaggagtgt cctgatgatt catggagttt gcccttctct aaggggaagga gatctttatc 1740
tttctggttg gcttgaccag tcacgttggg agaagagaga gagtgccagg agaccctgag 1800
ggcagccggt tctactttg gactgagaga agggagcccc aggtggagc agcatgaggc 1860
ccagcaagaa gggcttgggt tctgaggaag cagatgtttc atgctgtgag gccttgacc 1920
aggtgggggc cacagacca gcagcatctt tgctgggcag ggcccagccc tccactgcag 1980
aagcatctgg aagcaccacc ttgtctccac agagcagctt gggcacagca gactggcctg 2040
```

```

gccctgagac tggggagtgg ctccaacage ctcttgccac ccacacacca ctctccctag 2100
actctcctag ggttcaggag ctgctgggcc cagaggtgac atttgacttt tttccaggaa 2160
aaatgtaagt gtgaggaaac cttttttatt ttattacctt tcaactctctg gctgctgggt 2220
ctgccgtcgg tectgtgtgt aacctggcac cagagcctct gcccggggag cctcaggcag 2280
tctctcctg ctgtcacage tgccatccac ttctcagtcc cagggccatc tcttgagtg 2340
acaaagctgg gatcaaggac agggagtgtt aacagagcag tgccagagca tgggcccagg 2400
tcccagggga gaggttgggg ctggcaggcc actggcatgt gctgagtagc gcagagctac 2460
ccagtggagag gccttgtcta actgcctttc cttctaaagg gaatgttttt ttctgagata 2520
aaataaaaac gagccacatc gtgttttaag cttgtccaaa tgagaaa 2567

```

&lt;210&gt; 2

&lt;211&gt; 2562

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 2

```

gggcccacta cagagaaggg taatcgggtg tccccggcgc cggccggggc cctgagggct 60
ggctagggtc caggccgggg gggacgggac agacgaacca gcccgtgta ggaagcgca 120
caatgccccg ctacggagcg tcaactcgcc agagctgccc caggtcgggc cgggagcagg 180
gacaagacgg gaccgcccga gccccgggac tctttggat gggcctgggt ctggcgctgg 240
cgctggcgct ggcgctggct ctgtctgact ctcggttct ctgggctccg gcagaggctc 300
acctctttc tcccaaggc catcctgcca gggtacatcg catagtgcc cggctccgag 360
atgtctttgg gtgggggaac ctacactgcc caatctgcaa aggtctattc accgccatca 420
acctcgggct gaagaaggaa cccaatgtgg ctgcgtggg ctccgtggcc atcaagctgt 480
gcaatctgct gaagatagca ccacctgccg tgtgccaatc cattgtccac ctctttgagg 540
atgacatggt ggaggtgtgg agacgctcag tgctgagccc atctgaggcc tgtggcctgc 600
tcttgggctc cacctgtggg cactgggaca tttctcatc ttggaacatc tctttgccta 660
ctgtgccgaa gccgcccccc aaacccccta gccccccagc cccaggtgcc cctgtcagcc 720
gcactctctt cctcactgac ctgcactggg atcatgacta cctggagggc acggaccctg 780
actgtgcaga cccactgtgc tgccgcccgg gtcttggcct gccgcccga tcccggccag 840
gtgcccagata ctggggcgaa tacagcaagt gtgacatgcc cctgaggacc ctggagagcc 900
tgttgagtg gtggggccca gccggccctt ttgatattgt gtactggaca ggagacatcc 960
ccgcacatga tgtctggcac cagactcgtc aggaccaact gccggccctg accaccgtca 1020
cagcacttgt gaggaagttc ctggggccag tgccagtgtc cctgctgtg ggtaaccatg 1080
aaagcacacc tgtcaatagc ttccctcccc ccttcattga gggcaaccac tctcccgt 1140
ggctctatga agcgatggcc aaggcttggg agccctggct gcctgccgaa gccctgcgca 1200
ccctcagaat tgggggggtc tatgtctctt cccataccc cggctctccg ctcatctctc 1260
tcaatatgaa tttttgttcc cgtgagaact tctggctctt gatcaactcc acggatccc 1320
caggacagct ccagtggctg gtgggggagc ttcaggctgc tgaggatcga ggagacaaag 1380
tgcatataat tggccacatt cccccagggc actgtctgaa gagctggagc tggattatt 1440
accgaattgt agccaggat gagaacaccc tggctgtca gttctttggc cacactcatg 1500
tgatgaatt tgaggtcttc tatgatgaag agactctgag ccggccgctg gctgtagcct 1560
tcttggcacc cagtgaact acctacatcg gccttaatcc tggtagtgga ggcagaagg 1620
agcctccctt atcctggagt tggtaggata ggggaaggag gttggagcca gagcctgcaa 1680
agcatgggca ggatgtgtgg cccctccctg gattaccct tgctccttgc cctccagtc 1740
agccccacat ccttgagggt taccgtgtgt accaaataga tggaaactac tccggagct 1800
ctcacgtgt cctggaccat gagacctaca tctgaatct gaccaggca aacataccgg 1860
gagccatacc gcaactggcag cttctctaca gggctcgaga aacctatggg ctgcccacaa 1920
cactgcctac cgctggcac aacctggtat atcgcatgcg gggcgacatg caacttttcc 1980
agaccttctg gtttctctac cataagggcc accaccctc ggagccctgt ggcacgccct 2040
gccgtctggc tactctttgt gccagctct ctgcccgtgc tgacagccct gctctgtgcc 2100
gccacctgat gccagatggg agcctcccag aggccagag cctgtggcca aggccactgt 2160
tttgctaggg ccccagggcc cacatttggg aaagtctctg atgtaggaaa gggtagaaaa 2220
gcccacaaatgc tgctgtggtt caaccaggca agatcatccg gtgaaagaac cagtccttgg 2280
gcccacaggga tgccggggaa acaggacctt ctctttcct ggagctggtt tagctggata 2340
tgaggagggg tttggctgcc tgtgccagg agctagactg ccttgaggct gctgtccttt 2400
cacagccatg gagtagaggc ctaagttgac actgccctgg gcagacaaga caggagctgt 2460
cgccccaggc ctgtgtgcc cagccaggaa cctgtactg ctgctgcgac ctgatgctgc 2520
cagtctgtta aaataaagat aagagacttg gactccaaaa aa 2562

```



<210> 3  
 <211> 2158  
 <212> DNA  
 <213> Homo sapiens

<400> 3  
 ctgctgctcc tgggggttcc gctggtgagc ttggagtgaa cactttcgat tccaccttgg 60  
 gaagccccca aggagcataa gtacaaagct gaagagcaca cagtcgttct cactgtcacc 120  
 ggggagccct gccacttccc cttccagtac caccggcagc tgtaccacaa atgtaccac 180  
 aagggcgggc caggccctca gccctggtgt gctaccaccc ccaactttga tcaggaccag 240  
 cgatggggat actgtttgga gcccaagaaa gtgaaagacc actgcagcaa acacagcccc 300  
 tgccagaaag gagggacctg tgtgaacatg ccaagcggcc cccactgtct ctgtccacaa 360  
 caccctcactg gaaaccactg ccagaaagag aagtgtcttg agcctcagct tctccggttt 420  
 ttccacaaga atgagatatg gtatagaact gagcaagcag ctgtggccag atgccagtgc 480  
 aagggtcctg atgcccactg ccagcggctg gccagccagg cctgccgcac caaccctgtc 540  
 ctccatgggg gtcgctgcct agaggtggag ggccaccgcc tgtgccactg cccggtgggc 600  
 tacaccggac ccttctgcga cgtggacacc aaggcaagct gctatgatgg ccgagggtc 660  
 agctaccgag gccctggccag gaccacgctc tcgggtgcgc cctgtcagcc gtgggcctcg 720  
 gagggcacct accggaacgt gactgccgag caagcgcgga actggggact gggcgccac 780  
 gccctctgcc ggaaccggga caacgacatc cgcctgtgtg gcttcgtgct gaaccgcgac 840  
 cggctgagct gggagtactg cgacctggca cagtgcaga ccccaaccca ggcggcgcc 900  
 ccgaccccg gttccctag gttcatgtc ccactcatgc ccgcgcagcc ggcaccgccc 960  
 aagcctcagc ccacgacccg gacccgcct cagtccaga ccccgggagc cttgccggcg 1020  
 aagcgggagc agccgccttc cctgaccagg aacggcccac tgagctgcgg gcagcggtc 1080  
 cgcaagagtc tgtcttcgat gaccgcgctc gttggcgggc tgggtggcgt acgcggggcg 1140  
 cacccttaca tcgcgcgct gtactggggc cacagtttct gcgccggcag cctcatcgcc 1200  
 ccctgctggg tgetgacggc cgtcactgc ctgcaggacc ggcccgcacc cgaggatctg 1260  
 acggtggtgc tcggccagga acgcccgaac cacagctgtg agccgtgcca gacgttggcc 1320  
 gtgcgtcctt accgcttgca cgaggccttc tcgcccgtca gctaccagca cgacctggct 1380  
 ctgttgccgc ttccaggagga tgcggacggc agctgcgcgc tctgtcgcgc ttacgttcag 1440  
 ccggtgtgccc tgccaagcgg cgccgcgcga cctccgaga ccacgctctg ccagggtggcc 1500  
 ggctggggcc accagttcga ggccctcttg cctatgaaat tgaattaatg gcacctcnct 1560  
 tccttcgggc ttgctgcgag agaggaaggc catgagtggg tttaacaagc cctggagcag 1620  
 ctttgtccat cgtccggggc gcaagcgttg tcagatgggg tgtgaagaag gcgctctgtg 1680  
 ttgcagggg cggaggaata tgccagcttc ctgcaggagg cgcaggtagc gttcctctcc 1740  
 ctggagcgtc gctcagcccc ggacgtgcac ggatcctcca tctcccccgg catgctctgc 1800  
 gcagggttcc tcgagggcgg caccgatgcg tgccagggtg attccggagg cccgctggtg 1860  
 tgtaggagcc aagctgcaga gcgcgggtc accctgcaag gcatcatcag ctggggatcg 1920  
 ggctgtggtg accgcaacaa gccaggcgtc tacacgatg tggcctacta cctggcctgg 1980  
 atccgggagc acaccgtttc ctgattgctc agggactcat ctttccctcc ttgggtgattc 2040  
 cgcagtgaga gagtggctgg ggcattggaag gcaagattgt gtccattcc cccagtgcgg 2100  
 ccagctccgc gccaggatgg cgcagggaact caataaagtg ctttgaaaat gctgagaa 2158

<210> 4  
 <211> 2816  
 <212> DNA  
 <213> Homo sapiens

<400> 4  
 gaagctggac tgcagctggt ttccaggaact tctcttgacg agaagagaga ccaaggaggc 60  
 caagcagggg ctgggccaga ggtgccaaac tggggaaact gaggctcgcc tcggaaagg 120  
 gaagtaactt gtccaagatc acaaagctgg tgaacatcaa gttggtgcta tggcaaggct 180  
 gggaaactgc agcctgactt gggctgcctt gatcatcctg ctgctccccg gaagtctgga 240  
 ggagtgcggg cacatcagtg tctcagcccc catcgtccac ctgggggatc ccatcacagc 300  
 ctctgcatc atcaagcaga actgcagcca tctggaccgc gagccacaga ttctgtggag 360  
 actgggagca gagcttcagc ccggggggcag gcagcagcgt ctgtctgatg ggaccagga 420  
 atctatcatc accctgcccc acctcaacca cactcaggcc tttctctcct gctgcctgaa 480  
 ctggggcaac agcctgcaga tcttgacca ggttgagctg cgcgcaggct accctccagc 540  
 cataccccac aacctctcct gcctcatgaa cctcacaacc agcagcctca tctgccagt 600

```

ggagccagga cctgagaccc acctaccac cagcttcact ctgaagagtt tcaagagccg 660
gggcaactgt cagacccaag gggactccat cctggactgc gtgccaag acgggcagag 720
ccactgctgc atcccacgca aacacctgct gttgtaccag aatatgggca tctgggtgca 780
ggcagagaat gcgctgggga ccagcatgtc cccacaactg tgtcttgatc ccatggatgt 840
tgtgaaactg gagcccccca tgetgcgga catggacccc agccctgaag cggccccctc 900
ccaggcaggc tgcctacagc tgtgctggga gccatggcag ccaggcctgc acataaatca 960
gaagtgtgag ctgcgccaca agccgcagcg tggagaagcc agctgggcac tgggtggccc 1020
cctccccctg gaggcccttc agtatgagct ctgcgggctc ctcccagcca cggcctacac 1080
cctgcagata cgtgcatecc gctggcccc cctggccac tggagcgact ggggccatcc 1140
tgccccctctg caacaccaca gagctcagct gcaccttcca cctgccttca gaagcccagg 1200
agggtggccct tgtggcctat aactcagccg ggacctctcg cccaccccgg gtggtcttct 1260
cagaaagcag agggccagct ctgaccagac tccatgccat ggcccagac cctcacagcc 1320
tctgggtagg ctgggagccc cccaatccat ggcctcaggg ctatgtgatt gagtggggcc 1380
tgggcccccc cagcgcgagc aatagcaaca agacctggag gatggaacag aatgggagag 1440
ccacggggtt tctgctgaag gagaacatca ggcccttcca gctctatgag atcatcgtga 1500
ctccccctgt ccaggacacc atgggacctt cccagcatgt ctatgcctac tctcaagaaa 1560
tggctccctc ccatgcccc gagctgcate taaagcacat tggcaagacc tgggcacagc 1620
tggagtgggt gectgagccc cctgagctgg ggaagagccc ccttaccacac tacaccatct 1680
tctggaccaa cgctcagaac cagtccctct ccgccatcct gaatgcctcc tcccggtggc 1740
ttgtcctcca tggcctggag cccgccagtc tgtatcacat ccacctcatg gctgccagcc 1800
aggctggggc caccaacagt acagtcttca cctgatgac cttgacccca gaggggtcgg 1860
agctacacat catcctgggc ctgttcggcc tctgctgtt gctcacctgc ctctgtggaa 1920
ctgctggct ctgttgagc cccaacagga agaatccct ctggccaagt gtcccagacc 1980
cagctcacag cagcctgggc tctgggtgc ccacaatcat ggaggaggat gccttcagc 2040
tgccccgcct tggcacgcca cccatcacca agctcacagt gctggaggag gatgaaaaga 2100
agccggtgcc ctgggagtc cataacagct cagagacctg tggcctcccc actctggtcc 2160
agacctatgt gctccagggg gacccaagag cagtttccac ccagcccaa tcccagtctg 2220
gcaccagcga tcaggtcctt tatgggcagc tgetgggcag cccacaagc ccagggccag 2280
ggcactatct ccgctgtgac tccactcagc cctcttggc gggcctcacc cccagcccca 2340
agtccatga gaacctctgg ttccaggcca gcccttggg gacctggtta accccagccc 2400
caagccagga ggagcagct gtctttgggc cactgctcaa cttccccctc ctgcagggga 2460
tccgggtcca tgggaggag gcgctgggga gctctaggg cttcctgggg ttcccttctt 2520
gggcctgect cttaaaggcc tgagctagct ggagaagagg ggagggtcca taagcccatg 2580
actaaaaact accccagccc aggtctctac catctccagt caccagcatc tccctctcct 2640
cccaatctcc ataggctggg cctcccaggc gatctgcata cttaaggac cagatcatgc 2700
tccatccagc cccacccaat ggcttttgt gcttgtttcc tataacttca gtattgtaaa 2760
ctagtttttg gtttgagct tttgtgttg tttatagaca ctcttgggtg taaaca 2816

```

&lt;210&gt; 5

&lt;211&gt; 3050

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 5

```

gaagctggac tgcagctggt ttcaggaaact tctcttgacg agaagagaga ccaaggaggc 60
caagcagggg ctgggccaga ggtgccaaca tggggaaact gaggtcggc tcggaaagg 120
gaagtaactt gtccaagatc acaaagctgg tgaacatcaa gttggtgcta tggcaaggct 180
gggaaactgc agcctgactt gggtgccc cctgctccccg gaagtctgga 240
ggagtgcggg cacatcagtg tctcagcccc catcgtccac ctgggggatc ccatcacagc 300
ctcctgcate atcaagcaga actgcagcca tctggacccg gagccacaga ttctgtggag 360
actgggagca gagcttcagc ccgggggcag gcagcagcgt ctgtctgatg ggaccagga 420
atctatcate accctgcccc acctcaacca cactcaggcc tttctctcct gctgcctgaa 480
ctggggcaac agcctgcaga tctggacca ggttgagctg cgcgcaggct accctccagc 540
catacccccac aacctctcct gcctcatgaa cctcacaacc agcagcctca tctgccagt 600
ggagccagga cctgagaccc acctaccac cagcttcact ctgaagagtt tcaagagccg 660
gggcaactgt cagacccaag gggactccat cctggactgc gtgccaag acgggcagag 720
ccactgctgc atcccacgca aacacctgct gttgtaccag aatatgggca tctgggtgca 780
ggcagagaat gcgctgggga ccagcatgtc cccacaactg tgtcttgatc ccatggatgt 840
tgtgaaactg gagcccccca tgetgcgga catggacccc agccctgaag cggccccctc 900
ccaggcaggc tgcctacagc tgtgctggga gccatggcag ccaggcctgc acataaatca 960

```

gaagtgtgag	ctgcgccaca	agccgcagcg	tggagaagcc	agctgggcac	tggtgggccc	1020
cctccccctt	gaggcccttc	agtatgagct	ctgcgggctc	ctcccagcca	cggcctacac	1080
cctgcagata	cgctgcatcc	gctggccctt	gcctggccac	tggagcgact	ggagccccag	1140
cctggagctg	agaactaccg	aacgggcccc	cactgtcaga	ctggacacat	ggtggcggca	1200
gaggcagctg	gaccccagga	cagtgcagct	gttctggaag	ccagtgcccc	tggaggaaga	1260
cagcggacgg	atccaaggtt	atgtggtttc	ttggagaccc	tcaggccagg	ctggggccat	1320
cctgccccct	tgcaacacca	cagagctcag	ctgcaccttc	cacctgcctt	cagaagccca	1380
ggaggtggcc	cttgtggcct	ataactcagc	cgggacctct	cgccccaccc	cggtggtctt	1440
ctcagaaagc	agaggccccag	ctctgaccag	actccatgcc	atggcccag	accctcacag	1500
cctctgggta	ggctgggagc	cccccaatcc	atggcctcag	ggctatgtga	ttgagtgggg	1560
cctgggcccc	cccagcgcga	gcaatagcaa	caagacctgg	aggatggaac	agaatgggag	1620
agccacgggg	tttctgctga	aggagaacat	caggcccttt	cagctctatg	agatcatcgt	1680
gactcccttg	taccaggaca	ccatgggacc	ctccagcat	gtctatgcct	acttccaaga	1740
aatggctccc	tcccattccc	cagagctgca	tctaaagcac	attggcaaga	cctgggaca	1800
gctggagtgg	gtgcctgagc	cccctgagct	ggggaagagc	ccccttacct	actacacat	1860
cttctggacc	aacgctcaga	accagtcctt	ctgtgagtct	ancctcagtt	ccccacagc	1920
cccagaaggc	ctggaagggg	gtgctcagct	gccacggagg	cantttacca	tccaggccta	1980
tgtctaccgt	acacccctcc	cagccgccat	cctgaatgcc	tcctcccgtg	gctttgtcct	2040
ccatggcctg	gagcccgcga	gtctgtatca	catccacctc	atggctgcca	gccaggctgg	2100
ggccaccaac	agtacagtcc	tcacctgat	gaccttgacc	ccagaggggt	cggagctaca	2160
catcatcctg	ggcctgttcg	gcctcctgct	gttgcctacc	tgctctgtg	gaactgcctg	2220
gctctgttgc	agccccaaca	ggaagaatcc	cctctggcca	agtgtcccag	accagctca	2280
cagcagcctg	ggctcctggg	tgcccacaat	catggaggag	gatgccttcc	agctgcccgg	2340
ccttggcacg	ccacccatca	ccaagctcac	agtgtctggg	gaggatgaaa	agaagccggg	2400
gccctgggag	tcccataaca	gtcagagac	ctgtggcctc	cccactctgg	tccagacctt	2460
tgtgtccag	ggggacccaa	gagcagtttc	cacccagccc	caatcccagt	ctggcaccag	2520
cgatcaggtc	ctttatgggc	agctgctggg	cagccccaca	agcccagggc	cagggcacta	2580
tctccgctgt	gactccacic	agcccccttc	ggcggggcctc	acccccagcc	ccaagtccca	2640
tgagaacctc	tggttccagg	ccagcccttc	ggggaccctg	gtaaccccag	ccccaaagcca	2700
ggaggacgac	tgtgtctttg	ggccactgct	caacttcccc	ctcctgcagg	ggtccgggt	2760
ccatgggatg	gaggcgctgg	ggagcttcta	gggttccctg	gggttccctt	cttggggctg	2820
cctcttaaag	gcctgagcta	gctggagaag	aggggagggt	ccataagccc	atgactaaaa	2880
actacccag	cccaggctct	caccatctcc	agtcaccagc	atctccctct	cctcccaatc	2940
tccataggct	gggcttccca	ggcgatctgc	atactttaag	gaccagatca	tgctccatcc	3000
agccccaccc	aatggccttt	tgtgcttgtt	tcctataact	tcagtattgt		3050

&lt;210&gt; 6

&lt;211&gt; 2752

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 6

agggattctt	ctgcctccac	ttcaggtttt	agcagcttgg	tgctaaattg	ctgtctcaaa	60
atgcagagga	tctaatttgc	agaggaaaac	agccaaagaa	ggaagaggag	gaaaaggaaa	120
aaaaaagggg	tatattgtgg	atgctctact	tttcttggaa	atgcaaaaga	ttatgcatat	180
ttctgtcctc	ctttctcctg	ttttatgggg	actgattttt	ggtgtctctt	ctaacagcat	240
acagataggg	gggctatttc	ctaggggcgc	cgatcaagaa	tacagtgcac	ttcgagtagg	300
gatggttcag	ttttccactt	cggagtccag	actgacaccc	cacatcgaca	atttggaggt	360
ggcaaacagc	ttcgcagtc	ctaagtcttt	ctgctcccag	ttttcgagag	gagtctatgc	420
tatttttggg	ttttatgaca	agaagtctgt	aaataccatc	acatcatttt	gcggaacact	480
ccacgtctcc	ttcatcactc	ccagcttccc	aacagatggc	acacatccat	ttgtcattca	540
gatgagaccc	gacctcaaag	gagctctcct	tagcttgatt	gaatactatc	aatgggacaa	600
gtttgcatac	ctctatgaca	gtgacagagg	cttatcaaca	ctgcaagctg	tgctggattc	660
tgtctgtgaa	aagaaatggc	aagtgactgc	tatcaatgtg	ggaaacatta	acaatgacaa	720
gaaagatgag	atgtaccgat	cactttttca	agatctggag	ttaaaaaagg	aacggcgtgt	780
aattctggac	tgtgaaaggg	ataaagtaaa	cgacattgta	gaccagggtt	ttaccattgg	840
aaaacacgtt	aaagggtacc	actacatcat	tgcaaatctg	gaatttactg	atggagacct	900
attaaaaatc	cagtttggag	gtgcaaatgt	ctctggattt	cagatagtgg	actatgatga	960
ttcgttggta	tctaaattta	tagaaaagatg	gtcaacactg	gaagaaaaag	aataccctgg	1020
agctcacaca	acaacaatta	agtatacttc	tgctctgacc	tatgatgccg	ttcaagtgat	1080

```

gactgaagcc ttccgcaacc taaggaagca aagaattgaa atctcccga gggggaatgc 1140
aggagactgt ctggcacaacc cagcagtgcc ctggggacaa ggtgtagaaa tagaaagggc 1200
cctcaaacag gttcaggttg aaggtctctc aggaaatata aagtttgacc agaattgaaa 1260
aagaataaac tatacaatta acatcatgga gctcaaaact aatgggcccc ggaagattgg 1320
ctactggagt gaagtggaca aaatggttgt tacccttact gagctccctt ctggaatga 1380
cacctctggg cttgagaata agactgttgt tgtcaccaca attttggaat ctccgtatgt 1440
tatgatgaag aaaaatcatg aaatgcttga aggcaatgag cgctatgagg gctactgtgt 1500
tgacctggct gcagaaatcg ccaaacattg tgggttcaag tacaagttga caattgttgg 1560
tgatggcaag tatggggcca gggatgcaga cagaaaatt tggaatggga tggttggaga 1620
acttgtatat gggaaagctg atattgcaat tgctccatta actattaccc ttgtgagaga 1680
agaggtgatt gacttctcaa agcccttcat gagcctcggg atatctatca tgatcaagaa 1740
gcctcagaag tccaaaccag gagtgttttc ctttcttgat cctttagcct atgagatctg 1800
gagtgcatt gtttttgctt acattggggt cagtgtagtt ttattcctgg tcagcagatt 1860
tagcccctac gagtggcaca ctgaggagtt tgaagatgga agagaaacac aaagtagtga 1920
atcaactaat gaatttgga tttttaatag tctctggttt tccttgggtg ctttatgcg 1980
gcaaggatgc gatatttgc caagatccct ctctgggctg attgttgag gtgtgtggtg 2040
gttctttacc ctgatacata tctctctcta caggctaac ttagctgcct tcctgactgt 2100
agagaggatg gtgtctccca tcgaaagtgc tgaggatctt tctaagcaaa cagaaattgc 2160
ttatggaaca ttagactctg gctccactaa agagttttct aggagatcta aaattgcagt 2220
gtttgataaa atgtggacct acatgcggag tgcggagccc tctgtgtttg tgaggactac 2280
ggccgaaggg gtggctagag tgcggaagtc caaagggaat tatgcctact tgttggagtc 2340
cacgatgaac gagtacattg agcaaaggaa gccttgcgac accatgaaag ttggtggaaa 2400
cctggattcc aaaggetatg gcatcgcaac acctaaagga tcctcattag gaaccccagt 2460
aaatcttgca gtattgaaac tcagtgaaga aggcgtctta gacaagctga aaaacaaatg 2520
gtggtacgat aaaggagagt ncggcanggg ggaggtgatt ccaaggtcag cccagtgag 2580
aaaagtaatg ggtaaactca tgcaaaacaa agtaagcagc agctatgcac agtgtgggca 2640
ctccgtccac ccaagtttcc aacgcttaag ctgaagagtg caattggatg accaggacac 2700
ttgacttctt ctttctttct tctctacil ctctttccct ctctttctcc at 2752

```

&lt;210&gt; 7

&lt;211&gt; 1056

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 7

```

agcttaggac acagagcaca tcaaaagttc ccaaagaggg cttgctctct cttcacctgc 60
tctgttctac agcacactac cagaagacag cagaaatgaa aagcatttac tttgtggctg 120
gattatttgt aatgctggtg caaggcagct ggcaacgttc cttcaagac acagaggaga 180
aatccagatc attctcagct tcccaggcag acccactcag tgatcctgat cagatgaacg 240
aggacaagcg ccattcacag ggcacattca ccagtgacta cagcaagtat ctggactcca 300
ggcgtgcccc agattttgtg cagtgttga tgaataccaa gaggaacagg aataacattg 360
ccaaacgtca cgatgaattt gagagacatg ctgaaggagc ctttaccagt gattttccca 420
gaagaggtcg ccattgttga agaacttggc cgcagacatg ctgatggttc tttctctgat 480
gagatgaaca ccatttcttg ataactttgc cgcaggagac tttataaact ggttgattca 540
gaccaaaatc actgacagga aataactata tcactattca agatcatctt cacaacatca 600
cctgctagcc acgtgggatg tttgaaatgt taagtccctg aaatttaaga ggtgtattct 660
gaggccacat tgctttgcat gccataaat aaattttctt ttagtgttgt gtagccaaaa 720
attacaaatg gaataaagtt ttatcaaaat attgctaaaa tatcagcttt aaaatatgaa 780
agtgtatgat tctgttattt tcttcttatt ttggatgaag taccccaacc tgtttacatt 840
tagcgataaa attatttttc tatgatataa tttgtaaatg taaattatc cgatctgaca 900
tatctgcatt ataataatag gagaatagaa gaactggtag ccacagtggg gaaattggaa 960
agagaacttt cttcctgaaa ctttgtctt aaaaatactc agctttcaat gtatcaaaga 1020
tacaattaaa taaaattttc aagcttcttt aaaaaa 1056

```

&lt;210&gt; 8

&lt;211&gt; 1700

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 8

```

gtaaaagtat aaaagccatt cttagtttgc aggcagtaca gaaacagttt cagcccatgg 60
ntgtncattt gttgacccct attcaagagg gtctgtcaca gaagactcct gcttgcctga 120
aattttacgag tgcattgtaaa tggttgaatt aacagggtgtg cctgttttct cttatgtctg 180
ctttcatctt caggaacagc caggaagacg ctgcacttcg agatttccaa ggaaggcagt 240
gacctgtcag tgggtggagcg tgcagaagtc tggctcttcc taaaagtccc caaggccaac 300
aggaccagga ccaaagtcac catccgctc tccagcagc agaagcacc gcagggcagc 360
ttggacacag ggaagaggc cgaggaagt ggcttaaagg gggagaggag tgaactgttg 420
ctctctgaaa aagtagtaga cgctcggaag agcacctggc atgtcttccc tgtctccagc 480
agcatccagc ggttgctgga ccagggaag agctccctgg acgttcggat tgcctgtgag 540
cagtgccagg agagtggcgc cagcttggtt ctctgggca agaagaagaa gaaagaagag 600
gagggggaag ggaaaaagaa gggcgagggt gaaggtgggg caggagcaga tgaagaaaag 660
gagcagtcgc acagaccttt cctcatgctg caggcccggc agtctgaaga ccacctcat 720
cgccggcgct ggcggggctt ggagtgtgat ggcaagggtc acatctgctg taagaaacag 780
ttctttgtca gtttcaagga catcggtggt aatgactgga tcattgctcc ctctggctat 840
catgccaact actgcgaggg tgagtgcctg agccatatag caggcacgct cgggtcctca 900
ctgtccttcc actcaacagt catcaaccac taccgcatgc ggggccatag cccctttgcc 960
aacctcaaat cgtgctgtgt gccaccaag ctgagacca tgtccatgtt gtactatgat 1020
gatggtcaaa acatcatcaa aaaggacatt cagaacatga tcgtggagga gtgtgggtgc 1080
tcatagagtt gccagccca gggggaaggg gagcaagagt tgtccagaga agacagtggc 1140
aaaatgaaga aatttttaag gtttctgagt taaccagaaa aatagaaatt aaaaacaaaa 1200
caaaaaaaaa aaacaaaaaa aaacaaaagt aaattaaaaa caaacctga tgaacagat 1260
gaaggaagat gtggaaaaaa tccttagcca gggctcagag atgaagcagt gaaagagaca 1320
ggaattggga gggaaagggg gaatggtgta ccttttattt cttctgaaat cactctgatg 1380
acatcagttg tttaaacggg gtattgtcct tccccccctt gaggttccct tgtgagcctt 1440
gaatcaacca atctagtctg cagtgtgtgt gactagaaca acccaaatag catctagaaa 1500
gccatgagtt tgaaagggcc catcacaggc actttcttac ccaattacc aggtcataag 1560
gtatgtctgt gtgacactta tctctgtgta tatcagcata cacacacaca cacacacaca 1620
cacacacaca ggcatttcca cacattacat atatacacat actggtaaaa gaacaatcgt 1680
gtgcaggtgg tcacacttcc

```

&lt;210&gt; 9

&lt;211&gt; 1104

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 9

```

aggactggag atgtctgagg ctcatctctgc cctcgagccc accgggaacg aaagagaagc 60
tctatctccc ctccaggagc ccagctatga actccttctc cacaagcgcc ttcggtccag 120
ttgccttctc ctgggggtg ctctgggtgt tgctgtctgc ctccctgcc ccagtacccc 180
caggagaaga ttccaaagat gttagccgcc cacacagaca gccactcacc tcttcagaac 240
gaattgacaa acaaattcgg tacatcctcg acggcatctc agccctgaga aaggagacat 300
gtaacangag taacatgtgt gaaaaagat gatgcttcca atctggattc aatgaggaga 360
cttgccctgt gaaaatcatc actggtcttt tggagtgtga ggtataccta gactacctcc 420
agaacagatt tgagagtagt gaggaacaag ccagagctgt gcagatgagt acaaaagtcc 480
tgatccagtt cctgcagaaa aaggcaaaga atctagatgc aataaccacc cctgacccaa 540
ccacaaatgc cagcctgctg acgaagctgc aggcacagaa ccagtggctg caggacatga 600
caactcatct cattctgcgc agctttaagg agttcctgca gtccagcctg agggctcttc 660
ggcaaagtga gcatgggcac ctgagattgt tgtgttaaat gggcattcct tcttctggtc 720
agaaacctgt ccactgggca cagaacttat gttgttctct atggagaact aaaagtatga 780
gcgttaggac actattttta ttatttttaa ttattaata tttaaatatg tgaagctgag 840
ttaatttatg taagtcatat ttatattttt aagaagtacc acttgaaaca ttttatgtat 900
tagttttgaa ataataatgg aaagtggcta tgcagtttga atatcctttg ttccagagcc 960
agatcatttc ttggaaagtg taggcttacc tcaataaat ggctaactta tacatatttt 1020
taaagaaata tttatattgt atttatataa tgtataaatg gtttttatac caataaatgg 1080
catttttaaa aattcagcaa aaaa

```

&lt;210&gt; 10

&lt;211&gt; 967

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 10

```

aggactggag atgtctgagg ctcatctctgc cctcgagccc accgggaacg aaagagaagc 60
tctatctccc ctccaggagc ccagctatga actccttctc cacaacatg taacaagagt 120
aacatgtgtg aaagcagcaa agaggcactg gcagaaaaca acctgaacct tccaaagatg 180
gctgaaaaag atggatgctt ccaatctgga ttcaatgagg agacttgcct ggtgaaaatc 240
atcactggtc ttttgaggtt tgagggtatac cttagagtacc tccagaacag atttgagagt 300
agtgaggaac aagccagagc tgtgcagatg agtacaaaag tcctgatcca gttcctgcag 360
aaaaaggcaa agaactctaga tgcaataacc acccctgacc caaccacaaa tgccagcctg 420
ctgacgaagc tgcaggcaca gaaccagtgg ctgcaggaca tgacaactca tctcattctg 480
cgcagcttta aggagttcct gcagtccagc ctgagggctc ttcggcaaat gtagcatggg 540
cacctcagat tgttgtgttt aatgggcatt ccttcttctg gtcagaaacc tgtccactgg 600
gcacagaact tatgttgttc tctatggaga actaaaagta tgagcgtag gacactattt 660
taattatatt taatttatta atatttaaat atgtgaagct gagttaattt atgtaagtca 720
tatttatatt ttaagaagt accacttgaa acattttatg tattagtttt gaaataataa 780
tggaagtgg ctatgcagtt tgaatatect ttgtttcaga gccagatcat ttcttgga 840
gtgtaggctt acctcaata aatggctaac ttatacatat ttttaaagaa atatttatat 900
tgtatttata taatgtataa atggttttta taccaataaa tggcatttta aaaaattcag 960
caaaaaa

```

&lt;210&gt; 11

&lt;211&gt; 948

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 11

```

atgcctcgcc tgttcttgtt ccacctgcta graktctgtt tactactgaa ccaattttcc 60
agagcagtcg cggmcwmatg gawggasgaw gttattaaat tatgcggccg cgaattagtt 120
cgcgcgacga ttgccatttg cggcatgagc acctggagca aaaggctctc gagccaggaa 180
gatgctcctc agacacctag accagtggca ggtgatttta ttcaaacagt ctactggga 240
atctcaccgg acggagggaa agcactgaga acaggaagct gcttcacccg agagttcctt 300
ggtgcccttt ccaaattgta ccatccttca tcaacaaaga tacagaaact ataattatca 360
tgtttgaatt yrttgcta attgccacmgg agctgaagky arccctrtct gagakgcagc 420
cakcattacc asagctacar caryatgtac ctgyattaaa agattccagt cttctctttg 480
aagaatttaa gaaacttatt cgcaataggc aaagtgaagc cgcagacagc aatccttcag 540
aattaaaaa cttaggcttg gatactcatt ctcaaaaaaa gagacgaccc tacgtggcac 600
tgtttgagaa atgttgccca attggttgta ccaaaaggctc tcttgctaaa tattgctgag 660
atgaagctaa ttgtgcacat cttgtcta atttcacacat agtcttgatg acatttcact 720
gatgcttctg tcaggtccca ctaattatta gaataaaga aatctttatt aatgtttaga 780
tttttcattt ggtgtgtaag aaaatattct ttgtatgatt gtagtttctg taaatgcacac 840
tttctatgct gaagtctttt tgtcttttta ttaacagtat aattgtgttg attcttttta 900
atgctgttaa cttaaaatta caataaaacc tttgccactt taaccata 948

```

&lt;210&gt; 12

&lt;211&gt; 703

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 12

```

ttcccccccc ccccccccc ccccgcccga gcacaggaca cagctgggtt ctgaagcttc 60
tgagttctgc agcctcacct ctgagaaaac ctcttttcca ccaataccat gaagctctgc 120
gtgactgtcc tgtctctcct catgctagta gctgecttct gctctccagc gctctcagca 180
ccaatgggct cagaccctcc caccgcctgc tgettttctt acaccgcgag gaagcttctt 240
cgcaactttg tggtagatta ctatgagacc agcagcctct gctcccagcc agctgtgggtg 300
gaactgaagt ctgcgctgac ccagtgagtg cctgggtcca ggagtacgtg tatgacctgg 360
aactgaactg agctgctcag agacaggaag tcttcaggga aggtcacctg agcccggatg 420
cttctccatg agacacatct cctccatact caggactcct ctccgcagtt cctgtccctt 480

```

```

ctcttaattt aatctttttt atgtgccgtg ttattgtatt aggtgtcatt tccattattt 540
atattagttt agccaaagga taagtgtccc ctatggggat ggtccactgt cactgtttct 600
ctgctgttgc aaatacatgg ataacacatt tgattctgtg tgttttcata ataaaacttt 660
aaaataatgg aatatgaacaa cctaatacaa taacacggca cat 703

```

&lt;210&gt; 13

&lt;211&gt; 2468

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 13

```

gcacgagcng aggtagaggt tgctcctgac gcacaggcat tccccgcgcc cctccagccc 60
tcgccgcctt cgccaccgct cccggccgcc gcgctccggt acacacagga tccctgctgg 120
gcaccaacag ctccaccatg gggctggcct ggggactagg cgtcctgttc ctgatgcatg 180
tgtgtggcac caaccgcatt ccagagtctg gcggagacaa cagcgtgttt gacatctttg 240
aactcaccgg ggccgcccgc aaggggtctg ggccgcgact ggtgaagggc cccgaccctt 300
ccagcccagc tttccgcctc gaggatgcc aacctgatccc cctgtgcct gatgacaagt 360
tccaagacct ggtggatgct gtgcgggcag aaaagggttt cctccttctg gcatccctga 420
ggcagatgaa gaagaccggg ggcacgctgc tggccctgga gcggaagac cactctggcc 480
aggtcttcag cgtgggtgtc aatggcaagg cgggcaccct ggacctcagc ctgaccgtcc 540
aaggaaagca gcacgtggtg tctgtggaag aagctctcct ggcaaccggc cagtgggaaga 600
gcatcaccct gtttgtgcag gaagacaggg cccagctgta catcgactgt gaaaagatgg 660
agaatgctga gttggacgtc cccatccaaa gcgtcttcac cagagacctg gccagcatcg 720
ccagactccg catcgcaaag gggggcgta atgacaattt ccagggggtg ctgcagaatg 780
tgaggtttgt ctttgaacc acaccagaag acatcctcag gaacaaaggc tgctccagct 840
ctaccagtgt cctcctcacc cttgacaaca acgtggtgaa tggttccagc cctgccatcc 900
gcacaaacaa callggccac aagacaaagg acttgcaagc catctgcggc atctcctgly 960
atgagctgtc cgcgatggtc ctggaactca ggggcctgcg caccattgtg accacgctgc 1020
aggacagcat ccgcaaagtg actgaagaga acaaagagtt ggccaatgag ctgaggcgcc 1080
ctccccatg ctatcacaaac ggagttcagt cagaactcag ttaccatctg caaaaagggtg tcttgcccca 1200
gctgcactga gtgtcactgt cagaactcag ttaccatctg caaaaagggtg tcttgcccca 1260
tcatgccctg ctccaatgcc acagtctcct atggagaatg ctgtcctcgc tgttgcccca 1320
gcgactctgc ggacgatggc tggctcccat ggtccgagtg gacctcctgt tctacgagct 1380
gtggcaatgg aattcagcag cgcggccgct cctgcgatag cctcaacaac cgatgtgagg 1440
gtcctcgggt ccagacacgg acctgccaca ttcaggagtg tgacaagaga tttaaacagg 1500
atgggtggtg gagccactgg tccccgtggt catcttgctc tgtgacatgt ggtgatggtg 1560
tgatcacaag gatccggctc tgcaactctc ccagcccca gatgaacggg aaacctgtg 1620
aaggcgaagc gcgggagacc aaagcctgca agaaagacgc ctgccccatc aatggagggt 1680
ggggtccttg gtcaccatgg gacatctgtt ctgtcacctg tggaggaggg gtacagaaac 1740
gtagtctgtc ctgcaacaac cccacacccc agtttgaggg caaggactgc gttggtgatg 1800
taacagaaaa ccagatctgc aacaagcagg actgtccaat tgatggatgc ctgtccaatc 1860
cctgctttgc cggcgtgaag tgtactagct accctgatgg cagctggaag tgtggtgctt 1920
tgccccctgg ttacagtgga aatggcatcc agtgacaga tgttgatgag tgcaaagaag 1980
tgctgatgc ctgcttcaac cacaatggag agcaccgggt tgagaacacg gaccccggtc 2040
acaactgcct gccctgcccc ccacgcttca ccggtcaca gcccttcggc cagggtgtcg 2100
aacatgccac ggccaacaaa caggtgtgca agccccgtaa cccctgcacg gatgggacct 2160
acgactgcaa caagaacgcc aagtgcaact acctgggcca ctatagcgac ccatgttacc 2220
gctgcgagtg caagcctggc tacgctggca atggcatcat ctgcggggag gacacagacc 2280
tggatggctg gcccaatgag aacctggtgt gcgtggccaa tgcgacttac cactgcaaaa 2340
aggataattg ccccaacctt ccgcaggatc cagctccctg cccgaggtca tgactgtcgc 2400
cacatacagt gctttgacct ggagtcgtac ctgcagctca actgtgagcg ggggacttgg 2460
aggtgtcctg tgtgcaacaa gacagctttg ctggaggggc tggagggtgga ccagtacatg 2468
ctgggcat

```

&lt;210&gt; 14

&lt;211&gt; 1850

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 14

```

gcacgagcng aggtagaggt tgctcctgac gcacaggcat tccccgcgcc cctccagccc 60
tcgccgccct cgccaccgct cccggccgcc gcgctccggt acacacagga tccctgctgg 120
gcaccaacag ctccaccatg gggctggcct ggggactagg cgtcctgttc ctgatgcatg 180
tgtgtggcac caaccgcatt ccagagtctg gcggagacaa cagcgtgttt gacatctttg 240
aactcaccgg ggccgcccg c aaggggtctg ggcgcgcact ggtgaagggc cccgaccctt 300
ccagcccagc tttccgcatac gaggatgcc aacctgatecc ccctgtgcct gatgacaagt 360
tccaagacct ggtggatgct gtgcgggcag aaaagggttt cctccttctg gcatccctga 420
ggcagatgaa gaagaccgg ggcacgctgc tggccctgga gcggaagac cactctggcc 480
aggtcttcag cgtggtgtcc aatggcaagg cgggcaccct ggacctcagc ctgaccgtcc 540
aaggaaagca gcacgtggtg tctgtggaag aagctctcct ggcaaccggc cagtggaga 600
gcatcaccct gtttgtgcag gaagacagg cccagctgta catcgactgt gaaaagatgg 660
agaatgctga gttggacgtc cccatccaaa gcgtcttcac cagagacctg gccagcatcg 720
ccagactccg catcgcaaag gggggcgta atgacaattt ccagggggtg ctgcagaatg 780
tgaggtttgt ctttggaacc acaccagaag acatcctcag gaacaaaggc tgctccagct 840
ctaccagtgt cctcctcacc cttgacaaca acgtggtgaa tggttccagc cctgccatcc 900
gactaacta cattggccac aagacaaagg acttgcaagc catctgcggc atctcctgtg 960
atgagctgtc cagcatggtc ctggaactca ggggcctgcg caccattgtg accacgtctg 1020
aggacagcat ccgcaaagtg actgaagaga acaaagagtt ggccaatgag ctgaggcggc 1080
ctcccctatg ctatcacaac ggagttcagt acagaaataa cgaggaatgg actgttgata 1140
gctgcactga gtgtcactgt cagaactcag ttaccatctg caaaaagggtg tcctgccccca 1200
tcatgccctg ctccaatgcc acagttcctg atggagaatg ctgtcctcgc tgttgccccca 1260
gcgactctgc ggacgatggc tggctccat ggtccgagtg gacctcctgt tctacgagct 1320
gtggcaatgg aattcagcag cgcggccgct cctgcgatag cctcaacaac cgatgtgagg 1380
gctcctcggt ccagacacgg acctgccaca ttcaggagtg tgacaagaga tttaaacagg 1440
atggtggctg gagccactgg tccccgtggt catcttgttc tgtgacatgt ggtgatggtg 1500
tgatcacaag gatccggctc tgcaactctc ccagcccccga gatgaacggg aaacctgtg 1560
aaggcgaagc gcgggagacc aaagcctgca agaaagaccg ctgccccatc aatggaggct 1620
ggggtccttg gtcaccatgg gacatctgtt ctgtcacctg tggaggaggg gtacagaaac 1680
gtagtctgt ctgcaacaac cccacacccc agtttggagg caaggactgc gttggtgatg 1740
taacagaaaa ccagatctgc aacaagcagg actgtccaat tggtagacca cgcagcccag 1800
gatgaaacga cccaggagct ttgctctttt actgaatgct gcagtcagca 1850

```

&lt;210&gt; 15

&lt;211&gt; 1771

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 15

```

gcacgagcng aggtagaggt tgctcctgac gcacaggcat tccccgcgcc cctccagccc 60
tcgccgccct cgccaccgct cccggccgcc gcgctccggt acacacagga tccctgctgg 120
gcaccaacag ctccaccatg gggctggcct ggggactagg cgtcctgttc ctgatgcatg 180
tgtgtggcac caaccgcatt ccagagtctg gcggagacaa cagcgtgttt gacatctttg 240
aactcaccgg ggccgcccg c aaggggtctg ggcgcgcact ggtgaagggc cccgaccctt 300
ccagcccagc tttccgcatac gaggatgcc aacctgatecc ccctgtgcct gatgacaagt 360
tccaagacct ggtggatgct gtgcgggcag aaaagggttt cctccttctg gcatccctga 420
ggcagatgaa gaagaccgg ggcacgctgc tggccctgga gcggaagac cactctggcc 480
aggtcttcag cgtggtgtcc aatggcaagg cgggcaccct ggacctcagc ctgaccgtcc 540
aaggaaagca gcacgtggtg tctgtggaag aagctctcct ggcaaccggc cagtggaga 600
gcatcaccct gtttgtgcag gaagacagg cccagctgta catcgactgt gaaaagatgg 660
agaatgctga gttggacgtc cccatccaaa gcgtcttcac cagagacctg gccagcatcg 720
ccagactccg catcgcaaag gggggcgta atgacaattt ccagggggtg ctgcagaatg 780
tgaggtttgt ctttggaacc acaccagaag acatcctcag gaacaaaggc tgctccagct 840
ctaccagtgt cctcctcacc cttgacaaca acgtggtgaa tggttccagc cctgccatcc 900
gactaacta cattggccac aagacaaagg acttgcaagc catctgcggc atctcctgtg 960
atgagctgtc cagcatggtc ctggaactca ggggcctgcg caccattgtg accacgtctg 1020
aggacagcat ccgcaaagtg actgaagaga gtgtcactgt cagaactcag ttaccatctg 1080
caaaaagggtg tcctgccccca tcatgccctg ctccaatgcc acagttcctg atggagaatg 1140
ctgtcctcgc tgttgccccca gcgactctgc ggacgatggc tggctccat ggtccgagt 1200
gacctcctgt tctacgagct gtggcaatgg aattcagcag cgcggccgct cctgcgatag 1260

```



```

cctcaacaac cgatgtgagg gctcctcggt ccagacacgg acctgccaca ttcaggagtg 1320
tgacaagaga tttaaacagg atgggtggctg gagccactgg tccccgtggg catcttggtc 1380
tgtgacatgt ggtgatgggtg tgatcacaa g gatccggctc tgcaactctc ccagccccc 1440
gatgaacggg aaaccctgtg aaggcgaagc gcgggagacc aaagcctgca agaaagacgc 1500
ctgccccagt aagtgtgagg tccgctgcaa ggggtgagcat gggcagcagc tctgcccagc 1560
tggttgccctg ggcacatctgca gcctgcagtt tcagtggggg cataggagca ggaagggttac 1620
ctaatttaga gaaacaaaca gaaggcaaag tcctgcaggc tcagcaactt ctttttaatt 1680
gaaaaacaaa ttcacctttt cccagcttt ttttccttgt gttcagggga ggcagaggtt 1740
ttttgaacgg gtttaggggat ttttgcaagt t 1771

```

&lt;210&gt; 16

&lt;211&gt; 1750

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 16

```

gcacgagcng aggtagaggt tgctcctgac gcacaggcat tccccgcgcc cctccagccc 60
tcgcccgcct cgccaccgct cccggccgcc gcgtccggt acacacagga tccctgctgg 120
gcaccaacag ctccaccatg gggctggcct ggggactagg cgtcctgttc ctgatgcatg 180
tgtgtggcac caaccgcatt ccagagtctg gcggagacaa cagcgtgttt gacatctttg 240
aactcaccgg ggccgcccgc aaggggtctg ggcgcgact ggtgaagggg cccgaccctt 300
ccagcccagc tttccgcatac gaggatgcc aacctgatccc cctgtgcct gatgacaagt 360
tccaagacct ggtggatgct gtgcgggagc aaaagggttt cctccttctg gcatccctga 420
ggcagatgaa gaagaccggg ggcacgctgc tggccctgga gcggaaagac cactctggcc 480
aggtcttcag cgtggtgtcc aatggcaagg cgggcaccct ggacctcagc ctgaccgtcc 540
aaggaaagca gcacgtggtg tctgtggaag aagctctcct ggcaaccggc cagtggaaaga 600
gcatcaccct gtttgtgcag gaagacaggg cccagctgta catcgaactg gaaaagatgg 660
agaatgctga gttggacgtc cccatccaaa gcgtcttcac cagagacctg gccagcatcg 720
ccagactccg catcgcaaa gggggcgta atgacaattt ccagggggtg ctgcagaatg 780
tgaggtttgt ctttggaacc acaccagaag acatcctcag gaacaaaggc tgtccagct 840
ctaccagtgt cctcctcacc cttgacaaca acgtggtgaa tggttccagc cctgccatcc 900
gcactaacta cattggccac aagacaaagg acttgcaagc catctgcggc atctcctgtg 960
atgagctgtc cagcatggtc ctggaactca ggggcctgcg caccattgtg accacgtgc 1020
aggacagcat ccgcaaagtg actgaagaga acaaagagtt ggccaatgag ctgaggcggc 1080
ctcccctatg ctatcacaa ggagttcagt acagaaataa cgaggaaatg actgttgata 1140
gctgcaactga gtgtcactgt cagaactcag ttaccatctg caaaaagggtg tctgccccca 1200
tcatgccctg ctccaatgcc acagttcctg atggagaatg ctgtcctcgc tgttgccccca 1260
gcgactctgc ggacgatggc tggctcctcat ggtccgagt gacctcctgt tctacgagct 1320
gtggcaatgg aattcagcag cgggcgcgt cctgcgatag cctcaacaac cgatgtgagg 1380
gctcctcggt ccagacacgg acctgccaca ttcaggagtg tgacaagaga tgtaagcatc 1440
ttagcctctc agggacgtgg agaactgacc tgtccttgtt gtcgtcacca agggcagctc 1500
cacagcatgt atattaagaa cacgggttct aggatctctg gatcccaatc cactgctta 1560
gctgtgcacc cttgaacaca acttaccctc tctgaggctc tttcctcatt tgcaacttgg 1620
agataataat agttctttag aagtttatct tgagcatttt atttagatac tgcatgtaaa 1680
gcagttagca ctgagttttg gtttatggta agcacctgt aaatgttagg atattaacag 1740
caaccataa 1750

```

&lt;210&gt; 17

&lt;211&gt; 2101

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 17

```

agggttgggc agctctggcc ctgtttttag tgaggcctgt gcaccagcaa cccgccctgg 60
gcgctccgcg ttttcacagc aaccgcgcct gggcccgctc gcgtttggct tatgctgggg 120
tgtctccggg cccgcagcac cggaagcccc gcggctggag tttcgggatc cggcactcgg 180
actacctggc cccgctggtg accgacgcgg acaactgacc cggcaggcgg gagcgcccc 240
acacgtgttt gcttaaagtc tgcgagtcgc catcgtgtcc gcctctctct ctctctctct 300
gcgcgtcctg gcgcaaggcc tggggtggag ccacggctgg gcccggtgcc caactccgaa 360

```

```

cccagcggggg cggggcccca ggcgcggggc aggcgcgggac cccagcgcgtg cgcgcgcgtcc 420
gaacgtcgag accccaccga gggcgaggagg gggactctcg ggagccacag acgcccagaga 480
cccacgcggg cggggaccgg ccagggatca ccccgccga cggccccggg ccccgacggc 540
cgggaagttc cgcgtgtccg ggggcaccgg gggattggcc ggggcgcggc gtgcaaggct 600
tcccgggggc ggcgactgcc gagctccgcc ctccaggcgg cccacccgc ctgccgtcct 660
ggggcgccgc cgcgcccgcg ccggcagtg gacgctgtgc gcgaaccctg aaccctacgg 720
tcccgacccg cgggcgaggc cgggtacctg ggctgggatc cggagcaagc gggcgagggc 780
agcgccctaa gcaggtaagg gcggggctca agtcgcgagg cggggaagcg ggaggcagac 840
acggacgagg gcgacacaga cacgggaccg aggggcggac accggagaga cacgggaaag 900
gggtcgggac aggagcacgt ggctcagaca ccgacgcggg gaggcccgag accccggacg 960
tgtcaggcat ccccgacggc ccggagcgat ggcagccttg atgaccccg gaaccggggc 1020
cccacccgcg cctggtgact tctccgggga agggagccag ggacttccc acccttcgcc 1080
agagcccaag cagctcccgg agctgatccg catgaagcga gacggaggcc gcctgagcga 1140
agcggaacatc aggggcttcg tggccgctgt ggtgaatggg agcgcgcagg gcgcacagat 1200
cggggccatg ctgatggcca tccgacttcg gggcatggat ctggaggaga cctcgggtgt 1260
gacccaggcc ctggctcagt cgggacagca gctggagtgg ccagaggcct ggcgccagca 1320
gcttgtggac aagcattcca cagggggtgt gggtgacaag gtcagcctgg tcctcgacc 1380
tgccctggcg gcatgtggct gcaagggtgc aatgatcagc ggacgtggtc tggggcacac 1440
aggaggcacc ttggataagc tggagtctat tcctggattc aatgtcatcc agagccaga 1500
gcagatgcaa gtgctgctgg accaggcggg ctgctgtatc gtgggtcaga gtgagcagct 1560
ggttcctgcg gacggaatcc tatatgcagc cagagatgtg acagccaccg tggacagcct 1620
gccactcacc acagcctcca ttctcagtaa gaaactcgtg gaggggctgt ccgctctggt 1680
ggtggacgtt aagttcggag gggccgcctt cttccccaac caggagcagg cccgggagct 1740
ggcaaagacg ctggttggcg tgggagccag cctagggctt cgggtcgcgg cagcgtgac 1800
cgccatggac aagccccctg gtcgctgcgt gggccacgcc ctggagggtg aggaggcgt 1860
gctctgcatg gacggcgag gcccgcaga cttaagggac ctggtacca cgctcgggg 1920
cgccctgctc tggctcagcg gacacgggg gactcaggct cagggcgtg cccgggtggc 1980
cgcgcgcgc gcccgcagc aggcgcctc actctccgac cgcgcgcgc lcgccgcgc 2040
ctcgcccttc gcagagctcg ttctgcgcgc gcagcaataa agctccttg cgcgaaaaa 2100
a
2101

```

&lt;210&gt; 18

&lt;211&gt; 2339

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 18

```

agggttgggc agctctggcc ctgttttgag tgaggcctgt gcaccagcaa cccgccctgg 60
gccgtccgcg ttttcacagc aaccgcacct gggcccgctc gcgtttggct tatgctgggg 120
tgtctccggg cccgcagcac cgggaagcccc gcggttgagg ttccgggatc cggcactcgg 180
actacctggc cccgctggtg accgacgcgg acaactgacc cgcagggcgg gagcgccccc 240
acacgtgttt gcttaaagtc tgcgagtcgg catcgtgtcc gcctctctct ctctctctct 300
gcgcgtcctg gcgcaaggcc tggggtggag ccacggctgg ggcgctgtcc caactccgaa 360
cccagcgggg cggggcccca ggcgcggggc aggcgcgggac cccagcgtg cgccgcgtcc 420
gaacgtcgag accccaccga gggcgaggag gggactctcg ggagccacag acgcccagaa 480
cccacgcggg cggggaccgg ccagggatca ccccgccga cggccccggg ccccgacggc 540
cgggaagttc cgcgtgtccg ggggcaccgg gggattggcc ggggcgcggc gtgcaaggct 600
tcccgggggc ggcgactgcc gagctccgcc ctccaggcgg cccacccgc ctgccgtcct 660
ggggcgccgc cgcgcccgcg ccggcagtg gacgctgtgc gcgaaccctg aaccctacgg 720
tcccgacccg cgggcgaggc cgggtacctg ggctgggatc cggagcaagc gggcgagggc 780
agcgccctaa gcaggtaagg gcggggctca agtcgcgagg cggggaagcg ggaggcagac 840
acggacgagg gcgacacaga cacgggaccg aggggcggac accggagaga cacgggaaag 900
gggtcgggac aggagcacgt ggctcagaca ccgacgcggg gaggcccgag accccggacg 960
tgtcaggcat ccccgacggc ccggagcgat ggcagccttg atgaccccg gaaccggggc 1020
cccacccgcg cctggtgact tctccgggga agggagccag ggacttccc acccttcgcc 1080
agagcccaag cagctcccgg agctgatccg catgaagcga gacggaggcc gcctgagcga 1140
agcggaacatc aggggcttcg tggccgctgt ggtgaatggg agcgcgcagg gcgcacagat 1200
cggggccatg ctgatggcca tccgacttcg gggcatggat ctggaggaga cctcgggtgt 1260
gacccaggcc ctggctcagt cgggacagca gctggagtgg ccagaggcct ggcgccagca 1320
gcttgtggac aagcattcca cagggggtgt gggtgacaag gtcagcctgg tcctcgacc 1380

```

tgccctggcg	gcatgtggct	gcaaggtgcc	aatgatcagc	ggacgtggtc	tggggcacac	1440
aggaggcacc	ttggataagc	tggagtctat	tcctggattc	aatgtcatcc	agagcccaga	1500
gcagatgcaa	gtgctgctgg	accaggcggg	ctgctgtatc	gtgggtcaga	gtgagcagct	1560
ggttcctgcy	gacggaatcc	tatatgcagc	cagagatgtg	acagccaccg	tggacagcct	1620
gccactcatc	acaggttggc	gtgggagcca	gcctagggct	tcgggtcgcg	gcagcgctga	1680
ccgccatgga	caagcccctg	ggtcgtgcy	tgggccacgc	cctggagggtg	gaggaggcgc	1740
tgctctgcat	ggacggcgca	ggcccgccag	acttaaggga	cctggtcacc	acgctcgggg	1800
gcgccctgct	ctggctcagc	ggacacgcgg	ggactcagge	tcagggcgct	gcccgggtgg	1860
ccgcggcgct	ggacgacggc	tcggcccttg	gccgcttcga	gcggatgctg	gcggcgagc	1920
gcgtggatcc	cggtctggcc	cgagccctgt	gctcgggaag	tcccgcagaa	cgccggcagc	1980
tgctgcctcg	cgcccgggag	caggaggagc	tgctggcgcc	cgagatggc	accgtggagc	2040
tggtcggggc	gctgccgctg	gcgctggtgc	tgcacgagct	cggggccggg	cgagcccgcg	2100
ctggggagcc	gctccgcctg	ggggtgggcy	cagagctgct	ggtcgacgtg	ggtcagaggc	2160
tgcgccgtgg	gaccccctgg	ctccgcgtgc	accgggacgg	ccccgcgctc	agcgcccgcc	2220
agagccgcgc	cctgcaggag	gcgctcgtac	tctccgaccg	cgcgccattc	gcccggccct	2280
cgcccttcgc	agagctcgtt	ctgccgcgcg	agcaataaag	ctcctttgcc	gcgaaaaaa	2339

&lt;210&gt; 19

&lt;211&gt; 1982

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 19

agggttgggc	agctctggcc	ctgttttgag	tgaggcctgt	gcaccagcaa	cccggccctgg	60
gccgtccgcg	ttttcacagc	aaccgcctct	gggcccgtct	gcgtttggct	tatgtctggg	120
tgtctccggg	cccgcagcac	cggaagcccc	gcggctggag	tttcgggac	cggcactcgg	180
actacctggc	cccgtctggg	accgacgcgg	acaactgacc	cgccaggcgg	gagcgggccc	240
acacgtgttt	gcttaaaagtc	tgcgagtcgg	catcgtgtcc	gcctctctct	ctctctctct	300
gcgcgtcctg	gcgcaaggcc	tggggtggag	ccacggctgg	ggccgtgtcc	caactccgaa	360
cccagcgggg	cggggcccga	gcgtcgggcy	aggccgggac	cccagcgtg	cgccgcgtcc	420
gaacgtcgag	accccaccga	gggcgggagg	gggactctcg	ggagccacag	acgcccagag	480
cccacgcggg	gcgggaccgg	ccagggatca	ccccgcgca	cgggcccggg	ccccgacggc	540
ccggaagtcc	gcgctgtccg	ggggcaccgg	gggattggcc	ggggcgcgcc	gtgcaaggct	600
tcccgggggc	ggcgactgcc	gagctccgcc	ctccaggcgg	ccccacccgc	ctgccgtcct	660
ggggcgccgc	cgccccgcgg	ccggcagtgg	accgtgtgtc	gcgaaccctg	aaccctacgg	720
tcccgaccgg	cgggcgaggc	cggttacctg	ggctgggac	cggagcaagc	gggcgagggc	780
agcgccctaa	gcaggtacgg	gcggggctca	agtcgcgagg	cggggaagcg	ggaggcagac	840
acggacgagg	gcgacacaga	cacgggaccg	agggcgggac	accggagaga	cacgggaaag	900
gggtcgggac	aggagcacgt	ggctcagaca	ccgacgcccg	gaggccgcag	accccgagcg	960
tgtcaggcat	ccccgcaggc	ccggagcgat	ggcagccttg	atgaccccg	gaaccggggc	1020
cccacccggc	cctggtgact	tctccgggga	aggagccag	ggacttccc	acccttcgcc	1080
agagcccaag	cagctcccgg	agctgatccg	catgaagcga	gacggaggcc	gcctgagcga	1140
agcggacatc	aggggcttcg	tggccgctgt	ggtgaatggg	agcgcgcagg	gcgcacagat	1200
cgggggccatg	ctgatggcca	tccgacttcg	gggcatggat	ctggaggaga	cctcggtgct	1260
gacccaggcc	ctggctcagt	cgggacagca	gctggagtgg	ccagaggcct	ggcgccagca	1320
gcttgtggac	aagcattcca	cagggggtgt	gggtgacaag	gtcagcctgg	tcctcgacc	1380
tgccctggcg	gcatgtggct	gcaaggtgcc	aatgatcagc	ggacgtggtc	tggggcacac	1440
aggaggcacc	ttggataagc	tggagtctat	tcctggattc	aatgtcatcc	agagcccaga	1500
gcagatgcaa	gtgctgctgg	accaggcggg	ctgctgtatc	gtgggtcaga	gtgagcagct	1560
ggttcctgcy	gacggaatcc	tatatgcagc	cagagatgtg	acagccaccg	tggacagcct	1620
gccactcatc	acaggttggc	gtgggagcca	gcctagggct	tcgggtcgcg	gcagcgctga	1680
ccgccatgga	caagcccctg	ggtcgtgcy	tgggccacgc	cctggagggtg	gaggaggcgc	1740
tgctctgcat	ggacggcgca	ggcccgccag	acttaaggga	cctggtcacc	acgctcgggg	1800
gcgccctgct	ctggctcagc	ggacacgcgg	ggactcagge	tcagggcgct	gcccgggtgg	1860
ccgcggcgcy	cgccctgcag	gagcgctcgc	tactctccga	ccgcgcgcca	ttcgccggcc	1920
cctcgccctt	cgagagctc	gttctgccgc	cgcagcaata	aagctccttt	gcccgcgaaa	1980
aa						1982

&lt;210&gt; 20

&lt;211&gt; 1804

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 20

```

ccgaggtctgg ctggtctcgc aggtccgctg acgtcgccgc ccagatggcc tccaggctga 60
cctgtctgac cctcctgctg ctgtctgctg ctggggatag agcctcctca aatccaaatg 120
ctaccagcag ttatctccaa gatgctattc gttgaaccca tcctggaggt ttccagcttg 180
ccgacaacca actcaacaac caattcagcc accaaaataa cagctaatac cactgatgaa 240
cccaccacac aaccaccac agagcccacc acccaaccca ccaccaacc caccacaacca 300
actaccacag tcccaacaga ttctcctacc cagcccacta ctgggtcctt ctgcccagga 360
cctgttactc tctgctctga cttggagagt cattcaacag aggccgtgtt gggggatgct 420
ttggtagatt tctccctgaa gctctaccac gccttctcag caatgaagaa ggtggagacc 480
aacatggcct tttccccatt cagcatcgcc agcctcctta cccaggtcct gctcggggct 540
ggggagaaca ccaaaacaaa cctggagagc atcctctctt accccaagga cttcacctgt 600
gtccaccagg cctgaagggt cttcacgacc aaaggtgtca cctcagtctc tcagatcttc 660
cacagcccag acctggccat aagggaacac tttgtgaatg cctctcgga cctgtacagc 720
agcagcccca gagtctaaag caacaacagt gacgccaact tggagctcat caacacctgg 780
gtggccaaga acaccaacaa caagatcagc cggctgctag acagtctgcc ctccgatacc 840
cgccttgtcc tctcaatgc tatctacctg agtgccaagt ggaagacaac atttgatccc 900
aagaaaacca gaatggaacc ctttcacttc aaaaactcag ttataaaagt gcccatgatg 960
aatagcaaga agtaccctgt ggcccatttc attgacaaa ctttgaaagc caaggtgggg 1020
cagctgcagc tctcccacaa tctgagtttg gtatcctgg taccacagaa cctgaaacat 1080
cgtcttgaag acatggaaca ggctctcagc ccttctgttt tcaaggccat catggagaaa 1140
ctggagatgt ccaagttcca gccactctc ctaacactac cccgcatcaa agtgacgacc 1200
agccaggata tgctctcaat catggagaaa ttggaattct tcgatttttc ttatgacctt 1260
aacctgtgtg ggctgacaga ggaccagat cttcaggttt ctgcatgca gcaccagaca 1320
gtgttggaac tgacagagac tgggggtggag ggggtgcag cctccgccat ctctgtggcc 1380
cgcaccctgc tggctcttga agtgacagc ccttctctc tcgtgctctg ggaccagcag 1440
cacaagttcc ctgtcttcat ggggcgagta tatgacccca gggcctgaga cctgcaggat 1500
caggttaggg cgagcgctac ctctccagcc tcagctctca gttgcagccc tgctgctgcc 1560
tgcttgact tggccctgc cactcctgc ctcagggtgc cgctatccac caaaagggt 1620
ccctgagggt ctgggcaagg gacctgctc tattagccct tctccatggc cctgccatgc 1680
tctccaaacc actttttgca gctttctcta gttcaagttc accagactct ataaataaaa 1740
cctgacagac catgtaaagc ggcagatatt ttagtagtag taggctagta gtagtagcgg 1800
ccgc 1804

```

&lt;210&gt; 21

&lt;211&gt; 682

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 21

```

atagccacgc tgccactggt gtctggcatc cacagcatag cacagggccc tgctgggcag 60
cagcacctta ggtcttanag tcttcaactg tctccctcta ggtggagaaa gaactcactt 120
acgagaagtt cgtagaatgg acgaggctgg acatgatgga tgaagaggag gtggaagtgt 180
ccctcccgcg gtttaaaacta gaggaagct acgacatgga gagtgtcctg cgcaacctgg 240
gcatgactga tgctctcag ctgggcaagg cagacttctc tggaatgtcc cagacagacc 300
tgtctctgtc caaggtcgtg cacaagtctt ttgtggaggt caatgaggaa ggcacggagg 360
ctgcagccgc cacagctgcc atcatgatga tgcggtgtgc cagattcgtc ccccgcttct 420
gcgccgacca ccccttctt tcttctatcc agcacagcaa gaccaacggg attctcttct 480
gcggccgctt ttcctctccg tgaggacagg gcagtcttgg tgtgcagccc ctctcctctc 540
tgtccctga cactccacag tgtgcctgca acccaagtgg ccttatccgt gcagtgggtg 600
cagttcagaa ataaagggcc catttgtggg atgccgcatt caaaaaaag ttaccaatct 660
gaagtgggag cgattttttt tt 682

```

&lt;210&gt; 22

&lt;211&gt; 1349

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 22

```

cagggcagca tgtgattgac tgcgaattcg ggtctcgagc aggaagtacc aagggaggat 60
ggagatggta ataatcaggg ttgggtggag aatatctgag gaaactgcac ttgatttggg 120
ccttgaagag taattgactg gatttagatt tatctagaaa ggtcgttccc agcagaagca 180
acaagaacaa caagcttgga ctgccatcat ggatgttctc gcagaagcaa atggcacctt 240
tgccttaaac cttttgaaaa cgctgggtaa agacaactcg aagaatgtgt ttttctcacc 300
catgagcatg tectgtgcc tggccatggt ctacatgggg gcaaagggaa acaccgctgc 360
acagatggcc cagatacttt ctttcaataa aagtggcggg ggtggagaca tccaccaggg 420
cttccagtct cttctcaccg aagtgaacaa gactggcacg cagtacttgc ttaggttggc 480
caacaggctc tttggggaaa agtcttgtga tttcctctca tcttttagag attcctgcca 540
aaaattctac caagcagaga tggaggagct tgactttatc agcgccgtag agaagtccag 600
aaaacacata aacacctggg tagctgaaaa gacagaaggt aaaattgcgg agttgctctc 660
tccgggctca gtggatccat tgacaaggct ggttctgggt aatgctgtct atttcagagg 720
aaactgggat gaacagtttg acaaggagaa caccgaggag agactgttta aagtcagcaa 780
gaatgaggag aaacctgtgc aaatgatgtt taagcaatct acttttaaga agacctatat 840
aggagaaata tttacccaaa tcttgggtgt tccatatgtt ggcaaggaac tgaatatgat 900
catcatgctt cgggacgaga ccaactgactt gagaacggtg gagaaagaac tcacttacga 960
gaagttcgta gaatggacga ggctggacat gatggatgaa gaggaggtgg aaggggaaggc 1020
acggaggctg cagccgccac agctgccatc atgatgatgc ggtgtgccag attcgtcccc 1080
cgcttctgcg ccgaccaccc ctctcttttc ttcattccagc acagcaagac caacgggatt 1140
ctcttctgcg gccgcttttc ctctccgtga ggacagggca gtcttgggtg gcagcccctc 1200
tctctctgt cccctgacac tccacagtgt gcctgcaacc caagtggcct tatccgtgca 1260
gtggtggcag ttcagaaata aagggcccat ttgtgggatg ccgcattcaa aaaaaagtta 1320
ccaatctgaa gtgggagcga tttttttt 1349

```

&lt;210&gt; 23

&lt;211&gt; 953

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 23

```

cagggcagca tgtgattgac tgcgaattcg ggtctcgagc aggaagtacc aagggaggat 60
ggagatggta ataatcaggg ttgggtggag aatatctgag gaaactgcac ttgatttggg 120
ccttgaagag taattgactg gatttagatt tatctagaaa ggtcgttccc agcagaagca 180
acaagaacaa caagcttgga ctgccatcat ggatgttctc gcagaagcaa atggcacctt 240
tgccttaaac cttttgaaaa cgctgggtaa agacaactcg aagaatgtgt ttttctcacc 300
catgagcatg tectgtgcc tggccatggt ctacatgggg gcaaagggaa acaccgctgc 360
acagatggcc cagatacttt ctttcaataa aagtggcggg ggtggagaca tccaccaggg 420
cttccagtct cttctcaccg aagtgaacaa gactggcacg cagtacttgc ttaggaaagc 480
tacgacatgg agatgtcct gcgcaacctg ggcagtactg atgccttcca gctgggcaag 540
gcagacttct ctggaatgtc ccagacagac ctgtctctgt ccaaggtcgt gcacaagtct 600
tttgtggagg tcaatgagga aggcacggag gctgcagccg ccacagctgc catcatgat 660
atgcggtgtg ccagattcgt ccccgcttc tgcgccgacc accccttctt tttcttcac 720
cagcacagca agaccaacgg gattctcttc tgcggccgct tttcctctcc gtgaggacag 780
ggcagtcttg gtgtgcagcc cctctcctct ctgtcccctg aactccaca gtgtgcctgc 840
aaccgaagtg gccttatccg tgcagtgggt gcagttcaga aataaagggc ccatttgtgg 900
gatgccgcat tcaaaaaaaaaa gttaccaatc tgaagtggga gcgatttttt ttt 953

```

&lt;210&gt; 24

&lt;211&gt; 498

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 24

```

cagggcagca tgtgattgac tgcgaattcg ggtctcgagc aggaagtacc aagggaggat 60
ggagatggta ataatcaggg ttgggtggag aatatctgag gaaactgcac ttgatttggg 120
ccttgaagag taattgactg gatttagatt tatctagaaa ggtcgttccc agcagaagca 180

```

acaagaacaa	caagcttggg	ctgccatcat	ggatgttctc	gcagaagcaa	atggcacctt	240
tgccttaaac	cttttgaaaa	cgctgggtaa	agacaactcg	aagaatgtgt	ttttctcacc	300
catgagcatg	tcctgtgccc	tgccatggt	ctacatgggg	gcaaaggga	acaccgtgc	360
acagatggcc	cagcgttttc	aaaaggttta	aggcaaagg	gccatttgct	tctgcgagaa	420
catccatgat	ggcagacctg	gaacaagatt	taaaatcagt	atcacttaag	cagcttccac	480
gcgactgcat	ctcacgcg					498

&lt;210&gt; 25

&lt;211&gt; 2291

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 25

ccgggctgat	ccgagccgag	cgggccgtat	ctecttgctg	gcgcccgtga	ttccccgctc	60
tgcggaggcc	tctaggcagc	cgcgagcgtt	ccgtgtttgc	tgcgcccgcg	ctgcgattta	120
caaccctgaa	gaatctccct	atccctat	tgtccccctg	cagtaataaa	tccattatg	180
gagatctcga	aactttataa	aggatatag	tttgaattct	atggagtgt	attttgtgt	240
tgaattatat	ttttaaaaca	ttgaagagtt	ttcagaaaga	aggctagtag	agttgattac	300
tgatacttta	tgctaagcag	tacttttttg	gtagtacaat	attttgtag	gcgtttctga	360
taacactaga	aaggacaagt	ttatcttgt	gataaattga	ttaatgttta	caacatgact	420
gataattata	gctgaatagt	ccttaaatga	tgaacaggtt	attagtttt	taaatgcagt	480
gtaaaaagt	tgctgtggaa	attttatggc	taactaagt	tatggagaaa	ataccttcag	540
ttgatcaaga	ataatagtgg	tatacaaagt	taggaagaaa	gtcaacatga	tgctgcagga	600
aatggaaaca	aatacaaatg	atatttaaca	aagatagagt	ttacagtttt	tgaacttta	660
gccaaattca	tttgacatca	agcactatag	caggcacagg	ttcaacaaag	cttgtgggta	720
ttgacttccc	ccaaaagttg	tcagctgaag	taatttagcc	cacttaagta	aatactatga	780
tgataagctg	tgtgaactta	gttttttaaa	agtgtgacca	tatgaagggt	ttaattactt	840
ttgtttattg	gaataaaatg	agattttttg	ggttgtcatg	ttaaagtgt	tatagggaaa	900
gaagcctgca	tataattttt	taccttggtg	cataatcagt	aattggtctg	ttattcaggc	960
ttcatagctt	gtaaccaaat	ataaataaaa	ggcataattt	aggtattcta	tagttgctta	1020
gaattttgtt	aatataaatc	tctgtgaaaa	atcaaggagt	tttaatat	tcagaagtgc	1080
atccaccttt	cagggcttta	agttagtatt	actcaagatt	atgaacaaat	agcacttagg	1140
ttacctgaaa	gagttactac	aaccccaaag	agttgtgttc	taagtagtat	cttggttaatt	1200
cagagagata	ctcatcttac	ctgaatataa	actgagataa	atccagtaaa	gaaagtgtag	1260
taaattctac	ataagagtct	atcattgatt	tctttttgtg	gtaaaaatct	tagttcatgt	1320
gaagaaattt	catgtgaatg	ttttagctat	caaacagtac	tgtcacctac	tcatgcacaa	1380
aactgcctcc	caaagacttt	tcccagggtc	ctcgtatcaa	aacattaaga	gtataatgga	1440
agatagcacg	atcttgtcag	attggacaaa	cagcaacaaa	caaaaaatga	agtatgactt	1500
ttcctgtgaa	ctctacagaa	tgtctacata	ttcaactttc	cccgcggggg	tgctgtctc	1560
agaaaggagt	cttgctcgtg	ctggtttcta	ttatactggt	gtgaatgaca	aggtcaaattg	1620
cttctgttgt	ggcctgatgc	tgataaactg	gaaactagga	gacagtccta	ttcaaaagca	1680
taaacagcta	tatcctagct	gtagctttat	tcagaatctg	gtttcagcta	gtctgggatc	1740
cacctctaag	aatacgtctc	caatgagaaa	cagttttgca	cattcattat	ctcccacctt	1800
ggaacatagt	agcttggtca	gtggttctta	ctccagcctt	tctccaaacc	ctcttaattc	1860
tagagcagtt	gaagacatct	cttcacgag	gactaacccc	tacagttatg	caatgagtac	1920
tgaagaagcc	agatttctta	cctaccatat	gtggccatta	acttttttgt	caccatcaga	1980
attggcaaga	gctggttttt	attatatagg	acctggagat	agggtagcct	gctttgcctg	2040
tggtgggaag	ctcagtaact	gggaaccgaa	ggataatgct	atgtcagaac	acctgagaca	2100
ttttcccaac	tgtccatttt	tggaaaattc	tctagaaact	ctgaggttta	gcatttcaaa	2160
tctgagcatg	cagacacatg	cagctcgaat	gagaacattt	atgtactggc	catctagtgt	2220
tccagttcag	cctgagcagc	ttgcaagtgc	tggtttttat	tatgtgggta	agaaactgaa	2280
tctgctaatt	a					2291

&lt;210&gt; 26

&lt;211&gt; 3450

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 26

atacactcca	agaatactgg	gcttatgggt	gggttggttt	tttgttttgt	tttgttttgt	60
tttcaagtca	tgtctttatc	cccatataat	ggagaatgtg	ccacttggct	aataatgtgt	120
tttcaaaaact	acaagttcag	tgatgacagg	aaagagggct	aaagtagtcc	cacagaggct	180
ggtagaaaaag	gcgaatcaca	cttaagcacc	agcagggttaa	aaacctgaaa	gggtggccct	240
gacaattcag	actataggtt	ttacagcatg	ccacttgtgc	aataggaggt	ctagggttga	300
aacttttcaag	aacgagagga	ggtgaaggaa	ggagacgttt	actgctcaaa	tgccatgcat	360
ttcactgctt	gccactgaac	ttgtatttga	atgacttagt	aatgcttaat	ataattgggc	420
aacttttttta	gcactttgga	aagagtcac	aatctttctg	gtaaattata	aaagttttct	480
gagtgaagaaa	aggtgtgttt	ggagtttgtt	tgacttttta	tattattatt	gttattaata	540
aagaaaaaaa	tctacagcat	tttccagact	ccaccctaga	aaatatgtac	cctgaattt	600
ggtttgcagt	ttgatactca	gggaaggatg	tattccatag	atatcctttc	cgtataaaac	660
actaacatct	ttgagaaatt	cacctaccac	ctaacttcaa	ttgttgtcac	tatgcattct	720
tcaatgaaaa	ctagcttatt	tttccatata	gtaatgcagt	tagggttctc	agcactttct	780
ttcttctatc	ctttttttta	cttctcatat	tatgttcaga	tgatcatact	gtcaagggtt	840
gggtgcccgg	acaaaaatgg	ggaccgtgta	gagcgggtgtg	acagtaaagc	gctggacagg	900
gtcattngcc	ttcccttctc	tccctctccc	cgtccccccc	ccgaccgcgg	agagcaccat	960
gtcggcgccg	gcggccaaag	tcagtaaaaa	ggagctcaac	tccaaccacg	acggggccga	1020
cgagacctca	gaaaaagaac	agcaagaagc	gattgaacac	attgatgaag	tacaaaatga	1080
aatagacaga	cttaatgaac	aagccagtga	ggagattttg	aaagtagaac	agaaatataa	1140
caaactccgc	caaccatttt	ttcagaagag	gtcagaattg	atcgccaaaa	tcccaaattt	1200
ttgggtaaca	acatttgtca	accatccaca	agtgtctgca	ctgcttgggg	aggaagatga	1260
agaggcactg	cattatttga	ccagagttga	agtgcacagaa	tttgaagata	ttaaatcagg	1320
ttacagaata	gatttttatt	ttgatgaaaa	tccttacttt	gaaaataaag	ttctctccaa	1380
agaatttcat	ctgaatgaga	gtggtgatcc	atcttcgaag	tccaccgaaa	tcaaatggaa	1440
atctggaaag	gatttgacga	aacgttcgag	tcaaacgcag	aataaagcca	gcaggaagag	1500
gcagcatgag	gaaccagaga	gcttctttac	ctggtttact	gaccattctg	atgcagggtg	1560
tgatgatgta	ggagagggtca	tcaaagatga	tatttggcca	aaccatttac	agtactactt	1620
ggttcccgat	atggatgatg	aagaaggaga	aggagaagaa	gatgatgatg	atgatgaaga	1680
ggaggaagga	ttagaagata	ttgacgaaga	aggggatgag	gatgaagggtg	aagaagatga	1740
agatgatgat	gaaggggagg	aaggagagga	ggatgaagga	gaagatgact	aaatagaaca	1800
ctgatggatt	ccaaccttcc	tttttttaaa	ttttctccag	tccctgggag	caagttgcag	1860
tctttttttt	tttttttttt	ttccctcttg	tgctcagtcg	ccctgttctt	gagggtctctt	1920
ttctctactc	catggttctc	aatttatttg	gggggaaata	ccttgagcag	aatacaatgg	1980
gaaaagagtc	tctacccttt	tctgttcgaa	gttcattttt	atcccttcc	gtctgaacaa	2040
aaactgtatg	gaatcaacac	caccgagctc	tgtgggaaaa	aagaaaaacc	tgctcccttc	2100
gctctgctgg	aagctggagg	gtgctaggcc	cctgtgtagt	agtgcataga	attctagctt	2160
ttttcctcct	ttctctgtat	attgggctca	gagagtacac	tgtgtctcta	tgtgaatatg	2220
gacagttagc	atttaccac	atgtatctgt	ctactttctc	ttgtttaaaa	aaagaaaaaa	2280
aaacttaaaa	aatgggggtt	atagaagggtc	agcaaagggt	gggtttgaga	tggtttgggtg	2340
ggttaagtgg	gcattttgac	aacatggctt	ctcctttggc	atgttttaatt	gtgatatttg	2400
acagacatcc	ttgcagtta	agatgacact	tttaaaataa	attctctcct	aatgatgact	2460
tgagccctgc	cactcaatgg	gagaatcagc	agaacctgta	ggatcttatt	tggaattgac	2520
attctctatt	gtaattttgt	tctgttttat	ttttaaattt	tctttttgtt	tcactggaaa	2580
ggaaagatga	tgctcagttt	taaacgttaa	aagtgtacaa	gttgctttgt	tacaataaaa	2640
ctaaatgtgt	acacaaagga	tttgatgctt	ttctctcagc	atagggtatgc	ttactatgac	2700
cttccaagtt	tgacttgtat	aacatcactg	tcaaactttg	tcaccctaac	ttcgtatttt	2760
ttgatacgca	ctttgcagga	tgacctcagg	gctatgtgga	ttgagtaatg	ggatttgaat	2820
caatgtatta	atatctccat	agctgggaaa	cgtgggttca	atttgccatt	ggtttctgaa	2880
agtattcaca	tcatttgagg	taccagatag	ctcaatactc	tctgagtaca	ttgtgccctt	2940
gatttttatc	tcaaagtggc	agttttttaa	attggccttt	tacctggata	taaattaatt	3000
gtgcctgcc	ccaccatcca	acagacctgg	tgctctaattg	ccaagttata	cacgggacag	3060
ttgctggcat	gtcttcattg	gctatataaa	atgtggccaa	gaagataggc	tctcagtaag	3120
aagtctgatg	gtgagcagta	actgtccctg	ctttctggta	taaagctctc	aaatgtgacc	3180
atgtgaatct	gggtgggata	atggactcag	ctctgtctgc	tcaatgccat	tgtgcagaga	3240
agcaccctaa	tgcataagct	ttttaatgct	gtaaaaataa	gtcgtgaaa	ttaaatgcc	3300
ctttttcaga	ggtgaattaa	tggacagtct	ggtgaacttc	aaaagctttt	tgatgtataa	3360
aacttgataa	atggaactat	tccatcaata	ggcaaaagtg	taacaacctc	tctagatgga	3420
tagtatgtaa	tttctgcaca	ggtctctgtt				3450

<211> 917  
 <212> DNA  
 <213> Homo sapiens

<400> 27  
 agcgagcgcc gggaggaggc ggccggaccg agcgggcgcc cgcgcggtgt gcgtgagggg 60  
 aagccgcttn ncennccctt tcgccttccc ttctctcccc ctccccgctc cccccccgac 120  
 cgcgagagag accatgtcgg cgccggcgcc caaagtcagt aaaaaggagc tcaactccaa 180  
 ccacgacggg gccgacgaga cctcagaaaa agaacagcaa gaagcgattg aacacattga 240  
 tgaagtacaa aatgaaatag acagacttaa tgaacaagcc agtgaggaga ttttgaaagt 300  
 agaacagaaa tataacaaac tccgccaacc attttttcag aagaggtcag aattgatcgc 360  
 caaaatccca aatttttggg taacaacatt tgtcaacat ccacaagtgt ctgcactgct 420  
 tggggaggaa gatgaaggg cactgcatta tttgaccaga gttgaagtga cagaatttga 480  
 agatattaaa tcaggttaca gaatagattt ttattttgat gaaaatcctt actttgaaaa 540  
 taaagtcttc tccaaagaat ttcatctgaa tgagagtggg gatccatctt cgaagtccac 600  
 cgaaatcaaa tggaaatctg gaaaggattt gacgaaacgt tcgagtcaaa cgcagaataa 660  
 agccagcagg aagaggcagc atgaggaacc agagagcttc tttacctggg ttactgacca 720  
 ttctgatgca ggtgctgatg agttaggaga ggtcatcaaa gatgatattt ggccaaaccc 780  
 attacagtac tacttggttc ccgatatgga tgatgaagaa ggagaaggag aagaagatga 840  
 tgatgatgat gaagaggagg aaggattaga agatattgac gaagaagggg atggaggcgg 900  
 aggtggaaa gggccgg 917

<210> 28  
 <211> 1112  
 <212> DNA  
 <213> Homo sapiens

<400> 28  
 gcacgaggcc ctgctgccgt ntgcactgag tttcagcaga gattaaacat tttatataaa 60  
 tgactcttaa agctttacac cttgggacca gtgtaccttc tcgtgcagaa tacattttaga 120  
 tataaaaaga cgttattaat acattgcaca gttttcaaaa tttaaaaaca aaaccgaacg 180  
 ctgctctgcg gcagccgccg ccggttgctg ctacatgaac ggtcccagcc gagggccagc 240  
 gcccttccaa cgtccgctgc cccggcaggt tccctcgggg ctctttgggc tctaaattgg 300  
 ctaccgcag cctcttgccg ggggtctgct ccaccgagcc cacgccaggg gcggcgcttg 360  
 gagagggaca cggcgcgggg acatcgcccg acgacttctc aggcgctgat ctcttgcgct 420  
 tggcgaagaa atctgcaecg tctcgcggtg gaacgcgggc accgagtcgc tgtccacttc 480  
 ggtccactgc aggcgtccag ggccccgcag cggcatgtcc tgctggaagt cgtaatccca 540  
 gcggttcttg tctcggcgt tcagctcggc caggcggggc tgcaactcgc ggctcagctc 600  
 ctgctggtcc accggcccga agaggctgcg gcaggcgctg gtgcgcacta gtactgggaa 660  
 ggtcccacgg gcgacaagac gtcctatcgt ggatgtgctg cggagggacg cgtcggacat 720  
 ggcccggggc tgcgcaaacg cgggcagcga gagaggagag gacagcgaga agaaggggaa 780  
 aggagaggag gagaggcgcg aggcggggcg caaggagagc cccgcgccgc ccgactctgc 840  
 gtgtgcgagg gacgcggcgg ctacctgggt ggactcttct gcgtcgggtt 900  
 cgctgtcttc gtcgggacgg cagccgcgcc ccctcgatgc ctgctggcta gctcgctcgc 960  
 tcmrgcctgg cggcaccccc tcgagcacag cgcacttggc ctgtggaacg cccagcccgc 1020  
 ctgcgcccc tttatacgcg cgggccccac ccccgctgcg gcgggcccgg ccgcgattag 1080  
 cataatgtag tattttcagt ttcaacaaca cc 1112

<210> 29  
 <211> 1929  
 <212> DNA  
 <213> Homo sapiens

<400> 29  
 ctttagagct gtaaaaatct tcatgagaca cactgatgat gacgctgaga cacttgccat 60  
 ttattctttt attaatcttc tcaggagaac tctatgcaga agagaaacag tgtgattttc 120  
 ctaccgtgga aatggaagg attgcccatt attattatac gtttaaaagc ttttacttcc 180  
 ccatgagcgt agacaaaaa ctatcattct tctgtttggc tggctatgca accgaaagtg 240  
 ggaagcaaga agagcaaact aggtgcacag cagaaggctg gtctccaaac ccaagggtgct 300



```

acaagaaatg tctgaagcct gacctaagga atggctacgt ctccaatgac aaagtactgt 360
acaaacttca agagaggatg agctacggtt gctcttcagg atacaaaacc actgggggaa 420
aggacgagga ggtggtccac tgtctttctg caggggtggtc ttctcaaccg tcctgcagga 480
aagaacaaga gacatgtttg gcccctgagt tggaaacatgg aaattactcc acgacgcaga 540
gaacattcaa agtgaaggac atagtggctt acacatgcac tgcaggctac tacaccacta 600
caggaagca gactggggaa gcagagtgcc aggctaattg ctggtccctc acaccacagt 660
gcaacaaatt aatgtgctct tctttgagat taatagaaaa tggctatttt catcctgtaa 720
agcaaacata tgaagaagga gatgtagttc aatttttctg tcatgaaaaat tattatctaa 780
gtggatctga ttttaattcag tgctataact ttggctggta tccagaatct cccatatgtg 840
aaggaagaag aaatcgatgt cctcctccac ctgtgcctct aaattctaaa attcaaccac 900
attcaacaac ttaccgtcac ggagaaagag tgcataataga atgtgaactt aattttgtgat 960
tcagggttca gaagaactgc tctgtgaaaa tgggaagtgg acagaacctc caaaatgtat 1020
tgaggaaaag gagaaggtag cctgcgagca accacctcc gttgagaatg gtgttgaca 1080
cccacactct gagatttact acagtgggga taaagtgaca tacagggtg gagggggcta 1140
cagtctcaga ggatcaagta cgataacttg caatcggtgc cgatggacac tgccccctga 1200
gtgtgttgaa aatattgaga attgtaagcc tctcctgac atagcaaacc gtgtggttgt 1260
tgatgggtta ctggcaagtt acacaacagg atcttctgtg gagtaccgat gcaatgagta 1320
ttacttattg aaggggtcgg aaacatctcg ctgtgaacaa ggagcgtggt catctccacc 1380
tgtctgcttg gagccctgca ctattgatgt ggatcacatg aacaggaata acatacagtt 1440
gaagtggaaa tatgagggca agattttaca tggagaccta atagattttg tgtgtaagca 1500
gggatataac ttgtcaccat caatcccact gtcggagata tctgcgcagt gcaatagagg 1560
cgatgtgagg taccctcatgt gcattagaaa agaactctaaa gggatgtgtg catctcctcc 1620
agtataaga aatggagata ttgttagttc agcagccgc acctatgaaa acggctcctc 1680
agtagaatac cgggtgtttg ataatcattt cctacaaggg tcccagaatg tctatttgtt 1740
cgatggagtg tggactacac caccatcgtg tctagagcct taaactacac atggaataga 1800
gggcacaaca cactaatata gcatgtggaa gaagacaatg tacaagtgtc ccagaggcct 1860
ggagagtaaa ggaatcactt cataaaggag tgacatcata aagaaatgac atcataaatg 1920
aatgacttc 1929

```

&lt;210&gt; 30

&lt;211&gt; 1679

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 30

```

acggcgagcc tcactcctccg ggtgcggcgc tgagcagcga gtcncgactg tgctcgtgctc 60
tcagcgccgc acccgaggga tgaggctcgc cgtgggagcc ctgctggtct gcgccgtcct 120
ggggctgtgt ctggctgtcc ctgataaaac tgtgagatgg tgtgcagtgt cggagcatga 180
ggccactaag tgccagagtt tccgcgacca tatgaaaagc gtcattccat ccgatggctc 240
cagtgttgct tgtgtgaaga aagcctccta ccttgattgc atcagggccca ttgcggcaaa 300
cgaagcggat ctgtgacac tggatgcagg tttggtgtat gatgcttacc tggctcccaa 360
taacctgaag cctgtggtgg cagagttcta tgggtcaaaa gaggatccac agactttcta 420
ttatgctgtt gctgtggtga agaaggatag tggcttccag atgaaccaag atgaatgcaa 480
gcctgtgaag tgggtgtgctc tgagccacca cgagaggctc aagtgtgatg agtggagtgt 540
taacagtgtg gggaaaatag agtgtgtatc agcagagacc accgaagact gcatcgccaa 600
gatcatgaat ggagaagctg atgccatgag cttggatgga gggtttgtct acatagcggg 660
caagtgtggt ctggtgcctg tcttggcaga aaactacaat aagagcgata attgtgagga 720
tacaccagag gcagggtatt ttgctgtagc agtgggtgaag aaatcagctt ctgacctcac 780
ctgggacaat ctgaaaggca agaagtcctg ccatacggca tttggcagaa ccgctggctg 840
gaacatcccc atgggcctgc tctacaataa gatcaaccac tgcagatttg atgaattttt 900
cagtgaaggt tgtgcccctg ggtctaagaa agactccagt ctctgtaagc tgtgtatggg 960
ctcaggccta aacctgtgtg aacccaacaa caaagaggga tactacggct acacaggcgc 1020
tttcagggtg ctggttgaga agggagatgt ggcccttgtg aaacaccaga ctgtcccaca 1080
gaacactggg ggaaaaaacc ctgatccatg ggctaagaat ctgaatgaaa aagactatga 1140
gttgctgtgc cttgatggtg ccaggaaacc tgtggaggag tatgcgaact gccacctggc 1200
cagagccccc aatcacgctg tggtcacacg gaaagataag gaagcttgcg tccacaagat 1260
attacgtcaa cagcagcacc tatttggaa gactgctcgg gcaacttttg 1320
tttgttccgg tcggaaccca aggaccttct gttcagagat gacacagtat gtttgcccaa 1380
acttcatgac agaaacacat atgaaaaata cttaggagaa gaatatgtca aggctgtttg 1440
taacctgaga aaatgctcca cctcatcact cctggaagcc tgcactttcc gtgacctta 1500

```

aaatctcaga ggtagggctg ccaccaaggt gaagatggga acgcagatga tccatgagtt 1560  
tgccctgggt tcaactggccc aagtgggttg tgctaaccac gtctgtcttc acagctctgt 1620  
gttgccatgt gtgctgaaca aaaaataaaa attattattg attttatatt tcakkrrea 1679

<210> 31

<211> 2410

<212> DNA

<213> Homo sapiens

<400> 31

aaaaaawwaa aaaaggagaa gggattccta tctgtatata gggaaggaat cctatctgca 60  
tatttcgttg ttagcaccat cctcatccc ggtggggctt ggaactttcc atcaattctt 120  
tctgtctcg tttctctttc atcctttgcc tgggtgtgcc tgtctcagg agaatcagt 180  
cacctgcagg ccttgcaggg ctcttaggct ctgggaaatt tgtcatcagg gtgtcaggta 240  
cttcttattg ctgtccaaag ggaaaaaaa agtgagacaa agaactctcc cggagcctt 300  
ccggtgcac tcagaggctc tcgagagggt cagaaggacc tggaaaggca gctaaataaa 360  
agatgccctg gggccgaagg ccaacctggc tgttgcctgc ctctctgtg gtgttttta 420  
agattagcat actcagcgtc acagcatggc agaccgggaa ctgtcagcca ggtcctctc 480  
agagaagcga gagaagcggg acttgtgccg gtctgtcccc ctctctagtt ttctcacaag 540  
gaaagagcat ctctcggatt gggctatccc atcggtaata aggggtgaaca agaggactgg 600  
ccaaaacagg gtacgtcttc aaggcagcat gctgaagccc tcgtcactgg ttgtggtcca 660  
tccattggca aaaccagggt cagatccctg cttatacagg aatggaggct gtgaacacat 720  
ctgccaagag agcctgggca cagctcgggt tttgtgtcgt gaaggtttg tgaaggcctg 780  
ggatgggaaa atgtgtctcc ctccaggatta tccaatcctg tcagggtgaa atgctgatct 840  
tagtaaagag gtgacatcac tgagcaactc cactcaggct gaagtaccag acgatgatgg 900  
gacagaatct tccacactag tggctgaaat catggtgtca ggcataaact atgaagatga 960  
ctgtgggtccc ggggggylgly gaagccatgc tccatgcgtt tcagacggag agactgtga 1020  
gtgtcagttg ctgaaagggt ttgccaggga tggaaacctg tgttctgata tagatgagt 1080  
tgtctggct agatcggact gccccagcac ctctccagg tgcatcaaca ctgaagggtg 1140  
ctacgtctgc agatgtcag aaggctacga aggagacggg atctcctgtt tcgatattga 1200  
cgagtgcag cggggggcgc acaactgcgc tgagaatgcc gctgcacca acacggaggg 1260  
aggctacaac tgcacctgcg caggccgccc atctcgcgcc ggactgagtt gccctgactc 1320  
taccgcacc tctctccttg gggaagatgg ccaccatttg gaccgaaata gttatccagg 1380  
atgcccatcc tcatatgatg gatactgcct caatggtggc gtgtgcatgc atattgaatc 1440  
actggacagc tacacatgca actgtgttat tggctattct ggggatcgat gtcagactcc 1500  
accatcaagt gacagaggac cccaggaaat agagggaac tcccacctac cctcctacag 1560  
acctgtgggg cgggagaagc tgcattctct ccagtcagct aatggatcgt gtcacgaaag 1620  
ggctccagac ctgccacggc agacagagcc agttcagtag aaactgggag tagacagaag 1680  
gtacagaagg gaaaataaca aaccaggctg atgatgtag agtgctacag acttggtact 1740  
ccagtttcca cggctaata ctgctcgctc agggctcctga agatagctgc acagctgcag 1800  
agctgcacag cgggatagct ggcacttttg ctctctgctt taagcagttc cactgaagat 1860  
actcaaaaaga gaagtggaga aaatcattag aaaccaaagt caagacattc atatataagc 1920  
tgtgtcttct tccatggacg gtttgcctct tttcttttg cctcagaagg atggggttaa 1980  
agcaggtgac cccatgctct gtcaaccctt gaataaatga tgtgatctac atagaagtct 2040  
tagctcactc tcaggaacgc ttggaacact ataacttttg ctatgatata ctgccaagtg 2100  
tggcccatgc tcataattgt gctttctgaa ttgtgataaa ttagtgaaaa aactgtaact 2160  
tagaatctga tttattcagg attagatcat ctttttatac tataaaaatc ttcgaatgaa 2220  
aatatttaac tttaaaaaca ttacctaat cattgtcttt tcttcttgaa gtctttccca 2280  
gtgaaaacgc tcaattctgc tgtttccata gaatttttaa tttattttaa gacatgagat 2340  
tgtaaacaaa ttgcttgatt tattttatcc taattattta aataaaatca ccctaaagca 2400  
tcagcatttt 2410

<210> 32

<211> 1134

<212> DNA

<213> Homo sapiens

<400> 32

aaaaaawwaa aaaaggagaa gggattccta tctgtatata gggaaggaat cctatctgca 60

tatttcgttg	ttagcaccat	ccctcatccc	ggtggggcct	ggaactttcc	atcaattctt	120
tcctgtctcg	tttctctttc	atcctttgcc	tggttggtgcc	tgtctcaggg	agaaatcagt	180
cacctgcagg	ccttgcaggg	ctcttaggct	ctgggaaatt	tgtcatacgg	gtgtcaggta	240
cttcttattg	ctgtccaaag	ggaaaaaaa	agtgagacaa	agaactctcc	cggagccttt	300
ccggctgcac	tcagaggctc	tcgagagggtg	cagaaggacc	tggaaaggca	gctaaataaa	360
agatgccctg	gggccgaagg	ccaacctggc	tggtgtctgc	cttcctgctg	gtgtttttaa	420
agattagcat	actcagcgtc	acagcatggc	agaccgggaa	ctgtcagcca	ggtcctctcg	480
agagaagcga	gagaagcggg	acttggtgcc	gtcctgcccc	cttcctagtt	ttctcacaag	540
gaaagagcat	ctctcggatt	gggctatccc	atcggttaata	aggggtgaaca	agaggactgg	600
ccaaaacagg	gtacgtcttc	aaggcagcat	gctgaagccc	tcgtcactgg	ttgtgggtcca	660
tccattggca	aaaccagggtg	cagatccctg	cttatacagg	aatggaggct	gtgaacacat	720
ctgccaaag	agcctgggca	cagctcgggtg	tttggtgtcgt	gaaggttttg	tgaaggcctg	780
ggatgggaaa	atgtgtctcc	ctcaggatta	tccaatcctg	tcaggtgaaa	atgctcataa	840
ttgtgctttc	tgaattgtga	taaatttagt	aaaaaactgt	aacttagaat	ctgattttatt	900
caggattaga	tcattctttt	atactataaa	aatcttcgaa	tgaaaatatt	taactttaaa	960
aacattacct	taatcattgt	cttttcttct	tgaagtcctt	cccagtgaaa	acgctcaatt	1020
ctgctgtttc	catagaattt	ttaattttatt	ttaagacatg	agattgtaaa	caaattgctt	1080
gattttattt	atcctaatta	tttaaataaa	atcacccctaa	agcatcagca	tttt	1134

&lt;210&gt; 33

&lt;211&gt; 2243

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 33

aaaaaawaa	aaaaggagaa	gggattccta	tctgtatata	gggaaggaat	cctatctgca	60
tatttcgttg	ttagcaccat	ccctcatccc	ggtggggcct	ggaactttcc	atcaattctt	120
tcctgtctcg	tttctctttc	atcctttgcc	tggttggtgcc	tgtctcaggg	agaaatcagt	180
cacctgcagg	ccttgcaggg	ctcttaggct	ctgggaaatt	tgtcatacgg	gtgtcaggta	240
cttcttattg	ctgtccaaag	ggaaaaaaa	agtgagacaa	agaactctcc	cggagccttt	300
ccggctgcac	tcagaggctc	tcgagagggtg	cagaaggacc	tggaaaggca	gctaaataaa	360
agatgccctg	gggccgaagg	ccaacctggc	tggtgtctgc	cttcctgctg	gtgtctgctg	420
agtgtcagtg	tctgaaagg	tttgccagg	atggaaacct	gtgttctgat	atagatgagt	480
gtgtgctggc	tagatcggac	tgcctcagca	cctcgtccag	gtgcatcaac	actgaagggtg	540
gctacgtctg	cagatgctca	gaaggctacg	aaggagacgg	gatctcctgt	ttcgatattg	600
acgagtgcc	gcgggggg	cacaactgcg	ctgagaatgc	cgctgcacc	aacacggagg	660
gaggctacaa	ctgcacctgc	gcaggccgcc	catcctcgcc	cggactgagt	tgccctgact	720
ctaccgcacc	ctctctcctt	ggggaagatg	gccaccattt	ggaccgaaat	agtatccag	780
gatgcccatc	ctcatatgat	ggatactgcc	tcaatgggtg	cgtgtgcatg	cataattgaat	840
cactggacag	ctacacatgc	aactgtgtta	ttggctattc	tggggatcga	tgctcagactc	900
gagacctacg	atggtgggag	ctgcgtcatg	ctggctacgg	gcagaagcat	gacatcatgg	960
tggtggctgt	ctgcatggtg	gcactggtec	tgctgtcctt	cttggggatg	tgggggactt	1020
actactacag	gactcggaag	cagctatcaa	acccccaaa	gaaccttgt	gatgagccaa	1080
gcggaagtgt	gagcagcagc	gggcccagca	gcagcagcgg	ggcagctgtg	gcttcttgct	1140
cccaaccttg	gtttgtggte	ctagagaaac	accaagacc	caagaatggg	agtctgcctg	1200
cggatggtag	gaatgggtga	gtagtagatg	ctggcctgtc	tccctccctg	cagctcgggt	1260
cagtgcattc	gacttcatgg	agacagaagc	cccacataga	tggaaatggc	acagggcaaa	1320
gctgctggat	tccaccatca	agtgcagag	gaccccagga	aatagaggga	aactcccacc	1380
tacctccta	cagacctgtg	gggcccagga	agctgcattc	tctccagtca	gctaattggat	1440
cgtgtcacga	aagggtcca	gacctgccac	ggcagacaga	gccagttcag	tagaaactgg	1500
gagtagacag	aaggtagaga	agggaaaata	acaaaccagg	ctgatgatgg	tagagtgtcta	1560
cagacttggt	actccagttt	ccacggctaa	tactgtctcg	ctcagggtcc	tgaagatagc	1620
tgcacagctg	cagagctgca	cagcgggata	gctgcgactt	ttgcttcttg	ctttaagcag	1680
ttccactgaa	gatactcaaa	agagaagtgg	agaaaatcat	tagaaacca	agtcaagaca	1740
ttcatatata	agctgtgtct	tcttcaactg	acggtttgcc	tcttttctt	ttgctcaga	1800
aggagtgggt	taaagcagg	gaccccatgc	tctgtcaacc	cctgaataaa	tgatgtgatc	1860
tacatagaag	tcttagctca	ctctcaggaa	cgcttggaac	actataactt	ttgctatgat	1920
atactgccaa	gtgtggccca	tgtctcataat	tgtgctttct	gaattgtgat	aaattagtga	1980
aaaaactgta	acttagaatc	tgattttatt	aggattagat	catcttttta	tactataaaa	2040
atcttcgaat	gaaaatattt	aactttaaaa	acattacctt	aatcattgtc	ttttcttctt	2100

```

gaagtctttc ccagtgaaaa cgctcaattc tgctgtttcc atagaatttt taatttattt 2160
taagacatga gattgtaaac aaattgcttg atttatttta tcctaattat ttaaataaaa 2220
tcaccctaaa gcatcagcat ttt                                     2243

```

<210> 34  
 <211> 2446  
 <212> DNA  
 <213> Homo sapiens

```

<400> 34
aaaaaawwaa aaaaggagaa gggattccta tctgtatata gggaaggaat cctatctgca 60
tatttcgttg ttagcaccat ccctcatccc ggtggggctt ggaactttcc atcaattctt 120
tcctgtctcg tttctctttc atcctttgcc tgggtgtgcc tgtctcaggg agaaatcagt 180
cacctgcagg ccttgcaggg ctcttaggct ctgggaaatt tgtcatcagg gtgtcaggta 240
cttcttattg ctgtccaaag ggaaaaaaa agtgagacaa agaactctcc cggagccttt 300
ccggctgcac tcagaggctc tcgagagggt cagaaggacc tggaaaggca gctaaataaa 360
agatgccctg gggccgaagg cctgggatgg gaaaatgtgt ctccctcagg attatccaat 420
cctgtcagggt gaaaatgctg atcttagtaa agaggtgaca tcaactgagca actccactca 480
ggctgaagta ccagacgatg atgggacaga atcttcaca ctagtggctg aaatcatggt 540
gtcaggcatg aactatgaag atgactgtgg tcccggggg tgtggaagcc atgctcgatg 600
cgtttcagac ggagagactg ctgagtgtca gtgtctgaaa gggtttgcca gggatggaaa 660
cctgtgttct gatatagatg agtgtgtgct ggctagatcg gactgcccc gcacctcgct 720
caggtgcac cactactgaag gtggctacgt ctgcagatgc tcagaaggct acgaaggaga 780
cgggatctcc tgtttcgata ttgacgagtg ccagcggggg gcgcacaact gcgctgagaa 840
tgccgcctgc accaacacgg agggaggcta caactgcacc tgcgcaggcc gcccatcctc 900
gcccggactg agttgccctg actctaccgc accctctctc cttggggaag atggccacca 960
tttggaaccg aatagttatc caggatgccc atcctcatat gatggatact gcctcaatgg 1020
tggcgtgtgc atgcatattg aatcactgga cagctacaca tgcaactgtg ttattggcta 1080
ttctgggat cgatgtcaga ctcgagacct acgatggtgg gagctgcgtc atgctggcta 1140
cgggcagaag catgacatca tgggtgtggc tgtctgcatg gtggcactgg tcctgctgct 1200
cctcttgggg atgtggggga cttactacta caggactcgg aagcagctat caaaccctcc 1260
aaagaacctt tgtgatgagc caagcggaag tgtgagcagc agcggggccc acagcagcag 1320
cggggcagct gtggcttctt gtccccaacc ttggtttgtg gtcctagaga aacaccaaga 1380
ccccagaat gggagtctgc ctgcggatgg tacgaatggt gcagttagtag atgctggcct 1440
gtctccctcc ctgcagctcg ggtcagtgca tctgacttca tggagacaga agccccacat 1500
agatggaatg ggcacagggc aaagctgctg gattccacca tcaagtgaca gaggacccca 1560
ggaaatagag ggaaactccc acctaccctc ctacagacct gtggggccgg agaagctgca 1620
ttctctccag tcagctaatt gatcgtgtca cgaaagggtt ccagacctgc cacggcagac 1680
agagccagtt cagtagaaac tgggagtaga cagaagggtac agaagggaaa ataacaaacc 1740
aggctgatga tggtagagtg ctacagactt ggtactccag tttccacggc taatcactgc 1800
tcgctcaggg tcctgaagat agctgcacag ctgcagagct gcacagcggg atagctgcga 1860
cttttgcttc ttgctttaag cagttccact gaagatactc aaaagagaag tggagaaaat 1920
cattagaaac caaagtcaag acattcatat ataagctgtg tcttcttcac tggacggttt 1980
gcctcttttc cttttgcctc agaaggagtg ggtgaccca ggtgaccca tgctctgtca 2040
accttgaat aaatgatgtg atctacatag aagtcttagc tcaactctcag gaacgcttgg 2100
aacactataa cttttgctat gatatactgc caagtgtggc ccatgctcat aattgtgctt 2160
tctgaattgt gataaattag tgaaaaaact gtaacttaga atctgattta ttcaggatta 2220
gatcatcttt ttatactata aaaatcttcg aatgaaaata ttttaacttta aaaacattac 2280
cttaatcatt gtcttttctt cttgaagtct tcccagtgaa aaacgctcaa ttctgctgtt 2340
tccatagaat ttttaattta ttttaagaca tgagattgta aacaaattgc ttgatttatt 2400
ttatcctaata tttttaataa aaatcacctt aaagcatcag catttt                                     2446

```

<210> 35  
 <211> 886  
 <212> DNA  
 <213> Homo sapiens

```

<400> 35
ccccccccc cccccccct tcactctacac tggaagattc cgagtgggaa ctttctggga 60

```

```

cgggacagct ttgaggttcg tgtttgtgcc tgccttgga gagaccgccg tacagaagaa 120
gaaaatttcc gcaaaaagga agtcctttgc cctgaactgc cccagggag cgcaaagaga 180
gcgctgcccc cctgcacaag cgcctctccc ccgcaaaaga aaaaaccact tgatggagag 240
tatttcaccc tcaagatccg cgggcgtaaa cgcttcgaga tgttccggga gctgaatgag 300
gccttagagt taaaggatgc ccatgctaca gaggagtctg gagacagcag ggctcactcc 360
agctacctga agaccaagaa gggccagtct acttcccgc ataaaaaac aatggtcaag 420
aaagtggggc ctgactcaga ctgactgcct ctgcateccg tcccatcac cagcctcccc 480
ctctccttgc tgtcttatga cttcagggct gagacacaat cctcccgtc ccttctgctg 540
ccttttttac cttgtagcta gggctcagcc cctctctga gtagtggttc ctggcccaag 600
ttggggaata ggttgatagt tgtcaggtct ctgctggccc agcgaattc tatccagcca 660
gttgttggac cctggcacct acaatgaaat ctaccctac cccacaccct gtaagattct 720
atcttgggcc ctcatagggt ccatactctc cagggcctac tttccttcca ttctgcaaa 780
cctgtctgca tttatccacc cccaccctg tctcctctt tttttttt ttacccttt 840
ttatatatca atttctatt ttacaataaa atttgttat cactta 886

```

&lt;210&gt; 36

&lt;211&gt; 3050

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 36

```

cccttaataa gatttgccac gtacactcga gccatcgca gtgtccttga gccgcgggtg 60
acggtggctc tcgctgctcg cgcacctcc tcccgcggg ggagcctgat gccacgttcc 120
ctatgaatta tttatcgccg gcctaaaaat acccgaact tcacagcccg agtgtggggc 180
gctgggagca tggcgtccta tacatgaagt acccgtgtg gcctcgctac agtgccctc 240
tgcagcctgt ggtggacagt cggcacctga cggtgccac gctggaagag cggcccttg 300
tcctcgtgga gagcctgac cctggcacag gaggtgtgt ccccaacacc gtgccctgcc 360
gcaggcagag caaccacacc ttcagcagcg gggacgtggc cccctacacc aagctctgct 420
gtaagggatt ctgcatcgac atcctcaaga agctggccag agtggtcaaa ttctcctacg 480
acctgtacct ggtgaccaac ggcaagcatg gcaagcgggt gcgcggcgta tggaacggca 540
tgattgggga ggtgtactac aagcgggcag acatggccat cggctccctc accatcaatg 600
aggaacgctc cgagatcgta gacttctctg tacccttgt ggagacgggc atcagtgtga 660
tgggtggctcg cagcaatggc accgtctccc cctcggcctt cttggagcca tatagccctg 720
cagtgtgggt gatgatgtt gtcatgtgcc tctctgtgt ggccatcacc gtcttcatgt 780
tcgagtactt cagccctgtc agctacaacc agaacctcac cagaggcaag aagtcgggg 840
gccagcttt cactatcggc aagtccgtgt ggctgctgtg ggctgtgtc ttcaacaact 900
cagtgcccat cgagaacccg cggggcacca ccagcaagat catggttctg gtctgggcct 960
tctttgctgt catcttctc gccagctaca cggccaacct ggccgccttc atgatccaag 1020
agcaatacat cgacactgtg tcgggcctca gtgacaaaga gtttcagcg cctcaagatc 1080
agtaccaccc tttcctctc ggacgggtgc ccaacggcag cacggagcgg aacatccgca 1140
gtaactaccg tgacatgcac accacatgg tcaagttcaa ccagcgctcg gtggaggacg 1200
cgctcaccag cctcaagatg gggagctgg atgccttcat ctatgatgt gctgcctc 1260
actacatggc aggaaggac gagggctga agtggtcac cattgggtc ggcaaggtct 1320
ttgctaccac tggctacggc atcgccatgc agaaggact ccaactggaag cgggccatag 1380
acctggcgct cttgcagttc ctgggggacg gagagacaca gaaactggag acagtgtggc 1440
tctcagggat ctgccagaat gagaagaacg aggtgatgag cagcaagctg gacatcgaca 1500
acatggcagg cgtcttctac atgctgctgg tggccatggg gctggccctg ctggtcttcg 1560
cctgggagca cctggtctac tggaaactgc gccactcggg gcccaactca tcccagctgg 1620
acttctgtct ggctttcagc aggggcatct acagctgctt cagcggggtg cagagcctcg 1680
ccagcccacc gcggcaggcc agcccggacc tcacggccag ctcgggccag gccagcgtgc 1740
tcaagatgct gcaggcagcc cgcgacatgg tgaccacggc gggcgtaagc agtccctgg 1800
acgcgcacac tcgcaccatc gagaattggg gtggcgccg ccgtgcgccc ccaccgtccc 1860
cctgcccgac ccgcgggtct ggccccagcc catgctgcc caccctcgac ccgccccag 1920
agccgagccc cacgggtctg ggaccgccag acgggggtcg cgcggcgctt gtgcgcaggg 1980
ctccgcagcc cccgggcgc ccccgacgc cggggcgcc cctgtccgac gtctcccgag 2040
tgtcgcgcgg cccagcctgg gaggcgggt ggccggtgc gaccgggcac tgcgggaggc 2100
acctctcggc ctccgagcgg cccctgtcgc ccgcgcgtg tcaactacag tccttctc 2160
gagccgaccg atccggcgc ccttctctc cgctcttccc ggagccccg gagctggagg 2220
acctgcccgt gctcggctcg gagcagctgg cccggcgga ggccctgtc cacgcggcct 2280
gggcccgggg ctgcgcgcc cgtcacgctt cctgcccag ctccgtggcc gaggccttcg 2340

```

```

ctcgccccag ctcgctgccc gctgggtgca cggccccgc ctgcgccccg cccgacggcc 2400
actcgccctg caggcgcttg gcgcaggcgc agtcgatgtg cttgccgatc taccgggagg 2460
cctgccagga gggcgagcag gcagggggcc ccgcctggca gcacagacag cacgtctgcc 2520
tgcacgcccc cggccacctg ccattttgct ggggggctgt ctgtcctcac cttccaccct 2580
gtgccagcca cggtccttg ctctccgggg cctggggggc tctggggcac aggggcagga 2640
ctctggggct gggcacaggc tacagagaca gtgggggact ggacgagatc agcagkgtag 2700
cccgctgggac gcaaggcttc ccgggacctt gcacctggag acggatctcc agtctggagt 2760
cagaagtgtg agttatcagc cactcaggct ccgagccagc tggattctct gcctgccact 2820
gtcagggtta agcggcaggc aggattgggc ttttctggct tctaccatga aatcctggcc 2880
atgggacccc agtgacagat gatgtcttcc atgggtcatca gtgacctcag tagcctcaaa 2940
tcattggtgag ggctgggctt ttgctgtcct cttctcacgc agagttctgc caggagggtg 3000
tgctgtgggg gtcagactcc tgaggctctc cttccctgg ggctagccag 3050

```

&lt;210&gt; 37

&lt;211&gt; 2254

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 37

```

acggcgagcc tcattcctcc ggtgcgggcg tgagcagcga gtnccgactg tgctcgctgc 60
tcagcgccgc acccgaggga tgaggctcgc cgtgggagcc ctgctggtct gcgccgtcct 120
ggggctgtgt ctggtgttcc ctgataaaac tgtgagatgg tgtgcagtgt cggagcatga 180
ggccactaag tgccagagtt tccgcgacca tatgaaaagc gtcattccat ccgatggctc 240
cagtgttgtc tgtgtgaaga aagcctccta ccttgattgc atcagggcca ttgcggcaaa 300
cgaagcggat gctgtgacac tggatgcagg tttggtgtat gatgcttacc tggctcccaa 360
taacctgaag cctgtgggtg cagagttcta tgggtcaaaa gaggatccac agactttcta 420
ttatgtgtt gctglggtga agaaggatag tggcttccag atgaaccagc ttcgaggcaa 480
gaagtccctg cacacgggtc taggcaggtc cgctgggtgg aacatcccca taggcttact 540
ttactgtgac ttacctgagc cacgtaaacc tcttgagaaa gcagtggcca atttcttctc 600
gggcagctgt gcccttgtg cggtatgggac ggacttcccc cagctgtgtc aactgtgttc 660
aggggtgtgg tgtccaccc ttaaccaata cttcggctac tcgggagcct tcaagtgtct 720
gaaggatggt gctggggatg tggcctttgt caagcactcg actatatttg agaacttggc 780
aaacaaggct gacagggacc agtatgagct gctttgcctg gacaacaccc ggaagccggt 840
agatgaatac aaggactgcc acttggccca ggtcccttct cataccgtcg tggcccgaag 900
tatgggcggc aaggaggact tgatctggga gcttctcaac caggcccagg aacatttttg 960
caaagacaaa tcaaaagaat tccaactatt cagctctcct catgggaagg acctgctgtt 1020
taaggactct gccacgggt ttttaaaagt cccccccagg atggatgcca agatgtacct 1080
gggctatgag tatgtcactg ccacccgaa tctacgggaa ggcacatgcc cagaagcccc 1140
aacagatgaa tgcaagcctg tgaagtgggt tgcgtgagc caccacgaga ggctcaagt 1200
tgatgagtgg agtggttaaca gtgtaggga aatagagtgt gtatcagcag agaccaccga 1260
agactgcac gccaaagatc tgaatggaga agctgatgcc atgagcttgg atggagggtt 1320
tgtctacata gcgggcaagt gtggtctggt gcctgtcttg gcagaaaact acaataagag 1380
cgataattgt gaggatacac cagaggcagg gtattttgct gtagcagtgg tgaagaaatc 1440
agcttctgac ctcacctggg acaatctgaa aggcaagaag tcctgccata cggcatttgg 1500
cagaaccgct ggtggaaca tcccctggt cctgctctac aataagatca accactgcag 1560
atgtgatgaa ttttctcagt aaggttgtgc ccctgggtct aagaaagact ccagtctctg 1620
taagctgtgt atgggtcag gcctaaacct gtgtgaacct aacaacaaag agggatacta 1680
cggctacaca ggcgctttca ggtgtctggt tgagaaggga gatgtggcct ttgtgaaaca 1740
ccagactgtc ccacagaaca ctgggggaaa aaacctgat ccatgggcta agaacttgaa 1800
tgaaaaagac tatgagttgc tgtgccttga tggtagcagg aaacctgtgg aggagtatgc 1860
gaactgccac ctggccagag ccccgaaatc cgctgtggtc acacggaaag ataaggaaag 1920
ttgcgtccac aagatattac gtcaacagca gcacctattt ggaagcaacg taactgactg 1980
ctcgggcaac ttttgtttgt tccggtcgga aaccaaggac cttctgttca gagatgacac 2040
acactcctgg aagcctgcac ttccgtaga ccttaaaatc tcagaggtag ggctgccacc 2100
aaggtgaaga tgggaacgca gatgatccat gagtttgcct tggtttctact ggcccaagt 2160
gtttgtgcta accacgtctg tcttcacagc tctgtgttgc catgtgtgct gaacaaaaaa 2220
taaaaattat tattgatttt atatttcakk rraa 2254

```

&lt;210&gt; 38

<211> 2199  
 <212> DNA  
 <213> Homo sapiens

<400> 38

```

acggcgagcc tcatectccg ggtgcggcgc tgagcagcga gtcncgactg tgctcgtctc 60
tcagcgccgc acccgaggga tgaggtctgc cgtgggagcc ctgctggtct gcgccgtcct 120
ggggctgtgt ctggctgtcc ctgataaaac tgtgagatgg tgtgcagtgt cggagcatga 180
ggccactaag tgccagagtt tccgcgacca tatgaaaagc gtcattccat ccgatgggcc 240
cagtgttgct tgtgtgaaga aagcctccta ccttgattgc atcagggcca ttgcggcaaa 300
cgaagcggat gctgtgacac tggatgcagg tttggtgtat gatgcttacc tggctcccaa 360
taacctgaag cctgtggttg cagagttcta tgggtcaaaa gaggatccac agactttcta 420
ttatgctgtt gctgtggtga agaaggatag tggcttccag atgaaccagc ttcgaggcaa 480
gaagtctctc cacacgggtc taggcaggtc cgtgggtgg aacatcccca taggcttact 540
ttactgtgac ttacctgagc cacgtaaacc tcttgagaaa gcagtggcca atttcttctc 600
gggcagctgt gccccttggt cggatgggac ggacttcccc cagctgtgtc aactgtgtcc 660
aggggtgtggc tgctccaccc ttaaccaata ctctggctac tcgggagcct tcaagtgtct 720
gaaggatggt gctggggatg tggcctttgt caagcactcg actatatattg agaacttggc 780
aaacaaggct gacagggacc agtatgagct gctttgcctg gacaacaccc ggaagccggt 840
agatgaatac aaggactgcc acttgcccca ggtcccttct cataccgtcg tggcccgaa 900
tatggcgccg aaggaggact tgatctggga gcttctcaac caggcccagg aacatttttg 960
caaagacaaa tcaaaagaat tccaactatt cagctctcct catgggaagg acctgctgtt 1020
taaggactct gccacgggt ttttaaaagt cccccccagg atggatgcca agatgtacct 1080
gggctatgag tatgtcactg ccacccgaa tctacgggaa ggcacatgcc cagaagcccc 1140
aacagatgaa tgcaagcctg tgaagtgggt tgcgtgagc caccacgaga ggctcaagt 1200
tgatgagtgg agtgtaaca gtgtaggga aatagatgt gtatcagcag agaccacca 1260
agactgcac gccaatgaca tgaatggaga agctgatgcc atgagcttgg atggaggggt 1320
tgtctacata gcgggcaagt gtggtctggt gcctgtcttg gcagaaaact acaataagag 1380
cgataattgt gaggatacac cagaggcagg gtattttgct gagtgaaggt tgtgcccctg 1440
ggtctaagaa agactccagt ctctgtaagc tgtgtatggg ctcaggccta aacctgtgtg 1500
aaccacaaca caaagaggga tactacggct acacaggcgc tttcagggtg ctggttgaga 1560
aggagatgt ggcctttgtg aaacaccaga ctgtcccaca gaacactggg ggaaaaaacc 1620
ctgatccatg ggctaagaat ctgaatgaaa aagactatga gttgctgtgc cttgatggta 1680
ccaggaaacc tgtggaggag tatgcgaact gccacctggc cagagccccg aatcacgctg 1740
tggtcacacg gaaagataag gaagcttgcg tccacaagat attacgtcaa cagcagcacc 1800
tatttggaag caacgtaact gactgctcgg gcaacttttg tttgttccgg tcggaaaacca 1860
aggaccttct gttcagagat gacacagtat gtttgcccaa acttcatgac agaaacacat 1920
atgaaaaata cttaggagaa gaatatgtca aggtgttgg taacctgaga aaatgctcca 1980
cctcatcact cctggaagcc tgcactttcc gtagacctta aaatctcaga ggtagggtctg 2040
ccaccaaggt gaagatggga acgcagatga tccatgagtt tgccctgggt tccactggcc 2100
aagtggtttg tgctaaccac gtctgtcttc acagctctgt gttgccatgt gtgctgaaca 2160
aaaaataaaa attattattg attttatatt tcakkrrea 2199

```

<210> 39  
 <211> 14800  
 <212> DNA  
 <213> Homo sapiens

<400> 39

```

gggcagcagc agtcagcgca cgccgagcgg ctgccggggg aagcagaggc gccggaggct 60
ggggcaccgc cgacgcctcg ggagccatgg ccgaaggggg agaaggaggc gaggacgaga 120
tccagtttct gaggactgag gatgaagtgg tactccagtg catcgccacc attcataagg 180
agcagaggaa gttctgcctg gcagccgagg gacttgggaa tcgctgtgc ttcttggaac 240
ccacttcaga agccaagtac attcctccag atctctgcgt ctgcaatttt gtgctggaac 300
agtccttate tgcagagcc ctgcaggaaa tgcttgccaa cacagtgtaa aatggcggcg 360
aaggggcagc acaaggaggg ggccacagga cctgttata cggccatgca gttctcctga 420
ggcactcttt cagcggaatg tatctaact gcttgactac atcaagatcc cagacagaca 480
aacttgcttt tgatgtagg ctacgggaac atgccacagg agaagcctgt tgggtggacta 540
tacatcctgc ttccaaacag aggtccgaag gagagaaagt tcgaattggc gatgacctca 600
tctcgtcag cgtgtcctct gaaagatacc ttcactcttc agtatcaaat ggtaacatac 660

```

aagtggatgc	ctcctttatg	caaacactct	ggaatgtaca	tcctacgtgc	tcaggaagta	720
gcatcgaaga	aggataacct	cttgggtgggc	atgtagtacg	tcttttccat	ggatcatgatg	780
aatgtttgac	gataccatct	acagaccaga	atgattccca	gcacaggagg	atattctacg	840
aagctggggg	agctgggact	cgagccagkt	ctctttggag	agtggaaacc	cttcggataa	900
gctggagtgg	cagtaacatc	agatggggcc	aggctttccg	actccggcat	ctcaccacag	960
gccactacct	ggccttgaca	gaagaccaag	gccttatact	gcaagaccgg	gcaaagtcatg	1020
acaccaagtc	cacagctttc	tctttccggg	catcaaagga	actcaaggag	aaattagact	1080
ccagtcacaa	gcgagacata	gaaggcatgg	gagttccaga	aatcaagtat	ggagattctg	1140
tctgctttgt	gcagcatata	gccagtggtc	tgtgggtgac	ctacaaagca	caagacgccca	1200
aaacttcccg	cctgggacct	ctaaaaagaa	aggtcatact	ccatcaggaa	ggccacatgg	1260
atgatggatt	aacactgcag	agatgccarc	gtgaggagtc	ccaggctgct	cggatcatcc	1320
ggaacactac	agccttattc	agccagtttg	tcagtggaaa	caatcgca	gctgccccca	1380
tcaccctggc	tatagaagaa	gtcctgcaga	ccctacagga	cttgatcgcc	tacttccagc	1440
ccccagagga	ggagatgcga	catgaagaca	agcagaacaa	gctccgctca	ctcaaaaaca	1500
gacaaaatct	tttcaaggaa	gagggaaatgt	tggcccttgt	cttaaatgtc	attgaccgct	1560
taaatrctta	caatagcgta	gcacactttg	cagggattgc	aagggaagag	agtggcatgg	1620
cctggaaaga	aattctgaac	ctcctctaca	aattgctggc	tgctctcatt	cgcggaacaa	1680
gaaacaattg	cgctcaattc	tccaataacc	ttgattggct	catcagtaaa	ttggacagac	1740
tagaatcttc	ctcaggtatc	ttggaagttt	tgcactgcat	cttaactgaa	agcccagaag	1800
ccttaaatct	gatagcggag	ggccacatca	agtcgatcat	ctccctgttg	gataagcacg	1860
ggcggaatca	caaggttctg	gatatacctgt	gctccctctg	tctctgcaat	ggggttgcag	1920
tgagagccaa	ccagaatctg	atctgtgaca	acttgcctgc	ccggagaaac	ctactcctgc	1980
agacacgact	gattaacgat	gtaaccagta	tccggccaaa	catcttccctg	ggagtgcggg	2040
agggtctcagc	ccagtacaag	aagtggtaact	tcgagctgat	tatcgaccag	gtggacccct	2100
tcctaacagc	agagcccaca	catctgcggg	tgggtctggg	ctcttcttca	ggctatgcc	2160
catrcccagg	aggtggagaa	ggatggggag	gcaatggtgt	tgggtgacgac	ctgtactcct	2220
atggctttga	tggacttcac	ctttggtcag	gccggatacc	cagagctgtg	gcttccrtca	2280
accagcacct	cctgagatcg	gatgacgtgg	taagctgctg	cctggacctc	ggggtgccca	2340
gcactctcatt	ccgcatcaat	gggcagcccg	tgcaggggat	gtttgagaac	ttcaacacag	2400
acgggctctt	cttccctgtg	atgagctttt	cagaggtgt	caaagtacgt	ttcctgatgg	2460
gtggacgtca	tggagagttt	aagtccctgc	ctccctctgg	ctatgccctt	tgctatgaag	2520
ccttacttcc	aaaagagaag	atgagattgg	agcctgtcaa	agaatataaa	cggtgatgctg	2580
atggcattag	agatctcttg	ggtaccaccc	agttcctctc	ccaagcctct	ttcatcccat	2640
gccccgtaga	caccagtcag	gttattttgc	cacctcacct	agaaaagatc	cgagacagac	2700
tagctgaaaa	catccatgag	ctttggggaa	tgaataaaat	agaacttggc	tggactttcg	2760
gcaagatacg	agatgacaat	aaaagacaac	acccttgcct	tgtggagttt	tcaaagctcc	2820
cagaaaactga	gaagaactat	aacctgcaaa	tgtcaactga	aaccttaaaa	accctcttgr	2880
ccctgggktg	ccacattgct	catgttaacc	cagctgctga	ggaggatctc	aagaagggtca	2940
aactgcccaa	aaactatatg	atgtccaacg	gctataagcc	agcccccttg	gatttgtctg	3000
atgtgaagct	gttacctcct	caagaaattt	tagtgataaa	gcttgcagaa	aatgcacaca	3060
atgtttgggc	aaaagacaga	ataaaacaag	gatggacctt	tggcatccaa	caggatttga	3120
agaacaaaag	aatccccgt	ctggtgccat	atgcattact	ggatgagcgt	accaagaagt	3180
caaacaggga	cagcctgcgg	gaagctgtgc	gcacttttgt	tggttacggg	tataacattg	3240
agccatcaga	ccaagaacta	gctgactcgg	ctgtggagaa	ggtcagcata	gacaagatcc	3300
gatttttccg	ggttagagcga	tcttatscag	tgagatctgg	aaagtggat	tttgagtttg	3360
aagtgggtgac	tggaggagac	atgcgagtcg	gctgggagag	gccaggctgt	cgacctgatg	3420
tcgagctggg	ggccgatgac	caagcctttg	tgtttgaagg	caacaggggc	cagcgttggc	3480
atcaaggaag	tgggtatttt	gggcgtacct	ggcagccagg	ggatgtggtc	ggatgtatga	3540
ttaacctgga	tgatgcttca	atgatcttca	cactgaatgg	ggagctgctg	atcaccaaca	3600
aaggctctga	acttgccctc	gctgactacg	agattgagaa	tggcttcgtg	cccatctgct	3660
gtctgggtct	atctcagatc	ggccgcatga	atctcgggac	agatgccagt	accttcaagt	3720
tttataccat	gtgcggtctc	caagagggct	ttgagccttt	tgctgtcaac	atgaacagag	3780
atgttgctat	gtggttcagc	aagcgcctcc	cgacgtttgt	caacgtgcca	aaggatcatc	3840
cacacataga	ggtcatgagg	attgatggca	ccatggacag	ccctccgtgt	ctcaagggtga	3900
cgcataagac	atttggcaca	cagaatagca	atgccgacat	gatctattgc	cgcttgagca	3960
tgcctgtcga	gtgccactcc	tccttcagyc	acagccccctg	tctggacagt	gaagctttcc	4020
agaaaaggaa	acagatgcaa	gaaatactct	ctcatacaac	aacacagtgc	tactacgccca	4080
tccgcactct	tgstggacag	gatccatcct	gtgtctgggt	cggatgggtg	actccagact	4140
atcacttgta	cagtgaagaa	tttgacctga	ataaaaactg	cacagtgact	gtcaccctag	4200
gggatgaaag	aggccgggtc	catgaaagtg	tgaacgcag	caactgctac	atggtctggg	4260
gtggagacat	tgtagccagt	tcccagagat	caaactcgag	caacgtggac	ctggagatcg	4320



gctgtctcgt	ggatctggcc	atgggcatgt	tgtccttctc	agccaatgga	aaggaactgg	4380
gcacctgcta	ccaggtggag	cctaatacca	aagtgtttcc	agcagtcctc	ctgcagccta	4440
caagtacttc	tttgtttcag	tttgaacttg	gaaagctgaa	gaacgcaatg	cccctgtcag	4500
cggccatatt	caggagtga	gagragaacc	cagtcaccaca	gtgtccacct	cggctggacg	4560
tccaaacat	ccagcccgtg	ctctggagcc	gcattgccc	cagcttcctg	aaggtggaga	4620
ccgagcgtgt	gagcgcgc	cacggctggg	tgggtgcagt	cctggagccc	ctgcagatga	4680
tggcgctcca	catccccgag	gagaacaggt	gtgtggatat	cctggagctc	tgtgagcagg	4740
aggacctgat	gcgggttccat	taccacacgc	tgaggctcta	cagcgcgggtg	tgcgccctgg	4800
gaaacagccg	cgtggcctac	gccctgtgca	gccacgtgga	cctctcccag	ctcttctatg	4860
ccattgacaa	caagtacctc	cccggcctcc	ttcgatctgg	tttctatgac	ctgctcatca	4920
gcattccact	ggccagcgcc	aaggagagga	agctgatgat	gaagaacgag	tacatcatcc	4980
ccattaccag	caccaccagg	aatatctgcc	tcttcccggg	cgagtccaag	aggcatggac	5040
tgcctggggg	gggcctgaga	acatgtctca	agcccgggtt	caggttctcc	accccttgct	5100
ttgtttgtgac	tgggtaggat	cacaaaagc	agagcccga	gattcccttg	gagagtctca	5160
ggacgaaggc	tctgagtatg	ctgacagagg	cagtgcagt	cagcggggcc	cacatccgag	5220
accctgtagg	ggggtctgtg	gagttccagt	ttgtgcctgt	gctgaaactc	attggaaccc	5280
tgctggctcat	gggcgtgttt	gatgatgatg	atgttcggca	gacccctcct	ctgattgac	5340
cctctgtgtt	tggggagcat	agtgcgggga	cagaggagg	agcagaaaag	gaggaagtga	5400
cccaggtgga	ggagaaggct	gtggaggctg	gggagaaggc	cggcaaggag	gctcctgtca	5460
aaggcttggt	gcagactcga	ttaccgcaat	ccgtcaagct	gcagatgtgt	gagctcctca	5520
gctatctctg	cgactgtgag	ctgcagcacc	gagtgagggc	cattgtggca	tttggtgaca	5580
tttatgtctc	caagctgcag	gcaaatcaga	agttccgcta	caatgagctc	atgcaggccc	5640
tgaacatgtc	tgcggccctg	actgcccga	agaccaagga	gttccgctca	ccccacagg	5700
agcagatcaa	catgtctgct	aactttcaac	tgggagagaa	ctgcccctgc	ccagaggaga	5760
ttcgggagga	gctgtatgat	ttccatgagg	accttctcct	tcactgtggg	gttcccttg	5820
aagaagagga	agaggaggag	gaggacacct	cctggacagg	aaaactctgt	gccttggttt	5880
acaaaataca	aggcccaccc	aagccagaga	aggagcagcc	gacggaggag	gaggagagat	5940
gccccacaa	attgaaggaa	ctcatctcac	agacgatgat	ctgctggggc	caggaggacc	6000
agatccagga	ttcagagctg	gtccgaatga	tgttcaacct	cctccggagg	cagtatgaca	6060
gcattgggga	gctgctgcag	gcgctgcgga	agacctacac	catcagccac	acctctgtaa	6120
gcgacaccat	caacctgctg	gctgccctgg	gccaaatccg	ctccctcctc	agtgtcagga	6180
tgggcaagga	agaggagtgg	ctcatgatca	atgggctggg	agacataatg	aacaacaagg	6240
tgttttacc	gcattcccaac	ctcatgagag	tcctgggcat	gcacgagacg	gtgatggagg	6300
tgatggtgaa	cgtgttgggt	acagagaaat	ctcagattgc	atttccaaag	atggttgcta	6360
gctgctgccg	tttcccttgc	tatttctgtc	gaattagccg	gcaaaatcag	aaggccatgt	6420
ttgagcatct	gagttatctt	ctggagaata	gcagtgttgg	cctagcctcc	ccgtcgatga	6480
ggggatccac	cccgtgggat	gtggcagctt	cctctgtgat	ggacaacaat	gagttagcgc	6540
tgagcttaga	ggaaccagac	ctcgagaagg	tgggtgacct	cttggcaggc	tgtggcctac	6600
agagctgccc	catgcttctg	gccaaaggat	accctgatgt	cggctggaac	cccattgaag	6660
gggaacgcta	cctgtccttc	ctgaggtttg	ctgtcttctg	gaacagtgag	agtgtggaag	6720
aaaacgccag	cgttgttggtc	aagctgctca	tcagacgccc	agagtgttc	ggccccggcc	6780
tgcgggtgga	ggggggaaac	ggretcttgg	cagccatgca	gggtgccatt	aagatctctg	6840
agaacccgag	gctgacacct	ccctctcaag	gatataaaa	agaagtcagc	acggaggacc	6900
atgaagagga	agaagaaatc	gtgcatatgg	gcaatgcaat	tatgtcattt	tattcgggcc	6960
ttatagatct	actgggcgcg	tgtgctcctg	aaatgcacct	catccagaca	ggaaaggggg	7020
aagccatccg	catcaggctc	atcctgcgct	ccctggtccc	cacagaagac	ctggttgagg	7080
tcattcagcat	ccccttgaaa	ctgcccctcc	tcaacaaaga	tgggtcggtc	agtgagccag	7140
atatggcggs	caatttctgc	cctgaccaca	aggcacctat	ggtgctgttc	ttggaccgcg	7200
tttatggcat	taaggatcaa	acttttctgc	tcacttctct	ggaggttgga	tttttacctg	7260
acctaaagagc	ttctgcctct	ctagatacag	tttccctaag	caccacagag	gctgcgcttg	7320
cactaaatag	gtatatatgt	tctgctgtgc	tcccgtcct	cacaagatgt	gcccctctct	7380
ttgscggaac	agaacactgc	acctctctga	ttgattccac	actgcagaca	atatacaggc	7440
tatccaaggg	acgttccctc	accaaagcac	aaagggacac	tatagaagaa	tgtttgcttg	7500
ccatttgcaa	tcacttgagg	ccttccatgt	tacagcaact	cctgcgacgc	ctcgtttttg	7560
atgtgccgca	actcaatgaa	tactgcaaaa	tgcctctcaa	gcttctgacg	aatcactatg	7620
aacagtgttg	gaagtattac	tgcctgcctt	caggatgggg	gagctacggg	ctagctgtgg	7680
aagaagagct	gcacctaacg	gagaagcttt	tctgggggat	twttgactcg	ctctcccata	7740
agaaatatga	cccagatctt	ttccgaatgg	ccctgccttg	tctcagtgtc	atagctgggg	7800
ccttgccacc	agattattta	gatwccagaa	tcacagccac	rttgagagaa	cagatctcag	7860
tggatgcgga	tggcaacttt	gacccaaaac	ctattaacac	catgaatttt	tcctgtcctg	7920
aaaaattgga	atacatcgtc	accaagtatg	ctgagcattc	acatgataaa	tgggcctgtg	7980

acaagagtca	gagtggatgg	aaatatggga	tttccctgga	tgaaaatgtg	aagaccacc	8040
cactgataag	gcctttcaag	acattaacgg	agaaggagaa	ggaaatttat	cgctggcctg	8100
cgcgagagtc	cctgaaaacc	atgctggctg	tgggctggac	tgtggagagg	accaaagagg	8160
gagaagcttt	ggttcaacag	cgggaaaatg	agaagcttcg	aagtgtgtcc	caggccaacc	8220
agggcaacag	ctacagtcct	gctccccctg	acctctcaaa	cgttgtgtct	tccagagagc	8280
tccagggaat	ggtggaggtc	gtggctgaga	actatcacaa	tatctgggcc	aagaagaaga	8340
agctggagct	ggagagcaaa	ggtggtggca	gccaccctct	tctggtacca	tatgacacct	8400
tgactgccaa	ggaaaagttc	aaggaccggg	agaaggcaca	ggacctgttt	aagttcctcc	8460
aagtgaatgg	catcatagtt	tccaggggta	tgaaggatat	ggagctggat	gcctcctcca	8520
tggagaagag	gtttgscat	aagttcttga	agaagatcct	gaaatacgtt	gattctgtct	8580
aagaatttat	tgccccatta	gaagccattg	tcagcagctg	gaaaactgaa	aagtcctccc	8640
gtgaccagga	gatcaaattc	tttgccaaag	ttctcctccc	gctggttgac	cagtacttca	8700
ccagtcattg	cctctacttc	ttgtcatccc	ctctgaagcc	ccttagcagc	agcggatatg	8760
cctcccataa	ggagaaaagaa	atggtggccg	gcctgttctg	caaacttgcc	gctctcggtt	8820
gacacagaat	ttccctcttt	ggtagtgttt	ctactacaat	ggtgagctgt	cttcacatct	8880
tagctcagac	acttgacaca	aggactgtca	tgaagtcagg	ctcagagctg	gtgaaggctg	8940
ggttacgagc	attctttgaa	aatgctgcag	aagatttggg	gaagacttca	gaaaacctga	9000
aacttgggaa	gttcacccat	tcccgaacgc	agattaaagg	cgtttctcag	aatattaact	9060
acactacagt	ggctctgtct	cccatcctga	cgtecatctt	tgagcacgtc	actcagcatc	9120
agtttggaat	ggatctactc	ttgggtgatg	tgcagatttc	atgctaccac	atactgtgca	9180
gcctctactc	ccttgggacg	ggaaagaaca	tttatgttga	aaggcaacgc	cctgcccttg	9240
gagaatgtct	ggcctcgctg	gcagctgcc	taccagtggc	attcctggag	cccaccctta	9300
atcgctacaa	tccactctcg	gtcttcaaca	ccaaaacccc	caggagaggg	tctattctgg	9360
ggatgccaga	cacggtagaa	gacatgtgtc	ctgacatccc	ccagctggaa	ggcctgatga	9420
aggaaatcaa	cgacctggcc	gagtcagggg	cccggtagac	agagatgccc	catgtcatcg	9480
aggtgatctt	acccatgtct	tgcaactact	tgtcctactg	gtgggagcgg	ggtcctgaga	9540
acctgcccc	cagcacaggg	ccatgtgtga	ccaaggtcac	ctctgaacac	ctcagttcta	9600
tcttgggcaa	catcttgaaa	atcatcaaca	acaacctggg	catcgatgag	gcctcctgga	9660
tgaagcgcat	tgcagtgtat	gcacagccca	tcatcagcaa	agccaggccc	gacctgtgtg	9720
gaagccactt	catcccaact	ctggagaagc	tgaagaaaaa	ggctgtcaag	acggtgcagg	9780
aggaggagca	gttgaaagcc	gatggcaaa	gggacacca	ggaggcagaa	ctcctcatcc	9840
tggacgagtt	cgcggtcctc	tgcagagatc	tctatgcctt	ctaccccatg	ctgatccgct	9900
acgtggacaa	caacagatct	aactggctga	aaagtctctg	tgtgtattct	gaccagctct	9960
tccgcatggt	ggcagaagtc	ttcattctgt	ggtgtaaatc	tcataacttc	aagagagaag	10020
agcaaaattt	tgtgattcag	aatgaaatta	ataatttggc	atttttaact	ggagacagca	10080
aaagcaagat	gtcaaaatct	ggaggacaag	accaggagcg	gaagaagaca	aagcggcggg	10140
gagacttgta	ttccatccag	acctccctca	tctgtggctg	actcaagaaa	atgctgcccc	10200
ttggtttgaa	tatgtgtact	ccaggcgacc	aggagctgat	ctccctcgca	aaatcgcgat	10260
acagccatag	ggacacagat	gaagaggtca	gagaacatct	gcggaacaac	ttgcacttgc	10320
aggaaaagtc	tgatgacca	gctgtaaaat	ggcaactgaa	cctctacaag	gatgttctga	10380
agagtgaaga	acctttcaat	ccggaaaaga	cagtggagcg	tgtgcagaga	atttcagcag	10440
ctgtcttcca	cctggaacag	gtggaacagc	ctttgaggtc	caagaaggcc	gtctggcaca	10500
aactgtttatc	aaggcaacgg	aaacgggcag	tgggtgcctg	tttcaggatg	gccccctctc	10560
acaacgttcc	caggaccgcg	tctattaacc	tcttctcca	tggctatcag	agattttgga	10620
tagaaacaga	ggagtattcc	tttgaagaga	aactagtaca	ggatttggct	aaatctccaa	10680
aggtggaaga	ggaggaggag	gaagagacag	aaaaacaacc	tgaccacta	catcagatca	10740
ttctctattt	tagccgcaac	gctctcacgg	agaggagcaa	attggaagac	gaccctttgt	10800
acacctccta	ttccagcatg	atggccaaga	gttgtcaaa	tggtaggat	gaagaagaag	10860
atgaagacaa	ggaaaaaaca	ttggaagaga	aagagatgga	gaagcaaaaa	accctctatc	10920
agcaagctcg	gctgcatgag	cgtggtgctg	cragatgggt	ccttcagatg	ataagcgcta	10980
gcaaagggtga	gatgagcccc	atggtggttg	agacgtgaa	gctggggatc	gccattctga	11040
acggaggcaa	tgtgtgtgtg	caacagaaaa	tgctagatta	cctaaaggag	aaaaaggatg	11100
ctggattctt	tcaaagcctt	yctggtctta	tgcagtcttg	cagygtcctt	gatttgaatg	11160
catyrtgagag	gcagaataaa	gctgaaggcc	tggggatggt	gactgaagaa	ggaacactca	11220
ttgttcggga	acgtggtgaa	aaagtactcc	agaatgacga	gttcacgcgt	gatctcttta	11280
gattcctaca	gttactttgt	gaggacata	acagtgactt	tcagaacttc	ctgcggactc	11340
agatgggcaa	caccaccacc	gtgaatgtca	tcacagcac	tgtggactac	cttctgcgtc	11400
tgcagggaatc	aatcagtgat	ttctactggt	attattcagg	gaaggacatc	attgatgaat	11460
ctggacagca	caatttttcc	aaagctctgg	cagtcaccaa	gcagattttc	aattctctta	11520
cagaatacat	ccagggccct	tgcattggta	atcaacagag	cctggctcac	agcaggctgt	11580
gggacgcagt	ggttggcttc	ctccatgtct	ttgctaatat	gcagatgaaa	ctctctcagg	11640

```

atccagtc gatcgagctg ctgaaggaac tcttgatct ccttcaggac atggtggtga 11700
tgcttctgtc cctcctggaa gggaaatgtg taaatggcac cattggcaag cagatggttg 11760
acacactggt agaatcatct accaatgtag aaatgatctt gaaattcttt gacatgttct 11820
tgaaacttaa agacttaacc agctcagaca ccttcaaaga atatgaccca gatggttaaag 11880
gaattatctc caaaaaagaa ttccagaagg ccatggaagg gcaaaaacag tacacgcagt 11940
cagagattga ctttctcctg tcgtgtgcag aagctgatga gaatgacatg ttttaattacg 12000
ttgattttgt agaccggttc catgagccag ccaaggacat agggtttaat gtggctgtgt 12060
tattgacaaa tctttctgaa cacatgccaa acgattcccc cctgaagtgt ctgttgacc 12120
cagcagaaa gttgtctaat tacttcgrac cctacctagg acgcatcgag atcatgggtg 12180
gggccaagaa gattgagcgt gtttattttg agatcagtga atccagtcgc actcagtggg 12240
agaagcccca ggtgaaggaa tctaagcgac agttcatttt tgatgttgtc aatgaagggtg 12300
gggagcagga aaagatggrrg ctgtttgtga acttctgtga ggacaccatc tttgaaatgc 12360
agttagcatc tcagatctct gaatccgatt cagctgacag gccagaagag gaggaagaag 12420
atgaagattc ttcttacgtg ttagaaattg cgggtgaaga ggaagaagac gggctctctg 12480
agccggcctc tgcatttgct atggcctgtg cctctgtgaa gaggaatgtc accgacttcc 12540
tgaagagagc aacctgaag aacctcagga agcagtacag gaacgtgaaa aagatgactg 12600
cgaaggagct ggtgaagggt ctcttctcct ttttctggat gctgttcgtg gggctattcc 12660
agttgctctt caccatcctg ggaggaatct ttcagatcct ctggagcaca gtgtttggag 12720
ggggcctggt agaaggggca aagaacatca gagtgaacca gatcctgggt gacatgcctg 12780
acccaaccca atttggtatc catgatgaca ctatggaggc tgagagggca gaggtgatgg 12840
agccaggtat caccactgaa ctagtacctc tcataaaggg ggagaaggga gatacagata 12900
tcatgtcaga cctctttgga ctccacccaa agaaagaggg cagcttaaag catgggcctg 12960
aagtgggttt gggtgacctc tcagaaatta ttggcaagga tgaacccctt acattagaga 13020
gtactgtaca gaagaagagg aaagctcagg cagcagaaat gaaagcagca aatgaagcag 13080
aaggaaaagt agaatccgag aaggcagaca tggaagatgg agagaaggaa gacaaagaca 13140
aagaagagga gcaagctgag tacctgtgga cagaagtgc aaaaaagaag aagcggcggt 13200
gtggtcagaa ggttgagaag ccggaagctt tcacagccaa tttctttaaa gggctggaaa 13260
tctatcagac caagtactg cattacctgg ccaggaattt ctacaacctg aggttccttg 13320
ctctgtttgt agccttcgct atcaacttca tctgtctttt ttataagggt actgaagaac 13380
ctttagaaga agagacagag gatgttgcaa acctatggaa ttcttttaat gacgaggaag 13440
aggaagaagc gatggtattc tttgtccttc aggagagcac cgggtatatg gcaccaacct 13500
tgctgtccct ggccatcatc cataccatca tctctctagt ctgtgtggtg ggctactact 13560
gcctgaaggt gcctttggtg gttttcaaaa gggaaaaaga aatcgccagg aagctggagt 13620
ttgatggcct atatatcacc gaacagccat ctgaagatga catcaagggg cagtgggacc 13680
scgttggtgat caacacacca tcttttcta ataactactg ggacaagttt gtaaagagaa 13740
aggtgatcaa caagtatgga gatctctacg gagcagaacg cattgctgaa cttctgggtt 13800
tggaacaaaa tgctcttgac tttagcccag tagaagagac caaagcagaa gcggcttctc 13860
tggtgtcatg gctaaagtcc wtagacatga agtaccatat ctggaagctt ggagttgttt 13920
ttactgacaa ctcttttctc taccttgccct ggtatacaac catgtcagtc ctgggccaact 13980
acaataactt cttctttgct gctcacctat tggacatcgc aatgggcttc aagacactga 14040
ggaccattct gtcactgtga actcacaatg gcaaacagtt ggttctgact gtcgggtctcc 14100
tgccgtggtt ggtttatctc tatactgtgg tggttttcaa cttcttccgc aagttctaca 14160
acaaaagcga agacgatgac gagcccagata tgaagtgcga cgacatgatg acgtgttacc 14220
ttttccacat gtacgtggga gtgagagcag gaggtggcat tgggtgatgaa attgaagacc 14280
ctgctggtga tccttatgaa atgtatcgca ttgtctttga cattaccttt ttcttcttcg 14340
tcattgtcat cttgtggcc atcattcaag gtcttattat tgatgctttc ggagagctaa 14400
gagaccagca ggaacaagta cgagaagata tggaggtaat gttactctaa ctactaatcc 14460
cagctctatt ttaatatccc cagaagcaaa tagatttttt aaacaatagg ttttactatt 14520
acttagggcc agtactaagc aagaacgcag tttgttttcc atgccctgtt ctctgcacc 14580
tgccataccc ctgccaggcc ggccactctg ctgcctctcc cactgtccca caataggagg 14640
gagcagtatc ctcagctaat caggagctaa gtgtatggca ctactgagtg aatgactaat 14700
agccaaaagc attagaaaga aagttttcat tctcttcaa ttcgatagaa tcatgacagt 14760
tttctctcct gcctatatta tgccaacaaa tgccttttct 14800

```

&lt;210&gt; 40

&lt;211&gt; 1309

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 40

```

gtgcattgag cgcgcctccag ctgccgggac gagggggcgg cccccgcgt cggggcgcctc 60
ggctacagct gcgggggcccg aggtctccgc gcactcgcctc ccggcccatg ctggaggcgg 120
cggaaccssg gggacctaag acggaggcgg cgggcgcctg gcggcccccg gcacgcctgag 180
ctcgggatgc ggacgcctgc gcctcccgcg ctgctgacct gctggctgct cggccccctg 240
aacagcattc acccagaatg ccgatttcat ctggaaatac aggaggaaga aacaaaatgt 300
rcagagcttc tgaggctctca aacagaaaaa cacaaagcct gcagtggcgt ctgggacaac 360
atcacgtgct ggcggcctgc caatgtggga gagaccgtca cggtgccctg cccaaaagtc 420
ttcagcaatt ttacagcaa agcaggaaac ataagcaaaa actgtacgag tgacggatgg 480
tcagagacgt tcccagattt cgtcgatgcc tgtggctaca gcgaccgga ggatgagagc 540
aagatcacgt tttatattct ggtgaaggcc atttataccc tgggtacag tgtctctctg 600
atgtctcttg caacaggaag cataattctg tgcctcttca ggaagctgca ctgcaccagg 660
aattacatcc acctgaacct gttcctgtcc ttcacctga gagccatctc agtgcctgtc 720
aaggacgacg ttctctactc cagctctggc acgttgcact gccctgacca gccatcctcc 780
tgggtgggct gcaagctgag cctggtcttc ctgcagtact gcatcatggc caacttcttc 840
tggtgctgg tgagggggct ctacctccac accctcctgg tggccatgct cccccctaga 900
aggtgcttcc tggcctacct cctgatcgga tggggcctcc ccaccgtctg catcggtgca 960
tggaactgcg ccaggctcta cttagaagac accggttgct gggatacaaa cgaccacagt 1020
gtgccctggt gggctatacg aataccgatt ttaatttcca tcatcgtaa tttgtcctt 1080
ttcattagta ttatacgaat tttgctgcag aagttaacat cccagatgt cggcggcaac 1140
gaccagtctc agtacaagag gctggccaag tccacgctcc tgcttatccc gctgttcggc 1200
gtccactaca tgggtgtttgc cgtgtttccc atcagcatct cctccaaata ccagatactg 1260
tttgagctgt gcctcgggtc gttccaggta ggtgtgcgga ggcggccgc 1309

```

&lt;210&gt; 41

&lt;211&gt; 1500

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 41

```

agcccagaga cacattgggg ctgaacctgcc gctgctgtca gtgggaggcc agtgggtgctg 60
gccaaagaag gtcatggctg gtgtcgtgca cgtttccctg gctgctcact gcggggcctg 120
tccgtggggc cggggcagac tccgcaaagg acgcgcagcc tgcaagtcgg cggcccagag 180
acacattggg gctgacctgc cgtgctgtc agtgggaggc cagtgggtgt ggccaagaag 240
tgtcatggct ggtgtcgtgc acgtttccct ggctgctctc ctctgctgc ctatggcccc 300
tgccatgcat tctgactgca tcttcaagaa ggagcaagcc atgtgcctgg agaagatcca 360
gagggccaat gagctgatgg gcttcaatga ttctctcca ggctgtcctg ggatgtggga 420
caacatcaog tgttggaagc ccgcccattg gggtagatg gtccctgtca gctgccctga 480
gctcttccga atcttcaacc cagaccaaga catgggagtg gtgagccgga actgcacgga 540
ggatggctgg tccgaaccct tccctcatta ctttgatgcc tgtgggtttg atgaatatga 600
atctgagact ggggaccagg attattacta cctgtcagtg aaggccctct acacggttgg 660
ctacagcaca tccctcgtca cctcaccac tgcctatggt atcctttgtc gttccggaa 720
gctgcactgc acacgcaact tcatccacat gaacctgttt gtgtcgttca tgctgagggc 780
catctccgtc ttcatcaaag actggattct gtatgcggag caggacagca accactgctt 840
catctccact gtggaatgta aggcgcctat ggttttcttc cactactgtg ttgtgtccaa 900
ctacttctgg ctgttcatcg agggcctgta cctcttact ctgctggtgg agaccttctt 960
ccctgaaagg agatacttct actggtacac catcattggc tgggggaccc caactgtgtg 1020
tgtgacagtg tgggtacgc tgagactcta ctttgatgac acaggctgct gggatatgaa 1080
tgacagcaca gctctgtggg gggtagtcaa aggcctgtg gttggctcta tcatggttaa 1140
ctttgtgctt tttattggca ttatcgtcat ccttgtgcag aaacttcagt ctccagacat 1200
gggaggcaat gagtccagca tctacttgcg actggcccgg tccaccctgc tgctcatccc 1260
actattcgga atccactaca cagtatttgc cttctcccca gagaatgtca gcaaaaggga 1320
aagactcgtg tttgagctgg ggctgggctc cttccagggc tttgtggtgg ctgttctcta 1380
ctgttttctg aatggtagag tacaagcgga gatcaagcga aaatggcgaa gctggaagg 1440
gaaccgttac ttcgctgtgg acttcaagca ccgacaccgg tctctggcca gcagtggggt 1500

```

&lt;210&gt; 42

&lt;211&gt; 1550

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 42

gagacatggc	ccgggcagtg	gctcctggaa	gaggaacaag	tgtgggaaaa	gggagaggaa	60
gccggagcta	aatgacagga	tgcaggcgac	ttgagacaca	aaaagagaag	cgttcctctc	120
ggatccaggc	attgcctcgc	tgctttcttt	tctccaagac	gggctgagga	ttgtacagct	180
ctaggcggag	ttggggctct	tcggatcgct	tagattctcc	tctttgctgc	atttcccccc	240
acgtcctcgt	tctcccgcgt	ctgcctgcgg	acccgagaa	gggagaatgg	agagggggct	300
gccgctctc	tgcgcgtgc	tcgccctcgt	cctcgccccg	gccggcgctt	ttcgcaacga	360
taaatgtggc	gatactataa	aaattgaaag	ccccgggtac	cttacatctc	ctggttatcc	420
tcattcttat	cacccaagtg	aaaaatgcga	atggctgatt	caggctccgg	acccatacca	480
gagaattatg	atcaacttca	accctcactt	cgatttggag	gacagagact	gcaagtatga	540
ctacgtggaa	gtcttcgatg	gagaaaatga	aaatggacat	tttaggggaa	agttctgtgg	600
aaagatagcc	cctcctcctg	ttgtgtcttc	agggccattt	ctttttatca	aatttgtctc	660
tgactacgaa	acacatggtg	caggattttc	catacgttat	gaaattttca	agagaggtcc	720
tgaatgttcc	cagaactaca	caacacctag	tggagtata	aagtcccccg	gattccctga	780
aaaatatccc	aacagccttg	aatgcactta	tattgtcttt	gcgccaaga	tgctcagagat	840
tatcctggaa	tttgaaagct	ttgacctgga	gcctgactca	aatcctccag	gggggatgtt	900
ctgtcgctac	gaccggctag	aaatctggga	tggattccct	gatgttggcc	ctcacattgg	960
gcgttactgt	ggacagaaaa	caccaggtcg	aatccgatcc	tcacgggca	ttctctccat	1020
ggttttttac	accgacagcg	cgatagcaaa	agaaggtttc	tcagcaaaact	acagtgtctt	1080
gcagagcagt	gtctcagaag	atttcaaagt	tatggaagct	ctgggcatgg	aatcaggaga	1140
aattcattct	gaccagatca	cagcttcttc	ccagtatagc	accaactggf	ctgcagagcg	1200
ctcccgcctg	aactaccctg	agaatgggtg	gactcccgga	gaggattcct	accgagagt	1260
gatacaggta	gacttgggcc	ttctgcgctt	tgctacggct	gtcgggacac	agggcgccat	1320
ttcaaaagaa	accaagaaga	aatattatgt	caagacttac	aagatcgacg	ttagctccaa	1380
cggggaagac	tggatcacca	taaaagaagg	aaacaaacct	gttgtaagtt	aggctgccac	1440
cgtggcaaac	naatttggtc	ttttaaatgg	atgatcaatt	tttacttgtt	tgtttggttag	1500
ctttctgtct	ggcctgggtt	atnnttgaat	tgatttgaaa	tgaaangtgc		1550

&lt;210&gt; 43

&lt;211&gt; 1550

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 43

gagacatggc	ccgggcagtg	gctcctggaa	gaggaacaag	tgtgggaaaa	gggagaggaa	60
gccggagcta	aatgacagga	tgcaggcgac	ttgagacaca	aaaagagaag	cgttcctctc	120
ggatccaggc	attgcctcgc	tgctttcttt	tctccaagac	gggctgagga	ttgtacagct	180
ctaggcggag	ttggggctct	tcggatcgct	tagattctcc	tctttgctgc	atttcccccc	240
acgtcctcgt	tctcccgcgt	ctgcctgcgg	acccgagaa	gggagaatgg	agagggggct	300
gccgctctc	tgcgcgtgc	tcgccctcgt	cctcgccccg	gccggcgctt	ttcgcaacga	360
taaatgtggc	gatactataa	aaattgaaag	ccccgggtac	cttacatctc	ctggttatcc	420
tcattcttat	cacccaagtg	aaaaatgcga	atggctgatt	caggctccgg	acccatacca	480
gagaattatg	atcaacttca	accctcactt	cgatttggag	gacagagact	gcaagtatga	540
ctacgtggaa	gtcttcgatg	gagaaaatga	aaatggacat	tttaggggaa	agttctgtgg	600
aaagatagcc	cctcctcctg	ttgtgtcttc	agggccattt	ctttttatca	aatttgtctc	660
tgactacgaa	acacatggtg	caggattttc	catacgttat	gaaattttca	agagaggtcc	720
tgaatgttcc	cagaactaca	caacacctag	tggagtata	aagtcccccg	gattccctga	780
aaaatatccc	aacagccttg	aatgcactta	tattgtcttt	gcgccaaga	tgctcagagat	840
tatcctggaa	tttgaaagct	ttgacctgga	gcctgactca	aatcctccag	gggggatgtt	900
ctgtcgctac	gaccggctag	aaatctggga	tggattccct	gatgttggcc	ctcacattgg	960
gcgttactgt	ggacagaaaa	caccaggtcg	aatccgatcc	tcacgggca	ttctctccat	1020
ggttttttac	accgacagcg	cgatagcaaa	agaaggtttc	tcagcaaaact	acagtgtctt	1080
gcagagcagt	gtctcagaag	atttcaaagt	tatggaagct	ctgggcatgg	aatcaggaga	1140
aattcattct	gaccagatca	cagcttcttc	ccagtatagc	accaactggf	ctgcagagcg	1200
ctcccgcctg	aactaccctg	agaatgggtg	gactcccgga	gaggattcct	accgagagt	1260
gatacaggta	gacttgggcc	ttctgcgctt	tgctacggct	gtcgggacac	agggcgccat	1320
ttcaaaagaa	accaagaaga	aatattatgt	caagacttac	aagatcgacg	ttagctccaa	1380
cggggaagac	tggatcacca	taaaagaagg	aaacaaacct	gttgtaagtt	aggctgccac	1440
cgtggcaaac	naatttggtc	ttttaaatgg	atgatcaatt	tttacttgtt	tgtttggttag	1500
ctttctgtct	ggcctgggtt	atnnttgaat	tgatttgaaa	tgaaangtgc		1550

tgaaaacgct ttatcttttc agttacttat tatactactc tttccgrgga

1550

<210> 44

<211> 5948

<212> DNA

<213> Homo sapiens

<400> 44

atcatgggac	cgggtgagcg	ctgagaatcg	cggccgcagc	catcagccct	ggagatgacc	60
aggagcggcc	actgctgaga	actatgtgga	gagaggctgc	gagccctgct	gcagagcctc	120
cggctgggat	agccgcccc	cgtgggggcg	atgcggaacg	cgcgggacag	ccaggggagc	180
gcgctggggc	cgcagcatgc	gggaacccgc	taaaccgggt	ggctgctgag	gcggccgaga	240
tgctcgtgcg	cgcagcgcgc	cccactgcat	cctcgacctt	ctcgggctac	agggaccgtc	300
agtggcgact	atgggcagag	tgggctattg	gacctgctg	gtgctgccgg	cccttctggt	360
ctggcgcggt	cggcgccga	gcgcggcggc	ggagaagggt	ccccccgcgc	taaatattgc	420
ggtgatgctg	ggtcacagcc	acgacgtgac	agagcgcgaa	cttcgaacac	tgtggggccc	480
cgagcaggcg	gcggggctgc	ccctggacgt	gaacgtggta	gctctgctga	tgaaccgcac	540
cgaccccaag	agcctcatca	cgcacgtgtg	cgacctcatg	tccggggcac	gcattccacg	600
cctcgtgttt	ggggacgaca	cggaccagga	ggcctgagcc	cagatgctgg	attttatctc	660
ctcccacacc	ttcgtcccca	tcttgggcat	tcatgggggc	gcattctatga	tcatggctga	720
caaggatccg	acgtctacct	tcttccagtt	tggagcgtcc	atccagcagc	aagccacggt	780
catgctgaag	atcatgcagg	attatgactg	gcattgtctt	tccctggtga	ccactatctt	840
ccctggctac	aggggaattca	tcagcttcgt	caagaccaca	gtggacaaca	gctttgtggg	900
ctgggacatg	cagaatgtga	tcacactgga	cacttccttt	gaggatgcaa	agacacaagt	960
ccagctgaag	aagatccact	cttctgtcat	cttgctctac	tgttccaaag	acgaggctgt	1020
tctcattctg	agtgaggccc	gctcccttgg	cctcaccggg	tatgatttct	tctggattgt	1080
ccccagcttg	gtctctggga	acacggagct	cctcccaaaa	gaglttccat	cgggactcat	1140
ttctgtctcc	tacgatgact	gggactacag	cctggaggcg	agagtggagg	acggcatttg	1200
catcctaacc	accgctgcat	cttctatgct	ggagaagttc	tcctacatcc	ccgaggccaa	1260
ggccagctgc	tacgggcaga	tggagaggcc	agagggtccc	atgcacacct	tgcacccatt	1320
tatggtcaat	gttacatggg	atggcaaaaga	cttatccttc	actgaggaag	gctaccaggt	1380
gcaccccagg	ctggtggtga	ttgtgctgaa	caaagaccgg	gaatgggaaa	aggtgggcaa	1440
gtgggagaac	catacgtgta	gcctgaggca	cgcctgtgtg	cccagggtaca	agtccttctc	1500
cgactgtgag	ccggatgaca	accatctcag	catcgtcacc	ctggaggagg	ccccattcgt	1560
catcgtggaa	gacatagacc	ccctraccga	gacgtgtgtg	aggaacaccg	tgccatgtcg	1620
gaagttcgtc	aaaatcaaca	attcaaccaa	tgaggggatg	aatgtgaaga	aatgctgcaa	1680
ggggttctgc	attgatattc	tgaagaagct	ttccagaact	gtgaagtta	cttacgacct	1740
ctatctggtg	accaatggga	agcatggcaa	gaaagttaac	aatgtgtgga	atggaatgat	1800
cgggtgaagtg	gtctatcaac	gggcagtcac	ggcagttggc	tcgctcacca	tcaatgagga	1860
acgttctgaa	gtggtggact	tctctgtgcc	ctttgtggaa	acgggaatca	gtgtcatggt	1920
ttcaagaagt	aatggcaccg	tctcaccttc	tgtttttcta	gaaccattca	gcgcctctgt	1980
ctgggtgatg	atgtttgtga	tgtgtctcat	tgtttctgcc	atagctgttt	ttgtctttga	2040
atacttcagc	cctgttggat	acaacagaaa	cttagccaaa	gggaaagcac	cccatgggcc	2100
ttcttttaca	attggaaaaag	ctatatggct	tctttggggc	ctggtgttca	ataactccgt	2160
gcctgtccag	aatcctaaaag	ggaccaccag	caagatcatg	gtatctgtat	gggccttctt	2220
cgtgtcata	ttcctggcta	gtacacagc	caatctggct	gccttcatga	tccaagagga	2280
atgtgtggac	caagtgaccg	gcctcagtga	caaaaagtta	cagagacctc	atgactattc	2340
cccacctttt	cgatttgga	cagtgcctaa	tggaaagcac	gagagaaaca	ttcgggaata	2400
ctatccctac	atgcatcagt	acatgaccaa	atttaatcag	aaaggagtag	aggacgcctt	2460
ggtcagcctg	aaaacgggga	agctggacgc	tttcatctac	gatgccgcag	tcttgaatta	2520
caaggctggg	agggatgaag	gctgcaagct	ggtgaccatc	gggagtgggt	acatctttgc	2580
caccaccggg	tatggaattg	cccttcagaa	aggctctcct	tggaaagagg	agatcgacct	2640
ggccttgctt	cagtttgttg	gtgatggtga	gatggaggag	ctggagacct	tgtggctcac	2700
tgggatctgc	cacaacgaga	agaacgaggt	gatgagcagc	cagctggaca	ttgacaacat	2760
ggcgggcgta	ttctacatgc	tggctgccgc	catggccctt	agcctcatca	ccttcatctg	2820
ggagcacctc	ttctactgga	agctgcgctt	ctgtttcacg	ggcgtgtgct	ccgaccggcc	2880
tgggttgctc	ttctccatca	gcaggggcat	ctacagctgc	attcatggag	tgcacattga	2940
agaaaagaag	aagtctccag	acttcaatct	gacgggatcc	cagagcaaca	tgttaaaact	3000
cctccgggtca	gccaaaaaca	tttccagcat	gtccaacatg	aactcctcaa	gaatggactc	3060
acccaaaaga	gctgctgact	tcattccaaag	aggttccttc	atcatggaca	tgttttcaga	3120

```

taaggggaat ttgatgtact cagacaacag gtccctttcag gggaaagaga gcattttttgg 3180
agacaacatg aacgaactcc aaacattttgt ggccaaccgg cagaaggata acctcaataa 3240
ctatgtatcc cagggaacaac atcctctttac tctcaatgag tccaacccta acacggtgga 3300
ggtggccgtg agcacagaat ccaaagcgaa ctctagaccc cggcagctgt ggaagaaatc 3360
cgtrgattcc atacgccagg attcactatc ccagaatcca gtctcccaga gggatgaggc 3420
aacagcagag aataggaccc actccctaaa gagccctagg tatcttccag aagagatggc 3480
ccactctgac atttcagaaa cgtcaaattcg ggccacgtgc cacagggaac ctgacaacag 3540
taagaaccac aaaaccaagg acaactttta aaggtcagtg gcctccaaat accccaagga 3600
ctgtagttag gtcgagcgca cctacctgaa aaccaaatca agctccccta gagacaagat 3660
ctacactata gatggtgaga aggagcctgg tttccactta gatccacccc agtttgttga 3720
aaatgtgacc ctgcccgaga acgtggactt cccggacccc taccaggatc ccagtgaata 3780
cttcgcgaag ggggactcca cgctgccaat gaaccggaac cccttgcata atgaagaggg 3840
gctttccaac aacgaccagt ataaactcta ctccaagcac ttcacettga aagacaaggg 3900
ttccccgcac agtgagacca gcgagcgata ccggcagaac tccacgcact gcagaagctg 3960
cctttccaac atgccacact attcaggcca cttcaccatg aggtccccct tcaagtgcga 4020
tgcttgctg cagatgggga aytctatga gatcattgaa gaccagatgc ttcaggagac 4080
agggatgacc aacgcttggg tattgggaga tgccctcgg acccttaca acactcgtt 4140
ccatcccagg cgggtgaatga cagctatctt cggctcgtct tgaggtcaac ggcatcgtac 4200
tgttccaggg acagtcgggg ccacaatgat gtgtatattt cggagcatgt tatgccttat 4260
gctgcaataa agaataatat gtactctacc cccagggttt taaattcctg cagcaataga 4320
cgcggtgtaca agaaaatgcc tagtatcgaa tctgatgttt aaaaatcttc cattaatgtt 4380
ttatctatag ggaaatayac gtaatggcca atgttctgga gggtaaatgt tggatgtcca 4440
atagtgcctt gctaagagga agaagatgta gggaggtatt ttgttgtgt tgttgttggc 4500
tcttttgac acggcttcat gccataatct tccactcaag gaatcttgt aggtgtgtgc 4560
tgagcatggc agacaccaga taggtgagtc ctttaaccaa aataactaac tacataaggg 4620
caagtctccg ggacatgcct actgggtatg ttggcaataa tgatgcattg gatgccaatg 4680
gtgatgttat gatttcctat attccaaatt ccattaaggt cagcccacca tgtaattttc 4740
tcatcagaaa tgcctaattg tttctcta acagaataag caatatggtg tgcatgtaa 4800
cctgacacag acaaaaataa aacagttaag aatgcatctg cactgtagtc ggatttgaac 4860
atgtgcaaga gattaggaag tttggctcgt aacagtttca gctttcttgt tatgccttcc 4920
atcagagccc aggtcacc ccaagaactcc aggtcctcc aaagaatagc aaatcagtgt 4980
gttcgtgatg actgtgtac cttcattata gttcatttcc aagacacatc tggagccaaa 5040
ggcccagagg accctcaggt ggggagagct acaggaatct ctttggatgt tgatgtgtgt 5100
ttctctcacc ctccgcttcg atggcttctg tcagagctgc ataaactaac acatttatgt 5160
ctccgagatc taagtgtgga tcttctgtct gtgacacagt ggccattgta gtttatcccg 5220
aagacgcta tgtacgtaag tttgcatttc ctcccttctg gtgatgactc agggttgtat 5280
agtatctgtt accccttccc tcccagagta accataactc gttccgttcc caaacagcca 5340
tggtggtgtc caattagctg tgtatcgctc tcccagagt tgtaaatgtg gtgacatgca 5400
ccaacagccg tatgtgtact gtgatctgta agaagtacaa tgccatctgt ctgccgaagg 5460
ctagcatggt tttaggttta tcttcttcca catccagaaa ttctgttggg cactcacttc 5520
caccaccaac tctcctaatt aaaagccttc aaaacacgag gcactcttgg atctaccctg 5580
agtatcctcc aaactgtgga tacagtttag tgagacaagc aatttctccc ttctgagtta 5640
ttctctctgt tgggtggcaa ccacttcata gcaccaacag agatgtagga aaaattctc 5700
aaagtatttg tcatttctga gtgcctgca ttatcccatt ctattctcc tcaaacctgt 5760
gcataataga catgaaatga tatccatttt ttttttaagt tagaaacaga gaggggaata 5820
cttatgcatg gggagcctgt tagcacagt cctgccacaa aaacaagtgc ccccgacaag 5880
atagttgcta tgttatgaca ctttctcaga tcaggatttt ctagttaaaa aattaaatat 5940
cataaac

```

&lt;210&gt; 45

&lt;211&gt; 1862

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 45

```

gtgcattgag cgcgctccag ctgccgggac gagggggcgg ccccgcgct cggggcgctc 60
ggctacagct gcgggggccc aggtctccgc gcactcgctc ccggcccatg ctggaggcgg 120
cggaaccssg gggacctagg acggaggcgg cgggcgctgg gcggccccg gcacgctgag 180
ctcgggatgc ggaagctgct gcctcccgcg ctgctgacct gctggctgct cgccccctg 240
aacagcattc acccagaatg ccgatttcat ctggaaatac aggaggaaga aacaaaatgt 300

```

```

rcagagcttc tgaggtctca aacagaaaaa cacaaagcct gcagtggcgt ctgggacaac 360
atcacgtgct ggcggcctgc caatgtggga gagaccgtca cgggtgccctg cccaaaagtc 420
ttcagcaatt ttacagcaa agcaggaaac ataagcaaaa actgtacgag tgacggatgg 480
tcagagacgt tcccagattt cgtcgatgcc tgtggctaca gcgaccggga ggatgagagc 540
aagatcacgt tttatattct ggtgaaggcc atttataccc tgggctacag tgtctctctg 600
atgtctcttg caacaggaag cataattctg tgcctcttca ggaagctgca ctgcaccagg 660
aattacatcc acctgaacct gttcctgtcc ttcactctga gagccatctc agtgctggtc 720
aaggacgacg ttctctactc cagctctggc acgttgcact gccctgacca gccatcctcc 780
tgggtgggct gcaagctgag cctggtcttc ctgcagtaet gcatcatggc caacttcttc 840
tggctgctgg tggaggggct ctacctccac acctcctgg tggccatgct cccccctaga 900
aggtgcttcc tggcctacct cctgatcgga tggggcctcc ccaccgtctg catcgggtgca 960
tggactgctg ccaggctcta cttagaagac accggttgct gggatacaaa cgaccacagt 1020
gtgccctggt gggtcatacg aataccgatt ttaatttcca tcatcgtcaa tttgtcctt 1080
ttcattagta ttatacgaat tttgctgcag aagttaacat ccccagatgt cggcggcaac 1140
gaccagtctc agtacaagag gctggccaag tccacgtctc tgcttatccc gctgttcggc 1200
gtccactaca tgggtgtttgc cgtgtttccc atcagcatct cctccaaata ccagatactg 1260
tttgagctgt gcctcgggtc gttccagggc ctggtggtgg ccgtctcta ctgtttcctg 1320
aacagtgagg taagttcatg gccgccttgg aaccaagcac aggtactcac ttgcttctctg 1380
agatgctgcc cagcctggtg ccgcagcccc cacacatgcc tgtcttccgc gggctcgagt 1440
tactgcccgg gacccacag ttctgtgtcc ccatcagaga accacaacg acacaggcaa 1500
accactctt ctgggccag ctccaaacc ccgcctcct tccgtccacc ctaagtagca 1560
tcgactgccg tccgtctcgg agccctctcg ggaaagctcc cggccgggtc tagacagaat 1620
ctgtttttcc ccatggtcgg cgtctcgctc ctgaccatag ctgtgagtc ccagaaagcc 1680
gggcctgggt tgggggggtg ggctgcacag cgtcctgtga gtccctgggg aggaagcccc 1740
gagccgagct ctgccctgcg ttcatccca gccaggagg ctgtctccgg gctgtcccaa 1800
cggcctggcc ccgtccctg acccctgacc ctcccgcctc acgtgcggt tgctggcgct 1860
tt

```

&lt;210&gt; 46

&lt;211&gt; 1687

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 46

```

gtgcattgag cgcgctccag ctgccgggac gagggggcgg ccccgcgct cggggcgctc 60
ggctacagct gcggggcccg aggtctccgc gcaactcgctc ccggcccatg ctggaggcgg 120
cggaaccssg gggacctagg acggaggcgg cgggcgctgg gcggcccccg gcacgctgag 180
ctcgggatgc ggacgtgct gcctcccgcg ctgctgacct gctggctgct cgcctccgtg 240
aacagcattc acccagaatg ccgatttcat ctggaataac aggaggaaga aacaaaatgt 300
rcagagcttc tgaggtctca aacagaaaaa cacaaagcct gcagtggcgt ctgggacaac 360
atcacgtgct ggcggcctgc caatgtggga gagaccgtca cgggtgccctg cccaaaagtc 420
ttcagcaatt ttacagcaa agcaggaaac ataagcaaaa actgtacgag tgacggatgg 480
tcagagacgt tcccagattt cgtcgatgcc tgtggctaca gcgaccggga ggatgagagc 540
aagatcacgt tttatattct ggtgaaggcc atttataccc tgggctacag tgtctctctg 600
atgtctcttg caacaggaag cataattctg tgcctcttca ggaagctgca ctgcaccagg 660
aattacatcc acctgaacct gttcctgtcc ttcactctga gagccatctc agtgctggtc 720
aaggacgacg ttctctactc cagctctggc acgttgcact gccctgacca gccatcctcc 780
tgggtgggct gcaagctgag cctggtcttc ctgcagtaet gcatcatggc caacttcttc 840
tggctgctgg tggaggggct ctacctccac acctcctgg tggccatgct cccccctaga 900
aggtgcttcc tggcctacct cctgatcgga tggggcctcc ccaccgtctg catcgggtgca 960
tggactgctg ccaggctcta cttagaagac accggttgct gggatacaaa cgaccacagt 1020
gtgccctggt gggtcatacg aataccgatt ttaatttcca tcatcgtcaa tttgtcctt 1080
ttcattagta ttatacgaat tttgctgcag aagttaacat ccccagatgt cggcggcaac 1140
gaccagtctc agtacaagag gctggccaag tccacgtctc tgcttatccc gctgttcggc 1200
gtccactaca tgggtgtttgc cgtgtttccc atcagcatct cctccaaata ccagatactg 1260
tttgagctgt gcctcgggtc gttccagggc ctggtggtgg ccgtctcta ctgtttcctg 1320
aacagtgagg taagttcatg gccgccttgg aaccaagcac aggtactcac ttgcttctctg 1380
agatgctgcc cagcctggtg ccgcagcccc cacacatgcc tgtcttccgc gggctcgagt 1440
tactgcccgg gacccacag ttctgtgtcc ccatcagaga accacaacg acacaggcaa 1500
accactctt ctgggtgggg ggtggggctg cacagcgtcc tgtgagtcct tggggaggaa 1560

```



gcccggagcc gagetctgcc ctgcgttcat tcccagccag ggaggctgtc tccgggctgc 1620  
 tccaacggcc tggccccgtc cctgacccc tgacctccc gcccacgct gcggttgctg 1680  
 gcgcttt 1687

<210> 47

<211> 6486

<212> DNA

<213> Homo sapiens

<400> 47

ttgagaaagg gaatttcac ccaataaaaa ggaatgaagt ctggctccgg aggaggggtcc 60  
 ccgacctcgc tgtgggggct cctgtttctc tccgccgcgc tctcgctctg gccagcaggt 120  
 ggagaaatct gcgggccagg catcgacatc cgcaacgact atcagcagct gaagcgccctg 180  
 gagaactgca cggatgatga gggctacctc cacatcctgc tcatctccaa ggccgaggac 240  
 taccgcagct accgcttccc caagctcacg gtcattaccg agtacttgct gctgttccga 300  
 gtggctggcc tcgagagcct cggagacctc tcccccaacc tcacgggtcat ccgcggtgg 360  
 aaactcttct acaactacgc cctgggtcatc ttcgagatga ccaatctcaa ggatattggg 420  
 ctttacaacc tgaggaacat tactcggggg gccatcagga ttgagaaaaa tgctgacctc 480  
 tgttacctct ccactgtgga ctgggtccctg atcctggatg cgggtgtccaa taactacatt 540  
 gtgggggaata agcccccaaa ggaatgtggg gacctgtgtc cagggaccat ggaggagaag 600  
 ccgatgtgtg agaagaccac catcaacaat gagtacaact accgctgctg gaccacaaac 660  
 cgctgccaga aaatgtgccc aagcacgtgt gggaagcggg cgtgcaccga gaacaatgag 720  
 tgctgccacc ccgagtgcct gggcagctgc agcgcgccctg acaacgacac ggctgtgtg 780  
 gcttgccgcc actactacta tgccgggtgtc tgtgtgcctg cctgcccgcc caacacctac 840  
 aggtttgagg gctggcgctg tgtggaccgt gacttctgcg ccaacatcct cagcgccgag 900  
 agcagcgact ccgaggggtt tgtgatccac gacggcgagt gcatgcagga gtgcccctcg 960  
 ggcttcatcc gcaacggcag ccagagcatc tactgcaccc cllglyaagg tcttggccc 1020  
 aagttctgtg aggaagaaaa gaaaacaaag accattgatt ctgttacttc tgctcagatg 1080  
 ctccaaggat gcaccatctt caagggcaat ttgctcatta acatccgacg gggaataaac 1140  
 attgcttcag agctggagaa cttcatgggg ctcatcgagg tggtgacggg ctacgtgaag 1200  
 atccgccatt ctcatgcctt ggtctccttg tcttccctaa aaaaccttcg cctcatccta 1260  
 ggagaggagc agctagaagg gaattactcc ttctacgtcc tcgacaacca gaacttgag 1320  
 caactgtggg actgggacca ccgcaacctg accatcaaag cagggaataat gtactttgct 1380  
 ttcaatccca aattatgtgt ttccgaaatt taccgcatgg aggaagtgc ggggactaaa 1440  
 gggcgccaaa gcaaagggga cataaacacc aggaacaacg gggagagagc ctctgtgaa 1500  
 agtgacgtcc tgcatttcac ctccaccacc acgtcgaaga atcgcatcat cataacctgg 1560  
 caccggtacc ggccccctga ctacagggat ctcatcagct tcaccgttta ctacaaggaa 1620  
 gcacccttta agaatgtcac agagtatgat gggcaggatg cctgcccgtc caacagctgg 1680  
 aacatggtgg acgtggacct cccgcccac aaggacgtgg agcccggcat cttactacat 1740  
 gggctgaagc cctggactca gtacgcggtt tacgtcaagg ctgtgacct caccatgggtg 1800  
 gagaacgacc atatccgtgg ggccaagagt gagatcttgt acattcgac caatgcttca 1860  
 gttccttcca ttccttggga cgttctttca gaactgaact cctcttctca gttaatcgtg 1920  
 aagtgaaccc ctccctctct gcccaacgc aacctgagtt actacattgt gcgtggcag 1980  
 cggcagcctc aggcaggcta cctttaccgg cacaattact gctccaaaga caaaatcccc 2040  
 atcaggaagt atgccgacgg caccatcgac attgaggagg tcacagagaa cccaagact 2100  
 gaggtgtgtg gtggggagaa agggccttgc tgcgcctgcc ccaaaactga agccgagaag 2160  
 caggccgaga aggaggaggc tgaataccgc aaagtctttg agaatttctt gcacaactcc 2220  
 atcttcgtgc ccagacctga aaggaagcgg agagatgtca tgcaagtggc caacaccacc 2280  
 atgtccagcc gaagcaggaa caccacggcc gcagacacct acaacatcac cgaccggaa 2340  
 gagctggaga cagagtacct tttctttgag agcagagtgg ataacaagga gagaactgtc 2400  
 atttctaacc ttccgacctt cacattgtac cgcacgata tccacagctg caaccacgag 2460  
 gctgagaagc tgggctgcag cgcctccaac ttcgtctttg caaggactat gcccgagaa 2520  
 ggagcagatg acattcctgg gccagtgacc tgggagccaa ggctgaaaa ctccatcttt 2580  
 taaagtggc cggaacctga gaatcccaat ggattgattc taatgtatga aataaaatac 2640  
 ggatcacaag ttgaggatca gcgagaatgt gtgtccagac aggaatacag gaagtatgga 2700  
 ggggccaagc taaaccggct aaaccgggg aactacacag cccggattca ggccacatct 2760  
 ctctctggga atgggtcgtg gacagatcct gtgttcttct atgtccaggc caaaacagga 2820  
 tatgaaaact tcatccatct gatcatcgct ctgcccgtcg ctgtcctgtt gatcgtggga 2880  
 gggttggtga ttatgctgta cgtcttccat agaaagagaa ataacagcag gctggggaat 2940  
 ggagtgcctg atgcctctgt gaaccgggag tacttcagcg ctgctgatgt gtacgttctt 3000

gatgagtggg	aggtggctcg	ggagaagatc	accatgagcc	gggaacttgg	gcaggggtcg	3060
tttgggatgg	tctatgaagg	agttgccaa	ggtgtggtga	aagatgaacc	tgaaccaga	3120
gtggccatta	aaacagtga	cgagggcgca	agcatgcgtg	agaggattga	gtttctcaac	3180
gaagcttctg	tgatgaagga	gttcaattgt	caccatgtgg	tgcgattgct	gggtgtggtg	3240
tcccaaggcc	agccaacact	ggtcatcatg	gaactgatga	cacggggcga	tctcaaaagt	3300
tatctccggt	ctctgaggcc	agaaatggag	aataatccag	tcctagcacc	tccaagcctg	3360
agcaagatga	ttcagatggc	cggagagatt	gcagacggca	tggcatacct	caacgccaat	3420
aagttcgtcc	acagagacct	tgctgcccgg	aattgcatgg	tagccgaaga	tttcacagtc	3480
aaaatcggag	attttggtat	gacgcgagat	atctatgaga	cagactatta	cggaaaagga	3540
ggcaaagggc	tgctgcccgt	gcgtggatg	tctcctgagt	ccctcaagga	tggagtcttc	3600
accacttact	cggacgtctg	gtccttcggg	gtcgtcctct	gggagatcgc	cacactggcc	3660
gagcagccct	accagggtct	gtccaacgag	caagtccctc	gcttcgtcat	ggagggcggc	3720
cttctggaca	agccagacaa	ctgtcctgac	atgctgtttg	aactgatgcg	catgtgctgg	3780
cagtataacc	ccaagatgag	gccttccttc	ctggagatca	tcagcagcat	caaagaggag	3840
ctggacctgg	agccagagaa	catggagagc	gtccccctgg	acccctcggc	ctcctcgctc	3900
tccctgccac	tgcccgacag	acactcagga	cacaaggccg	agaacggccc	cggccctggg	3960
gtgctggtcc	tccgcgccag	cttcgacgag	agacagcctt	acgcccacat	gaacgggggc	4020
cgaagaacg	agcgggcctt	gcgctgccc	cagtcttcga	cctgctgac	cttgatcct	4080
gaatctgtgc	aaacagtaac	gtgtgcgcac	gcgacgggg	gtgggggggg	agagagagtt	4140
ttaacaatcc	attcacaagc	ctcctgtacc	tcagtggatc	ttcagaactg	cccttgctgc	4200
ccgcgggaga	cagcttctct	gcagtaaaac	acatttgga	tgctcctttt	ttcaatatgc	4260
aagcagcttt	ttattccctg	cccaaaccct	taactgacat	gggcctttaa	gaaccttaat	4320
gacaacactt	aatagcaaca	gagcacttga	gaaccagtct	cctcactctg	tccctgtcct	4380
tccctgttct	ccctttctct	ctcctctctg	cttcataacg	gaaaaataat	tgccacaagt	4440
ccagctggga	agcccttttt	atcagtttga	ggaagtggct	gtccctgtgg	ccccatccaa	4500
ccactgtaca	caccgcctg	acaccgtggg	tcattacaaa	aaaacacgtg	gagatggaaa	4560
tttttacctt	tatctttcac	ctttctaggg	acatgaaatt	tacaaagggc	catcgttcat	4620
ccaaggctgt	taccatttta	acgtgccta	attttgccaa	aatcctgaac	tttctccctc	4680
atcgggccgg	cgtgatctcc	tcgtgtccgg	aggcatgggt	gagcatggca	gctggttget	4740
ccatttgaga	gacacgttgg	cgacacactc	cgtccactcg	actgcccctg	ctgtgctgct	4800
caaggccaca	ggcacacagg	tctcattgct	cttgactaga	ttattatttg	ggggaactgg	4860
acacaatagg	tctttctctc	agtgaagggt	gggagaagct	gaaccggctt	ccctgcccctg	4920
cctccccagc	cccctgccca	acccccaa	atctggtggc	catgggcccc	gaagcagtct	4980
ggcggacagg	cttgaggtca	aggggcccc	tgctgcttc	tctcccagcc	ccagctcccc	5040
cgcgcgcccc	caaggacaca	gatgggaagg	ggtttccagg	gactcagccc	cactgttgat	5100
gcagggtttg	aaggaaagaa	attcaaacac	cacaacagca	gtaagaagaa	aagcagtcaa	5160
tggattcaag	cattctaagc	tttgttgaca	ttttctctgt	tcctaggact	tcttcatggg	5220
tcttacagtt	ctatgttaga	ccatgaaaca	tttgcataca	catcgtcttt	aatgtcactt	5280
ttataacttt	tttacggttc	agatattcat	ctatacgtct	gtacagaaaa	aaaaaagctg	5340
ctattttttt	tgttcttgat	ctttgtggat	ttaatctatg	aaaaccttca	ggtccaccct	5400
ctcccccttc	tgctcactcc	aagaaaactc	ttatgctttg	tactagagtg	cgtgactttc	5460
ttcctctttt	cccggtaatg	gatacttcta	tcacataatt	tgccatgaac	tgttggatgc	5520
ctttttataa	atacatcccc	catccctgct	cccacctgcc	cctttagtgt	ttttctaacc	5580
cgtaggctct	ctggggcacg	aggcagaaag	cagggccggg	gcaccccatc	ctgaggaggg	5640
cgcgcctcct	ctccccagcc	tgccctcaca	gcattggagc	ctgttacagt	gcaagacatg	5700
atacaaactc	aggtcagaaa	aacaaagggt	aaatatttca	cacgtctttg	ttcagtgttt	5760
ccactcaccg	tggttgagaa	gcctcaccct	ctctttccct	tgcccttgct	taggttgtag	5820
cacacatata	tatatatttt	tttaattctt	gggtacaaca	gcagtgttaa	ccgcagacac	5880
taggcatttg	gattactatt	tttcttaatg	gctatttaat	ccttccatcc	cacgaaaaac	5940
agctgctgag	tccaagggag	cagcagagcg	tggtcgggca	gggcctgttg	tggccctcgc	6000
cacccccctc	accggaccga	ctgacctgtc	tttggaacca	gaacatccca	agggaactcc	6060
ttcgcactgg	cgttgagtgg	gaccccgga	tccaggctgg	cccaggcgcg	cacccctcagg	6120
gctgtgcccg	ctggagtget	aggtggaggc	agcacagacg	ccacggtggc	ccaagagccc	6180
ctttgcttct	tgctggggga	ccagggtctg	ggtgctggcc	cactttccct	cggccaggaa	6240
tccaggctct	tggggcccag	gggtcttgct	ttgtttcatt	tttagcactt	ctcaccagag	6300
agatgacagc	acaagagttg	cttctgggat	agaaatgttt	aggagtaaga	acaaagctgg	6360
gatacgggtg	ttgctagttg	tgactgaaga	ttcaacacag	aaaagaaagt	ttatacggct	6420
tttttgctgg	tcagcagttt	gtcccactgc	tttctctagt	ctctatccca	tagcgtgttc	6480
ccttta						6486

<210> 48  
 <211> 2241  
 <212> DNA  
 <213> Homo sapiens

<400> 48  
 gagacatggc cccgggcagtg gctcctggaa gaggaacaag tgtgggaaaa gggagaggaa 60  
 gccggagcta aatgacagga tgcaggcgac ttgagacaca aaaagagaag cgttcctctc 120  
 ggatccaggc attgcctcgc tgccttcttt tctccaagac gggctgagga ttgtacagct 180  
 ctaggcggag ttggggctct tcggatcgct tagattctcc tctttgctgc atttcccccc 240  
 acgtcctcgt tctcccgcgt ctgcctgcgg acccggagaa gggagaatgg agaggggggt 300  
 gccgtcctc tgcgcctgct tcgccctcgt cctcgccccg gccggcgctt ttcgcaacga 360  
 taaatgtggc gatactataa aaattgaaag ccccggttac cttacatctc ctggttatcc 420  
 tcattcttat cacccaagtg aaaaatgcga atggctgatt caggctccgg acccatacca 480  
 gagaattatg atcaacttca accctcactt cgatttggag gacagagact gcaagtatga 540  
 ctacgtggaa gtcttcgatg gagaaaatga aaatggacat tttaggggaa agttctgtgg 600  
 aaagatagcc cctcctcctg ttgtgtcttc agggccattt ctttttatca aatttgtctc 660  
 tgactacgaa acacatgggt caggattttc catacgttat gaaattttca agagaggtcc 720  
 tgaatgttcc cagaactaca caacacctag tggagtgata aagtcccccg gattccctga 780  
 aaaatatccc aacagccttg aatgcactta tattgtcttt gcgccaaaga tgtcagagat 840  
 tatcctggaa tttgaaagct ttgacctgga gcctgactca aatcctccag gggggatgtt 900  
 ctgtcgctac gaccggctag aaatctggga tggattccct gatgttggcc ctcacattgg 960  
 gcgttactgt ggacagaaaa caccaggtcg aatccgatcc tcatcgggca ttctctccat 1020  
 ggttttttac accgacagcg cgatagcaaa agaaggtttc tcagcaaaact acagtgtctt 1080  
 gcagagcagt gtctcagaag atttcaaag tatggaagct ctgggcatgg aatcaggaga 1140  
 aattcattct gaccagatca cagcttcttc ccagtatagc accaactggg ctgcagagcg 1200  
 ctcccgcctg aactaccctg agaatgggtg gactcccgga gaggattcct accgagagtg 1260  
 gatacaggta gacttggggc ttctgcgctt tgtcacggct gtcgggacac agggcgccat 1320  
 ttcaaaagaa accaagaaga aatattatgt caagacttac aagatcgacg ttagctccaa 1380  
 cggggaagac tggatcacca taaaagaagg aaacaaacct gttctctttc agggaaacac 1440  
 caaccccaca gatgttgttg ttgcagtatt ccccaaacca ctgataactc gatttgtccg 1500  
 aatcaagcct gcaacttggg aaactggcat atctatgaga tttgaagtat acggttgcaa 1560  
 gataacagat tatccttgct ctggaatgtt gggatgggtg tctggactta tttctgactc 1620  
 ccagatcaca tcatccaacc aaggggacag aaactggatg cctgaaaaca tccgcctggg 1680  
 aaccagtcgc tctggctggg cacttccacc cgcacctcat tctacatca atgagtggct 1740  
 ccaaatagac ctggggggagg agaagatcgt gaggggcatc atcattcagg gtgggaagca 1800  
 ccgagagaac aaggtgttca tgaggaagtt caagatcggg tacagcaaca acggctcgga 1860  
 ctggaagatg atcatggatg acagcaaacg caaggcgaag tcttttgagg gcaacaacaa 1920  
 ctatgataca cctgagctgc ggacttttcc agctctctcc acgcgattca tcaggatcta 1980  
 ccccgagaga gccactcatg gcggactggg gctcagaatg gagctgctgg gctgtgaagt 2040  
 ggaagccctt acagctggac cgaccactcc caacgggaac ttggtggatg aatgtgatga 2100  
 cgaccaggcc aactgccaca gtggaacagg tgatgacttc cagctcacag gtggcaccac 2160  
 tgtgtcggcc acagaaaagc ccacggctcat agacagcacc atacaatcag gtatcaaata 2220  
 aaatacgaat tgtgacagat t 2241

<210> 49  
 <211> 2808  
 <212> DNA  
 <213> Homo sapiens

<400> 49  
 gagacatggc cccgggcagtg gctcctggaa gaggaacaag tgtgggaaaa gggagaggaa 60  
 gccggagcta aatgacagga tgcaggcgac ttgagacaca aaaagagaag cgttcctctc 120  
 ggatccaggc attgcctcgc tgccttcttt tctccaagac gggctgagga ttgtacagct 180  
 ctaggcggag ttggggctct tcggatcgct tagattctcc tctttgctgc atttcccccc 240  
 acgtcctcgt tctcccgcgt ctgcctgcgg acccggagaa gggagaatgg agaggggggt 300  
 gccgtcctc tgcgcctgct tcgccctcgt cctcgccccg gccggcgctt ttcgcaacga 360  
 taaatgtggc gatactataa aaattgaaag ccccggttac cttacatctc ctggttatcc 420  
 tcattcttat cacccaagtg aaaaatgcga atggctgatt caggctccgg acccatacca 480  
 gagaattatg atcaacttca accctcactt cgatttggag gacagagact gcaagtatga 540

```

ctacgtggaa gtcttcgatg gagaaaatga aaatggacat tttaggggaa agttctgtgg 600
aaagatagcc cctcctcctg ttgtgtcttc agggccattt ctttttatca aatttgtctc 660
tgactacgaa acacatggtg caggattttc catacgttat gaaattttca agagaggtcc 720
tgaatgttcc cagaactaca caacacctag tggagtata aagtcctccg gattccctga 780
aaaatatccc aacagccttg aatgcactta tattgtcttt gcgcaaaga tgctagagat 840
tactctggaa ttgtaaaagt ttgacctgga gcctgactca aatcctccag gggggatgtt 900
ctgtcgtac gaccggctag aaatctggga tggattccct gatgttggcc ctacattgg 960
gcgttactgt ggacagaaaa caccaggtcg aatccgatcc tcatcgggca ttctctccat 1020
ggttttttac accgacagcg cgatagcaaa agaaggtttc tcagcaaaact acagtgtctt 1080
gcagagcagt gtctcagaag atttcaaagt tatggaagct ctgggcatgg aatcaggaga 1140
aattcattct gaccagatca cagcttcttc ccagtatagc accaactggg ctgcagagcg 1200
ctcccgctg aactacctg agaatgggtg gactcccggg gaggattcct accgagagt 1260
gatacaggta gacttggggc ttctgcgtt tgtcacggct gtcgggacac agggcgccat 1320
ttcaaaagaa accaagaaga aatattatgt caagacttac aagatcgacg ttagctcaa 1380
cggggaagac tggatacca taaaagaagg aaacaaacct gttctctttc agggaaacac 1440
caaccccaca gatgttgtg ttgcagtatt ccccaaacca ctgataactc gatttgtccg 1500
aatcaagcct gcaacttggg aaactggcat atctatgaga tttgaagtat acggttgcaa 1560
gataacagat tatccttgct ctggaatgtt gggtatggtg tctggactta tttctgactc 1620
ccagatcaca tcatccaacc aaggggacag aaactggatg cctgaaaaca tccgcctggg 1680
aaccagtcgc tctggctggg cacttccacc cgcacctcat tcctacatca atgagtggct 1740
ccaaatagac ctggggggagg agaagatcgt gaggggcatc atcattcagg gtgggaagca 1800
ccgagagaac aaggtgttca tgaggaagtt caagatcggg tacagcaaca acggtcggg 1860
ctggaagatg atcatggatg acagcaaag caaggcgaag gtggcaccac tgtgctggcc 1920
acagaaaagc ccacggtcac agacagcacc atacaatcag agtttccaac atatggtttt 1980
aactgtgaat ttggctgggg ctctcacaag accttctgcc actgggaaca tgacaatcac 2040
gtgcagctca agtggagtgt gttgaccagc aagacgggac ccattcagga tcacacagga 2100
gatggcaact tcatctattc ccaagctgac gaaaatcaga agggcaaagt ggctcgctg 2160
gtgagcctg tggtttatc ccagaactct gccactgca tgaccttctg gtatcacatg 2220
tctgggtccc acgtcggcac actcagggtc aaactgcgct accagaagcc agaggagtac 2280
gatcagctgg tctggatggc cattggacac caaggtgacc actggaagga agggcggtg 2340
ttgtccaca agtctctgaa actttatcag gtgattttcg agggcgaaat cggaaaagga 2400
aaccttggtg ggattgctgt ggatgacatt agtattaata accacatttc acaagaagat 2460
tgtgcaaaac cagcagacct ggataaaaag aaccagaaa ttaaaattga tgaaacaggg 2520
agcacgccag gatacgaagg tgaaggagaa ggtgacaaga acatctccag gaagccaggg 2580
aatgtgttga agaccttga mcccatectc atcaccatca tagccatgag ygccctgggg 2640
gtcctcctgg gggctgtctg tggggtcgtg ctgtactgtg cctgttggca taatgggatg 2700
tcagaaagaa acttgtctgc cctggagaac tataactttg aacttgtgga tgggtgtgaag 2760
ttgaaaaaag acaaactgaa tacacagagt acttattcgg aggcata 2808

```

&lt;210&gt; 50

&lt;211&gt; 1922

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 50

```

gagacatggc ccgggcagtg gctcctggaa gaggaacaag tgtgggaaaa gggagaggaa 60
gccggagcta aatgacagga tgcaggcgac ttgagacaca aaaagagaag cgttcctctc 120
ggatccaggc attgcctcgc tgctttcttt tctccaagac gggctgagga ttgtacagct 180
ctaggcggag ttggggctct tcggatcgct tagattctcc tctttgctgc atttcccccc 240
acgtcctcgt tctcccgctg ctgcctgcgg acccgagaa gggagaatgg agaggggggt 300
gccgtcctc tgcgcctgct tgcctcctg cctcgccccg gccggcgctt ttcgcaacga 360
taaatgtggc gatactataa aaattgaaag ccccggttac cttacatctc ctggttatcc 420
tcattcttat cacccaagtg aaaaatgcga atggctgatt caggctccgg acccatacca 480
gagaattatg atcaacttca accctcactt cgatttggag gacagagact gcaagtata 540
ctacgtggaa gtcttcgatg gagaaaatga aaatggacat tttaggggaa agttctgtgg 600
aaagatagcc cctcctcctg ttgtgtcttc agggccattt ctttttatca aatttgtctc 660
tgactacgaa acacatggtg caggattttc catacgttat gaaattttca agagaggtcc 720
tgaatgttcc cagaactaca caacacctag tggagtata aagtcctccg gattccctga 780
aaaatatccc aacagccttg aatgcactta tattgtcttt gcgcaaaga tgctagagat 840
tactctggaa ttgtaaaagt ttgacctgga gcctgactca aatcctccag gggggatgtt 900

```

```

ctgtcgctac gaccggctag aaatctggga tggattccct gatgttggcc ctcacattgg 960
gcgttactgt ggacagaaaa caccaggtcg aatccgatcc tcatcgggca ttctctccat 1020
ggttttttac accgacagcg cgatagcaaa agaaggtttc tcagcaaaact acagtgtctt 1080
gcagagcagt gtctcagaag atttcaaagt tatggaagct ctgggcatgg aatcaggaga 1140
aattcattct gaccagatca cagcttcttc ccagtatagc accaactggg ctgcagagcg 1200
ctcccgcctg aactaccctg agaatgggtg gactcccggg gaggattcct accgagagt 1260
gatacaggta gacttggggc ttctgcgctt tgtcacggct gtcgggacac agggcgccat 1320
ttcaaaagaa accaagaaga aatattatgt caagacttac aagatcgacg ttagctcca 1380
cggggaagac tggatcacca taaaagaagg aaacaaacct gttctctttc agggaaacac 1440
caaccccaca gatgttgtgg ttgcagtatt ccccaaacca ctgataactc gatttgtccg 1500
aatcaagcct gcaacttggg aaactggcat atctatgaga tttgaagtat acggttgcaa 1560
gataacagat tatccttgct ctggaatgtt gggatgggtg tctggactta tttctgactc 1620
ccagatcaca tcatccaacc aaggggacag aaactggatg cctgaaaaca tccgcctggg 1680
aaccatgcgc tctggctggg cacttccacc cgcacctcat tcctacatca atgagtggct 1740
ccaaatagac ctgggggagg agaagatcgt gaggggcatc atcattcagg gtgggaagca 1800
ccgagagaac aaggtgttca tgaggaagtt caagatcggg tacagcaaca acggtcggg 1860
ctggaagatg atcatggatg acagcaaacg caaggcgagg tgagggctgg ggactgggag 1920
ga 1922

```

&lt;210&gt; 51

&lt;211&gt; 1208

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 51

```

cgcgcgctgc ctgaggacgc cgcggccccc gcccccgcca tgggcgcccc tgctgcgcc 60
ctcgcgctct gcgtggccgt ggcacatcgt gccggcgcc cctcggagtc cttggggacg 120
gagcagcgcg tcgtggggcg agcggcagaa gtcccgggcc cagagcccgg ccagcaggag 180
cagttggtct tcggcagcgg ggatgctgtg gagctgagct gtcccccgcc cgggggtggt 240
cccatggggc ccactgtctg ggtcaaggat ggcacagggc tggtgccctc ggagcgtgtc 300
ctggtggggc cccagcggct gcaggtgctg aatgcctccc acgaggactc cggggcctac 360
agctgcgggc agcggctcac gcagcgcgta ctgtgccact tcagtgtgcg ggtgacagac 420
gtctccatct cgggagatga cgaagacggg gaggacgagg ctgaggacac aggtgtggac 480
acagggggccc cttactggac acggcccagag cggatggaca agaagctgct ggccgtgccg 540
gccgccaaca ccgtccgctt ccgctgcccc gccgctggca accccactcc ctccatctcc 600
tggctgaaga acggcagggg gttccgcggc gagcaccgca ttggaggcat caagctgcgg 660
catcagcagt ggagcctggt catggaaagc gtggtgccct cggaccgagg caactacacc 720
tgcgctcgtg agaacaagtt tggcagcctc cggcagacgt acacgctgga cgtgctggag 780
cgctccccgc accggcccat cctgcaggcg gggctgcggg ccaaccagac ggcggtgctg 840
ggcagcgacg tggagttcca ctgcaagggt tacagtacg cacagcccca catccagtgg 900
ctcaagcacg tggaggtgaa tggcagcaag gtgggcccgg acggcacacc ctacgttacc 960
gtgctcaagt cctggatcag tgagagtgtg gaggcagac tgccctccg cctggccaat 1020
gtgctggagc gggacggggg cgagtacctc tctcgagcca ccaatttcat aggtgtggcc 1080
gagaaggcct tttggctgag cgttcacggg ccccgagcag gtaacgactc tgtcccatgc 1140
cggccggcac aagagctcca gctccaaggc cctggccgag cgccctgcac gccccgcacg 1200
cccagccc 1208

```

&lt;210&gt; 52

&lt;211&gt; 1194

&lt;212&gt; DNA

&lt;213&gt; Mouse

&lt;400&gt; 52

```

ggtgcttttag agctgtaaaa atcttcatga gacacactga tgatgacgct gagacacttg 60
ccattttattc ttttattaat cctctcagga gaactctatg cagaagagaa acagtgtgat 120
tttccatccg tggaaaatgg aaggattgcc caatattatt atacgtttta aagcttttac 180
ttccccatga gcgtagacaa aaaactatca ttcttctgtt tggctggcta tgcaaccgaa 240
agtgggaagc aagaagagca aatcagggtc acagcagaag gctggtctcc aaaccaagg 300
tgctacaaga aatgtctgaa gcctgacctc aggaatggct acgtctccaa tgacaaagta 360

```

ctgtacaaac	ttcaagagag	gatgagctac	ggttgctctt	caggatacaa	aaccactggg	420
ggaaaggacg	aggaggtggg	ccactgtctt	tctgcagggt	ggctcttctca	accgtcctgc	480
aggaaagaac	aagagacatg	tttggccctt	gagttggaac	atggaaatta	ctccacgacg	540
cagagaacat	tcaaagtga	ggacatagtg	gcttacacat	gcactgcagg	ctactacacc	600
actacagggg	agcagactgg	ggaagcagag	tgccaggcta	atggctgggtc	cctcacacca	660
cagtgaaca	aattaatgtg	ctcttctttg	agattaatag	aaaatggcta	ttttcatcct	720
gtaaagcaaa	catatgaaga	aggagatgta	gttcaatttt	tctgtcatga	aaattattat	780
ctaagtggat	ctgatttaat	tcagtgtctat	aactttgggt	ggtatccaga	atctcccata	840
tgtgaaggaa	gaagaaatcg	atgtcctcct	ccacctgtgc	ctctaaattc	taaaattcaa	900
ccacattcaa	caacttaccg	tcacggagaa	agagtgcata	tagaatgtga	acttaatttt	960
gtgattcagg	gttcagaaga	actgctctgt	gaaaatggga	agtggacaga	acctccaaaa	1020
tgtattgggt	ggtaaaatct	tttaaagtta	gctttcatta	atattttaat	ttgtgtattt	1080
aatagtgaat	tttattgtgn	catttccaga	catgtttatt	gttgtccttg	ctctcattca	1140
caatcctccc	atgctactac	tctcctact	ttattatctt	gaataagcct	ctcc	1194

&lt;210&gt; 53

&lt;211&gt; 4334

&lt;212&gt; DNA

&lt;213&gt; Mouse

&lt;400&gt; 53

aaaaaawwaa	aaaaggagaa	gggattccta	tctgtatata	gggaagggaat	cctatctgca	60
tatttcggtt	ttagcaccat	cctcatccc	ggtggggctt	ggaactttcc	atcaattctt	120
tcctgtctcg	tttctctttc	atcctttgcc	tggttgtgcc	tgtctcaggg	agaaatcagt	180
cacctgcagg	ccttgcaggg	ctcttaggct	ctgggaaatt	tgtcatcagg	gtgtcaggta	240
cttcttattg	ctgtccaaa	ggaaaaaaa	agtgcagaca	agaactctcc	cggagccttt	300
ccggtgcac	tcagaggctc	tcgagagggt	cagaaggacc	tggaaggca	gctaaaataa	360
agatgccctg	gggcogaagg	ccaacctggc	agttgctcgc	cttcctgctg	gtgtttttta	420
agattagcat	actcagcgtc	acagcatggc	agaccgggaa	ctgtcagcca	ggtcctctcg	480
agagaagcga	gagaagcggg	acttgtgccg	gtcctgcccc	cttcctagtt	ttctcacaag	540
gaaagagcat	ctctcggatt	gacccagatg	gaacaaatca	ccagcaattg	gtgggtggatg	600
ctggcatctc	agcagacatg	gatattcatt	ataaaaaaga	gagactctat	tgggtggatg	660
tagaaagaca	agttttgcta	agagttttcc	ttaacgggac	aggactagag	aaagtgtgca	720
atgtagagag	gaaggtgtct	gggtggcca	tagactggat	agatgatgaa	gttctctggg	780
tagaccaaca	gaacggagtc	atcaccgtaa	cagatatgac	agggaaaaat	tcccaggttc	840
ttctaagttc	cttaaaacat	ccgtcaaata	tagcagtggg	tccaatagag	aggttgatgt	900
tttggctctc	agaggtgacc	ggcagccttc	acagagcaca	cctcaaagggt	gttgatgtaa	960
aaacactgct	ggagacaggg	ggaatatcgg	tgctgactct	ggatgtcctg	gacaaacggc	1020
tcttctgggt	tcaggacagt	ggcgaaggaa	gccactgtta	cattcattcc	tgtgattatg	1080
agggtggctc	cgtccgtctt	atcaggcatc	aagcacggca	cagtttgtct	tcaatggcct	1140
tttttggtga	tcggatcttc	tactcagtgt	tgaaaagcaa	ggcgatttgg	atagccaaca	1200
aacacacggg	gaaggacacg	gtcaggatta	acctccatcc	atcctttgtg	acacctggaa	1260
aactgatggt	agtacaccct	cgtgcacagc	ccaggacaga	ggacgtgct	aaggatcctg	1320
accccgaaact	tctcaaacag	aggggaagac	catgccgtt	cggctctgtg	gagcgagacc	1380
ccaagtccca	ctcgagcgca	tgcgctgagg	gctacacgtt	aagccgagac	cgggaagtact	1440
gcgaagatgt	caatgaatgt	gccactcaga	atcacggctg	tactcttggg	tgtgaaaaca	1500
ccctggatc	ctatcactgc	acatgcccc	caggatttgt	tctgcttctt	gatgggaaac	1560
aatgtcacga	acttgtttcc	tgcccaggca	acgtatcaaa	gtgcagtcac	ggctgtgtcc	1620
tgacatcaga	tggtccccgg	tgcatctgtc	ctgcaggttc	agtgttggg	agagatggga	1680
agacttgac	tggttggtca	tcgctgaca	atgggtggatg	cagccagatc	tgtcttcttc	1740
tcaggccagg	atcctgggaa	tgtgattgct	ttcctgggta	tgacctacag	tcagaccgaa	1800
agagctgtgc	agcttcagga	ccacagccac	ttttactgtt	tgcaaattcc	caggacatcc	1860
gacacatgca	ttttgatgga	acagactaca	aagttctgct	cagccggcag	atgggaatgg	1920
ttttgacct	ggattatgac	cctgtggaaa	gcaagatata	ttttgcacag	acagccctga	1980
agtggataga	gagggcta	atggatgggt	cccagcgaga	aagactgatc	acagaaggag	2040
tagatacgct	tgaaggctct	gccctggact	ggattggccg	gagaatctac	tggacagaca	2100
gtgggaagtc	tgttggtgga	gggagcgatc	tgagcgggaa	gcatactcga	ataatcatcc	2160
aggagagaat	ctcgaggccg	cgaggaatag	ctgtgcatcc	aagggccagg	agactgttct	2220
ggacggacgt	agggatgtct	ccacggattg	aaagcgcttc	ccttcaagggt	tccgaccggg	2280
tgtgatagc	cagctccaat	ctactggaac	ccagtggaa	cacgattgac	tacttaacag	2340

```

acactttgta ctggtgtgac accaagaggt ctgtgatga aatggccaat ctggatggct 2400
ccaaacgccg aagactttatc cagaacgacg taggtcaccc cttctctcta gccgtgtttg 2460
aggatcacct gtgggtctcg gattgggcta tcccatcggt aataagggtg aacaagagga 2520
ctggccaaaa cagggtagct cttcaaggca gcatgctgaa gccctcgtca ctggttgtgg 2580
tccatccatt ggcaaaacca ggtgcagatc cctgcttata caggaatgga ggctgtgaac 2640
acatctgcc aagagagcctg ggcacagctc ggtgtttgtg tcgtgaagg tttgtgaagg 2700
cctgggatgg gaaaatgtgt ctccctcagg attatccaat cctgtcaggt gaaaatgctg 2760
atcttagtaa agaggtgaca tcaactgagc actccactca ggctgaagta ccagacgatg 2820
atgggacaga atcttcacac ctagtggctg aaatcatggg gtcaggcatg aactatgaag 2880
atgactgtgg tcccgggggg tgtggaagcc atgctcgatg cgtttcagac ggagagatg 2940
ctgagtgtca gtgtctgaaa gggtttgcca gggatggaaa cctgtgttct gatatagatg 3000
agtgtgtgct ggctagatcg gactgcccc gcacctcgtc caggtgcac aacactgaag 3060
gtggctacgt ctgcagatgc tcagaaggct acgaaggaga cgggatctcc tgtttcgata 3120
ttgacgagtg ccagcggggg ggcacaaact gcgctgagaa tgccgcctgc accaacacgg 3180
agggaggcta caactgcacc tgcgcaggcc gcccatcctc gcccgactg agttgccctg 3240
actctaccgc accctctctc cttggggaag atggccacca tttggaccga aatagttatc 3300
caggatgccc atcctcatat gatggatact gcctcaatgg tggcgtgtgc atgcatattg 3360
aatcactgga cagctacaca tgcaactgtg ttattggcta ttctgggat cgatgtcaga 3420
ctccaccatc aagtgcaga ggaccccagg aaatagaggg aaactccac ctaccctcct 3480
acagacctgt ggggcgggag aagctgcatt ctctccagtc agctaattga tcgtgtcacg 3540
aaagggtccc agacctgcca cggcagacag agccagttca gtagaaactg ggagtagaca 3600
gaaggtacag aagggaatat aacaaaccag gctgatgatg gtagagtgtc acagacttgg 3660
tactccagtt tccacggcta atcaactgtc gctcagggtc ctgaagatag ctgcacagct 3720
gcagagctgc acagcgggat agctgcgact tttgtctctt gctttaagca gttccactga 3780
agatactcaa aagagaagtg gagaaaatca ttagaaacca aagtcaagac attcatatat 3840
aagctgtgtc ttcttctact gacggtttgc ctcttttctt tttgcctcag aaggagtggg 3900
ttaaagcagg tgaccccatg ctctgtcaac cctgaataa atgatgtgat ctacatagaa 3960
gtcttagctc atcttcagga acgcttgga cactataact tttgtatga tatactgcca 4020
agtgtggccc atgtcataaa ttgtgctttc tgaattgtga taaattagtg aaaaaactgt 4080
aacttagaat ctgatttatt caggattaga tcactttttt atactataaa aatcttcgaa 4140
tgaaaatatt taactttaaa aacattacct taatcattgt cttttcttct tgaagtcttt 4200
cccagtga aaacgctcaatt ctgctgtttc catagaattt ttaatttatt ttaagacatg 4260
agattgtaaa caaattgctt gatttatttt atcctaatta tttaaataaa atcacccctaa 4320
agcatcagca tttt 4334

```

&lt;210&gt; 54

&lt;211&gt; 3058

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 54

```

aaaaaawwaa aaaaggagaa gggattccta tctgtatata gggaaggaa cctatctgca 60
tatttcgttg ttagcaccat cctcatccc ggtggggctt ggaactttcc atcaattctt 120
tcctgtctcg tttctctttc atcctttgcc tgggtgtgcc tgtctcagg agaaatcagt 180
cacctgcagg ccttgcagg ctcttaggct ctgggaaatt tgtcatacg gtgtcaggta 240
cttcttattg ctgtccaaag ggaaaaaaa agtgagacaa agaactctcc cggagccttt 300
ccggtgcac tcagaggctc tcgagagggt cagaaggacc tggaaaggca gctaaataaa 360
agatgcctcg gggccgaagg ccaacctggc tgttgctcgc cttcctgctg gtgtttttaa 420
agattagcat actcagcgtc acagcatggc agaccgggaa ctgtcagcca ggtcctctcg 480
agagaagcga gagaagcggg acttgtgccg gtcctgcccc ctctctagtt ttctcacaag 540
gaaagagcat ctctcggatt gacctagatg gaacaaatca ccagcaattg gtggtggatg 600
ctggcatctc agcagacatg gatattcatt ataaaaaga gagactctat tgggtggatg 660
tagaaagaca agttttgtca agagttttcc ttaacgggac aggactagag aaagtgtgca 720
atgtagagag gaaggtgtct gggtggcca tagactggat agatgatgaa gttctctggg 780
tagaccaaca gaacggagtc atcacgtaa cagatatgac agggaaaaat tcccagttc 840
ttctaagttc cttaaaacat ccgtcaaata tagcagtga tccaatagag aggttgatg 900
tttggctctc agaggtgacc ggcagccttc acagagcaca cctcaaagg gttgatgtaa 960
aaactgtct ggagacagg ggaatatcgg tgtgactct ggatgtcctg gacaaacggc 1020
tcttctgggt tcaggacagt ggcgaggaa gccacgctta cattcattcc tgtgattatg 1080
agggtggctc cgtccgtctt atcaggcatc aagcacggca cagtttgtct tcaatggcct 1140

```

tttttggatga	tccgatcttc	tactcagtg	tgaaaagcaa	ggcgatttgg	atagccaaca	1200
aacacacggg	gaaggacacg	gtcaggatta	acctccatcc	atcctttgtg	acacctggaa	1260
aactgatgg	agtacaccct	cgtgcacagc	ccaggacaga	ggacgctgct	aaggatcctg	1320
accccgaaact	tctcaaacag	aggggaagac	catgccgctt	cggctctctg	gagcgagacc	1380
ccaagtccca	ctcgagcgca	tgcgctgagg	gctacacggt	aagccgagac	cggaaagtact	1440
gcgaagatgt	caatgaatgt	gccactcaga	atcacggctg	tactcttggg	tgtgaaaaca	1500
cccttgatc	ctatcactgc	acatgcccc	caggatttgt	tctgcttcct	gatgggaaac	1560
aatgtcacga	acttgtttcc	tgcccaggca	acgtatcaaa	gtgcagtcac	ggctgtgtcc	1620
tgacatcaga	tggtccccgg	tgcatctgtc	ctgcagggtc	agtgttggg	agagatggga	1680
agacttgac	tggttgttca	tcgcttgaca	atgggtggatg	cagccagatc	tgtcttcctc	1740
tcaggccagg	atcctgggaa	tgtgattgct	tctctgggta	tgacctacag	tcagaccgaa	1800
agagctgtgc	agcttcaggga	ccacagccac	ttttactgtt	tgcaaatcc	caggacatcc	1860
gacacatgca	ttttgatgga	acagactaca	aagttctgct	cagccggcag	atgggaaatgg	1920
tttttgcctt	ggattatgac	cctgtggaaa	gcaagatata	ttttgcacag	acagccctga	1980
agtggataga	gagggcta	atggatgggt	cccagcgaga	aagactgac	acagaaggag	2040
tagatacgt	tgaaggtctt	gccctggact	ggattggccg	gagaatctac	tggaacagaca	2100
gtgggaagtc	tgttgttgg	gggagcgatc	tgagcgggaa	gcatcatcga	ataatcatcc	2160
aggagagaat	ctcgaggccg	cgaggaatag	ctgtgcatcc	aagggccagg	agactgttct	2220
ggacggacgt	agggatgtct	ccacggattg	aaagcgcttc	ccttcaagg	tccgaccggg	2280
tgctgatagc	cagctccaat	ctactggaac	ccagtggaa	cacgattgac	tacttaacag	2340
acactttgt	ctggtgtgac	accaagaggt	ctgtgattga	aatggccaat	ctggatggct	2400
ccaaacgccg	aagacttatc	cagaacgacg	taggtcacc	cttctctcta	gccgtgtttg	2460
aggatcacct	gtgggtctcg	gattgggcta	tcccatcggt	aataaggggtg	aacaagagga	2520
ctggccaaaa	cagggtagct	cttcaaggca	gcatgctgaa	gccctcgta	ctggttgtgg	2580
tccatccatt	ggcaaaacca	ggtgcagatc	cctgcttata	caggaatgga	ggctgtgaac	2640
acatctgcca	agagagcctg	ggcacagctc	ggtgtttgtg	tcgtgaagg	tttgtgaagg	2700
cctgggatgg	gaaaatgtgt	ctccctcagg	attatccaat	cctgtcaggt	gaaaatgctc	2760
ataattgtgc	tttctgaatt	gtgataaatt	agtgaaaaa	ctgtaactta	gaatctgatt	2820
tattcaggat	tagatcatct	ttttatacta	taaaaatctt	cgaatgaaaa	tatttaactt	2880
taaaaacatt	accttaatca	ttgtcttttc	ttcttgaagt	ctttccag	gaaaacgctc	2940
aattctgctg	tttccataga	atttttaatt	tattttaaga	catgagattg	taaacaaatt	3000
gcttgattta	ttttatccta	attatttaaa	taaaatcacc	ctaaagcatc	agcatttt	3058

&lt;210&gt; 55

&lt;211&gt; 2842

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 55

aaaaaawwaa	aaaaggagaa	gggattccta	tctgtatata	gggaaggaat	cctatctgca	60
tatttcgttg	ttagcaccat	ccctcatccc	ggtggggctt	ggaactttcc	atcaattctt	120
tectgtctcg	tttctctttc	atcctttgcc	tggttgtgcc	tgtctcagg	agaaatcagt	180
cacctgcagg	ccttgcagg	ctcttaggct	ctgggaaatt	tgtcatacgg	gtgtcaggta	240
cttcttattg	ctgtccaaag	ggaaaaaaa	agtgaagaaa	agaactctcc	cggagccttt	300
ccggctgcac	tcagaggctc	tcgagagggt	cagaaggacc	tggaaggca	gctaaataaa	360
agatgccctg	gggccgaagg	ccaacctggc	tgttgcctgc	cttcctgctg	gtgtttttaa	420
agattagcat	actcagcgtc	acagcatggc	agaccgggaa	ctgtcagcca	ggctcctctg	480
agagaagcga	gagaagcggg	acttgtgccg	gtcctgcccc	cttcctagtt	ttctcacaag	540
gaaagagcat	ctctcggatt	gggctatccc	atcggtata	aggggaaca	agaggactgg	600
ccaaaacagg	gtacgtcttc	aaggcagcat	gctgaagccc	tcgtcaactg	ttgtgggtcca	660
tccattggca	aaaccagggt	cagatccctg	cttatacagg	aatggagggt	gtgaacacat	720
ctgccaaag	agcctgggca	cagctcgggt	tttgtgtcgt	gaaggttttg	tgaaggcctg	780
ggatgggaaa	atgtgtctcc	ctcaggatta	tccaatcctg	tcagggtgaaa	atgctgatct	840
tagtaaagag	gtgacatcac	tgagcaactc	cactcagggt	gaagtaccag	acgatgatgg	900
gacagaatct	tccacactag	tggtgaaat	catggtgtca	ggcatgaact	atgaagatga	960
ctgtgggtccc	gggggggtgtg	gaagccatgc	tcgatgcgtt	tcagacggag	agactgctga	1020
gtgtcagtg	ctgaaaggg	ttgccaggga	tggaacctg	tgttctgata	tagatgagtg	1080
tgtgctggct	agatcggact	gccccagcac	ctcgtccagg	tgcatcaaca	ctgaagggtg	1140
ctacgtctgc	agatgctcag	aaggctacga	aggagacggg	atctcctgtt	tcgatattga	1200
cgaagtccag	cgggggggcgc	acaactgcgc	tgagaatgcc	gcctgcacca	acacggaggg	1260



aggctacaac	tgcacctgcg	caggccgccc	atcctcgccc	ggactgagtt	gccctgactc	1320
taccgcaccc	tctctccttg	gggaagatgg	ccaccatttg	gaccgaaata	gttatccagg	1380
atgcccaccc	tcatatgatg	gatactgcct	caatggtggc	gtgtgcatgc	atattgaatc	1440
actggacagc	tacacatgca	actgtgttat	tggctattct	ggggatcgat	gtcagactcg	1500
agacctacga	tgggtgggagc	tgcgtcatgc	tggctacggg	cagaagcatg	acatcatggt	1560
ggtggctgtc	tgcattggtg	cactggtcct	gctgtcctc	ttggggatgt	gggggactta	1620
ctactacagg	actcggaagc	agctatcaaa	ccccccaaa	aacccttggt	atgagccaa	1680
cggagtggtg	agcagcagcg	ggcccgcagc	cagcagcggg	gcagctgtgg	cttcttgctc	1740
ccaaccttgg	tttgtggtcc	tagagaaaac	ccaagacccc	aagaatggga	gtctgcctgc	1800
ggatggtacg	aatggtgcag	tagtagatgc	tggcctgtct	ccctccctgc	agctcggtgc	1860
agtgcatctg	acttcattga	gacagaagcc	ccacatagat	ggaatgggca	cagggcaaa	1920
ctgctggatt	ccaccatcaa	gtgacagagg	accccaggaa	atagagggaa	actcccacct	1980
accctcctac	agacctgtgg	ggccggagaa	gctgcattct	ctccagtcag	ctaattggatc	2040
gtgtcacgaa	agggctccag	acctgccacg	gcagacagag	ccagttcagt	agaaactggg	2100
agtagacaga	aggtacagaa	gggaaaataa	caaaccaggc	tgatgatggt	agagtgtac	2160
agacttggtg	ctccagtttc	cacggctaata	caactgtcgc	tcagggtcct	gaagatagct	2220
gcacagctgc	agagctgcac	agcgggatag	ctgcgacttt	tgcttcttgc	tttaagcagt	2280
tccactgaag	atactcaaaa	gagaagtgga	gaaaatcatt	agaaaccaa	gtcaagacat	2340
tcatatataa	gctgtgtctt	cttcaactga	cggtttgcct	cttttccttt	tgccctcagaa	2400
ggagtgggtt	aaagcagggtg	accccatgct	ctgtcaaccc	ctgaataaat	gatgtgatct	2460
acatagaagt	cttagctcac	tctcaggaac	gcttggaaac	ctataacttt	tgctatgata	2520
tactgccaa	tgtggcccat	gctcataatt	gtgctttctg	aattgtgata	aattagttaa	2580
aaaactgtaa	cttagaatct	gatttattca	ggattagatc	atctttttat	actataaaaa	2640
tcttcgaatg	aaaatattta	actttaaaaa	cattacctta	atcattgtct	tttcttcttg	2700
aagtctttcc	cagtgaatac	gctcaattct	gctgtttcca	tagaattttt	aatttatttt	2760
aagacatgag	attgtaaaca	aattgcttga	tttattttat	cctaattatt	taaataaaat	2820
caccctaaag	catcagcatt	tt				2842

&lt;210&gt; 56

&lt;211&gt; 2243

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 56

aaaaaawwaa	aaaaggagaa	gggattccta	tctgtatata	gggaagggaat	cctatctgca	60
tatttcgttg	ttagcaccat	ccctcatccc	ggtggggctt	ggaactttcc	atcaattctt	120
tctgtctcg	tttctctttc	atcctttgcc	tgtgtgtgcc	tgtctcaggg	agaaatcagt	180
cacctgcagg	ccttgcaggg	ctcttaggct	ctgggaaatt	gtgcatacgg	gtgtcaggta	240
cttcttattg	ctgtccaaag	ggaaaaaaa	agtgaagaaa	agaactctcc	cggagccttt	300
ccggctgcac	tcagaggctc	tcgagagggt	cagaaggacc	tggaaaggca	gctaaataaa	360
agatgccctg	gggcccgaag	ccaacctggc	tgtgtctcgc	cttctcgtcg	gtgtctgctg	420
agtgtcagtg	tctgaaaggg	tttgccaggg	atggaaacct	gtgttctgat	atagatgagt	480
gtgtgctggc	tagatcggac	tgccccagca	cctcgtccag	gtgcatcaac	actgaagggtg	540
gctacgtctg	cagatgctca	gaaggctacg	aaggagacgg	gatctcctgt	ttcgatattg	600
acgagtgccg	gcggggggcg	cacaactgcg	ctgagaatgc	cgctgcacc	aacacggagg	660
gaggctacaa	ctgcacctgc	gcaggccgcc	catcctcgcc	cggactgagt	tgccctgact	720
ctaccgcacc	ctctctcctt	ggggaagatg	gccaccattt	ggaccgaaat	agttatccag	780
gatgcccatc	ctcatatgat	ggatactgcc	tcaatggtgg	cgtgtgcatg	catattgaat	840
cactggacag	ctacacatgc	aactgtgtta	ttggctattc	tggggatcga	tgctcagactc	900
gagacctacg	atggtgggag	ctgcgtcatg	ctggctacgg	gcagaagcat	gacatcatgg	960
tgggtggctgt	ctgcatggtg	gcactggtcc	tgtgtctcct	cttggggatg	tgggggactt	1020
actactacag	gactcggaag	cagctatcaa	accccccaa	gaacccttgt	gatgagccaa	1080
gcggaagtgt	gagcagcagc	gggcccagca	gcagcagcgg	ggcagctgtg	gcttcttgctc	1140
cccaaccttg	gtttgtggtc	ctagagaaac	accaagaccc	caagaatggg	agtctgcctg	1200
cggatggtac	gaatggtgca	gtagtagatg	ctggcctgtc	tccctccctg	cagctcgggt	1260
cagtgcattc	gacttcatgg	agacagaagc	cccacataga	tggaaatggc	acagggcaaa	1320
gtctctggat	tccaccatca	agtgcagagc	gacccaggga	aataagaggga	aactcccacc	1380
taccctccta	cagacctgtg	gggcccagga	agctgcattc	tctccagtca	gctaattggat	1440
cgtgtcacga	aagggtccca	gacctgccac	gcagacagag	gccagttcag	tagaaaactgg	1500
gagtagacag	aaggtagaca	agggaataa	acaaaccagg	ctgatgatgg	tagagtgtcta	1560

cagacttggg	actccagttt	ccacgggctaa	tactgctcg	ctcaggggtcc	tgaagatagc	1620
tgcacagctg	cagagctgca	cagcgggata	gctgcgactt	ttgcttcttg	ctttaagcag	1680
ttccactgaa	gatactcaaa	agagaagtgg	agaaaatcat	tagaaaacca	agtcaagaca	1740
ttcatatata	agctgtgtct	tcttcaactg	acgggttgcc	tcttttctt	ttgcctcaga	1800
aggagtgggt	taaagcaggt	gaccccatgc	tctgtcaacc	cctgaataaa	tgatgtgatc	1860
tacatagaag	tcttagctca	ctctcaggaa	cgcttggaac	actataaact	ttgctatgat	1920
atactgcaa	gtgtggccca	tgctcataat	tgtgctttct	gaattgtgat	aaattagtga	1980
aaaaactgta	acttagaatc	tgattttattc	aggattagat	catcttttta	tactataaaa	2040
atcttcgaat	gaaaatattt	aacttttaaaa	acattacctt	aatcattgtc	ttttcttctt	2100
gaagtccttc	ccagtgaaaa	cgctcaattc	tgctgtttcc	atagaatttt	taattttattt	2160
taagacatga	gattgtaaac	aaattgcttg	atttatttta	tcctaattat	ttaataaaaa	2220
tcaccctaaa	gcacagcat	ttt				2243

&lt;210&gt; 57

&lt;211&gt; 4563

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 57

gaattcgggg	ccgcaccgcg	cgcaccgcgc	catggggggcc	gcgtccggcc	agcggggggcg	60
gtggccgttg	tgcctccgc	tcttgatgct	gtcgtgctg	gtgctgttg	tgcagccgtc	120
gcccgcgccg	gcactcgacc	ctggattgca	gccgggcaac	tttccccgg	acgaggcagg	180
ggcgcagctt	ttcgtgaaa	gctataactc	gagtgccgag	gtggtgatgt	tccagagcac	240
cgtggccagt	tgggcgcacg	acaccaacat	cacggaggag	aacgcgcgac	gccaggagga	300
agcggccctg	gtcagccagg	agtttgaga	ggtctggggc	aagaaggcca	aggagttgta	360
tgagtcatt	tggcgaact	ttactgactc	aaagctgcga	aggatcatcg	gatctattcg	420
gacccatagg	cctgccaatc	tgcctctggc	ccagcggcag	cagtacaact	ctctgctaag	480
caacatgagc	agaatctact	ccactggcaa	ggtctgcttc	cccaacaaga	ctgccacctg	540
ctggctccctg	gacccagagc	tcaccaacat	cctggcttcc	tcacgaagct	atgccaaagt	600
gttggtttgcc	tgggagggct	ggcatgatgc	tgtgggtatc	ccactgaaac	ccctctatca	660
agactttact	gccatcagta	acgaagccta	cagacaagac	gacttctcag	acacaggagc	720
cttctggcgc	tcttggtatg	agtccccctc	ctttgaggag	agtctggaac	atatctacca	780
ccaactagag	ccccctacc	tgaacctcca	tgcctacgtc	cgccgcgcac	tgcaccgccg	840
ctatggggac	aaatacgtca	atctcagggg	gcctattcct	gccatttgc	tgggagacat	900
gtgggcccag	agctgggaga	acatctacga	catggtagt	cctttcccag	acaaaaccaa	960
cctcgatgtc	accagtacaa	tggtagagaa	gggctggaac	gccacacaca	tgttccgggt	1020
atcagaggaa	ttcttcacct	cgtggggct	ctcaccatg	cctcctgagt	tctgggcgga	1080
gtcaatgctg	gagaaaccaa	cggatggacg	ggaggtggtg	tgccacgcct	ctgcctggga	1140
cttctacaac	cgggaaggact	tccggattaa	gcaatgcaca	cgggtcacga	tggaacagct	1200
ggccacagta	caccacgaga	tgggccacgt	gcagtactac	ctccagtaca	aggacctgca	1260
cgtctctctg	cgtagagggtg	ccaacctgtg	cttccatgag	gccattgggg	atgtgcttgc	1320
actctccgtc	tgtaccctg	cacatctgca	caaaatcggc	ctactggacc	atgttaccac	1380
tgacatagag	agtacatca	attacctgct	aaagatggcc	ctagagaaaa	tgccttctt	1440
gccctttggc	tacctggtgg	accagtggcg	ttggggggtc	ttcagtggac	ggacccacc	1500
ctctcgctac	aacttcgact	ggtggtatct	tcgaaccaag	tatcagggga	tctgccacc	1560
agttgcccg	aatgaaaccc	attttgatgc	tggagccaag	tttcacatcc	caaacgtgac	1620
accgtacatc	aggtacttcg	tgagctttgt	gctgcagttc	cagttccatc	aagcactgtg	1680
caaggaggca	ggccaccagg	gccactaca	ccagtgtgac	atctaccagt	ccrccaggc	1740
gggggccaa	ctcaagcagg	tgttgaggc	tggctgctcc	aggccctggc	aggaggtact	1800
gaaggacctg	gtaggctcag	atgccctgga	tgccaaaggca	ctgctggagt	acttccaacc	1860
ggtcagccag	tggctggaag	agcagaatca	gcggaatggc	gaagtcctag	gctggccaga	1920
gaatcagtg	cgtccaccgt	taccgcacaa	ctatccagag	ggcattgacc	tagagactga	1980
tgaagccaa	gctgacaggt	tctggaaga	gtatgaccgg	acagcccaag	tggtgttgaa	2040
cgagtacgca	gaggccaact	ggcaatataa	caccaacatt	accatagagg	gcagcaagat	2100
cctgcttgag	aaaagcacgg	aggtatccaa	tcacacctg	aaatatggca	cccgggccaa	2160
gacatttgat	gtgagcaact	ttcaaaactc	ttccatcaag	cggatcataa	agaagcttca	2220
gaacctggac	cgggcagtg	tgcctcccaa	ggaattagaa	gagtacaacc	agatcctgct	2280
agacatggag	acaacttaca	gcttatccaa	catttgctac	acaaatggca	cttgatgccc	2340
cctggaacct	gatctaaca	acatgatggc	cacatcccg	aaatatgaag	aattgctatg	2400
ggcatggaag	agctggagag	acaaggtggg	gagagccatc	cttccttttt	tcccaagta	2460

tgtggagttc	tccaacaaga	ttgccaaget	caatggctac	acggatgcag	gggattcatg	2520
gagatcctta	tacgagtctg	acaacctgga	gcaagacctg	gaaaaactgt	accaggagct	2580
gcagccactc	tacctgaacc	tgcattgcta	tgtgcgtcgt	tccttgccac	gccactatgg	2640
gtccgagtag	atcaacctgg	atggccccat	tcctgccccat	ctgctaggga	acatgtgggc	2700
gcagacctgg	tccaacatct	atgatttggt	ggcgccccctc	ccttcgcgcc	ccaatataga	2760
tgccacggaa	gccatgataa	agcagggatg	gacaccacga	aggatatatta	aggaagctga	2820
caattttctt	acctccctgg	ggctgttacc	tgtgccccct	gagttctgga	acaagtcgat	2880
gttagagaag	cccaccgatg	gaaggagggt	ggtgtgccat	ccctcagcct	gggacttcta	2940
caacggcaag	gacttcagga	tcaagcagtg	tacctctgtg	aacatggagg	acttggtgat	3000
agcgaccac	gaaatgggac	acatccagta	tttcatgcag	tacaaagact	taccctgac	3060
tttccgggag	ggtgccaaac	ctggttttca	tgaagctatt	ggagatataa	tggctctctc	3120
agtgtctacc	cccaagcatc	tatacagtct	caacctgctt	agcactgagg	gcagtggcta	3180
cgagtatgac	atcaactttc	taatgaagat	ggccctcgac	aagatcgctt	ttatccccct	3240
cagctacctc	atcgaccagt	ggcgctggag	ggtctttgat	ggaagcatca	ccaaggagaa	3300
ctataaccag	gagtggtgga	gcctcaggct	gaagtatcag	ggtctgtgcc	ccccagtgcc	3360
aagatcccaa	ggtgactttg	acccagggtc	caagttccac	gttcctgcga	acgtgccata	3420
cgtcaggtag	tttgtcagct	tcattcatcca	gttcaggctc	cacgaggcgc	tgtgtcgcgc	3480
agccgggcac	acgggtcccc	tgcacaagtg	tgacatctac	caatccaagg	aagcagggaa	3540
gctcctggcg	gatgccatga	agctgggcta	cagtaagccg	tggccagagg	ccatgaagct	3600
gatcacaggc	cagcctaaca	tgtcagcctc	cgccatgatg	aattacttca	agccactgac	3660
agaatggctc	gtcaccgaga	acaggagaca	tggagagaca	ctgggctggc	cggagtacaa	3720
ctgggcgcca	aacaccggta	ctacacccac	cctgcctcca	gccccgggc	ccagctccta	3780
gagctcatat	agggctgaac	cccattccca	gtccagacag	tctccagtct	gacctcagag	3840
caagaacagg	gacgccagga	cgcaagaccc	cagcccttgt	gggaagccag	ggacaggacc	3900
ggctgcttgc	ctgtctcctg	acagtccag	cacgaccctt	tactggttgt	cttcgcagtc	3960
ttcctccaag	caggaaagta	atcccaattc	ctctggaccc	catccccac	aacctttccc	4020
accagccttc	ctaacagccc	aggtgaggtg	gctcctgtct	tgacagacca	tgaacttgcc	4080
agggaggaac	ctaagaaaca	qaggggaagg	aagcaggtag	gctgcctcct	ttatgtgtgg	4140
atacactata	gatggctcat	cctgtcccat	gtgacctctc	tgtggctggg	tgtcttgagg	4200
gaaggctctg	gatgcccttc	cctgtctacg	ggtgaggggc	ctggaagggc	gtgcctcact	4260
gagcatgctg	aagcggccag	tatataagtg	gacagcctgg	gttccttgac	ggagccacgt	4320
aggtctctgc	cacaggaaag	agcattaatc	cgtgaccaca	cagtgggttc	actgctactg	4380
cccacctcct	catcccgga	cacatccctt	cagcctcagc	catccttttg	aaggcctatt	4440
tggtattttag	ggggtgtcac	ttgaagtaac	tttttatcta	catatttatg	tagtaaattt	4500
ggaaaatctg	aataaaaagc	ccatggtagc	aacattaaga	aatataagcm	ctgttgaagt	4560
tta						4563

&lt;210&gt; 58

&lt;211&gt; 1630

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 58

cacgctctgc	cttgatcaca	caccgcgcca	ctcgatcatt	cgagcacatt	ccttccttcc	60
gtcttactgt	ctcagccctt	gacttctaca	aacctatgga	acatttctgg	aaagacgctc	120
ttgaaccagc	aggggtggccc	acgcgctgct	gagccctctg	cgtgcgcggg	gagccagtct	180
gtaactcgcc	ggctgccact	taccatgacc	atgaccttc	acaccaaagc	ctcggaatg	240
gccttgctgc	accagatcca	agggaaacag	ctggagcccc	tcaaccgccc	gcagctcaag	300
atgcccattg	agaggggcct	gggcgaggta	tacgtggaca	acagcaagcc	cactgtgttc	360
aactaccccc	agggcgccgc	ctacgagttc	aacgcgcgcg	ccgcgcgcgc	cgccgcgcgc	420
tcggcgccgg	tctacggcca	gtcgggcac	gcctacggcc	ccgggtcgga	ggcgccgcgc	480
ttcagtgcc	acagcctggg	ggctttcccc	cagctcaaca	gcgtgtcgcc	tagcccgctg	540
atgctgctgc	acccgcgcgc	gcagctgtct	cctttcctgc	acccgcacgg	ccagcagggtg	600
ccctactacc	tggagaacga	gcccagcgcc	tacgcctgtc	gcgacaccgg	ccctcccgcc	660
ttctacaggt	ctaattctga	caatcgacgc	cagaattggc	gagagagact	gtccagcagt	720
aacgagaaag	gaacatgat	catggagtct	gccaaggaga	ctcgctactg	tgcctgtgtc	780
aatgactatg	cctctggcta	ccattatggg	gtctggtcct	gcgaaggctg	caaggctttc	840
tttaagagaa	gcattcaagg	acacaatgac	tacatgtgtc	cagctacaaa	ccaatgcacc	900
attgacaaga	accggaggaa	gagttgccag	gcctgtcggc	tcgcgaagtg	ttacgaagtg	960
ggcatgatga	aaggcgcat	acggaaagac	cgccgaggag	ggagaatgtt	gaagcacaag	1020

```

cgtcagagag atgacttggga aggccgaaat gaaatgggtg cttcaggaga catgagggct 1080
gccaaccttt ggccaagccc tcttgtgatt aagcacacta agaagaatag ccctgccttg 1140
tccttgacag ctgaccagat ggtcagtgcc ttgttggatg ctgaaccgcc catgatctat 1200
tctgaatatg atccttctag acccttcagt gaagcctcaa tgatgggctt attgaccaac 1260
ctagcagata gggagctggg tcatatgata aactgggcaa agagagtgcc aggtaaggat 1320
gctaaactca acttctatgt taagagtga taactttcaa cagtcagctg tggtagctgt 1380
gggggaaagt agtagtgtgc tatgggatta gggagatggc tgtattggga tttgtcaatt 1440
gtcaatatta acccgctgta tttctcttga aactaggaaa tagcctttaa aattaaactc 1500
ccagcagact aaaaccttgg acatgctaata tttggcccggt ctttgctcaa aacacttggg 1560
tgaacacttc attacaacat gcccatgtgt tctgtcatca aatgtcatat attaaaagta 1620
cttaatgctc                                     1630

```

&lt;210&gt; 59

&lt;211&gt; 1551

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 59

```

aaagaagcca cagtctcatc atggttccac aggcgcagtg gctgctgctt ctctgcttcc 60
tgctccagct ccagggacct ctagggactg cagttttcat aaccaggag gaagcacatg 120
gtgtcctaca caggcaaagg cgtgccaaact cactcctgga ggagcttttg cccggctctc 180
tgagagagaga gtgcaatgag gaacagtgtc cctttgagga ggcccgggag atcttcaaga 240
gccctgagag gaccaagcag ttctggattg ttacagtga tggggaccag tgtgcctcga 300
atccatgtca gaacggagggt acctgccagg atcatctcaa gtcttacgtc tgcttctgcc 360
tcctagactt tgagggccgt cctgctggac gccagatgga tagtgaccgc agcccactgc 420
ttcgataata tccgctactg gggaaacatc acagtgggtga tgggtgaaca tgacttcagt 480
gagaaggatg gggatgagca agtacgacgg gtgacacagg tcatcatgcc cgacaagtac 540
atccgcggca agatcaacca cgacattgcc ctgctccgcc ttcaccggcc tgtgaccttc 600
actgactacg tgggtgccct gtgtctgctt gaaaagtcct tctccgagaa caccctagcc 660
agaatccgct tctcaagggt cagtggctgg ggccagctac tggaccgtgg tgccacagcc 720
ctggaactca tgtccatcga ggtgccccgg ctgatgacct aggactgtct ggagcacgcc 780
aagcacagct ctaacacccc caaaatcaca gagaacatgt tctgcgctgg ctacatggat 840
ggtaccaagg acgcctgcaa ggtgacagc ggtggcccac atgccacgca ctaccatggc 900
acatggtatc tgacaggtgt ggtcagctgg ggggagggct gtgcagctat tggtcacatt 960
ggggtgtaca ccagggctct ccagtacata gactggctgg tcagacacat ggactccaag 1020
ctccagggtg ggggttttccg actcccacta ctgtagctcc ttggatagcc caaccgctcc 1080
caagaaggaa gctacggcct gtgaagctgt tctatggact ttctgtctat tcttgtgtaa 1140
gggaagagaa tgagataaag agagagtga gaaagcagag ggggaggtaa atgagagagg 1200
ctgggaaagg ggaaacagaa agcagggccg ggggaagagt ctaagttaga gactcaciaa 1260
gaaactcaag aggggctggg cagtgcagtc acagtcaggc agctgagggg caggggtgcc 1320
ctgagggagg cgaggctcag gccttgctcc cgtctccccg tagctgcctc ctgtctgcat 1380
gcattcggtc tgcagtacta cacagtaggt atgcacatga gcacgtagga cacgtgaatg 1440
tgccgcatgc atgtgcgtgc ctgtgtgtcc atcattggca ctgttgctca tttgtgcttc 1500
ctgtgagcac cctgtcttgg tttcaattaa atgagaaaca tgggtctcaa a 1551

```

&lt;210&gt; 60

&lt;211&gt; 732

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 60

```

tcgagcggcc gcccgggcag gtccaggatc aagagtcacc gcttcgcaag cactgcctgg 60
ctccatcagg atccccgcag gctcagctcc aaggcacgc tcaccaggaa ggcatcatgg 120
gcttcttgaa gttctcccc tctctggttg tcagcatctt gctcctgcac tgggtgcagga 180
ctatatgcag atgaaagcca gggagctgga gcaggaggaa gagcaggagg ctgagggctc 240
tagcttggac agccccagat ctaagcgggt tgggaatctg agtacctgca tgctgggcac 300
gtacacacaa gacctcaaca agtttcacac cttcccccaa acttcaattg ggggtgaagc 360
acctggcaag aaaagggatg tggccaagga cttggagaca aaccaccaat cccattttgg 420
caactaagct ccttctctcc tttctagttt ccttcttgct ttcttctat aacttgatgc 480

```

```

atgtagttcc tctctggttg ctctccaggc tattactggt tgctttcctg aggcaaagaa 540
tggtatctga aatccccagt ggggtgaggag aaagtccac aggctaaaag agaatacccc 600
aggaagatgg cagagagcaa gggcacactc aggaagatgg cagagagcaa gggcagtcac 660
ctggcttcct agtagagctt ctagtcttgc ttctggaagt gttggttgtt tgggaaataa 720
aactattttt ta 732

```

&lt;210&gt; 61

&lt;211&gt; 1648

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 61

```

ccccagaccc ttctgtcctt ttctcccgcc ccgcccgcgc catggccacc ctgtccgca 60
gcaagctgac caatgtggcc acctccgtgt ccaacaagtc ccaggccaag gtgagcgga 120
tgtttgccag gatgggggtt caggcgccca ccgatgagga agcggtgggc ttccgcgact 180
gcgacgatct cgactttgag catcgccagg gcctgcagat ggacatcctg aaatcggaag 240
gcgagccctg cggagacgag ggcgcagaag ctcccgtcga gggagacatt cattatcagc 300
gcgggcggcg tcctctgcca cctctggct ccaaggacca ggccgtggga gctggtgggg 360
agttcggggg tcacgacaaa cccaagatca cggcgtggga agcgggctgg aacgtgacaa 420
atgccattca gggcatgttc gtgctgggccc taccctacgc catcctccac ggcggtacc 480
tggggttgtt cctcatcatc ttccgcgag tgggtgtgctg ctacaccggc aagatcctca 540
tcgctgacct gtacgaggag aacgaagacg gggaggtggt gcgctgagg gactcgtatg 600
tggccatagc taacgcatgc tgcgctcctc gattccccac cctgggcggc cgcgtggtca 660
atgtggcgca gatcatcgag ctggtgatga cgtgtatctt gtacgtcgtg gtgagcgga 720
acctcatgta caacagtttc ccggggctgc ccgtgtcgca gaagtccctg tccatcatag 780
ccacagcggg gctgctgccc tgcgccttcc tgaagaatct caaggccgtg tccaagtcca 840
gtctgctgtg tacgtgggcc cacttcgtca tcaacatcct ggtcateget tactgtctct 900
ctcgcgcgcg tgattgggcc tgggagaagg tgaagttcta catcgacgtc aagaagtttc 960
ccatctccat tggcatcatc gtgttcagct acacgtcgca gatcttctg cctctctctg 1020
aaggcaacat gcagcagccc agcgaattcc actgcatgat gaactggaca cacatcgccg 1080
cctgctgct caagggtctc ttccgcctcg tcgcctacct cacctgggcc gacgagacca 1140
aggaagtcat cacggataac ctgcccggct ccatccgcgc cgtggtcaac ctcttctctg 1200
tgcccaaggc gctgctgtcc tatccgttgc ccttcttctg ggcgtcgaa gtgctggaga 1260
agtctctctt ccaggaaggc agtcgcgcct tcttcccgc ctgctatgga ggcgacggtc 1320
gccttaagtc ctgggagctg acgctgcgct gcgcgctggt ggtcttcacg ctgctcatgg 1380
ccatctacgt gccacacttc gcgctgctca tgggcctcac gggcagcctc acaggcgccg 1440
gcctctgctt cctgctgccc agcctcttcc acttgccct tctctggcgc aagctgctgt 1500
ggcaccaggt cttcttcgat gtggccatct tcgtcatcgg cggcatctgc agcgtgtccg 1560
gcttcgtgca ttcactcgag ggtctcatcg aggcctaccg aaccaacgca gaggactagg 1620
gggtggggac cctgccccca gctccatc 1648

```

&lt;210&gt; 62

&lt;211&gt; 1410

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 62

```

cagggcagca tgtgattgac tgcgaattcg ggtctcgagc aggaagtacc aagggaggat 60
ggagatggta ataatacagg ttgggtggag aatatctgag gaaactgcac ttgatttggg 120
ccttgaagag taattgactg gatthagatt tatctagaaa ggtcgttccc agcagaagca 180
acaagaacaa caagcttggg ctgccatcat ggatgttctc gcagaagcaa atggcacctt 240
tgctttaaac cttttgaaaa cgctgggtaa agacaactcg aagaatgtgt ttttctcacc 300
catgagcatg tcctgtgccc tggccatggt ctacatgggg gcaaaggga acaccgctgc 360
acagatggcc cagatacttt ctttcaataa aagtggcggg ggtggagaca tccaccaggg 420
cttccagtct cttctcaccg aagtgaacaa gactggcacg cagtacttgc ttaggggtggc 480
caacaggctc tttggggaaa agtcttgtga tttctctca tcttttagag attcctgcca 540
aaaattctac caagcagaga tggaggagct tgactttatc agcgcgtag agaagtcag 600
aaaacacata aacacctggg tagctgaaaa gacagaaggt aaaattgcgg agttgctctc 660
tccgggctca gtggatccat tgacaaggct ggttctggtg aatgctgtct atttcagagg 720

```

```

aaactgggat gaacagtttg acaaggagaa caccgaggag agactgttta aagtcagcaa 780
gaatgaggag aaacctgtgc aaatgatgtt taagcaatct acttttaaga agacctatat 840
aggagaaata tttacccaaa tcttggtgct tccatatgtt ggcaaggaac tgaatatgat 900
catcatgctt ccggacgaga ccactgactt gagaacggtg gagaaagaac tcacttacga 960
gaagttcgta gaatggacga ggctggacat gatggatgaa gaggaggtgg aagtgtccct 1020
cccgcggttt aaactagagg aaagctacga catggagagt gtcctgcgca acctgggcat 1080
gactgatgcc ttcgagctgg gcaaggcaga cttctctgga atgtcccaga cagacctgtc 1140
tctgtccaag gtcgtgcaca agtcttttgt ggaggtcaat gaggaaggca cggaggtgc 1200
agccgccaca gctgccatca tgatgatgcg gtgtgccaga ttcgtccccc gcttctgcgc 1260
cgaccacccc ttctttttct tcatccagca cagcaagacc aacgggattc tcttctgcgg 1320
ccgccagctt atgaacttta gtccggattc ctctgccggc tgctgcaatg ttntgtgtt 1380
tccctctccg tggggggggg ggggggggga          1410

```

&lt;210&gt; 63

&lt;211&gt; 1324

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 63

```

cagggcagca tgtgattgac tgcgaattcg ggtctcgagc aggaagtacc aagggaggat 60
ggagatggta ataatcaggg ttgggtggag aatatctgag gaaactgcac ttgatttggg 120
ccttgaagag taattgactg gatttagatt tatctagaaa ggtcgttccc agcagaagca 180
acaagaacaa caagcttggg ctgccatcat ggatgttctc gcagaagcaa atggcacctt 240
tgccttaaac cttttgaaaa cgctgggtaa agacaactcg aagaatgtgt ttttctcacc 300
catgagcatg tcctgtgccc tggccatggt ctacatgggg gcaaaggga acaccgctgc 360
acagatggcc cagatacttt ctttcaataa aagtggcggg ggtggagaca tccaccaggg 420
cttccagtct cttctcaccg aagtgaacaa gactggcacg cagtacttgc ttaggggtggc 480
caacaggctc tttggggaaa agtcttctga tttctctca tcttttagag attcctgcca 540
aaaattctac caagcagaga tggaggagct tgactttatc agcgcgtag agaagtccag 600
aaaacacata aacacctggg tagctgaaaa gacagaaggt aaaattgcgg agttgtctctc 660
tccgggtcca gtggatccat tgacaaggct ggttctggtg aatgctgtct atttcagagg 720
aaactgggat gaacagtttg acaaggagaa caccgaggag agactgttta aagtcagcaa 780
gaatgaggag aaacctgtgc aaatgatgtt taagcaatct acttttaaga agacctatat 840
aggagaaata tttacccaaa tcttggtgct tccatatgtt ggcaaggaac tgaatatgat 900
catcatgctt ccggacgaga ccactgactt gagaacggtg gagaaagaac tcacttacga 960
gaagttcgta gaatggacga ggctggacat gatggatgaa gaggaggtgg aagtgtccct 1020
cccgcggttt aaactagagg aaagctacga catggagagt gtcctgcgca acctgggcat 1080
gactgatgcc ttcgagctgg gcaaggcaga cttctctgga atgtcccaga cagacctgtc 1140
tctgtccaag gtcgtgcaca agtcttttgt ggaggtcaat gaggaaggca cggaggtgc 1200
agccgccaca gctgccatca tgatgatgcg gtgtgccaga ttcgtccccc gcttctgcgc 1260
cgaccacccc ttctttttct tcatccagca gagaatcccc ttggtcttgc tgtgtgtgtc 1320
gacc          1324

```

&lt;210&gt; 64

&lt;211&gt; 2235

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 64

```

gtggacacac aagagttaac tggcgggtgt gacaggcgga ccgccctcag gaagtgttac 60
tcaactggga tgtgcgtgcc ttgccttggg actggattct ctctctgaag cgaaggggct 120
cccagccatg gaaagccctg gagagtcagg cgcgggctct cctggagccc ccagcccgtc 180
cagcttcaact actgggcacc tggcgagaga aaagccagcc caggaccac tgtatgacgt 240
gccaatgcc agcggcgggc aggcaggcgg gccgcagcgg ccggggcgcg ttgtgagcct 300
gcgggagcgc ctgctgtctc cccggcccgt gtggctgcag ctgcaagcca acgcagcggc 360
cgcaactgcac atgctgagga ccgagccccc ggggacgttc ctctgtcgga aatctaacac 420
ccgccagtgc caggccctgt gcatgcggtt gcctgaagcc agtggccctc ctctgtctcc 480
agccactaca tcttgagag ccctggcggc gtctccttgg agggctcgga gctcatgttc 540
ccagacctag tccagctcat ctgtgcctac tgccacacc gggacatcct tctcctccc 600

```

ctgcagctcc	ccagagccat	ccaccacgca	gccactcaca	aagagctgga	ggccatctcc	660
catctgggca	ttgagttctg	gagctcctcc	ctcaacatca	aggctcagcg	gggcccggct	720
ggaggccag	tgttgcccca	gctgaaggcc	cggccccctc	aagagctgga	ccagggcacc	780
ggagccgct	tgtgtctctt	caacccccctg	ttccccgggg	acctagggcc	caccaagcgg	840
gagaaaattca	agagaagctt	caaagtgcgc	gtgtccacag	agacctccag	ccccctgtct	900
ccacctgccc	tgccacctcc	ccccgtcccc	gtgtgccag	gggcagtccc	cagccagaca	960
gagcggtgc	ccccttgcca	gctgctacgg	aggagagct	cagtgggta	ccgctgcca	1020
gcaggcagtg	gccctagcct	tccgcctatg	ccctccctcc	aagaggtgga	ctgcgggtcc	1080
cccagcagct	ccgaggagga	gggggtgcc	gggtccccgg	ggagcccagc	gacctcacc	1140
cacctgggccc	gcccagcacc	tctgtctcgg	tccatgagcg	ccgcctcttg	ctccctactg	1200
gcaccggagc	ggcaggtggg	ccgggctgcg	gcagcactga	tgaggagccg	acacacagcc	1260
gcgggcccagc	tggtgcagga	cctactgacc	caggtgcggg	atgggcagag	gccccaggag	1320
ctcagaggca	tccgtcaggc	gctgagccgg	gcccgggcca	tgctgagtc	ggagctgggc	1380
cctgagaagc	tctgtctccc	taagaggctg	gaacatgtcc	tgagagaagtc	attgcattgc	1440
tctgtgtca	agcctctccg	gcccctcctg	gcagcccgc	tgccgcgccg	gcttgccgca	1500
gacggctccc	tgggcccgcct	agctgagggc	ctccgcctgg	cccgggcccc	gggccccgga	1560
gccttcgggt	cccacctgag	cctgccctcc	ccagtagagt	tgagcaagt	gcgccagaag	1620
ctgctgcagc	tctccgcac	ctactcacc	agcgcaccag	tcaagcggct	cctgcaggcc	1680
tgcaagctgc	tctacatggc	cctgaggacc	caggaagggg	agggtccggg	tgccgacggg	1740
ttcctgcctc	tgctgagcct	cgtcttgccc	cactgtgacc	ttcctgagct	gctgctggag	1800
gcccagtaga	tgctggagct	gctggagccc	agcctgctta	ctggagaggg	tggtactac	1860
ctgaccagcc	tctctgccag	cctggccctg	ctgagtggcc	tgggtcaggc	ccacaccctc	1920
ccactgagcc	ccgtgcagga	gctacggcgc	tcctcagcc	tctgggagca	gcgccgcctg	1980
cctgccaccc	actgcttcca	ggtaacaggc	cctccaccgt	gtcctcagag	ccagacgcca	2040
tccccgcctt	tnaccttctc	gtccttggtg	aagagtccag	actctgtaga	cagatccttg	2100
gttctaattcc	ctggcttgca	ctgggttggtg	gggacttggg	cgagttactt	aactactctg	2160
tgccctcagtt	ttctcatcag	taaaatgggg	gtaataggac	ctacctctg	gggttgaggt	2220
gaagattaaa	tgaqt					2235

&lt;210&gt; 65

&lt;211&gt; 1643

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 65

ggtgttggtg	aaactgaaaa	tactacatta	tgctaattcgc	ggccggggccc	gcgcgcacgg	60
gggtggggcc	cgcgcgatata	aagggggcgc	aggcgggctg	ggcgttccac	aggccaagtg	120
cgctgtgtc	gaggggtgcc	ggccaggcyk	gagcgagcga	gctagccagc	aggcatcgag	180
ggggcgcgcc	tccggtccgg	acgagacagg	cgaaccgcag	gcagaagagt	ccaccaccgg	240
acaggcaggt	agccgcgcgg	tccctcgac	acgcagagtc	ggcgcgcgcg	gggtctccct	300
tgcgcccgcc	ctccgcctc	tcctctctc	cttccccctt	cttctcgctg	tcctctctc	360
tctcgctgcc	cgcgtttgcg	cagccccggg	ccatgtccga	cgctccctc	cgcagcacat	420
ccacgatgga	gcgtcttgct	gcccgtggga	ccttcccagt	actagtgcgc	accagcgct	480
gcccagcct	cttcggggccg	gtggaccacg	aggagctgag	ccgcgagctg	caggccccgc	540
tgcccgagct	gaacgccgag	gaccagaacc	gctgggatta	cgacttccag	caggacatgc	600
cgctgcgggg	ccctggacgc	ctgcagtgga	ccgaagtgga	cagcgactcg	gtgcccgct	660
tctaccgcga	gacgggtgag	gtggggcgct	gccgcctgct	gctggcgccg	cggcccgctg	720
cggtcgcggt	ggctgtcagc	ccgccccctg	agccggccgc	tgagtcctc	gacggcctag	780
aggaggcgcc	ggagcagctg	cctagtgtcc	cggctcccgg	cccggcgctc	actccgcccc	840
cagtcaccgt	cctggctcca	gccccggccc	cggctccggc	tccggtcgcg	gctccggctg	900
cggtcccggt	cgcggtccgg	tcctggcccc	ggccccggcc	ccggctccgg	ctccggctcc	960
ggccccggct	ccagtgcggg	ccccggcccc	agccccggcc	ccggccccgg	ccccggcccc	1020
cgccccggcc	ccggccccgg	acgcggcgcc	tcaagagagc	gccgagcagg	gcgcgaacca	1080
ggggcagcgc	ggccaggagc	ctctcgctga	ccagctgcac	tcggggattt	cgggacgtcc	1140
cgcggccggc	accgcggcgc	ccagcgccaa	cggcgcgcg	atcaagaagc	tgtccggggc	1200
tctgatctcc	gatttctctg	ccaagcgcaa	gagatcagcg	cctgagaagt	cgtcgggcga	1260
tgcccccgcg	cgtgtccct	ctccaagcgc	gccccctggc	gtgggtcgcg	tgaggcagac	1320
ccgcgcgaag	aggctgcggg	gagccaat	agagcccaaa	gagccccgag	ggaacctgcc	1380
ggggcagcgg	acgttggaag	ggcgctgggc	ctcggtggg	accgttcag	tagcagcaac	1440
cggcgcgccg	tgccgcagag	cagcgctcgg	ttttgtttt	aaattttgaa	aactgtgcaa	1500

tgtattaata acgtcttttt atatctaaat gtattctgca cgagaaggta cactgggtccc 1560  
 aagggtgtaaa gctttaagag tcatttatat aaaatgttta atctctgctg aaactcagtg 1620  
 canacggcac gagggcctcg tgc 1643

<210> 66

<211> 722

<212> DNA

<213> Homo sapiens

<400> 66

cggagagggg gagaacagac aacggggcggc ggggagcagc atggagccgg cggcggggag 60  
 cagcatggag ccttcggctg actggctggc cagcgccggc gcgcggggac tagtggagaa 120  
 ggtgcgacag ctccctggaag ccggcgcgga tcccaacgca ccgaatagtt acggtcggag 180  
 gccgatccag gtcctgatga tgggcagcgc ccgagtggcg gagctgctgc tgctccacgg 240  
 cgcgagagccc aactgcgccc accccgccac tctcaccgga cccgtgcacg acgctgcccc 300  
 ggagggcttc ctggacacgc tgggtggtgct gcaccggggc ggggcgcggc tggacgtgcg 360  
 cgatgcctgg ggccgtctgc ccgtggacct ggctgaggag ctgggccatc gcgatgtcgc 420  
 acggtacctg cgcgcggtcg cggggggcac cagaggcagt aaccatgccc gcatagatgc 480  
 cgcggaaggt ccctcagtta cagctagcat ccagggtccc ggaggtgaag aaggagactt 540  
 cggctccagt tacagctagc atccgggtcc cgatttagaa ggagctgcca attacagcgc 600  
 ggttccaggg ctgagcaaaa agcctgagga gccaaagtggg agagggagta aaactactga 660  
 attgggccac aagyaatatga ataaactgaa cgactcttaa ccaaacctaa tatatttaat 720  
 cc 722

<210> 67

<211> 1008

<212> DNA

<213> Homo sapiens

<400> 67

ccgcgacgcg tccgcaccct gcggccagag cggctttgag ctccgctgcg tccgcgctag 60  
 gcgctttttc ccagaagcaa tccaggcgcg cccgctggtt ctgagcgcc aggaaaagcc 120  
 cggagctaac gaccggccgc tcggccactg caccggggccc caagccgcag aaggacgacg 180  
 gggagggtaa tgaagctgag cccaggtctc ctagggaagga gagagtgcgc cggagcagcg 240  
 tgggaaagaa ggaagagtg tcgttaagtt tacggccaac ggtggattat ccggggccgct 300  
 gcgcgtctgg gggctgcgga atgcgcgagg agaacaaggg catgcccagt gggggcggca 360  
 gcgatgaggg tctggccagc gccgcggcgc ggggactagt ggagaagggt gcacagctcc 420  
 tggaaagccgg cgcggtatccc aacggagtca accgtttcgg gaggcgcgcg atccaggtca 480  
 tgatgatggg cagcgccccg gtggcggagc tgctgctgct ccacggcgcg gagcccaact 540  
 gcgcccagccc gcgccacttc acccgacccg tgcacgacgc tgcccgggag ggcttcctgg 600  
 acacgctggt ggtgctgcac cgggcccggg cgcggtgga cgtgcgcgat gcctggggcc 660  
 gtctgcccggt ggacctggtt gaggagctgg gccatcgca tgtcgcacgg tacctgcgcg 720  
 cggctgcggg gggcaccaga ggcagtaacc atgcccgcgt agatgccgcg gaaggtccct 780  
 cagttacagc tagcatccag gtcccgggag gtgaagaagg agacttcggc tccagttaca 840  
 gctagcatcc ggggtccgat ttagaaggag ctgccaatta cagcgcggtt ccagggtgta 900  
 gcaaaaagcc tgaggagcca agtgggagag ggagtaaaac tactgaattg ggccacaagy 960  
 aatgaataa actgaacgac tcttaaccaa acctaataa tttaatcc 1008

<210> 68

<211> 1738

<212> DNA

<213> Homo sapiens

<400> 68

cgaaacacag agcttttagct ccgcaaaaat gaaacactca ttaaaccgac ttctcatttt 60  
 cctcatcata acatctgcgt ggggtgggag caaaggcccc ctggatcagc tagagaaagg 120  
 aggggaaact gctcagtcgt cagatcccca gtgggagcag ttaaataaca aaaacctgag 180  
 catgcctctt ctccctgccc acttcacaaa ggaaaacacc gtcaccaacg actggattcc 240



```

agaggggggag gaggacgacg actatctgga cctggagaag atattcagtg aagacgacga 300
ctacatcgac atcgtcgaca gtctgtcagt ttccccgaca gactctgatg tgagtgtgg 360
gaacatcctc cagctttttc atggcaagag ccggatccag cgtcttaaca tcctcaacgc 420
caagttcgct ttcaacctct accgagtgtc gaaagaccag gtcaacactt tcgataacat 480
cttcatagca cccgttggca tttctactgc gatgggtatg atttccttag gtctgaagg 540
agagacccat gaacaagtgc actcgatttt gcattttaaa gactttgtta atgccagcag 600
caagtatgaa atcacgacca ttcataatct cttccgtaag ctgactcctc gcctcttcag 660
gaggaatttt ggggtacacac tgcggtcagt caatgacctt tatatccaga agcagtttcc 720
aatcctgctt gacttcaaaa ctaaagtaag agagtattac tttgctgagg cccagatagc 780
tgactttctc gacctgcct tcatatcaaa aaccaacaac cacatcatga agctcaccaa 840
gggcccata aaagatgtct tggagaatat agaccctgct acccagatga tgatttcaa 900
ctgcatctac ttcaaaggat cctgggtgaa taaattccca gtggaaatga cacacaacca 960
caacttccgg ctgaatgaga gagaggtagt taaggtttcc atgatgcaga ccaaggggaa 1020
cttctcgcga gctgcctgct cttcatggga agagtggcca accccagcag gtcctagagg 1080
tggaggtcta ggtgtctgaa gtgccttggg ggcacctca tttgtttcc attccaacaa 1140
cgagaacaga gatgttctgg catcattttac gtagtttacg ctaccaatct gaattcgagg 1200
cccatatgag aggagcttag aaacgaccaa gaagagaggc ttgttggaat caattctgca 1260
caatagccca tgctgtaagc tcatagaagt cactgtaact gtagtgtgtc tgctgttacc 1320
tagagggtct cacctcccca ctcttcacag caaacctgag cagcgcgtcc taagcacctc 1380
ccgctccggt gaccccatcc ttgcacacct gactctgtca ctcaagcctt tctccaccag 1440
gcccctcatc tgaataccaa gcacagaaat gagtgggtgt actaattcct tacctctccc 1500
aaggagggtg cacaactagc accattcttg atgtccaggg aagaagccac ctcaagacat 1560
atgaggggtg ccctgggcta atgttagggc ttaattttct caaagcctga cctttcaaat 1620
ccatgatgaa tgccatcagt cctcctgtct gttgcctccc tgtgacctgg aggacagtgt 1680
gtgccatgtc tcccatacta gagataaata aatgtagcca catttactgt gaataann 1738

```

&lt;210&gt; 69

&lt;211&gt; 2308

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 69

```

ggcacgagct cctcccccca ggcgttttct cggacgcctt gcccagcggg ccgcccgacc 60
cctgcacca tggaccccgct tgcgccctg gggctgtcga ttctgtgct tttcctgacg 120
gaggtgcac tgggcgatgc tgcctcagg ccaacaggaa ataacgcgga gatctgtctc 180
ctgcccctag actacggacc ctgcccggcc ctacttctcc gttactacta cgacaggtag 240
acgcagagct gccgccagtt cctgtacggg ggctgcgagg gcaacgcaa caatttctac 300
acctgggagg cttgcgacga tgcctgtctg aggatagaaa aagttcccaa agtttgccgg 360
ctgcaagtga gtgtggacga ccagtgtgag gggctccacag aaaagtattt ctttaattcta 420
agttccatga catgtgaaaa attcttttcc ggtgggtgtc accggaaccg gattgagaac 480
aggtttccag atgaagctac ttgtatgggc tctgcgcac caaagaaaat tccatcattt 540
tgctacagtc caaagatga gggactgtct tgactcgcta ttattttaat 600
ccaagataca gaacctgtga tgctttcacc tatactggct gtggagggaa tgacaataac 660
tttgttacag tccaaaagat gagggactgt gctctgccaa tgtgactcgc tattatttta 720
atccaagata cagaacctgt gatgctttca cctatactgg ctgtggaggg aatgacaata 780
actttgttag caggagggat tgcaaacgtg catgtgcaaa agctttgaaa aagaaaaaga 840
agatgccaaa gcttcgcttt gccagtagaa tccggaaaat tcggaagaag caattttaaa 900
cattcttaat atgtcatctt gtttgtcttt atggcttatt tgcctttatg gttgtatctg 960
aagaataata tgacagcatg aggaacaaaa tcattggtga tttattcacc agtttttatt 1020
aatacaagtc acttttttaa aaatttggtt ttttttatat ataactagct gctattcaaa 1080
tgtgagtcta ccatttttaa tttatggttc aactgtttgt gagactgaat tcttgcaatg 1140
cataagatat aaaagcaaat atgactcact catttcttgg ggtcgtattc ctgatttcag 1200
aagaggatca taactgaaac aacataagac aatataatca tgtgctttta acatatttga 1260
gaataaaaag gactagcaaa taaaactcat tttgcattta aaagttggat tatattttag 1320
tccaagaag acaaagtgcg agattaacaa cactttaaaa atattactcc cattttattg 1380
tgttagattg cagtacaatg aatgaataag gggatttatt taaaagatct taactttctt 1440
gactgattta aaaagcta atcaattatta aagccagaaa tgttctcctc tgggaaagca 1500
atctctatct atttatctac caatccccac tcacatgtat atgtttgtgt ttacatagag 1560
atagatgggt ttaagggttt tctattgtt aaattatttc ctaagacatt gtgggttga 1620
gaccactaaa cttataaaaa accaaggaaa gtaaaagttt tcaaatgttt atactgttta 1680

```

```

agggtgtttat ttatataaac catgcatgag aaacccatgca taaatttaaat aattttaaatt 1740
tcaccagtaa attatcattg attaaatatg gtcataccaa tgaaataggt tttttctttc 1800
tctgtaataa aacaattttt ctaaattctt atgttttcat agcaagatta acatatTTaa 1860
ttacaaatta aatatgcaaa atgacaaatg cgtttacctt ttgcttgaac aatctttcat 1920
ttaaaaaatt atcccagtta ttttgacaaa tgtatatgcc tgagaacttt gaatgatgct 1980
gaaagctaga agcaaaccag gtactcttca gtcagggact ggttgaagat tttatggatg 2040
aggagttagc aaaatatcta tatatgcata tcttctgact cccmrggata cataagaaac 2100
acagggccta gaacagtatg aataaacaca catatacaca aacatcacag aagatactaa 2160
agatattaaa aatgtttacc tatagaggtt tggagagAAC agaggggtgg acagttgtgg 2220
agataatatt tgtgtaaata taactgtgat atagtTTtta tcttgggcca tgtaaattatt 2280
tgacataatt aataatcaaa attaaata 2308

```

&lt;210&gt; 70

&lt;211&gt; 2110

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 70

```

ggcacgagct cctcccgcc a ggcgctttct cggacgcctt gcccagcggg ccgcccgacc 60
ccctgcacca tggaccccgc tgcgccctg gggctgtcga ttctgtgct tttcctgacg 120
gaggtgtcac tgggcgatgc tgctcaggag ccaacaggaa ataacgcgga gatctgtctc 180
ctgcccctag actacggacc ctgcccggcc ctacttctcc gttactacta cgacaggtag 240
acgcagagct gccgccagtt cctgtacggg ggctgcgagg gcaacgccaa caatttctac 300
acctgggagg cttgcgacga tgcttgtctg aggatagaaa aagtTccaa agtttgccgg 360
ctgcaagtga gtgtggacga ccagtgtgag gggTccacag aaaagtattt ctttaattcta 420
agttccatga catgtgaaaa attcttttcc ggtgggtgtc accggaaccg gattgagaac 480
aggtttccag atgaagctac ttgtatgggc ttctgcgcac caaagaaaaa tacagaacct 540
gtgatgcttt caccataact ggctgtggag ggaatgacaa taactttgtt agcagggagg 600
attgcaaacg tgcattgtga aaagctttga aaaagaaaaa gaagatgcca aagcttgcgt 660
ttgccagtAg aatccggaaa attcggaaga agcaatttta aacattctta atatgtcatc 720
ttgtttgtct ttatggctta tttgccttta tggttgtatc tgaagaataa tatgacagca 780
tgaggaaaca aatcattggg gatttattca ccagtTttta ttaatacaag tcactTttta 840
aaaaatttgg atttttttat atataactag ctgctattca aatgtgagtc taccattttt 900
aatttatggg tcaactgttt gtgagactga attcttgcaa tgcataagat ataaaagcaa 960
atatgactca ctcatTTctt ggggtcgtat tcctgatttc agaagaggat cataactgaa 1020
acaacataag acaatataat catgtgcttt taacatattt gagaataaaa aggactagca 1080
aataaaactc attttgcatt taaaagttgg atttatTTtt agtcccaaga agacaaagtc 1140
gcagattaac aacactttta aaatattact cccattttat tgtgttagat tgcagtacaa 1200
tgaatgaata aggggattta tttaaaagat cttaactttc ttgactgatt taaaaagcta 1260
atcaatttat taaagccaga aatgttctcc tctgggaaag caatttctat ctatttatct 1320
accaatcccc actcacatgt atatgtttgt gtttacatag agatagatgg ttttaagggt 1380
tttctatttg ttaaattatt tcctaagaca ttgtgggttg gagaccacta aacttataaa 1440
aaaccaagga agataaagtt tttcaaatgt ttatactgtt taagggtgtt atttatataa 1500
accatgcatg agaAACcatg cataaattta ataatttaaa tttcaccagt aaattatcat 1560
tgattaaata tggTcatacc aatgaaatag gttttttctt tctctgtaat aaaacaattt 1620
ttctaaattc ttatgttttc atagcaagat taacatattt aattacaaat taaatatgca 1680
aaatgacaaa tgcgtttacc ttttgcttga acaatctttc atttaaaaat ttatcccagt 1740
tattttgaca aatgtatatg cctgagaact ttgaatgatg ctgaaagcta gaagcaaacc 1800
aggtagctct cagtcaggga ctggttgaag attttatgga tgaggagtta gcaaatatc 1860
tatatatgca tatcttctga ctccmrgga tacataagaa acacagggcc tagaacagta 1920
tgaataaaca cacatataca caaacatcac agaagatact aaagatatta aaaatgttta 1980
cctatagagg tttggagaga acagaggggt ggacagttgt ggagataata tttgtgtaaa 2040
tataactgtg atatagtttt tatcttgggc catgtaaata tttgacataa ttaataatca 2100
aaattaaata 2110

```

&lt;210&gt; 71

&lt;211&gt; 1091

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 71

```

nacntcctga ggctccctct ttgctcetaac agacagcagc gacttttaggc tggataaatag 60
tcaaattctt acctcgctct ttactgctga gtaagatcag attgcgtttc ttccagttac 120
tcttcaatcg ccagtttctt gatctgcttc taaaagaaga agtagagaag ataaatcctg 180
tcttcaatac ctggaaggaa aaacaaaata acctcaactc cgttttgaaa aaaacattcc 240
aagaactttc atcagagatt ttacttagat gatttacaca atgaagaaag tacatgcact 300
ttgggcttct gtatgcctgc tgcttaatct tgcccctgcc cctcttaatg ctgattctga 360
ggaagatgaa gaacacacaa ttatcacaga tacggagttg ccaccactgg aaacttatgc 420
attcattttg tgcatccaag gcggatgatg gcccatgtaa agcaatcatg aaaagatttt 480
tcttcaatat ttctactcga cagtgcgaag aatttatata tgggggatgt gaaggaaatc 540
agaatcgatt tgaaagtctg gaagagtgcg aaaaaatgtg tacaagagat aatgcaaaca 600
ggattataaa gacaacattg caacaagaaa agccagattt ctgctttttg gaagaagatc 660
ctggaatatg tcgaggttat attaccaggt atttttataa caatcagaca aaacagtgtg 720
aacgtttcaa gtatggtgga tgctgggca atatgaacaa ttttgagaca ctggaagaat 780
gcaagaacat ttgtgaagat ggtccgaatg gtttccaggt ggataattat ggaacccagc 840
tcaatgctgt gaataactcc ctgactccgc aatcaaccaa ggttcccagc ctttttggtg 900
agaatcttgt ggattttatt gcttccagga aactattatc atgctaacaa tgaagtggat 960
tgtgtattag aagtatgtct ttaaataatc atatatacct gcgtgtgtgc ttaataatgt 1020
gtttgttgaa atactgagat tcaaattggt taagacattt aatctcataa aagcamcmat 1080
tttcctaate t                                     1091

```

&lt;210&gt; 72

&lt;211&gt; 2267

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 72

```

ccgaggctgg ctggctccgc aggtccgctg acgtcgccgc ccagatggcc tccaggetga 60
ccctgctgac cctcctgctg ctgctgctgg ctggggatag agcctcctca aatccaaatg 120
ctaccagctc cagctcccag gatccagaga gtttgcaaga cagaggcgaa ggggaaggtcg 180
caacaacagt tatctccaag atgctattcg ttgaacccat cctggaggtt tccagcttgc 240
cgacaaccaa ctcaacaacc aattcagcca ccaaaataac agctaatacc actgatgaac 300
ccaccacaca acccaccaca gagcccacca cccaaccac catccaaccc acccaaccaa 360
ctaccagct cccaacagat tctcctacct agcccactac tgggtccttc tgcccaggac 420
ctgttactct ctgctctgac ttggagagtc attcaacaga ggccgtgttg ggggatgctt 480
tggtagattt ctccctgaag ctctaccacg ccttctcagc aatgaagaag gtggagacca 540
acatggcctt tccccattc agcatcgcca gcctccttac ccaggtcctg ctcggggctg 600
gggagaacac caaaacaaac ctggagagca tcctctctta cccaaggac ttcacctgtg 660
tccaccaggc cctgaagggc ttacgacca aaggtgtcac ctcagctctc cagatcttcc 720
acagcccagt ggactgaagg cttttgcaga gcaaaagcca ggaagtttg tcacaaactt 780
ccaccaaggc caggaagcag agtctattcc gtgccaaaat taagggaaga aaagaggaa 840
aatctaggca aatggaattt aatatctcaa agcagattatc ttgccgagcc atagtcacat 900
agcaagctga ggcagcggag gcttggggct acttctcttg ttcttggttc tgggtttacc 960
ttctttgggc cttatttgc acatctgtaa gaggagtggg ctggaccgcg ctccaccatg 1020
ccgtattcac taagttagca gatagaacca tagaaagcat gctcactctc aaattgtgct 1080
catggaaaga acgacgtgtt caggacttat gcttcccttt tttaaaatac cccccagacc 1140
tggccataag ggacaccttt gtgaatgcct ctcgaccct gtacagcagc agcccagag 1200
tctaagcaa caacagtgc gccaaacttg agctcatcaa cacctgggtg gccagaaca 1260
ccaacaacaa gatcagccgg ctgctagaca gtctgcctc cgataccgcg cttgtcctcc 1320
tcaatgctat ctacctgagt gccaaagtga agacaacatt tgatcccaag aaaaccagaa 1380
tggaaccctt tcaattcaaa aactcagtta taaaagtgcc catgatgaat agcaagaagt 1440
acctgtggc ccatttcatt gaccaaactt tgaaagccaa ggtggggcag ctgcagctct 1500
cccacaatct gagtttggtg atcctggtac ccagaacct gaaacatcgt cttgaagaca 1560
tggaacaggc tctcagccct tctgttttca aggccatcat ggagaaactg gagatgtcca 1620
agttccagcc cactctccta aactacccc gcatacaagt gacgaccagc caggatatgc 1680
tctcaatcat ggagaaattg gaattcttctg atttttctta tgaccttaac ctgtgtgggc 1740
tgacagagga cccagatctt caggtttctg cgtgcagca ccagacagtg ctggaactga 1800
cagagactgg ggtggaggcg gctgcagcct ccgccatctc tgtggccgcg acctgtctg 1860
tctttgaagt gcagcagccc ttctctctcg tgctctggga ccagcagcac aagttccctg 1920

```

tcttcatggg	gcgagtatat	gaccccaggg	cctgagacct	gcaggatcag	gttagggcga	1980
gcgctacctc	tccagcctca	gctctcagtt	gcagccctgc	tgctgcctgc	ctggacttgg	2040
ccccgccac	ctcctgcctc	aggtgtccgc	tatccaccaa	aagggctccc	tgagggtctg	2100
ggcaagggac	ctgcttctat	tagcccttct	ccatggccct	gccatgctct	ccaaaccact	2160
ttttgcagct	ttctctagtt	caagttcacc	agactctata	aataaaacct	gacagaccat	2220
gaaaamakaw	attttagtag	tagtaggcta	gtagtagtag	cggccgc		2267

&lt;210&gt; 73

&lt;211&gt; 1302

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 73

ctcgctcgct	ccccgctctg	gagtaagtgt	ctggcttggg	agccgctcgg	acacgctggc	60
ttgggtctgc	catcatggat	gttctcgcag	aagcaaatgg	cacctttgcc	ttaaaccctt	120
tgaaaacgct	gggtaaagac	aactcgaaga	atgtgttttt	ctcaccatg	agcatgtcct	180
gtgccctggc	catggtctac	atgggggcaa	agggaacac	cgctgcacag	atggcccaga	240
tactttcttt	caataaaagt	ggcgggtggt	gagacatcca	ccagggttc	cagtctcttc	300
tcaccgaagt	gaacaagact	ggcacgcagt	acttgcttag	gatggccaac	aggctctttg	360
gggaaaagtc	ttgtgatttc	ctctcatctt	ttagagattc	ctgccaaaaa	ttctaccaag	420
cagagatgga	ggagcttgac	tttatcagcg	ccgtagagaa	gtccagaaaa	cacataaaca	480
cctgggtagc	tgaaaagaca	gaaggtaaaa	ttgcggagtt	gctctctccg	ggctcagtgg	540
atccattgac	aaggctggtt	ctggtgaatg	ctgtctatct	cagaggaaac	tgggatgaac	600
agtttgacaa	ggagaacacc	gaggagagac	tgtttaaagt	cagcaagaat	gaggagaaac	660
ctgtgcaaat	gatgtttaag	caatctactt	ttaagaagac	ctatatagga	gaaatattta	720
cccaaactct	ggtgcttcca	tatgttgga	aggaactgaa	tatgatcatc	atgcttccgg	780
acgagaccac	tgacttgaga	acggtggaga	aagaactcac	ttacgagaag	ttcgtagaat	840
ggacgaggct	ggacatgatg	gatgaagagg	aggtggaagt	gtccctcccg	cggtttaaac	900
tagaggaaag	ctacgacatg	gagagtgtcc	tgcgcaacct	gggcatgact	gatgccttcg	960
agctgggcaa	ggcagacttc	tctggaatgt	cccagacaga	cctgtctctg	tccaaggctg	1020
tgcacaagtc	ttttgtggag	gtcaatgagg	aaggcacgga	ggctgcagcc	gccacagctg	1080
ccatcatgat	gatgcggtgt	gccagattcg	tccccgctt	ctgcgccgac	caccctctcc	1140
ttttcttcat	ccagcacagc	tgtccccctg	cactccacag	tgtgcctgca	acccaagtgg	1200
ccttatccgt	gcagtggtgg	cagttcagaa	ataaagggcc	catttggtgg	atgccgcatt	1260
caaaaaaag	ttaccaatct	gaagtgggag	cgattttttt	tt		1302

&lt;210&gt; 74

&lt;211&gt; 868

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 74

ctcgctcgct	ccccgctctg	gagtaagtgt	ctggcttggg	agccgctcgg	acacgctggc	60
ttgggtctgc	catcatggat	gttctcgcag	aagcaaatgg	cacctttgcc	ttaaaccctt	120
tgaaaacgct	gggtaaagac	aactcgaaga	atgtgttttt	ctcaccatg	agcatgtcct	180
gtgccctggc	catggtctac	atgggggcaa	agggaacac	cgctgcacag	atggcccaga	240
tactttcttt	caataaaagt	ggcgggtggt	gagacatcca	ccagggttc	cagtctcttc	300
tcaccgaagt	gaacaagact	ggcacgcagt	acttgcttag	gatggccaac	aggctctttg	360
gggaaaagtc	ttgtgatttc	ctctcatctt	ttagagattc	ctgccaaaaa	ttctaccaag	420
cagagatgga	ggagcttgac	tttatcagcg	ccgtagagaa	gtccagaaaa	cacataaaca	480
cctgggtagc	tgaaaagaca	gaaggtaaaa	ttgcggagtt	gctctctccg	ggctcagtgg	540
atccattgac	aaggctggtt	ctggtgaatg	ctgtctatct	cagaggaaac	tgggatgaac	600
agtttgacaa	ggagaacacc	gaggagagac	tgtttaaagt	cagcaagacc	aacgggattc	660
tcttctgogg	ccgcttttcc	tctccgtgag	gacagggcag	tcttggtgtg	cagccctctc	720
cctctctgtc	ccctgacact	ccacagtgtg	cctgcaaccc	aagtggcctt	atccgtgcag	780
tggtggcagt	tcagaaataa	agggcccatt	tgtgggatgc	cgattcaaaa	aaaaagttac	840
caatctgaag	tgggagcgat	tttttttt				868

<210> 75  
 <211> 695  
 <212> DNA  
 <213> Homo sapiens

<400> 75

ctcgcctcgt	ccccgcctctg	gagtacgtgt	ctggcttggg	agccgcctcg	acacgcctggc	60
ttgggtctgc	catcatggat	gttctcgcag	aagcaaattg	cacctttgcc	ttaaacccttt	120
tgaaaacgct	gggtaaagac	aactcgaaga	atgtgttttt	ctcaccatg	agcatgtcct	180
gtgccctggc	catggctctac	atgggggcaa	agggaaacac	cgctgcacag	atggcccaga	240
tactttcttt	caataaaagt	ggcgggtgtg	gagacatcca	ccagggtctc	cagtctcttc	300
tcaccgaagt	gaacaagact	ggcacgcagt	acttgcttag	gatggccaac	aggctctttg	360
gggaaaagtc	ttgtgatttc	ctctcatctt	ttagagattc	ctgccaaaaa	ttctaccaag	420
cagagatgga	ggagcttgac	tttatcagcg	ccgtagagaa	gtccagaaaa	cacataaaca	480
cctgggtagc	tgaaaagaca	gaaggtaaaa	tgtattgtta	ttctactttt	gtaataacct	540
cttaatccat	tttattgtca	gttccttcac	aagactgtca	attgtaaaca	ggaatgattt	600
ttttttctct	gaataactgc	aaacttaaaa	aatctgcttc	tgaaatcagt	tgccattatt	660
tgacattttg	gaaatgctca	actgtgttgc	tcttt			695

<210> 76  
 <211> 3294  
 <212> DNA  
 <213> Homo sapiens

<400> 76

atggggcttg	gggctgggcg	gccagacgct	aactcggatg	ctcccaggct	acgccttggc	60
catgaccggt	gcgccgcgcg	gccccgcct	tcaccttcgg	cgcgcgcttc	cccacgcagc	120
agacgacgtg	cggccccggg	ccaggccacc	tgggtccccg	tcgcatgacc	gtgcgcggca	180
ccgacggcgc	ccccgcctac	tccatctacg	gccgccacg	ccgctcagcg	cccttcctca	240
ctccgggacc	tggtcaggac	ccccgggccc	ctggcacccc	aacgccgaac	tgctccagg	300
gaggcccacc	tgggaacccc	cgacctgaac	cccaggtccc	cctcggatac	cctaacaccg	360
catattcggt	acccccatat	ccggatctca	aatcccaaac	cccgaacccc	acggggcttt	420
gataaatcgt	ggctcagact	ccccactagt	cccaggaccc	catctcgggt	acccaccagg	480
ctcccacgca	gttctagccc	cccacacct	tgatccgccc	cgcaggcagg	tacttcccgg	540
agcgagcggg	gaacgcgacg	taccccagtg	cgctcggca	caccattgct	ccccgaaact	600
ggggtgtcca	ggcggaacag	cagagcccag	gtcccgcggc	ctatacggtg	ccctcgtct	660
tgggtccgcg	cgtcatcggc	aaagtctccg	ccccaaattg	ctccatctac	ggccgcagag	720
cggctggcag	tttcttcgag	gacctcagca	aggtcgtgag	tccaggggtc	tacaagtccc	780
gggcccccca	gttcacgatt	ctggcgcgga	cttcgtcccc	ccaagacaac	acttcgaagc	840
caggccccgc	ggcctacaac	gtggatcagc	accggaagcc	ccgcggctgg	agtttcggga	900
tccggcactc	ggactacctg	gccccgctgg	tgaccgacgc	ggacaactga	cccgccaggc	960
gggagcgccc	ccacacgtgt	ttgcttaaa	tctgcgagtc	cgcatcgagt	ccgcctctct	1020
ctctctctct	ctgcgcgtcc	tggcgcaagg	cctgggggtg	agccacggct	ggggccgtgt	1080
ccccactccg	aacccagcgg	ggcggggccc	gagcgtcggg	cgaggccggg	acccacgcgc	1140
tgcgcgcgt	ccgaacgtcg	agaccccacc	gagggcgggg	gggggactct	cgggagccac	1200
agacgcccga	gacccacgcc	ggcggggacc	ggccagggat	cacccccgcc	gacggccccg	1260
ggccccgacg	gcccgggaagt	tccgcgtgtc	cgggggcacc	gggggattgg	ccggggcgcg	1320
gcgtgcaagg	cttcccgggg	gcggcgactg	ccgagctccg	ccctccaggc	ggccccaccc	1380
gcctgccgtc	ctggggcgcc	gccgccccgc	cgccggcagt	ggaccgctgt	gcgcgaaccc	1440
tgaaccctac	ggtcccgaac	cgcgggcgag	gccgggtacc	tgggctggga	tccggagcaa	1500
gcgggcgagg	gcagcgcctt	aagcaggtac	ggcgggggct	caagtcgcga	ggcggggaag	1560
cgggagggcag	acacggacga	gggcgacaca	gacacgggac	cgaggggcgg	acaccggaga	1620
gacacgggaa	aggggtcggg	acaggagcac	gtggtcaga	caccgacgcc	gggagggcgc	1680
agaccccgga	cgtgtcaggc	atccccgcag	gcccggagcg	atggcagcct	tgatgacccc	1740
gggaaccggg	gccccacccc	cgcttgggtg	cttctccggg	gaaggagacc	agggacttcc	1800
gcacctctcg	ccagagccca	agcagctccc	ggagctgac	cgcatgaagc	gagacggagg	1860
ccgcctgagc	ccaggcgaca	tcaggggctt	ctgggccgct	gtgggtgaatg	ggagcgcgca	1920
gggcgcacag	atcggggcca	tgtgatggc	catccgactt	cggggcatgg	atctggagga	1980
gacctcgggt	ctgacccagg	ccctggctca	gtcgggacag	cagctggagt	ggccagaggc	2040
ctggcgccag	cagcttgtgg	acaagcattc	cacagggggg	gtgggtgaca	aggtcagcct	2100

```

ggtcctcgca cctgccctgg cggcatgtgg ctgcaagggtg ccaatgatca gcgacgtgg 2160
tctggggcac acaggaggca ccttgataa gctggagtct attcctggat tcaatgtcat 2220
ccagagccca gagcagatgc aagtgtctgt ggaccaggcg ggctgtgtga tctgggtca 2280
gagttagcag ctggttctctg cggacggaat cctatatgca gccagagatg tgacagccac 2340
cgtggacagc ctgccactca tcacagcctc cattctcagt aagaaactcg tggaggggct 2400
gtccgctctg gtggtggacg ttaagtctcg aggggcccgc gtcttcccca accaggagca 2460
ggcccgggag ctggcaaaga cgctggttgg cgtgggagcc agcctagggc ttcgggtcgc 2520
ggcagcgctg accgccatgg acaagcccct gggtcgctgc gtgggccacg ccctggaggt 2580
ggaggaggcg ctgctctgca tggacggcgc aggcccgcca gacttaaggg acctggtcac 2640
cacgctcggg ggcgccctgc tctggctcag cggacacgcg gggactcagg ctgagggcgc 2700
tgcccgggtg gccgcggcgc tggacgacgg ctccggccctt ggccgcttcg agcggatgct 2760
ggcggcgagc ggctgtggtc ccggtctggc ccgagccctg tgctcgggaa gtcccgcaga 2820
acgcggcagc ctgctgcctc gcgcccggga gcaggaggag ctgctggcgc ccgcagatgg 2880
tgagcgtcgg gggagtcccc gtcttccgc ctccgccatc cccttccctt cccgaggccc 2940
cgcccccttc cgagcccgcg cctttcagcc cctctccccg caggcaccgt ggagctggtc 3000
cgggcgctgc cgctggcgct ggtgctgcac gagctcgggg ccgggcgcag ccgcgctggg 3060
gagccgctcc gcctgggggt gggcgagag ctgctggctg acgtgggtca gaggctgcgc 3120
cgtgggaccc cctggctccg cgtgcaccgg gacggccccg cgctcagcgg ccgcagagc 3180
cgcgccctgc aggaggcgct cgtactctcc gaccgcgcgc cattcgccgc cccctcgccc 3240
ttcgagagc tcttctgccc gccgcagcaa taaagctcct ttgccgcgaa aaaa 3294

```

&lt;210&gt; 77

&lt;211&gt; 902

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 77

```

gttgctgcta catgaacggt cccccaccgg acagccaggt agccgcgcgc tccctcgcac 60
acgcagagtc gggcggcgcg gggctctcct tgcgcccggc ctccgccctc tctctctc 120
ctttccctt cttctcgtg tctctctc tctcgtgcc cgcgtttgcg cagccccggg 180
ccatgtccga cgcgtccctc cgcagcatat ccacgatgga gcgtcttgc gccctggga 240
ccttcccagt actagtgcgc accagcgct gccgcagcct ctccgggccc gtggaccacg 300
aggagctgag ccgcgagctg caggcccgcg tggccgagct gaacgccgag gaccagaacc 360
gctgggatta cgacttccag caggacatgc cgctgcgggg ccctggacgc ctgcagtggg 420
ccgaagtggg cagcgactcg gtgcccgcgt tctaccgca gacggtgcag atttcttcgc 480
caagcgcaag agatcagcgc ctgagaagtc gtcgggcgat gtccccgcgc cgtgtccctc 540
tccaagcgcc gcccctggcg tgggctcggg ggagcagacc ccgcgcaaga ggctgcgggt 600
agccaattta gagcccaaag agccccgagg gaacctgccg ggcagcgga cgttgaagg 660
gcgctgggcc tcggctggga ccgttcatgt agcagcaacc ggcggcggt gccgcagagc 720
agcgttcggt tttgttttta aattttgaaa actgtgcaat gtattaataa cgtcttttta 780
tatctaaatg tattctgcac gagaaggtag actggtccca aggtgtaaag ctttaagagt 840
catttatata aaatgtttta tctctgctga aactcagtgc anacggcacg agggcctcgt 900
gc 902

```

&lt;210&gt; 78

&lt;211&gt; 2052

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 78

```

ggggggcagc atgcccgcgc gcgctgctg aggaagcgcg gggccccgcc cccgccatgg 60
gcgcccctgc ctgcgccctc gcgctctgcg tggccgtggc catcgtggcc ggccctcct 120
cggagtcctt ggggacggag cagcgcgtcg tggggcgagc ggcagaagtc ccgggcccag 180
agcccggcca gcaggagcag ttggtcttcg gcagcgggga tgctgtggag ctgagctgtc 240
ccccgcccgg ggggtgtccc atggggccca ctgtctgggt caaggatggc acagggctgg 300
tgccctcgga gcgtgtcctg gtggggcccc agcggctgca ggtgctgaat gcctccacg 360
aggactccgg ggcctacagc tgccggcagc ggctcacgca gcgcgtactg tgccacttca 420
gtgtcggggt gacagacgct ccatacctcg gagatgacga agacggggag gacgaggctg 480
aggacacagg tgtggacaca gggggccctt actggacagc gcccgagcgg atggacaaga 540

```

```

agctgctggc cgtgccggcc gccaacaccg tccgcttccg ctgcccagcc gctggcaacc 600
ccactccctc catctcctgg ctgaagaacg gcaggaggtt ccgcggcgag caccgcattg 660
gaggcatcaa gctgcggcat cagcagtggg gcctggtcac ggaaagcgtg gtgccctcgg 720
accgcggcaa ctacacctgc gtcgtggaga acaagtttgg cagcatccgg cagacgtaca 780
cgctggacgt gctggagcgc tccccgcacc ggcccatcct gcaggcgggg ctgccggcca 840
accagacggc ggtgctgggc agcgacgtgg agttccactg caaggtgtac agtgacgcac 900
agccccacat ccagtggctc aagcacgtgg aggtgaacgg cagcaagggt ggcccggacg 960
gcacacccta cgttacctg ctcaagacgg cgggcgctaa caccaccgac aaggagctag 1020
aggttctctc cttgcacaac gtcacctttg aggacgccgg ggagtacacc tgcctggcgg 1080
gcaattctat tgggttttct catcactctg cgtggctggt ggtgctgcca gccgaggagg 1140
agctggtgga ggtgacgag gcgggcagtg tgtatgcagg catcctcagc tacggggtgg 1200
gcttcttctt gttcatcctg gtggtggcgg ctgtgacsst ctgccgctg cgcagcccc 1260
ccaagaaaag cctgggctcc ccacacgtgc acaagatctc ccgcttcccg ctcaagcgac 1320
aggtgtccct ggagtccaac gcgtccatga gctccaacac accactggtg cgcacgcgaa 1380
ggtgtctctc aggggagggc ccacgctgg ccaatgtctc cgagctcgag ctgcctgccg 1440
accccaaagt ggagctgtct cgggccggc tgacctggg caagccctt ggggagggct 1500
gcttcggcca ggtggtcatg gcggaggcca tcggcattga caaggaccgg gccgccaagc 1560
ctgtcacctg agcctgaag atgctgaaag acgatgccac tgacaaggac ctgtcggacc 1620
tggtgtctga gatggagatg atgaagatga tcgggaaaca caaaaacatc atcaacctgc 1680
tgacagttcc gatgttatta gatgttataa gtttataat atctatata ataatattt 1740
gagtttttac aagatgtatt tggtgtagac ttaacacttc ttacgcaatg cttctagagt 1800
tttatagcct ggactgctac ctttcaaagc ttggagggaa gccgtgaatt cagttggttc 1860
gttctgtact gttactgggc cctgagctct ggcagctgtc ctttgcctgc ctgcagggcc 1920
atggctcagg gtggtctctt cttggggccc agtgcattgt ggccagaggt gtcacccaaa 1980
ccggcagggt cgattttgtt aaccacgcga cgaactttcc gaaaaataaa gacacctggt 2040
tgctaacctg aa 2052

```

&lt;210&gt; 79

&lt;211&gt; 1057

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 79

```

ggcacgagct cctcccgcca ggcgtttct cggacgcctt gccacgagg ccgcccagacc 60
ccctgcacca tggaccccg cgcgccctg gggctgtcga ttctgtgct tttcctgacg 120
gaggctgcac tgggcgatgc tgctcaggag ccaacaggaa ataacgcgga gatctgtctc 180
ctgcccctag actacggacc ctgccgggcc ctacttctcc gttactacta cgacaggtag 240
acgcagagct gccgccagtt cctgtacggg ggctgcgagg gcaacgcaac aatttctaca 300
cctgggaggc ttgcgacgat gcttgtctga ggatagaaaa agttcccaa gtttgccggc 360
tgcaagttag tgtggacgac cagtgtgagg ggtccacaga aaagtatttc tttaatttaa 420
gttccatgac atgtgaaaaa ttcttttccg gtgggtgtca ccggaaccgg attgagaaca 480
ggtttccaga tgaagctact tgtatgggt tctgcgcacc aaagaaaatt ccatcatttt 540
gctacagctc aaaagatgag ggactgtgct ctgccaatgt gactcgctat tattttaata 600
ttgatgtcag tatttcaact gctgtaaaat tataacttt tatacttggg taagtcccc 660
aggggcgagt tcctcgctct gggatgcagg catgcttctc accgtgcaga gctgcacttg 720
gcctcagctg gctgtatgga aatgcacct ccctcctgcc gctcctctct agaaccttct 780
agaacctggg ctgtgctgct tttgagctc agacccagg gcagcatctc ggttctgcgc 840
cacttctttt gtgtttatat ggcttttgt ctgtgttgc gtttagagta aataaactgt 900
ttatataaag gttttggttg cattattatc attgaaagt agaggaggcg gcctcccagt 960
gcccgccct cccacccac ctgcagcccc accgcgggcc aggaccaggc tctccatctg 1020
cttcggatgc acgcaggctg tgaggctctg tcttgcc 1057

```

&lt;210&gt; 80

&lt;211&gt; 2256

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 80

```

acggcgagcc tcactctccg ggtgcggcgc tgagcagcga gtcncgactg tgctcgctgc 60

```

```

tcagcgccgc acccgaggga tgaggctcgc cgtgggagcc ctgctggtct gcgccgtcct 120
ggggctgtgt ctggctgtcc ctgataaaac tgtgagatgg tgtgcagtgt cggagcatga 180
ggccactaag tgccagagtt tccgcgacca tatgaaaagc gtcattccat ccgatgggcc 240
cagtgttgct tgtgtgaaga aagcctccta ccttgattgc atcagggcca ttgcggaaca 300
cgaagcggat gctgtgacac tggatgcagg tttggtgtat gatgcttacc tggctcccaa 360
taacctgaag cctgtggtgg cagagttcta tgggtcaaaa gaggatccac agactttcta 420
ttatgctgtt gctgtggtga agaaggatag tggcttccag atgaaccagc ttcgaggcaa 480
gaagtcctgc cacacgggtc taggcaggtc cgctgggtgg aacatcccca taggcttact 540
ttactgtgac ttacctgagc cacgtaaacc tcttgagaaa gcagtggcca atttcttctc 600
gggcagctgt gccccttgtg cggatgggac ggacttcccc cagctgtgtc aactgtgtcc 660
aggggtgtggc tgctccaccc ttaaccaata cttcgggtac tcaggagcct tcaagtgtct 720
gaaggtaggt gctggggatg tggcctttgt caagcactcg actatatttg agaacttggc 780
aaacaaggct gacagggacc agtatgagct gctttgcctg gacaacacc ggaagccggt 840
agatgaatac aaggactgcc acttggccca ggtcccttct cataccgtcg tggcccgaa 900
tatgggcggc aaggaggact tgatctggga gcttctcaac caggcccagg aacatttttg 960
caaagacaaa tcaaaagaat tccaactatt cagctctcct catgggaagg acctgctgtt 1020
taaggactct gcccacgggt ttttaaaagt cccccccagg atggatgcca agatgtacct 1080
gggctatgag tatgtcactg ccacccgaa tctacgggaa ggcacatgcc cagaagcccc 1140
aacagatgaa tgcaagcctg tgaagtgggt tgcgctgagc caccacgaga ggctcaagt 1200
tgatgagtgg agtggttaaca gtgtaggaa aatagagtgt gtatcagcag agaccaccga 1260
agactgcac gccaaagatca tgaatggaga agctgatgcc atgagcttgg atggagggtt 1320
tgtctacata gcgggcaagt gtggtctggt gcctgtcttg gcagaaaact acaataagag 1380
cgataattgt gaggatacac cagaggcagg gtattttgct gtagcagtgg tgaagaaatc 1440
agcttctgac ctcacctggg acaatctgaa aggcaagaag tcctgccata cggcagttgg 1500
cagaaccgct ggctggaaca tccccatggg cctgctctac aataagatca accactgtga 1560
acccaacaac aaagagggat actacggcta cacaggcgct ttcaggtgtc tggttgagaa 1620
gggagatgtg gcctttgtga aacaccagac tgtcccacag aacactgggg gaaaaaaccc 1680
tgatccatgg gctaagaatc tgaatgaaaa agactatgag ttgctgtgcc ttgatggtac 1740
caggaaacct gtggaggagt atgcgaactg ccacctggcc agagccccga atcacgctgt 1800
ggtcacacgg aaagataagg aagcttgctg ccacaagata ttacgtcaac agcagcacct 1860
atgttggaagc aacgtaactg actgctcggg caacttttgt ttgttccggt cggaaaccaa 1920
ggaccttctg ttcagagatg acacagtatg tttggccaaa cttcatgaca gaaacacata 1980
tgaaaaatac ttaggagaag aatatgtcaa ggctgttggg aacctgagaa aatgctccac 2040
ctcatcactc ctggaagcct gcactttccg tagaccttaa aatctcagag gtagggtgtc 2100
caccaagggt aagatgggaa cgcagatgat ccatgagttt gccctggttt cactggccca 2160
agtgtgttgt gctaaccacg tctgtcttca cagctctgtg ttgccatgtg tgctgaacaa 2220
aaaataaaaa ttattattga ttttatattt caaaaa 2256

```

&lt;210&gt; 81

&lt;211&gt; 632

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 81

```

gtgcattgag cgcgctccag ctgccgggac gaggggggcg ccccgcgct cggggcgctc 60
ggctacagct gcgggggccc aggtctccgc gcactcgctc ccggcccatg ctggaggcgg 120
cggaaccgcg gggacctagg acggaggcgg cgggcgctgg gcggcccccg gcacgctgag 180
ctcgggatgc ggaagctgct gcctcccgcg ctgctgacct gctggctgct cgcgcccggt 240
aacagcattc acccagaatg ccgatttcat ctggaaatac aggaggaaga aacaaaatgt 300
gcagagcttc tgagggtctc aacagaaaaa cacaaaggcc atacaaaggg attcatcctc 360
attcacgccg gaggtttaaa gaggatcctg gaccacata cctaccatt ggctccatga 420
ccagtgtttt tataattaca aaatcattga gaaattaagt cacaggaagc ctcgtgtgtg 480
gtatacactg gtgataaagc aagtcccatg cagtctgaga tggcaaggga ccttctaggg 540
aaagggcagt gaccagaag cccgactgct cggctggctc ccgcactccg tcctgtggtc 600
agagtgtgtt tcctccctc tgtgaacctg gt 632

```

&lt;210&gt; 82

&lt;211&gt; 1388

&lt;212&gt; DNA



&lt;213&gt; Homo sapiens

&lt;400&gt; 82

```

ctgctacgct tttttgacca agaactacag ttactcatgg aaatattacc ttacaattat 60
atttaaagat tcactgtttg ctaatttaac atagcaatgt gaatgaaatt gccagaagtc 120
tgctttttta actgttgtac gtttcagtag tccaaatatg agattgtgac aatgtttatc 180
tattttaatt ggctgtattt ttttcagcgg aatggtttcc aggtggataa ttatggaacc 240
cagctcaatg ctgtgaataa ctccctgact ccgcaatcaa ccaagggtcc cagccttttt 300
gaatttcacg gtccctcatg gtgtctcact ccagcagaca gaggattgtg tctgtccaat 360
gagaacagat tctactacaa ttcagtcatt gggaaatgcc gccatttaa gtacagtggg 420
tgtgggggaa atgaaaacaa ttttacttcc aaacaagaat gtctgagggc atgtaaaaaa 480
ggtttcatcc aaagaatatc aaaaggaggc ctaattaaaa ccaaaagaaa aagaaagaag 540
cagagagtga aaatagcata tgaagaaatt tttgttaaaa atatgtgaat ttgttatagc 600
aatgtaacat taattctact aaatatttta tatgaaatgt ttcactatga ttttctatct 660
ttcttctaaa atgcttttaa ttaatatgtt cattaaattt tctatgctta ttgtacttgt 720
tatcaacacg tttgtatcag agttgctttt ctaatcttgt taaattgctt attctaggtc 780
tgtaatttat taactggcta ctgggaaatt acttattttc tggatctatc tgtattttca 840
tttaactaca aattatcata ctaccggcta catcaaatca gtcctttgat tccattttgt 900
gaccatctgt ttgagaatat gatcatgtaa atgattatct cctttatagc ctgtaaccag 960
attaaggaat acagctctta aaaaatcaag aacttcttga gtttcacata taaaatggtr 1020
acatgttacc attctgatgt aggaggtcat ctgttttctt cttttcctct cctctgactc 1080
ttaagccctt tcccattctc tttctcagga atggctgtta aaatgccaat atgggtctgt 1140
aactttcttg tacttagtga acctccttat ttacacctg tttgtgaagt ggctgtgttc 1200
accctgggtg gacacggaat gtttttgga tgtacaaaga gaattttatg ctgcctgtgt 1260
acagttatta atttgtaagt acactcagct ttttgtatct gtaggtttta tatctgtgta 1320
tgtaagcaaa cttggatgca aaatatttga aataaaatca gatgcttgca tctgtagtga 1380
acataaaa
1388

```

&lt;210&gt; 83

&lt;211&gt; 1015

&lt;212&gt; DNA

&lt;213&gt; Mouse

&lt;400&gt; 83

```

atltggacac acaactccaa aattttcttc cacaacctct tgttaccttt tcagccaccc 60
gtgccccctt tcatcatacc tcttccacta ctagtacatg tataatactt ccyccatggs 120
ccccwgaac ccccgacctt tctttaccat catcacactg gaagactcca gtgggaacct 180
tctgggacgg gacagctttg aggttcgtgt ttgtgctctc cctgggagag acccccgtac 240
agaagaagaa aatttccgca aaaaggaagt cctttgccct gaactgcccc cagggagcgc 300
aaagagagcg ctgcccacct gcacaagcgc ctctcccccg caaaagaaaa aaccacttga 360
tggagagtat ttcacctca agatccgagg gcgtaaacgc ttcgagatgt tccgggagct 420
gaatgaggcc ttagagttaa aggatgcccc tgctacagag gagtctggag acagcagggc 480
tcaactccagc tacctgaaga ccaagaaggg ccagtctact tcccgccata aaaaaacaat 540
ggtcaagaaa gtggggcctg actcagactg actgcctctg catcccgctc ccatcaccag 600
cctccccctc tcttgcctgt cttatgactt cagggtctgag acacaatcct cccggtccct 660
tctgctgctt tttttacctt gtagctaggg ctgagcccc tctctgagta gtggttctgt 720
gcccagtttg ggggaatagg tgatagttgt cagggtctctg ctggcccagc gaaattctat 780
ccagccagtt gttggacctt ggcacctaca atgaaatctc accctacccc acacctgta 840
agattctatc ttgggcccct atagggtcca tctctccag ggccactttt ccttccattc 900
tgcaaagcct gtctgcattt atccaccccc caccctgtct cctctttttt ttttttttta 960
ccccctttta tatatcaatt tctattttta caataaaatt ttgttatcac ttaaa 1015

```

&lt;210&gt; 84

&lt;211&gt; 969

&lt;212&gt; DNA

&lt;213&gt; Mouse

&lt;400&gt; 84

```

attgaccctc ctgatccccg ttatatctat accaccctcc tataactacta catgtttaat 60

```

```

agatcctgct tgcggggcat gaacccccga cctatcctta ccatcatcac actggaagac 120
tccagtggga accttctggg acgggacagc tttgaggttc gtgtttgtgc ctccccctggg 180
agagaccccc gtacagaaga agaaaatttc cgcaaaaagg aagtcccttg cctggaactg 240
ccccagggga ggcgaaagag agcgtgccc acctgcacaa gcgcctctcc cccgcaaaag 300
aaaaaaccac ttgatggaga gtatttcacc ctcaagatcc gcgggcgtaa acgcttcgag 360
atgttcgggg agctgaatga ggcccttagag ttaaaggatg cccatgctac agaggagtct 420
ggagacagca gggctcactc cagctacctg aagaccaaga agggccagtc tacttcccgc 480
cataaaaaaa caatgggtcaa gaaagtgggg cctgactcag actgactgcc tctgcatccc 540
gtccccatca ccagcctccc cctctccttg ctgtcttatg acttcagggc tgagacacaa 600
tcttcccggt ccttctgctt gcctttttta ccttgtagct agggctcagc cccctctctg 660
agtagtgggt cctggcccaa gttggggaat aggttgatag ttgtcaggtc tctgctggcc 720
cagcgaaatt ctatccagcc agttgttgga ccctggcacc tacaatgaaa tctacccta 780
ccccacaccc tgtaagattc tatcttgggc cctcataggg tccatatect ccagggccta 840
ctttccttcc attctgcaaa gcctgtctgc atttatccac cccccacct gtctccctct 900
tttttttttt tttaaccctt tttatatatc aatttcctat tttaacaata aattttgtta 960
tcacttaaa
969

```

&lt;210&gt; 85

&lt;211&gt; 3939

&lt;212&gt; DNA

&lt;213&gt; Mouse

&lt;400&gt; 85

```

gaattcgggg ccgcaccgcg cgcaccgcgc catggggggcc gcgtccggcc agcggggggcg 60
gtggccgttg tgcctcgcgc tcttgatgct gtgcgtgctg gtgctgttgc tgcagccgtc 120
gcccgccttg gcactcgacc ctggattgca gccgggcaac ttttccccgg acgaggcagg 180
ggcgacgctt ttgcgtgaaa gctataactc gagtgccgag gtggtgatgt tccagagcac 240
cgtggccagt tgggcgcacg acaccaacat cacggaggag aacgcgcgac gccaggagga 300
agcggccctg gtcagccagg agtttgacga ggtctggggc aagaaggcca aggagttgta 360
tgagtccatt tggcagaact ttactgactc aaagctgcga aggatcatcg gatctattcg 420
gacctagga cctgccaatc tgcccctggc ccagcggcag cagtacaact ctctgctaag 480
caacatgagc agaatctact ccactggcaa ggtctgcttc cccaacaaga ctgccacctg 540
ctggctccctg gaccagagc tcaccaacat cctggcttcc tcacgaagct atgccaaagt 600
gttggttgcc tgggagggct ggcattgatgc tgtgggtatc ccaactgaaac cctctatca 660
agactttact gccatcagta acgaagccta cagacaagac gacttctcag acacaggagc 720
cttctggcgc tcttggtatg agtccccctc ctttgaggag agtctggaac atatctacca 780
ccaactagag cccctctacc tgaacctcca tgccctacgc cgccgcgcac tgcaccgccg 840
ctatggggac aaatacgtca atctcagggg gcctattcct gccatttgc tgggagacat 900
gtggggccag agctgggaga acatctacga catggttagt cctttcccag acaaaaccaa 960
cctcgatgtc accagacaa tggtacagaa gggctggaac gccacacaca tgtccgggt 1020
atcagaggaa ttcttcacct cgctggggct ctacccatg cctcctgagt tctggggcga 1080
gtcaatgctg gagaaaccaa cggatgggac ggaggtggtg tgccacgcct ctgcctggga 1140
cttctacaac cggaaggact tccggattaa gcaatgcaca cgggtcacga tggaacagct 1200
ggccacagta caccacgaga tgggccacgt gcagtactac ctccagtaca aggacctgca 1260
cgtctctctg cgtagagggt ccaaccctgg ctccatgag gccattgggg atgtgcttgc 1320
actctccgtc tctacccttg cacatctgca caaaatcggc ctactggacc atgttaccaa 1380
tgacatagag agtgacatca attacctgct aaagatggcc ctagagaaaa tgccttctt 1440
gccctttggc tacctggtgg accagtggcg ttggggggtc ttcagtggac ggacccacc 1500
ctctcgtac aacttcgact ggtggtatct tcgaaccaag tatcagggga tctgccacc 1560
agtggccgg aatgaaaccc attttgatgc tggagccaag ttccacatcc caaacgtgac 1620
accgtacatc aggtacttcg tgagctttgt gctgcagttc cagttccatc aagcactgtg 1680
caaggaggca ggccaccagg gccactaca ccagtgtgac atctaccagt ccgccaggc 1740
gggggccaag ctcaagcagg tgttgaggc tggtgctcc aggcctggc aggaggtact 1800
gaaggacctg taggctcag atgccctgga tgccaaggca ctgctggagt acttccaacc 1860
ggtcagccag tggtggaag agcagaatca gcggaatggc gaagtcctag gctggccaga 1920
gaatcagtgg cgtccaccgt taccgacaa ctatccagag ggcattgacc tagagactga 1980
tgaagccaag gctgacaggt tcgtggaaga gtagaccgg acagcccaag tgtgttgaa 2040
cagtagca gaagccaact ggcaatataa caccaacatt accatagagg gcagcaagat 2100
cctgcttgag aaaagcacgg aggtatccaa tcacaccctg aaatatggca cccgggcca 2160
gacatttgat gtgagcaact ttcaaaactc ttccatcaag cggatcataa agaagcttca 2220

```

gaacctggac	cgggcagtg	tgctcccaa	ggaattagaa	gagtacaacc	agatcctgct	2280
agacatggag	acaacttaca	gcttatccaa	catttgctac	acaaatggca	cttgatgcc	2340
cctggaacct	gatctaacia	acatgatggc	cacatcccgg	aaatatgaag	aattgctatg	2400
ggcatggaag	agctggagag	acaaggtggg	gagagccatc	cttccttttt	tcccaaagta	2460
tgtggagttc	tccaacaaga	ttgccaagct	caatggctac	acggatgcag	gggattcatg	2520
gagatcctta	tacgagtctg	acaacctgga	gcaagacctg	gaaaaactgt	accaggagct	2580
gcagccactc	tacctgaacc	tgcatgccta	tgtgcgtcgt	tccctgcacc	gccactatgg	2640
gtccgagtag	atcaacctgg	atggccccat	tcctgccccat	ctgctaggga	acatgtgggc	2700
gcagacctgg	tccaacatct	atgatttggg	ggcgcccttc	ccttccgccc	ccaatataga	2760
tgccacggaa	gccatgataa	agcagggatg	gacaccacga	aggatatatta	aggaagctga	2820
caatttcttt	acctccctgg	ggctgttacc	tgtgccccct	gagttctgga	acaagtcgat	2880
gttagagaag	cccaccgatg	gaagggaggt	ggtgtgccat	ccctcagcct	gggacttcta	2940
caacggcaag	gacttcagga	tcaagcagtg	tacctctgtg	aacatggagg	acttgggtgat	3000
agcgcaccac	gaaatgggcc	acatccagta	tttcatgcag	tacaaagact	taccctgtac	3060
tttccgggag	ggtgcccaacc	ctggttttca	tgaagctatt	ggagatataa	tggctctctc	3120
agtgtctacc	cccaagcatc	tatacagtct	caacctgctt	agcactgagg	gcagtggcta	3180
cgagtagtac	atcaactttc	taatgaagat	ggcctcgac	aagatcgctt	ttatccccct	3240
cagctacctc	atcgaccagt	ggcgctggag	ggtctttgat	ggaagcatca	ccaaggagaa	3300
ctataaccag	gagtgggtgga	gcctcaggct	gaagtatcag	ggtctgtgcc	ccccagtgcc	3360
aagatcccaa	ggtgactttg	acccaggggtc	caagttccac	gttcttgcca	acgtgccata	3420
cgtcaggtac	tttgtcagct	tcatcatcca	gttcaggttc	cacgaggcgc	tgtgtcgcg	3480
agccgggcac	acgggtcccc	tgcaacaagt	tgacatctac	caatccaagg	aagcagggaa	3540
gctcctggcg	gatgccatga	agctgggcta	cagtaagccg	tggccagagg	ccatgaagct	3600
gatcacaggc	cagcctaaca	tgtcagcctc	cgccatgatg	aattacttca	agccactgac	3660
agaatggctc	gtcaccgaga	acaggagaca	tggagagaca	ctgggctggc	cggagtacaa	3720
ctgggcgcca	aacaccggta	ctacacccac	cctgcctcca	gccccattc	tctggatacc	3780
cagtgtctaa	caccgacttc	cctgcccagt	ctctgtgaat	acaattaaag	gtcctcccc	3840
acacctgagt	ctgtgtccct	tgtgggaagc	cagggacagg	accggctgct	tgctgtctc	3900
ctgacagtcc	cagcaagacc	ctttantggt	tgcnannng			3939

&lt;210&gt; 86

&lt;211&gt; 1470

&lt;212&gt; DNA

&lt;213&gt; Mouse

&lt;400&gt; 86

cacgtcttgc	cttgatcaca	caccgcgcca	ctcgatcatt	cgagcacatt	ccttccttcc	60
gtcttactgt	ctcagccctt	gacttctaca	aacccatgga	acatttcttg	aaagacgctc	120
ttgaaccagc	aggggtggccc	acgcgtgtgt	gagccctctg	cgtgcgcggg	gagccagctc	180
gtaactcgcc	ggctgccact	taccatgacc	atgacccttc	acaccaaaagc	ctcggaagt	240
gccttgctgc	accagatcca	agggaaacgag	ctggagcccc	tcaaccgccc	gcagctcaag	300
atgcccattg	agagggccct	gggcgaggta	tacgtggaca	acagcaagcc	cactgtgttc	360
aactaccccg	agggcgccgc	ctacgagttc	aacgcgcgcg	ccgcgcgcgc	cgccgcgcgc	420
tcggcgccgg	tctacggcca	gtcgggcata	gcctacggcc	ccgggtcgga	ggcgccgcgc	480
ttcagtgcga	acagcctggg	ggctttcccc	cagctcaaca	gcgtgtcgcc	tagcccgctg	540
atgctgtgc	acccgcgcgc	gcagctgtct	cctttcctgc	acccgcacgg	ccagcagggtg	600
ccctactacc	tggagaacga	gccagcgccc	tacgcctgtc	gcgacaccgg	ccctcccgcc	660
ttctacaggt	ctaattctga	caatcgacgc	cagaatggcc	gagagagact	gtccagcagt	720
aacgagaaag	gaaacatgat	catggagtct	gccaaggaga	ctcgctactg	tgccgtgtgc	780
aatgactatg	cctctggcta	ccattatggg	gtctgtgctt	gcgaaggctg	caaggctttc	840
tttaagagaa	gcattcaagg	acacaatgac	tacatgtgtc	cagctacaaa	ccaatgcacc	900
attgacaaga	accggaggaa	gagttgccag	gcctgtcggc	tgcgcaagtg	ttacgaagtg	960
ggcatgatga	aaggcgcat	acggaaagac	cgccgaggag	ggagaatgtt	gaagcacaag	1020
cgtcagagag	atgacttgga	aggccgaaat	gaaatgggtg	cttcaggaga	catgagggtc	1080
gccaaacctt	ggccaagccc	tcttgtgatt	aagcacacta	agaagaatag	ccctgccttg	1140
tccttgacag	ctgaccagat	ggctcagtgc	ttgttggatg	ctgaaccgcc	catgatctat	1200
tctgaatatg	atccttctag	acccttcagt	gaagcctcaa	tgatgggctt	attgaccaac	1260
ctagcagata	gggagctggg	tcatatgatc	aactgggcaa	agagagtgcc	aggaggaaat	1320
agcctttaaa	attaaactcc	cagcagacta	aaaccttgga	catgctaatt	ttggcccgctc	1380
tttgctcaaa	acacttggat	gaacacttca	ttacaacatg	cccatgtgtt	ctgtcatcaa	1440

atgtcatata ttaaaagtac ttaatgctcg

1470

&lt;210&gt; 87

&lt;211&gt; 1723

&lt;212&gt; DNA

&lt;213&gt; Mouse

&lt;400&gt; 87

```

gaacagaagg ccagagacgc ctttgtttct tctttatttg gggatataat tattatgcac 60
cgactcttaa attagagata gatttttttc tgatatacat ttcattctat tcaccacgag 120
cacaccacac gcacagtata cagtccacg aacggataca ttgcacaaga tgagatggcc 180
atgagcagcg tgaagaccac cagcgcgcag cgcagcgtca gccccagga cttaaggcga 240
ccgtcgcttc catagcaggc ggggaagaag gcgcgactgc cttcctggaa gagagacttc 300
tccagcactt cgacggccgc gaagaagggc aacggatagg acagcagcgc cttggccacc 360
aggaagaggt tgaccacggc gcggatggag ccgggcagggt tatccgtgat gacttccttg 420
gtctcgtcgg cccagggtgag gtaggcgacg agcgcgaaga gacccttgag cacgcaggcg 480
gcgatgtgtg tccagttcat catgcagtgg aattcgctgg gctgctgcat gttgccttcg 540
agagagggca ggaagatctg cgacgtgtag ctgaacacga tgatgccaat ggagatggga 600
aacttcttga cgtcgatgta gaacttcacc ttctcccagg cccaatcacg cgcgcgagag 660
agacagtaag cgatgaccag gatgttgatg acgaagtggg ccagcgtaca cagcagactg 720
aacttggaca cggccttgag attcttcagg aaggcgcagg gcagcagcac cgctgtggct 780
atgatggacc aggacttctg cgacacgggc agccccggga aactgttgta catgagggtg 840
ccgctcacca cgacgtacaa gatacacgtc atcaccagct cgatgatctg cgccacattg 900
accacgcggc cgcccagggt ggggaatcga ggagcgcagc atgcgttagc tatggccaca 960
tacgagtcct gcacgcgcac cactccccg tcttcgttct cctcgtagc gcacgcgatg 1020
aggatcttgc cgggtgtagc gcacaccact gcggcgaaga tgatgaggaa caaccccagg 1080
tagccgccgt ggaggatggc gtagggtagg cccagcacga acatgcctg aatggcattt 1140
gtcacgttcc agcccgcttc ccacgcctg atcttgggtt tgcgtgacc ccgaactcc 1200
ccaccagctc ccacggcctg gtccttgag ccagagggtg gcagaggagc gccgccgcgc 1260
tgataatgaa tgtctccctc gacgggagct tctgcgccct cgtctccgca gggctcgct 1320
tccgatttca ggatgtccat ctgcaggccc tggcgatgct caaagtcgag atcgctcgag 1380
tgcgcgaaag ccaccgcttc ctcatcggtg gccgcctgaa accccatcct ggcaaacatg 1440
ccgctcacct tggcctggga cttgttggac acggagggtg ccacattggt cagcttgctg 1500
cggagcaggg tggccatggc ggcggcgggg cgggagaaaa ggacagaagg gtctggggac 1560
gcggcgggcg cgcgtcaagg cagcgaggac tgctatctcc gctgggtctc cgcgcggcgc 1620
cccagggcgc tctggctcat gaccctcgcg cctgacgttc gaggtctggc ccggtcacga 1680
cagtctggct cttggtggga ccggcccag aggcctcgtg ccg 1723

```

&lt;210&gt; 88

&lt;211&gt; 401

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 88

```

Met Pro Ile Met Gly Ser Ser Val Tyr Ile Thr Val Glu Leu Ala Ile
  1             5             10             15

Ala Val Leu Ala Ile Leu Gly Asn Val Leu Val Cys Trp Ala Val Trp
      20             25             30

Leu Asn Ser Asn Leu Gln Asn Val Thr Asn Tyr Phe Val Val Ser Leu
      35             40             45

Ala Ala Ala Asp Ile Ala Val Gly Val Leu Ala Ile Pro Phe Ala Ile
      50             55             60

Thr Ile Ser Thr Gly Phe Cys Ala Ala Cys His Gly Cys Leu Phe Ile
      65             70             75             80

```

Ala Cys Phe Val Leu Val Leu Thr Gln Ser Ser Ile Phe Ser Leu Leu  
 85 90 95  
 Ala Ile Ala Ile Asp Arg Tyr Ile Ala Ile Arg Ile Pro Leu Arg Tyr  
 100 105 110  
 Asn Gly Leu Val Thr Gly Thr Arg Ala Lys Gly Ile Ile Ala Ile Cys  
 115 120 125  
 Trp Val Leu Ser Phe Ala Ile Gly Leu Thr Pro Met Leu Gly Trp Asn  
 130 135 140  
 Asn Cys Gly Gln Pro Lys Glu Gly Lys Asn His Ser Gln Gly Cys Gly  
 145 150 155 160  
 Glu Gly Gln Val Ala Cys Leu Phe Glu Asp Val Val Pro Met Asn Tyr  
 165 170 175  
 Met Val Tyr Phe Asn Phe Phe Ala Cys Val Leu Val Pro Leu Leu Leu  
 180 185 190  
 Met Leu Gly Val Tyr Leu Arg Ile Phe Leu Ala Ala Arg Arg Gln Leu  
 195 200 205  
 Lys Gln Met Glu Ser Gln Pro Leu Pro Gly Glu Arg Ala Arg Ser Thr  
 210 215 220  
 Leu Gln Lys Glu Val His Ala Ala Lys Ser Leu Ala Pro Leu His Ile  
 225 230 235 240  
 Ile Asn Cys Phe Thr Phe Phe Cys Pro Asp Cys Ser His Ala Pro Leu  
 245 250 255  
 Trp Leu Met Tyr Leu Ala Ile Val Leu Ser His Thr Asn Ser Val Val  
 260 265 270  
 Asn Pro Phe Ile Tyr Ala Tyr Arg Ile Arg Glu Phe Arg Gln Thr Phe  
 275 280 285  
 Arg Lys Ile Ile Arg Ser His Val Leu Arg Gln Gln Glu Pro Phe Lys  
 290 295 300  
 Ala Ala Gly Thr Ser Ala Arg Val Leu Ala Ala His Gly Ser Asp Gly  
 305 310 315 320  
 Glu Gln Val Ser Leu Arg Leu Asn Gly His Pro Pro Gly Val Trp Ala  
 325 330 335  
 Asn Gly Ser Ala Pro His Pro Glu Arg Arg Pro Asn Gly Tyr Ala Leu  
 340 345 350  
 Gly Leu Val Ser Gly Gly Ser Ala Gln Glu Ser Gln Gly Asn Thr Gly  
 355 360 365  
 Leu Pro Asp Val Glu Leu Leu Ser His Glu Leu Lys Gly Val Cys Pro  
 370 375 380  
 Glu Pro Pro Gly Leu Asp Asp Pro Leu Ala Gln Asp Gly Ala Gly Val  
 385 390 395 400  
 Ser

<210> 89  
 <211> 682  
 <212> PRT  
 <213> Homo sapiens

<400> 89

Met	Pro	Arg	Tyr	Gly	Ala	Ser	Leu	Arg	Gln	Ser	Cys	Pro	Arg	Ser	Gly	1	5	10	15
Arg	Glu	Gln	Gly	Gln	Asp	Gly	Thr	Ala	Gly	Ala	Pro	Gly	Leu	Leu	Trp	20	25	30	
Met	Gly	Leu	Val	Leu	Ala	Leu	Ala	Leu	Ala	Leu	Ala	Leu	Ala	Leu	Ser	35	40	45	
Asp	Ser	Arg	Val	Leu	Trp	Ala	Pro	Ala	Glu	Ala	His	Pro	Leu	Ser	Pro	50	55	60	
Gln	Gly	His	Pro	Ala	Arg	Leu	His	Arg	Ile	Val	Pro	Arg	Leu	Arg	Asp	65	70	75	80
Val	Phe	Gly	Trp	Gly	Asn	Leu	Thr	Cys	Pro	Ile	Cys	Lys	Gly	Leu	Phe	85	90	95	
Thr	Ala	Ile	Asn	Leu	Gly	Leu	Lys	Lys	Glu	Pro	Asn	Val	Ala	Arg	Val	100	105	110	
Gly	Ser	Val	Ala	Ile	Lys	Leu	Cys	Asn	Leu	Leu	Lys	Ile	Ala	Pro	Pro	115	120	125	
Ala	Val	Cys	Gln	Ser	Ile	Val	His	Leu	Phe	Glu	Asp	Asp	Met	Val	Glu	130	135	140	
Val	Trp	Arg	Arg	Ser	Val	Leu	Ser	Pro	Ser	Glu	Ala	Cys	Gly	Leu	Leu	145	150	155	160
Leu	Gly	Ser	Thr	Cys	Gly	His	Trp	Asp	Ile	Phe	Ser	Ser	Trp	Asn	Ile	165	170	175	
Ser	Leu	Pro	Thr	Val	Pro	Lys	Pro	Pro	Pro	Lys	Pro	Pro	Ser	Pro	Pro	180	185	190	
Ala	Pro	Gly	Ala	Pro	Val	Ser	Arg	Ile	Leu	Phe	Leu	Thr	Asp	Leu	His	195	200	205	
Trp	Asp	His	Asp	Tyr	Leu	Glu	Gly	Thr	Asp	Pro	Asp	Cys	Ala	Asp	Pro	210	215	220	
Leu	Cys	Cys	Arg	Arg	Gly	Ser	Gly	Leu	Pro	Pro	Ala	Ser	Arg	Pro	Gly	225	230	235	240
Ala	Gly	Tyr	Trp	Gly	Glu	Tyr	Ser	Lys	Cys	Asp	Leu	Pro	Leu	Arg	Thr	245	250	255	
Leu	Glu	Ser	Leu	Leu	Ser	Gly	Leu	Gly	Pro	Ala	Gly	Pro	Phe	Asp	Met	260	265	270	
Val	Tyr	Trp	Thr	Gly	Asp	Ile	Pro	Ala	His	Asp	Val	Trp	His	Gln	Thr				

275					280					285					
Arg	Gln	Asp	Gln	Leu	Arg	Ala	Leu	Thr	Thr	Val	Thr	Ala	Leu	Val	Arg
290					295					300					
Lys	Phe	Leu	Gly	Pro	Val	Pro	Val	Tyr	Pro	Ala	Val	Gly	Asn	His	Glu
305					310					315					320
Ser	Thr	Pro	Val	Asn	Ser	Phe	Pro	Pro	Pro	Phe	Ile	Glu	Gly	Asn	His
				325					330					335	
Ser	Ser	Arg	Trp	Leu	Tyr	Glu	Ala	Met	Ala	Lys	Ala	Trp	Glu	Pro	Trp
			340					345					350		
Leu	Pro	Ala	Glu	Ala	Leu	Arg	Thr	Leu	Arg	Ile	Gly	Gly	Phe	Tyr	Ala
		355					360					365			
Leu	Ser	Pro	Tyr	Pro	Gly	Leu	Arg	Leu	Ile	Ser	Leu	Asn	Met	Asn	Phe
	370					375					380				
Cys	Ser	Arg	Glu	Asn	Phe	Trp	Leu	Leu	Ile	Asn	Ser	Thr	Asp	Pro	Ala
385					390					395					400
Gly	Gln	Leu	Gln	Trp	Leu	Val	Gly	Glu	Leu	Gln	Ala	Ala	Glu	Asp	Arg
				405					410					415	
Gly	Asp	Lys	Val	His	Ile	Ile	Gly	His	Ile	Pro	Pro	Gly	His	Cys	Leu
			420					425					430		
Lys	Ser	Trp	Ser	Trp	Asn	Tyr	Tyr	Arg	Ile	Val	Ala	Arg	Tyr	Glu	Asn
			435				440					445			
Thr	Leu	Ala	Ala	Gln	Phe	Phe	Gly	His	Thr	His	Val	Asp	Glu	Phe	Glu
	450					455					460				
Val	Phe	Tyr	Asp	Glu	Glu	Thr	Leu	Ser	Arg	Pro	Leu	Ala	Val	Ala	Phe
465					470					475					480
Leu	Ala	Pro	Ser	Ala	Thr	Thr	Tyr	Ile	Gly	Leu	Asn	Pro	Leu	Val	Ser
				485					490					495	
Glu	Ala	Glu	Gly	Ser	Leu	Pro	Tyr	Pro	Gly	Val	Gly	Gly	Ile	Gly	Glu
			500					505					510		
Gly	Gly	Trp	Ser	Gln	Ser	Leu	Gln	Ser	Met	Gly	Arg	Met	Cys	Gly	Pro
			515				520					525			
Ser	Leu	Glu	Leu	Pro	Leu	Leu	Leu	Ala	Pro	Pro	Val	Ser	Pro	Thr	Ser
	530					535					540				
Leu	Ala	Gly	Tyr	Arg	Val	Tyr	Gln	Ile	Asp	Gly	Asn	Tyr	Ser	Gly	Ser
545					550					555					560
Ser	His	Val	Val	Leu	Asp	His	Glu	Thr	Tyr	Ile	Leu	Asn	Leu	Thr	Gln
				565					570					575	
Ala	Asn	Ile	Pro	Gly	Ala	Ile	Pro	His	Trp	Gln	Leu	Leu	Tyr	Arg	Ala
			580					585					590		
Arg	Glu	Thr	Tyr	Gly	Leu	Pro	Asn	Thr	Leu	Pro	Thr	Ala	Trp	His	Asn
			595				600					605			

Leu Val Tyr Arg Met Arg Gly Asp Met Gln Leu Phe Gln Thr Phe Trp  
610 615 620

Phe Leu Tyr His Lys Gly His Pro Pro Ser Glu Pro Cys Gly Thr Pro  
625 630 635 640

Cys Arg Leu Ala Thr Leu Cys Ala Gln Leu Ser Ala Arg Ala Asp Ser  
645 650 655

Pro Ala Leu Cys Arg His Leu Met Pro Asp Gly Ser Leu Pro Glu Ala  
660 665 670

Gln Ser Leu Trp Pro Arg Pro Leu Phe Cys  
675 680

<210> 90

<211> 515

<212> PRT

<213> Homo sapiens

<400> 90

Leu Leu Leu Leu Gly Phe Leu Leu Val Ser Leu Glu Ser Thr Leu Ser  
1 5 10 15

Ile Pro Pro Trp Glu Ala Pro Lys Glu His Lys Tyr Lys Ala Glu Glu  
20 25 30

His Thr Val Val Leu Thr Val Thr Gly Glu Pro Cys His Phe Pro Phe  
35 40 45

Gln Tyr His Arg Gln Leu Tyr His Lys Cys Thr His Lys Gly Arg Pro  
50 55 60

Gly Pro Gln Pro Trp Cys Ala Thr Thr Pro Asn Phe Asp Gln Asp Gln  
65 70 75 80

Arg Trp Gly Tyr Cys Leu Glu Pro Lys Lys Val Lys Asp His Cys Ser  
85 90 95

Lys His Ser Pro Cys Gln Lys Gly Gly Thr Cys Val Asn Met Pro Ser  
100 105 110

Gly Pro His Cys Leu Cys Pro Gln His Leu Thr Gly Asn His Cys Gln  
115 120 125

Lys Glu Lys Cys Phe Glu Pro Gln Leu Leu Arg Phe Phe His Lys Asn  
130 135 140

Glu Ile Trp Tyr Arg Thr Glu Gln Ala Ala Val Ala Arg Cys Gln Cys  
145 150 155 160

Lys Gly Pro Asp Ala His Cys Gln Arg Leu Ala Ser Gln Ala Cys Arg  
165 170 175

Thr Asn Pro Cys Leu His Gly Gly Arg Cys Leu Glu Val Glu Gly His  
180 185 190

Arg Leu Cys His Cys Pro Val Gly Tyr Thr Gly Pro Phe Cys Asp Val  
195 200 205



Asp Thr Lys Ala Ser Cys Tyr Asp Gly Arg Gly Leu Ser Tyr Arg Gly  
 210 215 220  
 Leu Ala Arg Thr Thr Leu Ser Gly Ala Pro Cys Gln Pro Trp Ala Ser  
 225 230 235 240  
 Glu Ala Thr Tyr Arg Asn Val Thr Ala Glu Gln Ala Arg Asn Trp Gly  
 245 250 255  
 Leu Gly Gly His Ala Phe Cys Arg Asn Pro Asp Asn Asp Ile Arg Pro  
 260 265 270  
 Trp Cys Phe Val Leu Asn Arg Asp Arg Leu Ser Trp Glu Tyr Cys Asp  
 275 280 285  
 Leu Ala Gln Cys Gln Thr Pro Thr Gln Ala Ala Pro Pro Thr Pro Val  
 290 295 300  
 Ser Pro Arg Leu His Val Pro Leu Met Pro Ala Gln Pro Ala Pro Pro  
 305 310 315 320  
 Lys Pro Gln Pro Thr Thr Arg Thr Pro Pro Gln Ser Gln Thr Pro Gly  
 325 330 335  
 Ala Leu Pro Ala Lys Arg Glu Gln Pro Pro Ser Leu Thr Arg Asn Gly  
 340 345 350  
 Pro Leu Ser Cys Gly Gln Arg Leu Arg Lys Ser Leu Ser Ser Met Thr  
 355 360 365  
 Arg Val Val Gly Gly Leu Val Ala Leu Arg Gly Ala His Pro Tyr Ile  
 370 375 380  
 Ala Ala Leu Tyr Trp Gly His Ser Phe Cys Ala Gly Ser Leu Ile Ala  
 385 390 395 400  
 Pro Cys Trp Val Leu Thr Ala Ala His Cys Leu Gln Asp Arg Pro Ala  
 405 410 415  
 Pro Glu Asp Leu Thr Val Val Leu Gly Gln Glu Arg Arg Asn His Ser  
 420 425 430  
 Cys Glu Pro Cys Gln Thr Leu Ala Val Arg Ser Tyr Arg Leu His Glu  
 435 440 445  
 Ala Phe Ser Pro Val Ser Tyr Gln His Asp Leu Ala Leu Leu Arg Leu  
 450 455 460  
 Gln Glu Asp Ala Asp Gly Ser Cys Ala Leu Leu Ser Pro Tyr Val Gln  
 465 470 475 480  
 Pro Val Cys Leu Pro Ser Gly Ala Ala Arg Pro Ser Glu Thr Thr Leu  
 485 490 495  
 Cys Gln Val Ala Gly Trp Gly His Gln Phe Glu Ala Ser Leu Pro Met  
 500 505 510  
 Lys Leu Asn  
 515

<210> 91  
 <211> 775  
 <212> PRT  
 <213> Homo sapiens

<400> 91

Met Ala Arg Leu Gly Asn Cys Ser Leu Thr Trp Ala Ala Leu Ile Ile  
 1 5 10 15

Leu Leu Leu Pro Gly Ser Leu Glu Glu Cys Gly His Ile Ser Val Ser  
 20 25 30

Ala Pro Ile Val His Leu Gly Asp Pro Ile Thr Ala Ser Cys Ile Ile  
 35 40 45

Lys Gln Asn Cys Ser His Leu Asp Pro Glu Pro Gln Ile Leu Trp Arg  
 50 55 60

Leu Gly Ala Glu Leu Gln Pro Gly Gly Arg Gln Gln Arg Leu Ser Asp  
 65 70 75 80

Gly Thr Gln Glu Ser Ile Ile Thr Leu Pro His Leu Asn His Thr Gln  
 85 90 95

Ala Phe Leu Ser Cys Cys Leu Asn Trp Gly Asn Ser Leu Gln Ile Leu  
 100 105 110

Asp Gln Val Glu Leu Arg Ala Gly Tyr Pro Pro Ala Ile Pro His Asn  
 115 120 125

Leu Ser Cys Leu Met Asn Leu Thr Thr Ser Ser Leu Ile Cys Gln Trp  
 130 135 140

Glu Pro Gly Pro Glu Thr His Leu Pro Thr Ser Phe Thr Leu Lys Ser  
 145 150 155 160

Phe Lys Ser Arg Gly Asn Cys Gln Thr Gln Gly Asp Ser Ile Leu Asp  
 165 170 175

Cys Val Pro Lys Asp Gly Gln Ser His Cys Cys Ile Pro Arg Lys His  
 180 185 190

Leu Leu Leu Tyr Gln Asn Met Gly Ile Trp Val Gln Ala Glu Asn Ala  
 195 200 205

Leu Gly Thr Ser Met Ser Pro Gln Leu Cys Leu Asp Pro Met Asp Val  
 210 215 220

Val Lys Leu Glu Pro Pro Met Leu Arg Thr Met Asp Pro Ser Pro Glu  
 225 230 235 240

Ala Ala Pro Pro Gln Ala Gly Cys Leu Gln Leu Cys Trp Glu Pro Trp  
 245 250 255

Gln Pro Gly Leu His Ile Asn Gln Lys Cys Glu Leu Arg His Lys Pro  
 260 265 270

Gln Arg Gly Glu Ala Ser Trp Ala Leu Val Gly Pro Leu Pro Leu Glu  
 275 280 285

Ala	Leu	Gln	Tyr	Glu	Leu	Cys	Gly	Leu	Leu	Pro	Ala	Thr	Ala	Tyr	Thr	290	295	300	
Leu	Gln	Ile	Arg	Cys	Ile	Arg	Trp	Pro	Leu	Pro	Gly	His	Trp	Ser	Asp	305	310	315	320
Gly	Ala	Ile	Leu	Pro	Leu	Cys	Asn	Thr	Thr	Glu	Leu	Ser	Cys	Thr	Phe	325	330	335	
His	Leu	Pro	Ser	Glu	Ala	Gln	Glu	Val	Ala	Leu	Val	Ala	Tyr	Asn	Ser	340	345	350	
Ala	Gly	Thr	Ser	Arg	Pro	Thr	Pro	Val	Val	Phe	Ser	Glu	Ser	Arg	Gly	355	360	365	
Pro	Ala	Leu	Thr	Arg	Leu	His	Ala	Met	Ala	Arg	Asp	Pro	His	Ser	Leu	370	375	380	
Trp	Val	Gly	Trp	Glu	Pro	Pro	Asn	Pro	Trp	Pro	Gln	Gly	Tyr	Val	Ile	385	390	395	400
Glu	Trp	Gly	Leu	Gly	Pro	Pro	Ser	Ala	Ser	Asn	Ser	Asn	Lys	Thr	Trp	405	410	415	
Arg	Met	Glu	Gln	Asn	Gly	Arg	Ala	Thr	Gly	Phe	Leu	Leu	Lys	Glu	Asn	420	425	430	
Ile	Arg	Pro	Phe	Gln	Leu	Tyr	Glu	Ile	Ile	Val	Thr	Pro	Leu	Tyr	Gln	435	440	445	
Asp	Thr	Met	Gly	Pro	Ser	Gln	His	Val	Tyr	Ala	Tyr	Ser	Gln	Glu	Met	450	455	460	
Ala	Pro	Ser	His	Ala	Pro	Glu	Leu	His	Leu	Lys	His	Ile	Gly	Lys	Thr	465	470	475	480
Trp	Ala	Gln	Leu	Glu	Trp	Val	Pro	Glu	Pro	Pro	Glu	Leu	Gly	Lys	Ser	485	490	495	
Pro	Leu	Thr	His	Tyr	Thr	Ile	Phe	Trp	Thr	Asn	Ala	Gln	Asn	Gln	Ser	500	505	510	
Phe	Ser	Ala	Ile	Leu	Asn	Ala	Ser	Ser	Arg	Gly	Phe	Val	Leu	His	Gly	515	520	525	
Leu	Glu	Pro	Ala	Ser	Leu	Tyr	His	Ile	His	Leu	Met	Ala	Ala	Ser	Gln	530	535	540	
Ala	Gly	Ala	Thr	Asn	Ser	Thr	Val	Leu	Thr	Leu	Met	Thr	Leu	Thr	Pro	545	550	555	560
Glu	Gly	Ser	Glu	Leu	His	Ile	Ile	Leu	Gly	Leu	Phe	Gly	Leu	Leu	Leu	565	570	575	
Leu	Leu	Thr	Cys	Leu	Cys	Gly	Thr	Ala	Trp	Leu	Cys	Cys	Ser	Pro	Asn	580	585	590	
Arg	Lys	Asn	Pro	Leu	Trp	Pro	Ser	Val	Pro	Asp	Pro	Ala	His	Ser	Ser	595	600	605	
Leu	Gly	Ser	Trp	Val	Pro	Thr	Ile	Met	Glu	Glu	Asp	Ala	Phe	Gln	Leu				

610					615					620					
Pro	Gly	Leu	Gly	Thr	Pro	Pro	Ile	Thr	Lys	Leu	Thr	Val	Leu	Glu	Glu
625					630					635					640
Asp	Glu	Lys	Lys	Pro	Val	Pro	Trp	Glu	Ser	His	Asn	Ser	Ser	Glu	Thr
				645					650					655	
Cys	Gly	Leu	Pro	Thr	Leu	Val	Gln	Thr	Tyr	Val	Leu	Gln	Gly	Asp	Pro
			660					665					670		
Arg	Ala	Val	Ser	Thr	Gln	Pro	Gln	Ser	Gln	Ser	Gly	Thr	Ser	Asp	Gln
			675				680					685			
Val	Leu	Tyr	Gly	Gln	Leu	Leu	Gly	Ser	Pro	Thr	Ser	Pro	Gly	Pro	Gly
			690				695					700			
His	Tyr	Leu	Arg	Cys	Asp	Ser	Thr	Gln	Pro	Leu	Leu	Ala	Gly	Leu	Thr
705					710					715					720
Pro	Ser	Pro	Lys	Ser	Tyr	Glu	Asn	Leu	Trp	Phe	Gln	Ala	Ser	Pro	Leu
				725					730					735	
Gly	Thr	Leu	Val	Thr	Pro	Ala	Pro	Ser	Gln	Glu	Asp	Asp	Cys	Val	Phe
			740					745					750		
Gly	Pro	Leu	Leu	Asn	Phe	Pro	Leu	Leu	Gln	Gly	Ile	Arg	Val	His	Gly
			755				760					765			
Met	Glu	Ala	Leu	Gly	Ser	Phe									
			770			775									

&lt;210&gt; 92

&lt;211&gt; 873

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 92

Met	Ala	Arg	Leu	Gly	Asn	Cys	Ser	Leu	Thr	Trp	Ala	Ala	Leu	Ile	Ile
1					5				10					15	
Leu	Leu	Leu	Pro	Gly	Ser	Leu	Glu	Glu	Cys	Gly	His	Ile	Ser	Val	Ser
			20					25					30		
Ala	Pro	Ile	Val	His	Leu	Gly	Asp	Pro	Ile	Thr	Ala	Ser	Cys	Ile	Ile
			35				40					45			
Lys	Gln	Asn	Cys	Ser	His	Leu	Asp	Pro	Glu	Pro	Gln	Ile	Leu	Trp	Arg
	50					55					60				
Leu	Gly	Ala	Glu	Leu	Gln	Pro	Gly	Gly	Arg	Gln	Gln	Arg	Leu	Ser	Asp
65					70				75					80	
Gly	Thr	Gln	Glu	Ser	Ile	Ile	Thr	Leu	Pro	His	Leu	Asn	His	Thr	Gln
				85				90						95	
Ala	Phe	Leu	Ser	Cys	Cys	Leu	Asn	Trp	Gly	Asn	Ser	Leu	Gln	Ile	Leu
			100					105					110		
Asp	Gln	Val	Glu	Leu	Arg	Ala	Gly	Tyr	Pro	Pro	Ala	Ile	Pro	His	Asn

115	120	125
Leu Ser Cys Leu Met Asn Leu Thr Thr Ser Ser Leu Ile Cys Gln Trp		
130	135	140
Glu Pro Gly Pro Glu Thr His Leu Pro Thr Ser Phe Thr Leu Lys Ser		
145	150	155
Phe Lys Ser Arg Gly Asn Cys Gln Thr Gln Gly Asp Ser Ile Leu Asp		
	165	170
		175
Cys Val Pro Lys Asp Gly Gln Ser His Cys Cys Ile Pro Arg Lys His		
	180	185
		190
Leu Leu Leu Tyr Gln Asn Met Gly Ile Trp Val Gln Ala Glu Asn Ala		
	195	200
		205
Leu Gly Thr Ser Met Ser Pro Gln Leu Cys Leu Asp Pro Met Asp Val		
	210	215
		220
Val Lys Leu Glu Pro Pro Met Leu Arg Thr Met Asp Pro Ser Pro Glu		
	225	230
		235
Ala Ala Pro Pro Gln Ala Gly Cys Leu Gln Leu Cys Trp Glu Pro Trp		
	245	250
		255
Gln Pro Gly Leu His Ile Asn Gln Lys Cys Glu Leu Arg His Lys Pro		
	260	265
		270
Gln Arg Gly Glu Ala Ser Trp Ala Leu Val Gly Pro Leu Pro Leu Glu		
	275	280
		285
Ala Leu Gln Tyr Glu Leu Cys Gly Leu Leu Pro Ala Thr Ala Tyr Thr		
	290	295
		300
Leu Gln Ile Arg Cys Ile Arg Trp Pro Leu Pro Gly His Trp Ser Asp		
	305	310
		315
Trp Ser Pro Ser Leu Glu Leu Arg Thr Thr Glu Arg Ala Pro Thr Val		
	325	330
		335
Arg Leu Asp Thr Trp Trp Arg Gln Arg Gln Leu Asp Pro Arg Thr Val		
	340	345
		350
Gln Leu Phe Trp Lys Pro Val Pro Leu Glu Glu Asp Ser Gly Arg Ile		
	355	360
		365
Gln Gly Tyr Val Val Ser Trp Arg Pro Ser Gly Gln Ala Gly Ala Ile		
	370	375
		380
Leu Pro Leu Cys Asn Thr Thr Glu Leu Ser Cys Thr Phe His Leu Pro		
	385	390
		395
Ser Glu Ala Gln Glu Val Ala Leu Val Ala Tyr Asn Ser Ala Gly Thr		
	405	410
		415
Ser Arg Pro Thr Pro Val Val Phe Ser Glu Ser Arg Gly Pro Ala Leu		
	420	425
		430
Thr Arg Leu His Ala Met Ala Arg Asp Pro His Ser Leu Trp Val Gly		
	435	440
		445

Trp Glu Pro Pro Asn Pro Trp Pro Gln Gly Tyr Val Ile Glu Trp Gly  
 450 455 460  
 Leu Gly Pro Pro Ser Ala Ser Asn Ser Asn Lys Thr Trp Arg Met Glu  
 465 470 475 480  
 Gln Asn Gly Arg Ala Thr Gly Phe Leu Leu Lys Glu Asn Ile Arg Pro  
 485 490 495  
 Phe Gln Leu Tyr Glu Ile Ile Val Thr Pro Leu Tyr Gln Asp Thr Met  
 500 505 510  
 Gly Pro Ser Gln His Val Tyr Ala Tyr Ser Gln Glu Met Ala Pro Ser  
 515 520 525  
 His Ala Pro Glu Leu His Leu Lys His Ile Gly Lys Thr Trp Ala Gln  
 530 535 540  
 Leu Glu Trp Val Pro Glu Pro Pro Glu Leu Gly Lys Ser Pro Leu Thr  
 545 550 555 560  
 His Tyr Thr Ile Phe Trp Thr Asn Ala Gln Asn Gln Ser Phe Cys Glu  
 565 570 575  
 Ser Xaa Leu Ser Ser Pro Thr Ala Pro Glu Gly Leu Glu Gly Gly Ala  
 580 585 590  
 Gln Leu Pro Arg Arg Xaa Phe Thr Ile Gln Ala Tyr Ala Asp Arg Thr  
 595 600 605  
 Pro Leu Pro Ala Ala Ile Leu Asn Ala Ser Ser Arg Gly Phe Val Leu  
 610 615 620  
 His Gly Leu Glu Pro Ala Ser Leu Tyr His Ile His Leu Met Ala Ala  
 625 630 635 640  
 Ser Gln Ala Gly Ala Thr Asn Ser Thr Val Leu Thr Leu Met Thr Leu  
 645 650 655  
 Thr Pro Glu Gly Ser Glu Leu His Ile Ile Leu Gly Leu Phe Gly Leu  
 660 665 670  
 Leu Leu Leu Leu Thr Cys Leu Cys Gly Thr Ala Trp Leu Cys Cys Ser  
 675 680 685  
 Pro Asn Arg Lys Asn Pro Leu Trp Pro Ser Val Pro Asp Pro Ala His  
 690 695 700  
 Ser Ser Leu Gly Ser Trp Val Pro Thr Ile Met Glu Glu Asp Ala Phe  
 705 710 715 720  
 Gln Leu Pro Gly Leu Gly Thr Pro Pro Ile Thr Lys Leu Thr Val Leu  
 725 730 735  
 Glu Glu Asp Glu Lys Lys Pro Val Pro Trp Glu Ser His Asn Ser Ser  
 740 745 750  
 Glu Thr Cys Gly Leu Pro Thr Leu Val Gln Thr Tyr Val Leu Gln Gly  
 755 760 765

Asp Pro Arg Ala Val Ser Thr Gln Pro Gln Ser Gln Ser Gly Thr Ser  
 770 775 780  
 Asp Gln Val Leu Tyr Gly Gln Leu Leu Gly Ser Pro Thr Ser Pro Gly  
 785 790 795 800  
 Pro Gly His Tyr Leu Arg Cys Asp Ser Thr Gln Pro Leu Leu Ala Gly  
 805 810 815  
 Leu Thr Pro Ser Pro Lys Ser Tyr Glu Asn Leu Trp Phe Gln Ala Ser  
 820 825 830  
 Pro Leu Gly Thr Leu Val Thr Pro Ala Pro Ser Gln Glu Asp Asp Cys  
 835 840 845  
 Val Phe Gly Pro Leu Leu Asn Phe Pro Leu Leu Gln Gly Ile Arg Val  
 850 855 860  
 His Gly Met Glu Ala Leu Gly Ser Phe  
 865 870

<210> 93  
 <211> 837  
 <212> PRT  
 <213> Homo sapiens

<400> 93

Met Gln Lys Ile Met His Ile Ser Val Leu Leu Ser Pro Val Leu Trp  
 1 5 10 15  
 Gly Leu Ile Phe Gly Val Ser Ser Asn Ser Ile Gln Ile Gly Gly Leu  
 20 25 30  
 Phe Pro Arg Gly Ala Asp Gln Glu Tyr Ser Ala Phe Arg Val Gly Met  
 35 40 45  
 Val Gln Phe Ser Thr Ser Glu Phe Arg Leu Thr Pro His Ile Asp Asn  
 50 55 60  
 Leu Glu Val Ala Asn Ser Phe Ala Val Thr Asn Ala Phe Cys Ser Gln  
 65 70 75 80  
 Phe Ser Arg Gly Val Tyr Ala Ile Phe Gly Phe Tyr Asp Lys Lys Ser  
 85 90 95  
 Val Asn Thr Ile Thr Ser Phe Cys Gly Thr Leu His Val Ser Phe Ile  
 100 105 110  
 Thr Pro Ser Phe Pro Thr Asp Gly Thr His Pro Phe Val Ile Gln Met  
 115 120 125  
 Arg Pro Asp Leu Lys Gly Ala Leu Leu Ser Leu Ile Glu Tyr Tyr Gln  
 130 135 140  
 Trp Asp Lys Phe Ala Tyr Leu Tyr Asp Ser Asp Arg Gly Leu Ser Thr  
 145 150 155 160  
 Leu Gln Ala Val Leu Asp Ser Ala Ala Glu Lys Lys Trp Gln Val Thr  
 165 170 175

Ala Ile Asn Val Gly Asn Ile Asn Asn Asp Lys Lys Asp Glu Met Tyr  
 180 185 190  
 Arg Ser Leu Phe Gln Asp Leu Glu Leu Lys Lys Glu Arg Arg Val Ile  
 195 200 205  
 Leu Asp Cys Glu Arg Asp Lys Val Asn Asp Ile Val Asp Gln Val Ile  
 210 215 220  
 Thr Ile Gly Lys His Val Lys Gly Tyr His Tyr Ile Ile Ala Asn Leu  
 225 230 235 240  
 Glu Phe Thr Asp Gly Asp Leu Leu Lys Ile Gln Phe Gly Gly Ala Asn  
 245 250 255  
 Val Ser Gly Phe Gln Ile Val Asp Tyr Asp Asp Ser Leu Val Ser Lys  
 260 265 270  
 Phe Ile Glu Arg Trp Ser Thr Leu Glu Glu Lys Glu Tyr Pro Gly Ala  
 275 280 285  
 His Thr Thr Thr Ile Lys Tyr Thr Ser Ala Leu Thr Tyr Asp Ala Val  
 290 295 300  
 Gln Val Met Thr Glu Ala Phe Arg Asn Leu Arg Lys Gln Arg Ile Glu  
 305 310 315 320  
 Ile Ser Arg Arg Gly Asn Ala Gly Asp Cys Leu Ala Asn Pro Ala Val  
 325 330 335  
 Pro Trp Gly Gln Gly Val Glu Ile Glu Arg Ala Leu Lys Gln Val Gln  
 340 345 350  
 Val Glu Gly Leu Ser Gly Asn Ile Lys Phe Asp Gln Asn Gly Lys Arg  
 355 360 365  
 Ile Asn Tyr Thr Ile Asn Ile Met Glu Leu Lys Thr Asn Gly Pro Arg  
 370 375 380  
 Lys Ile Gly Tyr Trp Ser Glu Val Asp Lys Met Val Val Thr Leu Thr  
 385 390 395 400  
 Glu Leu Pro Ser Gly Asn Asp Thr Ser Gly Leu Glu Asn Lys Thr Val  
 405 410 415  
 Val Val Thr Thr Ile Leu Glu Ser Pro Tyr Val Met Met Lys Lys Asn  
 420 425 430  
 His Glu Met Leu Glu Gly Asn Glu Arg Tyr Glu Gly Tyr Cys Val Asp  
 435 440 445  
 Leu Ala Ala Glu Ile Ala Lys His Cys Gly Phe Lys Tyr Lys Leu Thr  
 450 455 460  
 Ile Val Gly Asp Gly Lys Tyr Gly Ala Arg Asp Ala Asp Thr Lys Ile  
 465 470 475 480  
 Trp Asn Gly Met Val Gly Glu Leu Val Tyr Gly Lys Ala Asp Ile Ala  
 485 490 495  
 Ile Ala Pro Leu Thr Ile Thr Leu Val Arg Glu Glu Val Ile Asp Phe



500					505					510					
Ser	Lys	Pro	Phe	Met	Ser	Leu	Gly	Ile	Ser	Ile	Met	Ile	Lys	Lys	Pro
	515						520					525			
Gln	Lys	Ser	Lys	Pro	Gly	Val	Phe	Ser	Phe	Leu	Asp	Pro	Leu	Ala	Tyr
	530					535					540				
Glu	Ile	Trp	Met	Cys	Ile	Val	Phe	Ala	Tyr	Ile	Gly	Val	Ser	Val	Val
545					550					555					560
Leu	Phe	Leu	Val	Ser	Arg	Phe	Ser	Pro	Tyr	Glu	Trp	His	Thr	Glu	Glu
				565					570					575	
Phe	Glu	Asp	Gly	Arg	Glu	Thr	Gln	Ser	Ser	Glu	Ser	Thr	Asn	Glu	Phe
			580					585					590		
Gly	Ile	Phe	Asn	Ser	Leu	Trp	Phe	Ser	Leu	Gly	Ala	Phe	Met	Arg	Gln
		595					600					605			
Gly	Cys	Asp	Ile	Ser	Pro	Arg	Ser	Leu	Ser	Gly	Arg	Ile	Val	Gly	Gly
	610					615					620				
Val	Trp	Trp	Phe	Phe	Thr	Leu	Ile	Ile	Ile	Ser	Ser	Tyr	Thr	Ala	Asn
625						630					635				640
Leu	Ala	Ala	Phe	Leu	Thr	Val	Glu	Arg	Met	Val	Ser	Pro	Ile	Glu	Ser
				645					650					655	
Ala	Glu	Asp	Leu	Ser	Lys	Gln	Thr	Glu	Ile	Ala	Tyr	Gly	Thr	Leu	Asp
			660					665					670		
Ser	Gly	Ser	Thr	Lys	Glu	Phe	Phe	Arg	Arg	Ser	Lys	Ile	Ala	Val	Phe
		675					680					685			
Asp	Lys	Met	Trp	Thr	Tyr	Met	Arg	Ser	Ala	Glu	Pro	Ser	Val	Phe	Val
	690					695					700				
Arg	Thr	Thr	Ala	Glu	Gly	Val	Ala	Arg	Val	Arg	Lys	Ser	Lys	Gly	Lys
705						710					715				720
Tyr	Ala	Tyr	Leu	Leu	Glu	Ser	Thr	Met	Asn	Glu	Tyr	Ile	Glu	Gln	Arg
			725						730					735	
Lys	Pro	Cys	Asp	Thr	Met	Lys	Val	Gly	Gly	Asn	Leu	Asp	Ser	Lys	Gly
			740					745					750		
Tyr	Gly	Ile	Ala	Thr	Pro	Lys	Gly	Ser	Ser	Leu	Gly	Thr	Pro	Val	Asn
		755					760					765			
Leu	Ala	Val	Leu	Lys	Leu	Ser	Glu	Gln	Gly	Val	Leu	Asp	Lys	Leu	Lys
	770					775					780				
Asn	Lys	Trp	Trp	Tyr	Asp	Lys	Gly	Glu	Xaa	Gly	Xaa	Gly	Glu	Val	Ile
785						790					795				800
Pro	Arg	Ser	Ala	Pro	Val	Arg	Lys	Val	Met	Gly	Asn	Ser	Met	Gln	Asn
				805					810					815	
Lys	Val	Ser	Ser	Ser	Tyr	Ala	Gln	Cys	Gly	His	Ser	Val	His	Pro	Ser
			820					825					830		

Phe Gln Arg Leu Ser  
835

<210> 94  
<211> 156  
<212> PRT  
<213> Homo sapiens

<400> 94  
Met Lys Ser Ile Tyr Phe Val Ala Gly Leu Phe Val Met Leu Val Gln  
1 5 10 15  
Gly Ser Trp Gln Arg Ser Leu Gln Asp Thr Glu Glu Lys Ser Arg Ser  
20 25 30  
Phe Ser Ala Ser Gln Ala Asp Pro Leu Ser Asp Pro Asp Gln Met Asn  
35 40 45  
Glu Asp Lys Arg His Ser Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys  
50 55 60  
Tyr Leu Asp Ser Arg Arg Ala Gln Asp Phe Val Gln Trp Leu Met Asn  
65 70 75 80  
Thr Lys Arg Asn Arg Asn Asn Ile Ala Lys Arg His Asp Glu Phe Glu  
85 90 95  
Arg His Ala Glu Gly Thr Phe Thr Ser Val Ile Phe Pro Glu Glu Val  
100 105 110  
Ala Ile Val Glu Glu Leu Gly Arg Arg His Ala Asp Gly Ser Phe Ser  
115 120 125  
Asp Glu Met Asn Thr Ile Ser Asp Asn Leu Ala Ala Arg Asp Phe Ile  
130 135 140  
Asn Trp Leu Ile Gln Thr Lys Ile Thr Asp Arg Lys  
145 150 155

<210> 95  
<211> 303  
<212> PRT  
<213> Homo sapiens

<400> 95  
Met Leu Ser Phe Ile Ser Gly Thr Ala Arg Lys Thr Leu His Phe Glu  
1 5 10 15  
Ile Ser Lys Glu Gly Ser Asp Leu Ser Val Val Glu Arg Ala Glu Val  
20 25 30  
Trp Leu Phe Leu Lys Val Pro Lys Ala Asn Arg Thr Arg Thr Lys Val  
35 40 45  
Thr Ile Arg Leu Phe Gln Gln Gln Lys His Pro Gln Gly Ser Leu Asp  
50 55 60  
Thr Gly Glu Glu Ala Glu Glu Val Gly Leu Lys Gly Glu Arg Ser Glu

65                                      70                                      75                                      80  
 Leu Leu Leu Ser Glu Lys Val Val Asp Ala Arg Lys Ser Thr Trp His  
    85                                      90                                      95  
 Val Phe Pro Val Ser Ser Ser Ile Gln Arg Leu Leu Asp Gln Gly Lys  
    100                                      105                                      110  
 Ser Ser Leu Asp Val Arg Ile Ala Cys Glu Gln Cys Gln Glu Ser Gly  
    115                                      120                                      125  
 Ala Ser Leu Val Leu Leu Gly Lys Lys Lys Lys Lys Glu Glu Glu Gly  
    130                                      135                                      140  
 Glu Gly Lys Lys Lys Gly Gly Gly Glu Gly Gly Ala Gly Ala Asp Glu  
    145                                      150                                      155                                      160  
 Glu Lys Glu Gln Ser His Arg Pro Phe Leu Met Leu Gln Ala Arg Gln  
    165                                      170                                      175  
 Ser Glu Asp His Pro His Arg Arg Arg Arg Arg Gly Leu Glu Cys Asp  
    180                                      185                                      190  
 Gly Lys Val Asn Ile Cys Cys Lys Lys Gln Phe Phe Val Ser Phe Lys  
    195                                      200                                      205  
 Asp Ile Gly Trp Asn Asp Trp Ile Ile Ala Pro Ser Gly Tyr His Ala  
    210                                      215                                      220  
 Asn Tyr Cys Glu Gly Glu Cys Pro Ser His Ile Ala Gly Thr Ser Gly  
    225                                      230                                      235                                      240  
 Ser Ser Leu Ser Phe His Ser Thr Val Ile Asn His Tyr Arg Met Arg  
    245                                      250                                      255  
 Gly His Ser Pro Phe Ala Asn Leu Lys Ser Cys Cys Val Pro Thr Lys  
    260                                      265                                      270  
 Leu Arg Pro Met Ser Met Leu Tyr Tyr Asp Asp Gly Gln Asn Ile Ile  
    275                                      280                                      285  
 Lys Lys Asp Ile Gln Asn Met Ile Val Glu Glu Cys Gly Cys Ser  
    290                                      295                                      300

&lt;210&gt; 96

&lt;211&gt; 194

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 96

Met Asn Ser Phe Ser Thr Ser Ala Phe Gly Pro Val Ala Phe Ser Leu  
    1                                      5                                      10                                      15

Gly Leu Leu Leu Val Leu Pro Ala Ala Phe Pro Ala Pro Val Pro Pro  
    20                                      25                                      30

Gly Glu Asp Ser Lys Asp Val Ala Ala Pro His Arg Gln Pro Leu Thr  
    35                                      40                                      45

Ser Ser Glu Arg Ile Asp Lys Gln Ile Arg Tyr Ile Leu Asp Gly Ile

50                                      55                                      60  
 Ser Ala Leu Arg Lys Glu Thr Cys Asn Xaa Ser Asn Met Cys Glu Lys  
 65                                      70                                      75                                      80  
 Asp Gly Cys Phe Gln Ser Gly Phe Asn Glu Glu Thr Cys Leu Val Lys  
                                     85                                      90                                      95  
 Ile Ile Thr Gly Leu Leu Glu Phe Glu Val Tyr Leu Glu Tyr Leu Gln  
                                     100                                      105                                      110  
 Asn Arg Phe Glu Ser Ser Glu Glu Gln Ala Arg Ala Val Gln Met Ser  
                                     115                                      120                                      125  
 Thr Lys Val Leu Ile Gln Phe Leu Gln Lys Lys Ala Lys Asn Leu Asp  
                                     130                                      135                                      140  
 Ala Ile Thr Thr Pro Asp Pro Thr Thr Asn Ala Ser Leu Leu Thr Lys  
 145                                      150                                      155                                      160  
 Leu Gln Ala Gln Asn Gln Trp Leu Gln Asp Met Thr Thr His Leu Ile  
                                     165                                      170                                      175  
 Leu Arg Ser Phe Lys Glu Phe Leu Gln Ser Ser Leu Arg Ala Leu Arg  
                                     180                                      185                                      190  
 Gln Met

<210> 97  
 <211> 148  
 <212> PRT  
 <213> Homo sapiens

<400> 97  
 Met Asn Ser Phe Ser Thr Thr Cys Asn Lys Ser Asn Met Cys Glu Ser  
 1                                      5                                      10                                      15  
 Ser Lys Glu Ala Leu Ala Glu Asn Asn Leu Asn Leu Pro Lys Met Ala  
                                     20                                      25                                      30  
 Glu Lys Asp Gly Cys Phe Gln Ser Gly Phe Asn Glu Glu Thr Cys Leu  
                                     35                                      40                                      45  
 Val Lys Ile Ile Thr Gly Leu Leu Glu Phe Glu Val Tyr Leu Glu Tyr  
                                     50                                      55                                      60  
 Leu Gln Asn Arg Phe Glu Ser Ser Glu Glu Gln Ala Arg Ala Val Gln  
 65                                      70                                      75                                      80  
 Met Ser Thr Lys Val Leu Ile Gln Phe Leu Gln Lys Lys Ala Lys Asn  
                                     85                                      90                                      95  
 Leu Asp Ala Ile Thr Thr Pro Asp Pro Thr Thr Asn Ala Ser Leu Leu  
                                     100                                      105                                      110  
 Thr Lys Leu Gln Ala Gln Asn Gln Trp Leu Gln Asp Met Thr Thr His  
                                     115                                      120                                      125  
 Leu Ile Leu Arg Ser Phe Lys Glu Phe Leu Gln Ser Ser Leu Arg Ala

130

135

140

Leu Arg Gln Met  
145

<210> 98  
<211> 220  
<212> PRT  
<213> Homo sapiens

<400> 98  
Met Pro Arg Leu Phe Leu Phe His Leu Leu Glu Phe Cys Leu Leu Leu  
1 5 10 15  
Asn Gln Phe Ser Arg Ala Val Ala Ala Lys Trp Lys Asp Asp Val Ile  
20 25 30  
Lys Leu Cys Gly Arg Glu Leu Val Arg Ala Gln Ile Ala Ile Cys Gly  
35 40 45  
Met Ser Thr Trp Ser Lys Arg Ser Leu Ser Gln Glu Asp Ala Pro Gln  
50 55 60  
Thr Pro Arg Pro Val Ala Ala Gly Asp Phe Ile Gln Thr Val Ser Leu  
65 70 75 80  
Gly Ile Ser Pro Asp Gly Gly Lys Ala Leu Arg Thr Gly Ser Cys Phe  
85 90 95  
Thr Arg Glu Phe Leu Gly Ala Leu Ser Lys Leu Val Pro Ser Phe Ile  
100 105 110  
Asn Lys Asp Thr Glu Thr Ile Ile Ile Met Leu Glu Phe Ile Ala Asn  
115 120 125  
Leu Pro Pro Glu Leu Lys Ala Ala Leu Ser Glu Arg Gln Pro Ser Leu  
130 135 140  
Pro Glu Leu Gln Gln Tyr Val Pro Xaa Leu Lys Asp Ser Ser Leu Leu  
145 150 155 160  
Phe Glu Glu Phe Lys Lys Leu Ile Arg Asn Arg Gln Ser Glu Ala Ala  
165 170 175  
Asp Ser Asn Pro Ser Glu Leu Lys Tyr Leu Gly Leu Asp Thr His Ser  
180 185 190  
Gln Lys Lys Arg Arg Pro Tyr Val Ala Leu Phe Glu Lys Cys Cys Leu  
195 200 205  
Ile Gly Cys Thr Lys Arg Ser Leu Ala Lys Tyr Cys  
210 215 220

<210> 99  
<211> 87  
<212> PRT  
<213> Homo sapiens

<400> 99

Met Lys Leu Cys Val Thr Val Leu Ser Leu Leu Met Leu Val Ala Ala  
 1 5 10 15  
 Phe Cys Ser Pro Ala Leu Ser Ala Pro Met Gly Ser Asp Pro Pro Thr  
 20 25 30  
 Ala Cys Cys Phe Ser Tyr Thr Ala Arg Lys Leu Pro Arg Asn Phe Val  
 35 40 45  
 Val Asp Tyr Tyr Glu Thr Ser Ser Leu Cys Ser Gln Pro Ala Val Val  
 50 55 60  
 Gly Lys Gln Val Cys Ala Asp Pro Ser Glu Ser Trp Val Gln Glu Tyr  
 65 70 75 80  
 Val Tyr Asp Leu Glu Leu Asn  
 85

&lt;210&gt; 100

&lt;211&gt; 731

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 100

Met Gly Leu Ala Trp Gly Leu Gly Val Leu Phe Leu Met His Val Cys  
 1 5 10 15  
 Gly Thr Asn Arg Ile Pro Glu Ser Gly Gly Asp Asn Ser Val Phe Asp  
 20 25 30  
 Ile Phe Glu Leu Thr Gly Ala Ala Arg Lys Gly Ser Gly Arg Arg Leu  
 35 40 45  
 Val Lys Gly Pro Asp Pro Ser Ser Pro Ala Phe Arg Ile Glu Asp Ala  
 50 55 60  
 Asn Leu Ile Pro Pro Val Pro Asp Asp Lys Phe Gln Asp Leu Val Asp  
 65 70 75 80  
 Ala Val Arg Ala Glu Lys Gly Phe Leu Leu Leu Ala Ser Leu Arg Gln  
 85 90 95  
 Met Lys Lys Thr Arg Gly Thr Leu Leu Ala Leu Glu Arg Lys Asp His  
 100 105 110  
 Ser Gly Gln Val Phe Ser Val Val Ser Asn Gly Lys Ala Gly Thr Leu  
 115 120 125  
 Asp Leu Ser Leu Thr Val Gln Gly Lys Gln His Val Val Ser Val Glu  
 130 135 140  
 Glu Ala Leu Leu Ala Thr Gly Gln Trp Lys Ser Ile Thr Leu Phe Val  
 145 150 155 160  
 Gln Glu Asp Arg Ala Gln Leu Tyr Ile Asp Cys Glu Lys Met Glu Asn  
 165 170 175  
 Ala Glu Leu Asp Val Pro Ile Gln Ser Val Phe Thr Arg Asp Leu Ala  
 180 185 190

Ser Ile Ala Arg Leu Arg Ile Ala Lys Gly Gly Val Asn Asp Asn Phe  
 195 200 205  
 Gln Gly Val Leu Gln Asn Val Arg Phe Val Phe Gly Thr Thr Pro Glu  
 210 215 220  
 Asp Ile Leu Arg Asn Lys Gly Cys Ser Ser Ser Thr Ser Val Leu Leu  
 225 230 235 240  
 Thr Leu Asp Asn Asn Val Val Asn Gly Ser Ser Pro Ala Ile Arg Thr  
 245 250 255  
 Asn Tyr Ile Gly His Lys Thr Lys Asp Leu Gln Ala Ile Cys Gly Ile  
 260 265 270  
 Ser Cys Asp Glu Leu Ser Ser Met Val Leu Glu Leu Arg Gly Leu Arg  
 275 280 285  
 Thr Ile Val Thr Thr Leu Gln Asp Ser Ile Arg Lys Val Thr Glu Glu  
 290 295 300  
 Asn Lys Glu Leu Ala Asn Glu Leu Arg Arg Pro Pro Leu Cys Tyr His  
 305 310 315 320  
 Asn Gly Val Gln Tyr Arg Asn Asn Glu Glu Trp Thr Val Asp Ser Cys  
 325 330 335  
 Thr Glu Cys His Cys Gln Asn Ser Val Thr Ile Cys Lys Lys Val Ser  
 340 345 350  
 Cys Pro Ile Met Pro Cys Ser Asn Ala Thr Val Pro Asp Gly Glu Cys  
 355 360 365  
 Cys Pro Arg Cys Trp Pro Ser Asp Ser Ala Asp Asp Gly Trp Ser Pro  
 370 375 380  
 Trp Ser Glu Trp Thr Ser Cys Ser Thr Ser Cys Gly Asn Gly Ile Gln  
 385 390 395 400  
 Gln Arg Gly Arg Ser Cys Asp Ser Leu Asn Asn Arg Cys Glu Gly Ser  
 405 410 415  
 Ser Val Gln Thr Arg Thr Cys His Ile Gln Glu Cys Asp Lys Arg Phe  
 420 425 430  
 Lys Gln Asp Gly Gly Trp Ser His Trp Ser Pro Trp Ser Ser Cys Ser  
 435 440 445  
 Val Thr Cys Gly Asp Gly Val Ile Thr Arg Ile Arg Leu Cys Asn Ser  
 450 455 460  
 Pro Ser Pro Gln Met Asn Gly Lys Pro Cys Glu Gly Glu Ala Arg Glu  
 465 470 475 480  
 Thr Lys Ala Cys Lys Lys Asp Ala Cys Pro Ile Asn Gly Gly Trp Gly  
 485 490 495  
 Pro Trp Ser Pro Trp Asp Ile Cys Ser Val Thr Cys Gly Gly Gly Val  
 500 505 510  
 Gln Lys Arg Ser Arg Leu Cys Asn Asn Pro Thr Pro Gln Phe Gly Gly

515                      520                      525  
 Lys Asp Cys Val Gly Asp Val Thr Glu Asn Gln Ile Cys Asn Lys Gln  
     530                      535                      540  
 Asp Cys Pro Ile Asp Gly Cys Leu Ser Asn Pro Cys Phe Ala Gly Val  
     545                      550                      555                      560  
 Lys Cys Thr Ser Tyr Pro Asp Gly Ser Trp Lys Cys Gly Ala Cys Pro  
                     565                      570                      575  
 Pro Gly Tyr Ser Gly Asn Gly Ile Gln Cys Thr Asp Val Asp Glu Cys  
                     580                      585                      590  
 Lys Glu Val Pro Asp Ala Cys Phe Asn His Asn Gly Glu His Arg Cys  
                     595                      600                      605  
 Glu Asn Thr Asp Pro Gly Tyr Asn Cys Leu Pro Cys Pro Pro Arg Phe  
                     610                      615                      620  
 Thr Gly Ser Gln Pro Phe Gly Gln Gly Val Glu His Ala Thr Ala Asn  
     625                      630                      635                      640  
 Lys Gln Val Cys Lys Pro Arg Asn Pro Cys Thr Asp Gly Thr His Asp  
                     645                      650                      655  
 Cys Asn Lys Asn Ala Lys Cys Asn Tyr Leu Gly His Tyr Ser Asp Pro  
                     660                      665                      670  
 Met Tyr Arg Cys Glu Cys Lys Pro Gly Tyr Ala Gly Asn Gly Ile Ile  
                     675                      680                      685  
 Cys Gly Glu Asp Thr Asp Leu Asp Gly Trp Pro Asn Glu Asn Leu Val  
                     690                      695                      700  
 Cys Val Ala Asn Ala Thr Tyr His Cys Lys Lys Asp Asn Cys Pro Asn  
     705                      710                      715                      720  
 Leu Pro Gln Asp Pro Ala Pro Cys Pro Arg Ser  
                     725                      730

&lt;210&gt; 101

&lt;211&gt; 555

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 101

Met Gly Leu Ala Trp Gly Leu Gly Val Leu Phe Leu Met His Val Cys  
     1                      5                      10                      15  
 Gly Thr Asn Arg Ile Pro Glu Ser Gly Gly Asp Asn Ser Val Phe Asp  
                     20                      25                      30  
 Ile Phe Glu Leu Thr Gly Ala Ala Arg Lys Gly Ser Gly Arg Arg Leu  
                     35                      40                      45  
 Val Lys Gly Pro Asp Pro Ser Ser Pro Ala Phe Arg Ile Glu Asp Ala  
                     50                      55                      60  
 Asn Leu Ile Pro Pro Val Pro Asp Asp Lys Phe Gln Asp Leu Val Asp



65	70	75	80
Ala Val Arg Ala Glu Lys Gly Phe Leu Leu Leu Ala Ser Leu Arg Gln	85	90	95
Met Lys Lys Thr Arg Gly Thr Leu Leu Ala Leu Glu Arg Lys Asp His	100	105	110
Ser Gly Gln Val Phe Ser Val Val Ser Asn Gly Lys Ala Gly Thr Leu	115	120	125
Asp Leu Ser Leu Thr Val Gln Gly Lys Gln His Val Val Ser Val Glu	130	135	140
Glu Ala Leu Leu Ala Thr Gly Gln Trp Lys Ser Ile Thr Leu Phe Val	145	150	155
Gln Glu Asp Arg Ala Gln Leu Tyr Ile Asp Cys Glu Lys Met Glu Asn	165	170	175
Ala Glu Leu Asp Val Pro Ile Gln Ser Val Phe Thr Arg Asp Leu Ala	180	185	190
Ser Ile Ala Arg Leu Arg Ile Ala Lys Gly Gly Val Asn Asp Asn Phe	195	200	205
Gln Gly Val Leu Gln Asn Val Arg Phe Val Phe Gly Thr Thr Pro Glu	210	215	220
Asp Ile Leu Arg Asn Lys Gly Cys Ser Ser Ser Thr Ser Val Leu Leu	225	230	235
Thr Leu Asp Asn Asn Val Val Asn Gly Ser Ser Pro Ala Ile Arg Thr	245	250	255
Asn Tyr Ile Gly His Lys Thr Lys Asp Leu Gln Ala Ile Cys Gly Ile	260	265	270
Ser Cys Asp Glu Leu Ser Ser Met Val Leu Glu Leu Arg Gly Leu Arg	275	280	285
Thr Ile Val Thr Thr Leu Gln Asp Ser Ile Arg Lys Val Thr Glu Glu	290	295	300
Asn Lys Glu Leu Ala Asn Glu Leu Arg Arg Pro Pro Leu Cys Tyr His	305	310	315
Asn Gly Val Gln Tyr Arg Asn Asn Glu Glu Trp Thr Val Asp Ser Cys	325	330	335
Thr Glu Cys His Cys Gln Asn Ser Val Thr Ile Cys Lys Lys Val Ser	340	345	350
Cys Pro Ile Met Pro Cys Ser Asn Ala Thr Val Pro Asp Gly Glu Cys	355	360	365
Cys Pro Arg Cys Trp Pro Ser Asp Ser Ala Asp Asp Gly Trp Ser Pro	370	375	380
Trp Ser Glu Trp Thr Ser Cys Ser Thr Ser Cys Gly Asn Gly Ile Gln	385	390	395
			400

Gln Arg Gly Arg Ser Cys Asp Ser Leu Asn Asn Arg Cys Glu Gly Ser  
 405 410 415

Ser Val Gln Thr Arg Thr Cys His Ile Gln Glu Cys Asp Lys Arg Phe  
 420 425 430

Lys Gln Asp Gly Gly Trp Ser His Trp Ser Pro Trp Ser Ser Cys Ser  
 435 440 445

Val Thr Cys Gly Asp Gly Val Ile Thr Arg Ile Arg Leu Cys Asn Ser  
 450 455 460

Pro Ser Pro Gln Met Asn Gly Lys Pro Cys Glu Gly Glu Ala Arg Glu  
 465 470 475 480

Thr Lys Ala Cys Lys Lys Asp Ala Cys Pro Ile Asn Gly Gly Trp Gly  
 485 490 495

Pro Trp Ser Pro Trp Asp Ile Cys Ser Val Thr Cys Gly Gly Gly Val  
 500 505 510

Gln Lys Arg Ser Arg Leu Cys Asn Asn Pro Thr Pro Gln Phe Gly Gly  
 515 520 525

Lys Asp Cys Val Gly Asp Val Thr Glu Asn Gln Ile Cys Asn Lys Gln  
 530 535 540

Asp Cys Pro Ile Gly Glu Pro Arg Ser Pro Gly  
 545 550 555

&lt;210&gt; 102

&lt;211&gt; 546

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 102

Met Gly Leu Ala Trp Gly Leu Gly Val Leu Phe Leu Met His Val Cys  
 1 5 10 15

Gly Thr Asn Arg Ile Pro Glu Ser Gly Gly Asp Asn Ser Val Phe Asp  
 20 25 30

Ile Phe Glu Leu Thr Gly Ala Ala Arg Lys Gly Ser Gly Arg Arg Leu  
 35 40 45

Val Lys Gly Pro Asp Pro Ser Ser Pro Ala Phe Arg Ile Glu Asp Ala  
 50 55 60

Asn Leu Ile Pro Pro Val Pro Asp Asp Lys Phe Gln Asp Leu Val Asp  
 65 70 75 80

Ala Val Arg Ala Glu Lys Gly Phe Leu Leu Leu Ala Ser Leu Arg Gln  
 85 90 95

Met Lys Lys Thr Arg Gly Thr Leu Leu Ala Leu Glu Arg Lys Asp His  
 100 105 110

Ser Gly Gln Val Phe Ser Val Val Ser Asn Gly Lys Ala Gly Thr Leu  
 115 120 125

Asp Leu Ser Leu Thr Val Gln Gly Lys Gln His Val Val Ser Val Glu  
 130 135 140  
 Glu Ala Leu Leu Ala Thr Gly Gln Trp Lys Ser Ile Thr Leu Phe Val  
 145 150 155 160  
 Gln Glu Asp Arg Ala Gln Leu Tyr Ile Asp Cys Glu Lys Met Glu Asn  
 165 170 175  
 Ala Glu Leu Asp Val Pro Ile Gln Ser Val Phe Thr Arg Asp Leu Ala  
 180 185 190  
 Ser Ile Ala Arg Leu Arg Ile Ala Lys Gly Gly Val Asn Asp Asn Phe  
 195 200 205  
 Gln Gly Val Leu Gln Asn Val Arg Phe Val Phe Gly Thr Thr Pro Glu  
 210 215 220  
 Asp Ile Leu Arg Asn Lys Gly Cys Ser Ser Ser Thr Ser Val Leu Leu  
 225 230 235 240  
 Thr Leu Asp Asn Asn Val Val Asn Gly Ser Ser Pro Ala Ile Arg Thr  
 245 250 255  
 Asn Tyr Ile Gly His Lys Thr Lys Asp Leu Gln Ala Ile Cys Gly Ile  
 260 265 270  
 Ser Cys Asp Glu Leu Ser Ser Met Val Leu Glu Leu Arg Gly Leu Arg  
 275 280 285  
 Thr Ile Val Thr Thr Leu Gln Asp Ser Ile Arg Lys Val Thr Glu Glu  
 290 295 300  
 Asn Lys Glu Leu Ala Asn Glu Leu Arg Arg Pro Pro Leu Cys Tyr His  
 305 310 315 320  
 Asn Gly Val Gln Tyr Arg Asn Asn Glu Glu Trp Thr Val Asp Ser Cys  
 325 330 335  
 Thr Glu Cys His Cys Gln Asn Ser Val Thr Ile Cys Lys Lys Val Ser  
 340 345 350  
 Cys Pro Ile Met Pro Cys Ser Asn Ala Thr Val Pro Asp Gly Glu Cys  
 355 360 365  
 Cys Pro Arg Cys Trp Pro Ser Asp Ser Ala Asp Asp Gly Trp Ser Pro  
 370 375 380  
 Trp Ser Glu Trp Thr Ser Cys Ser Thr Ser Cys Gly Asn Gly Ile Gln  
 385 390 395 400  
 Gln Arg Gly Arg Ser Cys Asp Ser Leu Asn Asn Arg Cys Glu Gly Ser  
 405 410 415  
 Ser Val Gln Thr Arg Thr Cys His Ile Gln Glu Cys Asp Lys Arg Phe  
 420 425 430  
 Lys Gln Asp Gly Gly Trp Ser His Trp Ser Pro Trp Ser Ser Cys Ser  
 435 440 445

Val Thr Cys Gly Asp Gly Val Ile Thr Arg Ile Arg Leu Cys Asn Ser  
450 455 460

Pro Ser Pro Gln Met Asn Gly Lys Pro Cys Glu Gly Glu Ala Arg Glu  
465 470 475 480

Thr Lys Ala Cys Lys Lys Asp Ala Cys Pro Ser Lys Cys Glu Val Arg  
485 490 495

Cys Lys Gly Glu His Gly Gln Gln Leu Cys Pro Ala Gly Cys Leu Gly  
500 505 510

Ile Cys Ser Leu Gln Phe Gln Trp Gly His Arg Ser Arg Lys Val Thr  
515 520 525

Tyr Leu Gly Glu Thr Asn Arg Arg Gln Ser Pro Ala Gly Ser Ala Thr  
530 535 540

Ser Phe  
545

<210> 103

<211> 459

<212> PRT

<213> Homo sapiens

<400> 103

Met Gly Leu Ala Trp Gly Leu Gly Val Leu Phe Leu Met His Val Cys  
1 5 10 15

Gly Thr Asn Arg Ile Pro Glu Ser Gly Gly Asp Asn Ser Val Phe Asp  
20 25 30

Ile Phe Glu Leu Thr Gly Ala Ala Arg Lys Gly Ser Gly Arg Arg Leu  
35 40 45

Val Lys Gly Pro Asp Pro Ser Ser Pro Ala Phe Arg Ile Glu Asp Ala  
50 55 60

Asn Leu Ile Pro Pro Val Pro Asp Asp Lys Phe Gln Asp Leu Val Asp  
65 70 75 80

Ala Val Arg Ala Glu Lys Gly Phe Leu Leu Leu Ala Ser Leu Arg Gln  
85 90 95

Met Lys Lys Thr Arg Gly Thr Leu Leu Ala Leu Glu Arg Lys Asp His  
100 105 110

Ser Gly Gln Val Phe Ser Val Val Ser Asn Gly Lys Ala Gly Thr Leu  
115 120 125

Asp Leu Ser Leu Thr Val Gln Gly Lys Gln His Val Val Ser Val Glu  
130 135 140

Glu Ala Leu Leu Ala Thr Gly Gln Trp Lys Ser Ile Thr Leu Phe Val  
145 150 155 160

Gln Glu Asp Arg Ala Gln Leu Tyr Ile Asp Cys Glu Lys Met Glu Asn  
165 170 175

Ala Glu Leu Asp Val Pro Ile Gln Ser Val Phe Thr Arg Asp Leu Ala  
 180 185 190  
 Ser Ile Ala Arg Leu Arg Ile Ala Lys Gly Gly Val Asn Asp Asn Phe  
 195 200 205  
 Gln Gly Val Leu Gln Asn Val Arg Phe Val Phe Gly Thr Thr Pro Glu  
 210 215 220  
 Asp Ile Leu Arg Asn Lys Gly Cys Ser Ser Ser Thr Ser Val Leu Leu  
 225 230 235 240  
 Thr Leu Asp Asn Asn Val Val Asn Gly Ser Ser Pro Ala Ile Arg Thr  
 245 250 255  
 Asn Tyr Ile Gly His Lys Thr Lys Asp Leu Gln Ala Ile Cys Gly Ile  
 260 265 270  
 Ser Cys Asp Glu Leu Ser Ser Met Val Leu Glu Leu Arg Gly Leu Arg  
 275 280 285  
 Thr Ile Val Thr Thr Leu Gln Asp Ser Ile Arg Lys Val Thr Glu Glu  
 290 295 300  
 Asn Lys Glu Leu Ala Asn Glu Leu Arg Arg Pro Pro Leu Cys Tyr His  
 305 310 315 320  
 Asn Gly Val Gln Tyr Arg Asn Asn Glu Glu Trp Thr Val Asp Ser Cys  
 325 330 335  
 Thr Glu Cys His Cys Gln Asn Ser Val Thr Ile Cys Lys Lys Val Ser  
 340 345 350  
 Cys Pro Ile Met Pro Cys Ser Asn Ala Thr Val Pro Asp Gly Glu Cys  
 355 360 365  
 Cys Pro Arg Cys Trp Pro Ser Asp Ser Ala Asp Asp Gly Trp Ser Pro  
 370 375 380  
 Trp Ser Glu Trp Thr Ser Cys Ser Thr Ser Cys Gly Asn Gly Ile Gln  
 385 390 395 400  
 Gln Arg Gly Arg Ser Cys Asp Ser Leu Asn Asn Arg Cys Glu Gly Ser  
 405 410 415  
 Ser Val Gln Thr Arg Thr Cys His Ile Gln Glu Cys Asp Lys Arg Cys  
 420 425 430  
 Lys His Leu Ser Leu Ser Gly Thr Trp Arg Thr Asp Leu Ser Leu Leu  
 435 440 445  
 Ser Ser Pro Arg Ala Ala Pro Gln His Val Tyr  
 450 455

&lt;210&gt; 104

&lt;211&gt; 363

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 104

Met	Ala	Ala	Leu	Met	Thr	Pro	Gly	Thr	Gly	Ala	Pro	Pro	Ala	Pro	Gly	1	5	10	15
Asp	Phe	Ser	Gly	Glu	Gly	Ser	Gln	Gly	Leu	Pro	Asp	Pro	Ser	Pro	Glu	20	25	30	
Pro	Lys	Gln	Leu	Pro	Glu	Leu	Ile	Arg	Met	Lys	Arg	Asp	Gly	Gly	Arg	35	40	45	
Leu	Ser	Glu	Ala	Asp	Ile	Arg	Gly	Phe	Val	Ala	Ala	Val	Val	Asn	Gly	50	55	60	
Ser	Ala	Gln	Gly	Ala	Gln	Ile	Gly	Ala	Met	Leu	Met	Ala	Ile	Arg	Leu	65	70	75	80
Arg	Gly	Met	Asp	Leu	Glu	Glu	Thr	Ser	Val	Leu	Thr	Gln	Ala	Leu	Ala	85	90	95	
Gln	Ser	Gly	Gln	Gln	Leu	Glu	Trp	Pro	Glu	Ala	Trp	Arg	Gln	Gln	Leu	100	105	110	
Val	Asp	Lys	His	Ser	Thr	Gly	Gly	Val	Gly	Asp	Lys	Val	Ser	Leu	Val	115	120	125	
Leu	Ala	Pro	Ala	Leu	Ala	Ala	Cys	Gly	Cys	Lys	Val	Pro	Met	Ile	Ser	130	135	140	
Gly	Arg	Gly	Leu	Gly	His	Thr	Gly	Gly	Thr	Leu	Asp	Lys	Leu	Glu	Ser	145	150	155	160
Ile	Pro	Gly	Phe	Asn	Val	Ile	Gln	Ser	Pro	Glu	Gln	Met	Gln	Val	Leu	165	170	175	
Leu	Asp	Gln	Ala	Gly	Cys	Cys	Ile	Val	Gly	Gln	Ser	Glu	Gln	Leu	Val	180	185	190	
Pro	Ala	Asp	Gly	Ile	Leu	Tyr	Ala	Ala	Arg	Asp	Val	Thr	Ala	Thr	Val	195	200	205	
Asp	Ser	Leu	Pro	Leu	Ile	Thr	Ala	Ser	Ile	Leu	Ser	Lys	Lys	Leu	Val	210	215	220	
Glu	Gly	Leu	Ser	Ala	Leu	Val	Val	Asp	Val	Lys	Phe	Gly	Gly	Ala	Ala	225	230	235	240
Val	Phe	Pro	Asn	Gln	Glu	Gln	Ala	Arg	Glu	Leu	Ala	Lys	Thr	Leu	Val	245	250	255	
Gly	Val	Gly	Ala	Ser	Leu	Gly	Leu	Arg	Val	Ala	Ala	Ala	Leu	Thr	Ala	260	265	270	
Met	Asp	Lys	Pro	Leu	Gly	Arg	Cys	Val	Gly	His	Ala	Leu	Glu	Val	Glu	275	280	285	
Glu	Ala	Leu	Leu	Cys	Met	Asp	Gly	Ala	Gly	Pro	Pro	Asp	Leu	Arg	Asp	290	295	300	
Leu	Val	Thr	Thr	Leu	Gly	Gly	Ala	Leu	Leu	Trp	Leu	Ser	Gly	His	Ala	305	310	315	320
Gly	Thr	Gln	Ala	Gln	Gly	Ala	Ala	Arg	Val	Ala	Ala	Ala	Arg	Ala	Leu				

325 330 335

Gln Glu Ala Leu Val Leu Ser Asp Arg Ala Pro Phe Ala Ala Pro Ser  
340 345 350

Pro Phe Ala Glu Leu Val Leu Pro Pro Gln Gln  
355 360

<210> 105  
<211> 442  
<212> PRT  
<213> Homo sapiens

<400> 105

Met Ala Ala Leu Met Thr Pro Gly Thr Gly Ala Pro Pro Ala Pro Gly  
1 5 10 15

Asp Phe Ser Gly Glu Gly Ser Gln Gly Leu Pro Asp Pro Ser Pro Glu  
20 25 30

Pro Lys Gln Leu Pro Glu Leu Ile Arg Met Lys Arg Asp Gly Gly Arg  
35 40 45

Leu Ser Glu Ala Asp Ile Arg Gly Phe Val Ala Ala Val Val Asn Gly  
50 55 60

Ser Ala Gln Gly Ala Gln Ile Gly Ala Met Leu Met Ala Ile Arg Leu  
65 70 75 80

Arg Gly Met Asp Leu Glu Glu Thr Ser Val Leu Thr Gln Ala Leu Ala  
85 90 95

Gln Ser Gly Gln Gln Leu Glu Trp Pro Glu Ala Trp Arg Gln Gln Leu  
100 105 110

Val Asp Lys His Ser Thr Gly Gly Val Gly Asp Lys Val Ser Leu Val  
115 120 125

Leu Ala Pro Ala Leu Ala Ala Cys Gly Cys Lys Val Pro Met Ile Ser  
130 135 140

Gly Arg Gly Leu Gly His Thr Gly Gly Thr Leu Asp Lys Leu Glu Ser  
145 150 155 160

Ile Pro Gly Phe Asn Val Ile Gln Ser Pro Glu Gln Met Gln Val Leu  
165 170 175

Leu Asp Gln Ala Gly Cys Cys Ile Val Gly Gln Ser Glu Gln Leu Val  
180 185 190

Pro Ala Asp Gly Ile Leu Tyr Ala Ala Arg Asp Val Thr Ala Thr Val  
195 200 205

Asp Ser Leu Pro Leu Ile Thr Gly Trp Arg Gly Ser Gln Pro Arg Ala  
210 215 220

Arg Val Ala Ala Ala Leu Thr Ala Met Asp Lys Pro Leu Gly Arg Cys  
225 230 235 240

Val Gly His Ala Leu Glu Val Glu Glu Ala Leu Leu Cys Met Asp Gly

245 250 255

Ala Gly Pro Pro Asp Leu Arg Asp Leu Val Thr Thr Leu Gly Gly Ala  
260 265 270

Leu Leu Trp Leu Ser Gly His Ala Gly Thr Gln Ala Gln Gly Ala Ala  
275 280 285

Arg Val Ala Ala Ala Leu Asp Asp Gly Ser Ala Leu Gly Arg Phe Glu  
290 295 300

Arg Met Leu Ala Ala Gln Gly Val Asp Pro Gly Leu Ala Arg Ala Leu  
305 310 315 320

Cys Ser Gly Ser Pro Ala Glu Arg Arg Gln Leu Leu Pro Arg Ala Arg  
325 330 335

Glu Gln Glu Glu Leu Leu Ala Pro Ala Asp Gly Thr Val Glu Leu Val  
340 345 350

Arg Ala Leu Pro Leu Ala Leu Val Leu His Glu Leu Gly Ala Gly Arg  
355 360 365

Ser Arg Ala Gly Glu Pro Leu Arg Leu Gly Val Gly Ala Glu Leu Leu  
370 375 380

Val Asp Val Gly Gln Arg Leu Arg Arg Gly Thr Pro Trp Leu Arg Val  
385 390 395 400

His Arg Asp Gly Pro Ala Leu Ser Gly Pro Gln Ser Arg Ala Leu Gln  
405 410 415

Glu Ala Leu Val Leu Ser Asp Arg Ala Pro Phe Ala Ala Pro Ser Pro  
420 425 430

Phe Ala Glu Leu Val Leu Pro Pro Gln Gln  
435 440

<210> 106  
<211> 323  
<212> PRT  
<213> Homo sapiens

<400> 106  
Met Ala Ala Leu Met Thr Pro Gly Thr Gly Ala Pro Pro Ala Pro Gly  
1 5 10 15  
Asp Phe Ser Gly Glu Gly Ser Gln Gly Leu Pro Asp Pro Ser Pro Glu  
20 25 30  
Pro Lys Gln Leu Pro Glu Leu Ile Arg Met Lys Arg Asp Gly Gly Arg  
35 40 45  
Leu Ser Glu Ala Asp Ile Arg Gly Phe Val Ala Ala Val Val Asn Gly  
50 55 60  
Ser Ala Gln Gly Ala Gln Ile Gly Ala Met Leu Met Ala Ile Arg Leu  
65 70 75 80  
Arg Gly Met Asp Leu Glu Glu Thr Ser Val Leu Thr Gln Ala Leu Ala



85										90					95				
Gln	Ser	Gly	Gln	Gln	Leu	Glu	Trp	Pro	Glu	Ala	Trp	Arg	Gln	Gln	Leu				
			100					105					110						
Val	Asp	Lys	His	Ser	Thr	Gly	Gly	Val	Gly	Asp	Lys	Val	Ser	Leu	Val				
		115					120					125							
Leu	Ala	Pro	Ala	Leu	Ala	Ala	Cys	Gly	Cys	Lys	Val	Pro	Met	Ile	Ser				
	130					135					140								
Gly	Arg	Gly	Leu	Gly	His	Thr	Gly	Gly	Thr	Leu	Asp	Lys	Leu	Glu	Ser				
145					150					155					160				
Ile	Pro	Gly	Phe	Asn	Val	Ile	Gln	Ser	Pro	Glu	Gln	Met	Gln	Val	Leu				
				165					170					175					
Leu	Asp	Gln	Ala	Gly	Cys	Cys	Ile	Val	Gly	Gln	Ser	Glu	Gln	Leu	Val				
			180						185					190					
Pro	Ala	Asp	Gly	Ile	Leu	Tyr	Ala	Ala	Arg	Asp	Val	Thr	Ala	Thr	Val				
		195					200					205							
Asp	Ser	Leu	Pro	Leu	Ile	Thr	Gly	Trp	Arg	Gly	Ser	Gln	Pro	Arg	Ala				
	210					215					220								
Arg	Val	Ala	Ala	Ala	Leu	Thr	Ala	Met	Asp	Lys	Pro	Leu	Gly	Arg	Cys				
225					230					235					240				
Val	Gly	His	Ala	Leu	Glu	Val	Glu	Glu	Ala	Leu	Leu	Cys	Met	Asp	Gly				
				245					250					255					
Ala	Gly	Pro	Pro	Asp	Leu	Arg	Asp	Leu	Val	Thr	Thr	Leu	Gly	Gly	Ala				
			260					265						270					
Leu	Leu	Trp	Leu	Ser	Gly	His	Ala	Gly	Thr	Gln	Ala	Gln	Gly	Ala	Ala				
		275					280							285					
Arg	Val	Ala	Ala	Ala	Arg	Ala	Leu	Gln	Glu	Ala	Leu	Val	Leu	Ser	Asp				
	290					295					300								
Arg	Ala	Pro	Phe	Ala	Ala	Pro	Ser	Pro	Phe	Ala	Glu	Leu	Val	Leu	Pro				
305					310					315					320				
Pro Gln Gln																			

&lt;210&gt; 107

&lt;211&gt; 481

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 107

Met	Ala	Ser	Arg	Leu	Thr	Leu	Leu	Thr	Leu	Leu	Leu	Leu	Leu	Ala
1				5					10					15

Gly	Asp	Arg	Ala	Ser	Ser	Asn	Pro	Asn	Ala	Thr	Ser	Ser	Val	Ile	Ser
			20					25					30		

Lys Met Leu Phe Val Glu Pro Ile Leu Glu Val Ser Ser Leu Pro Thr

35					40					45						
Thr	Asn	Ser	Thr	Thr	Asn	Ser	Ala	Thr	Lys	Ile	Thr	Ala	Asn	Thr	Thr	
50					55					60						
Asp	Glu	Pro	Thr	Thr	Gln	Pro	Thr	Thr	Glu	Pro	Thr	Thr	Gln	Pro	Thr	
65					70					75					80	
Ile	Gln	Pro	Thr	Gln	Pro	Thr	Thr	Gln	Leu	Pro	Thr	Asp	Ser	Pro	Thr	
85					90					95						
Gln	Pro	Thr	Thr	Gly	Ser	Phe	Cys	Pro	Gly	Pro	Val	Thr	Leu	Cys	Ser	
100					105					110						
Asp	Leu	Glu	Ser	His	Ser	Thr	Glu	Ala	Val	Leu	Gly	Asp	Ala	Leu	Val	
115					120					125						
Asp	Phe	Ser	Leu	Lys	Leu	Tyr	His	Ala	Phe	Ser	Ala	Met	Lys	Lys	Val	
130					135					140						
Glu	Thr	Asn	Met	Ala	Phe	Ser	Pro	Phe	Ser	Ile	Ala	Ser	Leu	Leu	Thr	
145					150					155					160	
Gln	Val	Leu	Leu	Gly	Ala	Gly	Glu	Asn	Thr	Lys	Thr	Asn	Leu	Glu	Ser	
165					170					175						
Ile	Leu	Ser	Tyr	Pro	Lys	Asp	Phe	Thr	Cys	Val	His	Gln	Ala	Leu	Lys	
180					185					190						
Gly	Phe	Thr	Thr	Lys	Gly	Val	Thr	Ser	Val	Ser	Gln	Ile	Phe	His	Ser	
195					200					205						
Pro	Asp	Leu	Ala	Ile	Arg	Asp	Thr	Phe	Val	Asn	Ala	Ser	Arg	Thr	Leu	
210					215					220						
Tyr	Ser	Ser	Ser	Pro	Arg	Val	Leu	Ser	Asn	Asn	Ser	Asp	Ala	Asn	Leu	
225					230					235					240	
Glu	Leu	Ile	Asn	Thr	Trp	Val	Ala	Lys	Asn	Thr	Asn	Asn	Lys	Ile	Ser	
245					250					255						
Arg	Leu	Leu	Asp	Ser	Leu	Pro	Ser	Asp	Thr	Arg	Leu	Val	Leu	Leu	Asn	
260					265					270						
Ala	Ile	Tyr	Leu	Ser	Ala	Lys	Trp	Lys	Thr	Thr	Phe	Asp	Pro	Lys	Lys	
275					280					285						
Thr	Arg	Met	Glu	Pro	Phe	His	Phe	Lys	Asn	Ser	Val	Ile	Lys	Val	Pro	
290					295					300						
Met	Met	Asn	Ser	Lys	Lys	Tyr	Pro	Val	Ala	His	Phe	Ile	Asp	Gln	Thr	
305					310					315					320	
Leu	Lys	Ala	Lys	Val	Gly	Gln	Leu	Gln	Leu	Ser	His	Asn	Leu	Ser	Leu	
325					330					335						
Val	Ile	Leu	Val	Pro	Gln	Asn	Leu	Lys	His	Arg	Leu	Glu	Asp	Met	Glu	
340					345					350						
Gln	Ala	Leu	Ser	Pro	Ser	Val	Phe	Lys	Ala	Ile	Met	Glu	Lys	Leu	Glu	
355					360					365						

Met Ser Lys Phe Gln Pro Thr Leu Leu Thr Leu Pro Arg Ile Lys Val  
 370 375 380

Thr Thr Ser Gln Asp Met Leu Ser Ile Met Glu Lys Leu Glu Phe Phe  
 385 390 395 400

Asp Phe Ser Tyr Asp Leu Asn Leu Cys Gly Leu Thr Glu Asp Pro Asp  
 405 410 415

Leu Gln Val Ser Ala Met Gln His Gln Thr Val Leu Glu Leu Thr Glu  
 420 425 430

Thr Gly Val Glu Ala Ala Ala Ala Ser Ala Ile Ser Val Ala Arg Thr  
 435 440 445

Leu Leu Val Phe Glu Val Gln Gln Pro Phe Leu Phe Val Leu Trp Asp  
 450 455 460

Gln Gln His Lys Phe Pro Val Phe Met Gly Arg Val Tyr Asp Pro Arg  
 465 470 475 480

Ala

<210> 108  
 <211> 116  
 <212> PRT  
 <213> Homo sapiens

<400> 108  
 Met Met Asp Glu Glu Glu Val Glu Val Ser Leu Pro Arg Phe Lys Leu  
 1 5 10 15

Glu Glu Ser Tyr Asp Met Glu Ser Val Leu Arg Asn Leu Gly Met Thr  
 20 25 30

Asp Ala Phe Glu Leu Gly Lys Ala Asp Phe Ser Gly Met Ser Gln Thr  
 35 40 45

Asp Leu Ser Leu Ser Lys Val Val His Lys Ser Phe Val Glu Val Asn  
 50 55 60

Glu Glu Gly Thr Glu Ala Ala Ala Ala Thr Ala Ala Ile Met Met Met  
 65 70 75 80

Arg Cys Ala Arg Phe Val Pro Arg Phe Cys Ala Asp His Pro Phe Leu  
 85 90 95

Phe Phe Ile Gln His Ser Lys Thr Asn Gly Ile Leu Phe Cys Gly Arg  
 100 105 110

Phe Ser Ser Pro  
 115

<210> 109  
 <211> 319  
 <212> PRT  
 <213> Homo sapiens

&lt;400&gt; 109

Met Asp Val Leu Ala Glu Ala Asn Gly Thr Phe Ala Leu Asn Leu Leu  
 1 5 10 15

Lys Thr Leu Gly Lys Asp Asn Ser Lys Asn Val Phe Phe Ser Pro Met  
 20 25 30

Ser Met Ser Cys Ala Leu Ala Met Val Tyr Met Gly Ala Lys Gly Asn  
 35 40 45

Thr Ala Ala Gln Met Ala Gln Ile Leu Ser Phe Asn Lys Ser Gly Gly  
 50 55 60

Gly Gly Asp Ile His Gln Gly Phe Gln Ser Leu Leu Thr Glu Val Asn  
 65 70 75 80

Lys Thr Gly Thr Gln Tyr Leu Leu Arg Val Ala Asn Arg Leu Phe Gly  
 85 90 95

Glu Lys Ser Cys Asp Phe Leu Ser Ser Phe Arg Asp Ser Cys Gln Lys  
 100 105 110

Phe Tyr Gln Ala Glu Met Glu Glu Leu Asp Phe Ile Ser Ala Val Glu  
 115 120 125

Lys Ser Arg Lys His Ile Asn Thr Trp Val Ala Glu Lys Thr Glu Gly  
 130 135 140

Lys Ile Ala Glu Leu Leu Ser Pro Gly Ser Val Asp Pro Leu Thr Arg  
 145 150 155 160

Leu Val Leu Val Asn Ala Val Tyr Phe Arg Gly Asn Trp Asp Glu Gln  
 165 170 175

Phe Asp Lys Glu Asn Thr Glu Glu Arg Leu Phe Lys Val Ser Lys Asn  
 180 185 190

Glu Glu Lys Pro Val Gln Met Met Phe Lys Gln Ser Thr Phe Lys Lys  
 195 200 205

Thr Tyr Ile Gly Glu Ile Phe Thr Gln Ile Leu Val Leu Pro Tyr Val  
 210 215 220

Gly Lys Glu Leu Asn Met Ile Ile Met Leu Pro Asp Glu Thr Thr Asp  
 225 230 235 240

Leu Arg Thr Val Glu Lys Glu Leu Thr Tyr Glu Lys Phe Val Glu Trp  
 245 250 255

Thr Arg Leu Asp Met Met Asp Glu Glu Glu Val Glu Glu Gly Thr Glu  
 260 265 270

Ala Ala Ala Ala Thr Ala Ala Ile Met Met Met Arg Cys Ala Arg Phe  
 275 280 285

Val Pro Arg Phe Cys Ala Asp His Pro Phe Leu Phe Phe Ile Gln His  
 290 295 300

Ser Lys Thr Asn Gly Ile Leu Phe Cys Gly Arg Phe Ser Ser Pro  
 305 310 315

<210> 110  
 <211> 188  
 <212> PRT  
 <213> Homo sapiens

<400> 110  
 Met Asp Val Leu Ala Glu Ala Asn Gly Thr Phe Ala Leu Asn Leu Leu  
     1                    5                    10                    15  
 Lys Thr Leu Gly Lys Asp Asn Ser Lys Asn Val Phe Phe Ser Pro Met  
             20                    25                    30  
 Ser Met Ser Cys Ala Leu Ala Met Val Tyr Met Gly Ala Lys Gly Asn  
             35                    40                    45  
 Thr Ala Ala Gln Met Ala Gln Ile Leu Ser Phe Asn Lys Ser Gly Gly  
             50                    55                    60  
 Gly Gly Asp Ile His Gln Gly Phe Gln Ser Leu Leu Thr Glu Val Asn  
     65                    70                    75                    80  
 Lys Thr Gly Thr Gln Tyr Leu Leu Arg Glu Ser Tyr Asp Met Glu Ser  
                     85                    90                    95  
 Val Leu Arg Asn Leu Gly Met Thr Asp Ala Phe Glu Leu Gly Lys Ala  
             100                    105                    110  
 Asp Phe Ser Gly Met Ser Gln Thr Asp Leu Ser Leu Ser Lys Val Val  
             115                    120                    125  
 His Lys Ser Phe Val Glu Val Asn Glu Glu Gly Thr Glu Ala Ala Ala  
     130                    135                    140  
 Ala Thr Ala Ala Ile Met Met Met Arg Cys Ala Arg Phe Val Pro Arg  
     145                    150                    155                    160  
 Phe Cys Ala Asp His Pro Phe Leu Phe Phe Ile Gln His Ser Lys Thr  
                     165                    170                    175  
 Asn Gly Ile Leu Phe Cys Gly Arg Phe Ser Ser Pro  
             180                    185

<210> 111  
 <211> 60  
 <212> PRT  
 <213> Homo sapiens

<400> 111  
 Met Asp Val Leu Ala Glu Ala Asn Gly Thr Phe Ala Leu Asn Leu Leu  
     1                    5                    10                    15  
 Lys Thr Leu Gly Lys Asp Asn Ser Lys Asn Val Phe Phe Ser Pro Met  
             20                    25                    30  
 Ser Met Ser Cys Ala Leu Ala Met Val Tyr Met Gly Ala Lys Gly Asn  
             35                    40                    45  
 Thr Ala Ala Gln Met Ala Gln Arg Phe Gln Lys Val

50

55

60

&lt;210&gt; 112

&lt;211&gt; 306

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 112

Met His Lys Thr Ala Ser Gln Arg Leu Phe Pro Gly Pro Ser Tyr Gln  
 1 5 10 15

Asn Ile Lys Ser Ile Met Glu Asp Ser Thr Ile Leu Ser Asp Trp Thr  
 20 25 30

Asn Ser Asn Lys Gln Lys Met Lys Tyr Asp Phe Ser Cys Glu Leu Tyr  
 35 40 45

Arg Met Ser Thr Tyr Ser Thr Phe Pro Ala Gly Val Pro Val Ser Glu  
 50 55 60

Arg Ser Leu Ala Arg Ala Gly Phe Tyr Tyr Thr Gly Val Asn Asp Lys  
 65 70 75 80

Val Lys Cys Phe Cys Cys Gly Leu Met Leu Asp Asn Trp Lys Leu Gly  
 85 90 95

Asp Ser Pro Ile Gln Lys His Lys Gln Leu Tyr Pro Ser Cys Ser Phe  
 100 105 110

Ile Gln Asn Leu Val Ser Ala Ser Leu Gly Ser Thr Ser Lys Asn Thr  
 115 120 125

Ser Pro Met Arg Asn Ser Phe Ala His Ser Leu Ser Pro Thr Leu Glu  
 130 135 140

His Ser Ser Leu Phe Ser Gly Ser Tyr Ser Ser Leu Ser Pro Asn Pro  
 145 150 155 160

Leu Asn Ser Arg Ala Val Glu Asp Ile Ser Ser Ser Arg Thr Asn Pro  
 165 170 175

Tyr Ser Tyr Ala Met Ser Thr Glu Glu Ala Arg Phe Leu Thr Tyr His  
 180 185 190

Met Trp Pro Leu Thr Phe Leu Ser Pro Ser Glu Leu Ala Arg Ala Gly  
 195 200 205

Phe Tyr Tyr Ile Gly Pro Gly Asp Arg Val Ala Cys Phe Ala Cys Gly  
 210 215 220

Gly Lys Leu Ser Asn Trp Glu Pro Lys Asp Asn Ala Met Ser Glu His  
 225 230 235 240

Leu Arg His Phe Pro Asn Cys Pro Phe Leu Glu Asn Ser Leu Glu Thr  
 245 250 255

Leu Arg Phe Ser Ile Ser Asn Leu Ser Met Gln Thr His Ala Ala Arg  
 260 265 270

Met Arg Thr Phe Met Tyr Trp Pro Ser Ser Val Pro Val Gln Pro Glu

275                      280                      285  
 Gln Leu Ala Ser Ala Gly Phe Tyr Tyr Val Gly Lys Lys Leu Asn Leu  
     290                      295                      300  
  
 Leu Ile  
 305  
  
 <210> 113  
 <211> 359  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 113  
 Met His Ser Ser Met Lys Thr Ser Leu Phe Phe His Ile Val Met Gln  
     1                      5                      10                      15  
  
 Leu Gly Phe Ser Ala Leu Ser Phe Phe Tyr Pro Phe Phe Asn Ser Ser  
                     20                      25                      30  
  
 Tyr Tyr Val Gln Met Ile Ile Leu Ser Arg Phe Gly Cys Pro Asp Gln  
                     35                      40                      45  
  
 Asn Gly Asp Arg Val Glu Arg Cys Asp Ser Lys Ala Leu Asp Arg Val  
     50                      55                      60  
  
 Ile Xaa Leu Pro Phe Ser Pro Pro Pro Arg Ser Pro Pro Asp Arg Gly  
     65                      70                      75                      80  
  
 Glu His Met Ser Ala Pro Ala Ala Lys Val Ser Lys Lys Glu Leu Asn  
                     85                      90                      95  
  
 Ser Asn His Asp Gly Ala Asp Glu Thr Ser Glu Lys Glu Gln Gln Glu  
                     100                      105                      110  
  
 Ala Ile Glu His Ile Asp Glu Val Gln Asn Glu Ile Asp Arg Leu Asn  
                     115                      120                      125  
  
 Glu Gln Ala Ser Glu Glu Ile Leu Lys Val Glu Gln Lys Tyr Asn Lys  
     130                      135                      140  
  
 Leu Arg Gln Pro Phe Phe Gln Lys Arg Ser Glu Leu Ile Ala Lys Ile  
     145                      150                      155                      160  
  
 Pro Asn Phe Trp Val Thr Thr Phe Val Asn His Pro Gln Val Ser Ala  
                     165                      170                      175  
  
 Leu Leu Gly Glu Glu Asp Glu Glu Ala Leu His Tyr Leu Thr Arg Val  
                     180                      185                      190  
  
 Glu Val Thr Glu Phe Glu Asp Ile Lys Ser Gly Tyr Arg Ile Asp Phe  
                     195                      200                      205  
  
 Tyr Phe Asp Glu Asn Pro Tyr Phe Glu Asn Lys Val Leu Ser Lys Glu  
     210                      215                      220  
  
 Phe His Leu Asn Glu Ser Gly Asp Pro Ser Ser Lys Ser Thr Glu Ile  
     225                      230                      235                      240  
  
 Lys Trp Lys Ser Gly Lys Asp Leu Thr Lys Arg Ser Ser Gln Thr Gln

```
<210> 114
<211> 261
<212> PRT
<213> Homo sapiens
```

```

<400> 114
Met Ser Ala Pro Ala Ala Lys Val Ser Lys Lys Glu Leu Asn Ser Asn
  1             5             10             15
His Asp Gly Ala Asp Glu Thr Ser Glu Lys Glu Gln Gln Glu Ala Ile
          20             25             30
Glu His Ile Asp Glu Val Gln Asn Glu Ile Asp Arg Leu Asn Glu Gln
          35             40             45
Ala Ser Glu Glu Ile Leu Lys Val Glu Gln Lys Tyr Asn Lys Leu Arg
          50             55             60
Gln Pro Phe Phe Gln Lys Arg Ser Glu Leu Ile Ala Lys Ile Pro Asn
          65             70             75             80
Phe Trp Val Thr Thr Phe Val Asn His Pro Gln Val Ser Ala Leu Leu
          85             90             95
Gly Glu Glu Asp Glu Glu Ala Leu His Tyr Leu Thr Arg Val Glu Val
          100             105             110
Thr Glu Phe Glu Asp Ile Lys Ser Gly Tyr Arg Ile Asp Phe Tyr Phe
          115             120             125
Asp Glu Asn Pro Tyr Phe Glu Asn Lys Val Leu Ser Lys Glu Phe His
          130             135             140
Leu Asn Glu Ser Gly Asp Pro Ser Ser Lys Ser Thr Glu Ile Lys Trp
          145             150             155             160
Lys Ser Gly Lys Asp Leu Thr Lys Arg Ser Ser Gln Thr Gln Asn Lys

```



[illegible]

```
<210> 115
<211> 260
<212> PRT
<213> Homo sapiens
```

<400> 115																
Met	Leu	Ile	Ala	Ala	Gly	Pro	Ala	Arg	Thr	Gly	Val	Gly	Pro	Ala	Arg	
1				5					10					15		
Ile	Lys	Gly	Ala	Gln	Ala	Gly	Trp	Ala	Phe	His	Arg	Pro	Ser	Ala	Leu	
			20					25					30			
Cys	Ser	Arg	Gly	Ala	Gly	Gln	Ala	Xaa	Ala	Ser	Glu	Leu	Ala	Ser	Arg	
		35					40					45				
His	Arg	Gly	Gly	Ala	Ala	Ala	Val	Arg	Thr	Arg	Gln	Ala	Asn	Pro	Thr	
	50					55					60					
Gln	Lys	Ser	Pro	Pro	Pro	Asp	Ser	Gln	Val	Ala	Ala	Ala	Ser	Leu	Ala	
65					70					75					80	
His	Ala	Glu	Ser	Gly	Gly	Ala	Gly	Ser	Pro	Leu	Arg	Pro	Ala	Ser	Ala	
				85					90					95		
Leu	Ser	Ser	Ser	Pro	Phe	Pro	Phe	Phe	Ser	Leu	Ser	Ser	Pro	Leu	Ser	
			100					105					110			
Leu	Pro	Ala	Phe	Ala	Gln	Pro	Arg	Ala	Met	Ser	Asp	Ala	Ser	Leu	Arg	
		115					120					125				
Ser	Thr	Ser	Thr	Met	Glu	Arg	Leu	Val	Ala	Arg	Gly	Thr	Phe	Pro	Val	
	130					135					140					
Leu	Val	Arg	Thr	Ser	Ala	Cys	Arg	Ser	Leu	Phe	Gly	Pro	Val	Asp	His	
145					150					155					160	
Glu	Glu	Leu	Ser	Arg	Glu	Leu	Gln	Ala	Arg	Leu	Ala	Glu	Leu	Asn	Ala	
				165					170					175		
Glu	Asp	Gln	Asn	Arg	Trp	Asp	Tyr	Asp	Phe	Gln	Gln	Asp	Met	Pro	Leu	

180                      185                      190  
 Arg Gly Pro Gly Arg Leu Gln Trp Thr Glu Val Asp Ser Asp Ser Val  
           195                      200                      205  
 Pro Ala Phe Tyr Arg Glu Thr Val Gln Ile Phe Phe Ala Lys Arg Lys  
           210                      215                      220  
 Arg Ser Ala Pro Glu Lys Ser Ser Gly Asp Val Pro Ala Pro Cys Pro  
 225                      230                      235                      240  
 Ser Pro Ser Ala Ala Pro Gly Val Gly Ser Val Glu Gln Thr Pro Arg  
                     245                      250                      255  
 Lys Arg Leu Arg  
                     260

<210> 116  
 <211> 582  
 <212> PRT  
 <213> Homo sapiens

<400> 116  
 Met Met Thr Leu Arg His Leu Pro Phe Ile Leu Leu Leu Ile Leu Ser  
   1                      5                      10                      15  
 Gly Glu Leu Tyr Ala Glu Glu Lys Gln Cys Asp Phe Pro Thr Val Glu  
                     20                      25                      30  
 Asn Gly Arg Ile Ala Gln Tyr Tyr Tyr Thr Phe Lys Ser Phe Tyr Phe  
                     35                      40                      45  
 Pro Met Ser Val Asp Lys Lys Leu Ser Phe Phe Cys Leu Ala Gly Tyr  
                     50                      55                      60  
 Ala Thr Glu Ser Gly Lys Gln Glu Glu Gln Ile Arg Cys Thr Ala Glu  
   65                      70                      75                      80  
 Gly Trp Ser Pro Asn Pro Arg Cys Tyr Lys Lys Cys Leu Lys Pro Asp  
                     85                      90                      95  
 Leu Arg Asn Gly Tyr Val Ser Asn Asp Lys Val Leu Tyr Lys Leu Gln  
                     100                      105                      110  
 Glu Arg Met Ser Tyr Gly Cys Ser Ser Gly Tyr Lys Thr Thr Gly Gly  
                     115                      120                      125  
 Lys Asp Glu Glu Val Val His Cys Leu Ser Ala Gly Trp Ser Ser Gln  
                     130                      135                      140  
 Pro Ser Cys Arg Lys Glu Gln Glu Thr Cys Leu Ala Pro Glu Leu Glu  
 145                      150                      155                      160  
 His Gly Asn Tyr Ser Thr Thr Gln Arg Thr Phe Lys Val Lys Asp Ile  
                     165                      170                      175  
 Val Ala Tyr Thr Cys Thr Ala Gly Tyr Tyr Thr Thr Thr Gly Lys Gln  
                     180                      185                      190  
 Thr Gly Glu Ala Glu Cys Gln Ala Asn Gly Trp Ser Leu Thr Pro Gln

195					200					205					
Cys	Asn	Lys	Leu	Met	Cys	Ser	Ser	Leu	Arg	Leu	Ile	Glu	Asn	Gly	Tyr
210					215					220					
Phe	His	Pro	Val	Lys	Gln	Thr	Tyr	Glu	Glu	Gly	Asp	Val	Val	Gln	Phe
225					230					235					240
Phe	Cys	His	Glu	Asn	Tyr	Tyr	Leu	Ser	Gly	Ser	Asp	Leu	Ile	Gln	Cys
				245					250					255	
Tyr	Asn	Phe	Gly	Trp	Tyr	Pro	Glu	Ser	Pro	Ile	Cys	Glu	Gly	Arg	Arg
			260					265					270		
Asn	Arg	Cys	Pro	Pro	Pro	Pro	Val	Pro	Leu	Asn	Ser	Lys	Ile	Gln	Pro
		275					280					285			
His	Ser	Thr	Thr	Tyr	Arg	His	Gly	Glu	Arg	Val	His	Ile	Glu	Cys	Glu
	290					295					300				
Leu	Asn	Phe	Val	Ile	Gln	Gly	Ser	Glu	Glu	Leu	Leu	Cys	Glu	Asn	Gly
305					310					315					320
Lys	Trp	Thr	Glu	Pro	Pro	Lys	Cys	Ile	Glu	Glu	Lys	Glu	Lys	Val	Ala
				325					330					335	
Cys	Glu	Gln	Pro	Pro	Ser	Val	Glu	Asn	Gly	Val	Ala	His	Pro	His	Ser
			340					345					350		
Glu	Ile	Tyr	Tyr	Ser	Gly	Asp	Lys	Val	Thr	Tyr	Arg	Cys	Gly	Gly	Gly
	355						360					365			
Tyr	Ser	Leu	Arg	Gly	Ser	Ser	Thr	Ile	Thr	Cys	Asn	Arg	Gly	Arg	Trp
	370					375					380				
Thr	Leu	Pro	Pro	Glu	Cys	Val	Glu	Asn	Ile	Glu	Asn	Cys	Lys	Pro	Pro
385					390					395					400
Pro	Asp	Ile	Ala	Asn	Gly	Val	Val	Val	Asp	Gly	Leu	Leu	Ala	Ser	Tyr
				405					410					415	
Thr	Thr	Gly	Ser	Ser	Val	Glu	Tyr	Arg	Cys	Asn	Glu	Tyr	Tyr	Leu	Leu
			420					425					430		
Lys	Gly	Ser	Glu	Thr	Ser	Arg	Cys	Glu	Gln	Gly	Ala	Trp	Ser	Ser	Pro
		435					440					445			
Pro	Val	Cys	Leu	Glu	Pro	Cys	Thr	Ile	Asp	Val	Asp	His	Met	Asn	Arg
	450					455					460				
Asn	Asn	Ile	Gln	Leu	Lys	Trp	Lys	Tyr	Glu	Gly	Lys	Ile	Leu	His	Gly
465					470					475					480
Asp	Leu	Ile	Asp	Phe	Val	Cys	Lys	Gln	Gly	Tyr	Asn	Leu	Ser	Pro	Ser
				485					490					495	
Ile	Pro	Leu	Ser	Glu	Ile	Ser	Ala	Gln	Cys	Asn	Arg	Gly	Asp	Val	Arg
			500					505					510		
Tyr	Pro	Met	Cys	Ile	Arg	Lys	Glu	Ser	Lys	Gly	Met	Cys	Ala	Ser	Pro
		515					520					525			

Pro Val Ile Arg Asn Gly Asp Ile Val Ser Ser Ala Ala Arg Thr Tyr  
530 535 540

Glu Asn Gly Ser Ser Val Glu Tyr Arg Cys Phe Asp Asn His Phe Leu  
545 550 555 560

Gln Gly Ser Gln Asn Val Tyr Cys Val Asp Gly Val Trp Thr Thr Pro  
565 570 575

Pro Ser Cys Leu Glu Pro  
580

<210> 117

<211> 576

<212> PRT

<213> Homo sapiens

<400> 117

Met Pro Trp Gly Arg Arg Pro Thr Trp Leu Leu Leu Ala Phe Leu Leu  
1 5 10 15

Val Phe Leu Lys Ile Ser Ile Leu Ser Val Thr Ala Trp Gln Thr Gly  
20 25 30

Asn Cys Gln Pro Gly Pro Leu Glu Arg Ser Glu Arg Ser Gly Thr Cys  
35 40 45

Ala Gly Pro Ala Pro Phe Leu Val Phe Ser Gln Gly Lys Ser Ile Ser  
50 55 60

Arg Ile Trp Ala Ile Pro Ser Val Ile Arg Val Asn Lys Arg Thr Gly  
65 70 75 80

Gln Asn Arg Val Arg Leu Gln Gly Ser Met Leu Lys Pro Ser Ser Leu  
85 90 95

Val Val Val His Pro Leu Ala Lys Pro Gly Ala Asp Pro Cys Leu Tyr  
100 105 110

Arg Asn Gly Gly Cys Glu His Ile Cys Gln Glu Ser Leu Gly Thr Ala  
115 120 125

Arg Cys Leu Cys Arg Glu Gly Phe Val Lys Ala Trp Asp Gly Lys Met  
130 135 140

Cys Leu Pro Gln Asp Tyr Pro Ile Leu Ser Gly Glu Asn Ala Asp Leu  
145 150 155 160

Ser Lys Glu Val Thr Ser Leu Ser Asn Ser Thr Gln Ala Glu Val Pro  
165 170 175

Asp Asp Asp Gly Thr Glu Ser Ser Thr Leu Val Ala Glu Ile Met Val  
180 185 190

Ser Gly Met Asn Tyr Glu Asp Asp Cys Gly Pro Gly Gly Cys Gly Ser  
195 200 205

His Ala Arg Cys Val Ser Asp Gly Glu Thr Ala Glu Cys Gln Cys Leu  
210 215 220

Lys Gly Phe Ala Arg Asp Gly Asn Leu Cys Ser Asp Ile Asp Glu Cys  
 225 230 235 240  
 Val Leu Ala Arg Ser Asp Cys Pro Ser Thr Ser Ser Arg Cys Ile Asn  
 245 250 255  
 Thr Glu Gly Gly Tyr Val Cys Arg Cys Ser Glu Gly Tyr Glu Gly Asp  
 260 265 270  
 Gly Ile Ser Cys Phe Asp Ile Asp Glu Cys Gln Arg Gly Ala His Asn  
 275 280 285  
 Cys Ala Glu Asn Ala Ala Cys Thr Asn Thr Glu Gly Gly Tyr Asn Cys  
 290 295 300  
 Thr Cys Ala Gly Arg Pro Ser Ser Pro Gly Leu Ser Cys Pro Asp Ser  
 305 310 315 320  
 Thr Ala Pro Ser Leu Leu Gly Glu Asp Gly His His Leu Asp Arg Asn  
 325 330 335  
 Ser Tyr Pro Gly Cys Pro Ser Ser Tyr Asp Gly Tyr Cys Leu Asn Gly  
 340 345 350  
 Gly Val Cys Met His Ile Glu Ser Leu Asp Ser Tyr Thr Cys Asn Cys  
 355 360 365  
 Val Ile Gly Tyr Ser Gly Asp Arg Cys Gln Thr Arg Asp Leu Arg Trp  
 370 375 380  
 Trp Glu Leu Arg His Ala Gly Tyr Gly Gln Lys His Asp Ile Met Val  
 385 390 395 400  
 Val Ala Val Cys Met Val Ala Leu Val Leu Leu Leu Leu Gly Met  
 405 410 415  
 Trp Gly Thr Tyr Tyr Tyr Arg Thr Arg Lys Gln Leu Ser Asn Pro Pro  
 420 425 430  
 Lys Asn Pro Cys Asp Glu Pro Ser Gly Ser Val Ser Ser Ser Gly Pro  
 435 440 445  
 Asp Ser Ser Ser Gly Ala Ala Val Ala Ser Cys Pro Gln Pro Trp Phe  
 450 455 460  
 Val Val Leu Glu Lys His Gln Asp Pro Lys Asn Gly Ser Leu Pro Ala  
 465 470 475 480  
 Asp Gly Thr Asn Gly Ala Val Val Asp Ala Gly Leu Ser Pro Ser Leu  
 485 490 495  
 Gln Leu Gly Ser Val His Leu Thr Ser Trp Arg Gln Lys Pro His Ile  
 500 505 510  
 Asp Gly Met Gly Thr Gly Gln Ser Cys Trp Ile Pro Pro Ser Ser Asp  
 515 520 525  
 Arg Gly Pro Gln Glu Ile Glu Gly Asn Ser His Leu Pro Ser Tyr Arg  
 530 535 540

Pro Val Gly Pro Glu Lys Leu His Ser Leu Gln Ser Ala Asn Gly Ser  
545 550 555 560

Cys His Glu Arg Ala Pro Asp Leu Pro Arg Gln Thr Glu Pro Val Gln  
565 570 575

<210> 118

<211> 550

<212> PRT

<213> Homo sapiens

<400> 118

Met Pro Trp Gly Arg Arg Pro Thr Trp Leu Leu Leu Ala Phe Leu Leu  
1 5 10 15

Val Phe Leu Lys Ile Ser Ile Leu Ser Val Thr Ala Trp Gln Thr Gly  
20 25 30

Asn Cys Gln Pro Gly Pro Leu Glu Arg Ser Glu Arg Ser Gly Thr Cys  
35 40 45

Ala Gly Pro Ala Pro Phe Leu Val Phe Ser Gln Gly Lys Ser Ile Ser  
50 55 60

Arg Ile Asp Pro Asp Gly Thr Asn His Gln Gln Leu Val Val Asp Ala  
65 70 75 80

Gly Ile Ser Ala Asp Met Asp Ile His Tyr Lys Lys Glu Arg Leu Tyr  
85 90 95

Trp Val Asp Val Glu Arg Gln Val Leu Leu Arg Val Phe Leu Asn Gly  
100 105 110

Thr Gly Leu Glu Lys Val Cys Asn Val Glu Arg Lys Val Ser Gly Leu  
115 120 125

Ala Ile Asp Trp Ile Asp Asp Glu Val Leu Trp Val Asp Gln Gln Asn  
130 135 140

Gly Val Ile Thr Val Thr Asp Met Thr Gly Lys Asn Ser Arg Val Leu  
145 150 155 160

Leu Ser Ser Leu Lys His Pro Ser Asn Ile Ala Val Asp Pro Ile Glu  
165 170 175

Arg Leu Met Phe Trp Ser Ser Glu Val Thr Gly Ser Leu His Arg Ala  
180 185 190

His Leu Lys Gly Val Asp Val Lys Thr Leu Leu Glu Thr Gly Gly Ile  
195 200 205

Ser Val Leu Thr Leu Asp Val Leu Asp Lys Arg Leu Phe Trp Val Gln  
210 215 220

Asp Ser Gly Glu Gly Ser His Ala Tyr Ile His Ser Cys Asp Tyr Glu  
225 230 235 240

Gly Gly Ser Val Arg Leu Ile Arg His Gln Ala Arg His Ser Leu Ser  
 245 250 255  
 Ser Met Ala Phe Phe Gly Asp Arg Ile Phe Tyr Ser Val Leu Lys Ser  
 260 265 270  
 Lys Ala Ile Trp Ile Ala Asn Lys His Thr Gly Lys Asp Thr Val Arg  
 275 280 285  
 Ile Asn Leu His Pro Ser Phe Val Thr Pro Gly Lys Leu Met Val Val  
 290 295 300  
 His Pro Arg Ala Gln Pro Arg Thr Glu Asp Ala Ala Lys Asp Pro Asp  
 305 310 315 320  
 Pro Glu Leu Leu Lys Gln Arg Gly Arg Pro Cys Arg Phe Gly Leu Cys  
 325 330 335  
 Glu Arg Asp Pro Lys Ser His Ser Ser Ala Cys Ala Glu Gly Tyr Thr  
 340 345 350  
 Leu Ser Arg Asp Arg Lys Tyr Cys Glu Asp Val Asn Glu Cys Ala Thr  
 355 360 365  
 Gln Asn His Gly Cys Thr Leu Gly Cys Glu Asn Thr Pro Gly Ser Tyr  
 370 375 380  
 His Cys Thr Cys Pro Thr Gly Phe Val Leu Leu Pro Asp Gly Lys Gln  
 385 390 395 400  
 Cys His Glu Leu Val Ser Cys Pro Gly Asn Val Ser Lys Cys Ser His  
 405 410 415  
 Gly Cys Val Leu Thr Ser Asp Gly Pro Arg Cys Ile Cys Pro Ala Gly  
 420 425 430  
 Ser Val Leu Gly Arg Asp Gly Lys Thr Cys Thr Gly Cys Ser Ser Pro  
 435 440 445  
 Asp Asn Gly Gly Cys Ser Gln Ile Cys Leu Pro Leu Arg Pro Gly Ser  
 450 455 460  
 Trp Glu Cys Asp Cys Phe Pro Gly Tyr Asp Leu Gln Ser Asp Arg Lys  
 465 470 475 480  
 Ser Cys Ala Ala Ser Gly Pro Gln Pro Leu Leu Leu Phe Ala Asn Ser  
 485 490 495  
 Gln Asp Ile Arg His Met His Phe Asp Gly Thr Asp Tyr Lys Val Leu  
 500 505 510  
 Leu Ser Arg Gln Met Gly Met Val Phe Ala Leu Asp Tyr Asp Pro Val  
 515 520 525  
 Glu Ser Lys Ile Tyr Phe Ala Gln Thr Ala Leu Lys Trp Ile Glu Arg  
 530 535 540  
 Ala Asn Met Asp Gly Ser  
 545 550

<210> 119  
 <211> 163  
 <212> PRT  
 <213> Homo sapiens

<400> 119  
 Met Pro Trp Gly Arg Arg Pro Thr Trp Leu Leu Leu Ala Phe Leu Leu  
   1                  5                  10                  15  
 Val Phe Leu Lys Ile Ser Ile Leu Ser Val Thr Ala Trp Gln Thr Gly  
                   20                  25                  30  
 Asn Cys Gln Pro Gly Pro Leu Glu Arg Ser Glu Arg Ser Gly Thr Cys  
           35                  40                  45  
 Ala Gly Pro Ala Pro Phe Leu Val Phe Ser Gln Gly Lys Ser Ile Ser  
   50                  55                  60  
 Arg Ile Trp Ala Ile Pro Ser Val Ile Arg Val Asn Lys Arg Thr Gly  
   65                  70                  75                  80  
 Gln Asn Arg Val Arg Leu Gln Gly Ser Met Leu Lys Pro Ser Ser Leu  
                   85                  90                  95  
 Val Val Val His Pro Leu Ala Lys Pro Gly Ala Asp Pro Cys Leu Tyr  
                   100                  105                  110  
 Arg Asn Gly Gly Cys Gln His Ile Cys Gln Glu Ser Leu Gly Thr Ala  
   115                  120                  125  
 Arg Cys Leu Cys Arg Glu Gly Phe Val Lys Ala Trp Asp Gly Lys Met  
   130                  135                  140  
 Cys Leu Pro Gln Asp Tyr Pro Ile Leu Ser Gly Glu Asn Ala His Asn  
   145                  150                  155                  160  
 Cys Ala Phe

<210> 120  
 <211> 376  
 <212> PRT  
 <213> Homo sapiens

<400> 120  
 Met Pro Trp Gly Arg Arg Pro Thr Trp Leu Leu Leu Ala Phe Leu Leu  
   1                  5                  10                  15  
 Val Ser Ala Glu Cys Gln Cys Leu Lys Gly Phe Ala Arg Asp Gly Asn  
                   20                  25                  30  
 Leu Cys Ser Asp Ile Asp Glu Cys Val Leu Ala Arg Ser Asp Cys Pro  
           35                  40                  45  
 Ser Thr Ser Ser Arg Cys Ile Asn Thr Glu Gly Gly Tyr Val Cys Arg  
   50                  55                  60  
 Cys Ser Glu Gly Tyr Glu Gly Asp Gly Ile Ser Cys Phe Asp Ile Asp  
   65                  70                  75                  80



Glu Cys Gln Arg Gly Ala His Asn Cys Ala Glu Asn Ala Ala Cys Thr  
                     85                                    90                                    95  
 Asn Thr Glu Gly Gly Tyr Asn Cys Thr Cys Ala Gly Arg Pro Ser Ser  
                     100                                    105                                    110  
 Pro Gly Leu Ser Cys Pro Asp Ser Thr Ala Pro Ser Leu Leu Gly Glu  
                     115                                    120                                    125  
 Asp Gly His His Leu Asp Arg Asn Ser Tyr Pro Gly Cys Pro Ser Ser  
                     130                                    135                                    140  
 Tyr Asp Gly Tyr Cys Leu Asn Gly Gly Val Cys Met His Ile Glu Ser  
                     145                                    150                                    155                                    160  
 Leu Asp Ser Tyr Thr Cys Asn Cys Val Ile Gly Tyr Ser Gly Asp Arg  
                     165                                    170                                    175  
 Cys Gln Thr Arg Asp Leu Arg Trp Trp Glu Leu Arg His Ala Gly Tyr  
                     180                                    185                                    190  
 Gly Gln Lys His Asp Ile Met Val Val Ala Val Cys Met Val Ala Leu  
                     195                                    200                                    205  
 Val Leu Leu Leu Leu Leu Gly Met Trp Gly Thr Tyr Tyr Tyr Arg Thr  
                     210                                    215                                    220  
 Arg Lys Gln Leu Ser Asn Pro Pro Lys Asn Pro Cys Asp Glu Pro Ser  
                     225                                    230                                    235                                    240  
 Gly Ser Val Ser Ser Ser Gly Pro Asp Ser Ser Ser Gly Ala Ala Val  
                     245                                    250                                    255  
 Ala Ser Cys Pro Gln Pro Trp Phe Val Val Leu Glu Lys His Gln Asp  
                     260                                    265                                    270  
 Pro Lys Asn Gly Ser Leu Pro Ala Asp Gly Thr Asn Gly Ala Val Val  
                     275                                    280                                    285  
 Asp Ala Gly Leu Ser Pro Ser Leu Gln Leu Gly Ser Val His Leu Thr  
                     290                                    295                                    300  
 Ser Trp Arg Gln Lys Pro His Ile Asp Gly Met Gly Thr Gly Gln Ser  
                     305                                    310                                    315                                    320  
 Cys Trp Ile Pro Pro Ser Ser Asp Arg Gly Pro Gln Glu Ile Glu Gly  
                     325                                    330                                    335  
 Asn Ser His Leu Pro Ser Tyr Arg Pro Val Gly Pro Glu Lys Leu His  
                     340                                    345                                    350  
 Ser Leu Gln Ser Ala Asn Gly Ser Cys His Glu Arg Ala Pro Asp Leu  
                     355                                    360                                    365  
 Pro Arg Gln Thr Glu Pro Val Gln  
                     370                                    375

&lt;210&gt; 121

&lt;211&gt; 444

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 121

Met Pro Trp Gly Arg Lys Ala Trp Asp Gly Lys Met Cys Leu Pro Gln  
 1 5 10 15

Asp Tyr Pro Ile Leu Ser Gly Glu Asn Ala Asp Leu Ser Lys Glu Val  
 20 25 30

Thr Ser Leu Ser Asn Ser Thr Gln Ala Glu Val Pro Asp Asp Asp Gly  
 35 40 45

Thr Glu Ser Ser Thr Leu Val Ala Glu Ile Met Val Ser Gly Met Asn  
 50 55 60

Tyr Glu Asp Asp Cys Gly Pro Gly Gly Cys Gly Ser His Ala Arg Cys  
 65 70 75 80

Val Ser Asp Gly Glu Thr Ala Glu Cys Gln Cys Leu Lys Gly Phe Ala  
 85 90 95

Arg Asp Gly Asn Leu Cys Ser Asp Ile Asp Glu Cys Val Leu Ala Arg  
 100 105 110

Ser Asp Cys Pro Ser Thr Ser Ser Arg Cys Ile Asn Thr Glu Gly Gly  
 115 120 125

Tyr Val Cys Arg Cys Ser Glu Gly Tyr Glu Gly Asp Gly Ile Ser Cys  
 130 135 140

Phe Asp Ile Asp Glu Cys Gln Arg Gly Ala His Asn Cys Ala Glu Asn  
 145 150 155 160

Ala Ala Cys Thr Asn Thr Glu Gly Gly Tyr Asn Cys Thr Cys Ala Gly  
 165 170 175

Arg Pro Ser Ser Pro Gly Leu Ser Cys Pro Asp Ser Thr Ala Pro Ser  
 180 185 190

Leu Leu Gly Glu Asp Gly His His Leu Asp Arg Asn Ser Tyr Pro Gly  
 195 200 205

Cys Pro Ser Ser Tyr Asp Gly Tyr Cys Leu Asn Gly Gly Val Cys Met  
 210 215 220

His Ile Glu Ser Leu Asp Ser Tyr Thr Cys Asn Cys Val Ile Gly Tyr  
 225 230 235 240

Ser Gly Asp Arg Cys Gln Thr Arg Asp Leu Arg Trp Trp Glu Leu Arg  
 245 250 255

His Ala Gly Tyr Gly Gln Lys His Asp Ile Met Val Val Ala Val Cys  
 260 265 270

Met Val Ala Leu Val Leu Leu Leu Leu Gly Met Trp Gly Thr Tyr  
 275 280 285

Tyr Tyr Arg Thr Arg Lys Gln Leu Ser Asn Pro Pro Lys Asn Pro Cys  
 290 295 300

Asp Glu Pro Ser Gly Ser Val Ser Ser Ser Gly Pro Asp Ser Ser Ser

305	310										315					320				
Gly	Ala	Ala	Val	Ala	Ser	Cys	Pro	Gln	Pro	Trp	Phe	Val	Val	Leu	Glu					
				325					330					335						
Lys	His	Gln	Asp	Pro	Lys	Asn	Gly	Ser	Leu	Pro	Ala	Asp	Gly	Thr	Asn					
			340					345					350							
Gly	Ala	Val	Val	Asp	Ala	Gly	Leu	Ser	Pro	Ser	Leu	Gln	Leu	Gly	Ser					
		355					360					365								
Val	His	Leu	Thr	Ser	Trp	Arg	Gln	Lys	Pro	His	Ile	Asp	Gly	Met	Gly					
	370					375					380									
Thr	Gly	Gln	Ser	Cys	Trp	Ile	Pro	Pro	Ser	Ser	Asp	Arg	Gly	Pro	Gln					
385					390					395					400					
Glu	Ile	Glu	Gly	Asn	Ser	His	Leu	Pro	Ser	Tyr	Arg	Pro	Val	Gly	Pro					
				405					410					415						
Glu	Lys	Leu	His	Ser	Leu	Gln	Ser	Ala	Asn	Gly	Ser	Cys	His	Glu	Arg					
			420					425					430							
Ala	Pro	Asp	Leu	Pro	Arg	Gln	Thr	Glu	Pro	Val	Gln									
		435					440													

```
<210> 122
<211> 54
<212> PRT
<213> Homo sapiens
```

```

<400> 122
Met Phe Arg Glu Leu Asn Glu Ala Leu Glu Leu Lys Asp Ala His Ala
 1             5             10             15

Thr Glu Glu Ser Gly Asp Ser Arg Ala His Ser Ser Tyr Leu Lys Thr
          20             25             30

Lys Lys Gly Gln Ser Thr Ser Arg His Lys Lys Thr Met Val Lys Lys
          35             40             45

Val Gly Pro Asp Ser Asp
    50

```

```
<210> 123
<211> 855
<212> PRT
<213> Homo sapiens
```

```

<400> 123
Met Lys Tyr Pro Val Trp Pro Arg Tyr Ser Ala Ser Leu Gln Pro Val
 1             5             10             15
Val Asp Ser Arg His Leu Thr Val Ala Thr Leu Glu Glu Arg Pro Phe
 20             25             30
Val Ile Val Glu Ser Pro Asp Pro Gly Thr Gly Gly Cys Val Pro Asn
 35             40             45

```

Thr Val Pro Cys Arg Arg Gln Ser Asn His Thr Phe Ser Ser Gly Asp  
 50 55 60  
 Val Ala Pro Tyr Thr Lys Leu Cys Cys Lys Gly Phe Cys Ile Asp Ile  
 65 70 75 80  
 Leu Lys Lys Leu Ala Arg Val Val Lys Phe Ser Tyr Asp Leu Tyr Leu  
 85 90 95  
 Val Thr Asn Gly Lys His Gly Lys Arg Val Arg Gly Val Trp Asn Gly  
 100 105 110  
 Met Ile Gly Glu Val Tyr Tyr Lys Arg Ala Asp Met Ala Ile Gly Ser  
 115 120 125  
 Leu Thr Ile Asn Glu Glu Arg Ser Glu Ile Val Asp Phe Ser Val Pro  
 130 135 140  
 Phe Val Glu Thr Gly Ile Ser Val Met Val Ala Arg Ser Asn Gly Thr  
 145 150 155 160  
 Val Ser Pro Ser Ala Phe Leu Glu Pro Tyr Ser Pro Ala Val Trp Val  
 165 170 175  
 Met Met Phe Val Met Cys Leu Thr Val Val Ala Ile Thr Val Phe Met  
 180 185 190  
 Phe Glu Tyr Phe Ser Pro Val Ser Tyr Asn Gln Asn Leu Thr Arg Gly  
 195 200 205  
 Lys Lys Ser Gly Gly Pro Ala Phe Thr Ile Gly Lys Ser Val Trp Leu  
 210 215 220  
 Leu Trp Ala Leu Val Phe Asn Asn Ser Val Pro Ile Glu Asn Pro Arg  
 225 230 235 240  
 Gly Thr Thr Ser Lys Ile Met Val Leu Val Trp Ala Phe Phe Ala Val  
 245 250 255  
 Ile Phe Leu Ala Ser Tyr Thr Ala Asn Leu Ala Ala Phe Met Ile Gln  
 260 265 270  
 Glu Gln Tyr Ile Asp Thr Val Ser Gly Leu Ser Asp Lys Lys Phe Gln  
 275 280 285  
 Arg Pro Gln Asp Gln Tyr Pro Pro Phe Arg Phe Gly Thr Val Pro Asn  
 290 295 300  
 Gly Ser Thr Glu Arg Asn Ile Arg Ser Asn Tyr Arg Asp Met His Thr  
 305 310 315 320  
 His Met Val Lys Phe Asn Gln Arg Ser Val Glu Asp Ala Leu Thr Ser  
 325 330 335  
 Leu Lys Met Gly Lys Leu Asp Ala Phe Ile Tyr Asp Ala Ala Val Leu  
 340 345 350  
 Asn Tyr Met Ala Gly Lys Asp Glu Gly Cys Lys Leu Val Thr Ile Gly  
 355 360 365  
 Ser Gly Lys Val Phe Ala Thr Thr Gly Tyr Gly Ile Ala Met Gln Lys

370					375					380					
Asp 385	Ser	His	Trp	Lys	Arg 390	Ala	Ile	Asp	Leu	Ala 395	Leu	Leu	Gln	Phe	Leu 400
Gly	Asp	Gly	Glu	Thr 405	Gln	Lys	Leu	Glu	Thr 410	Val	Trp	Leu	Ser	Gly 415	Ile
Cys	Gln	Asn	Glu 420	Lys	Asn	Glu	Val	Met 425	Ser	Ser	Lys	Leu	Asp 430	Ile	Asp
Asn	Met 435	Ala	Gly	Val	Phe	Tyr	Met 440	Leu	Leu	Val	Ala	Met 445	Gly	Leu	Ala
Leu 450	Leu	Val	Phe	Ala	Trp	Glu 455	His	Leu	Val	Tyr	Trp 460	Lys	Leu	Arg	His
Ser 465	Val	Pro	Asn	Ser	Ser 470	Gln	Leu	Asp	Phe	Leu 475	Leu	Ala	Phe	Ser	Arg 480
Gly	Ile	Tyr	Ser	Cys 485	Phe	Ser	Gly	Val	Gln 490	Ser	Leu	Ala	Ser	Pro 495	Pro
Arg	Gln	Ala	Ser 500	Pro	Asp	Leu	Thr	Ala 505	Ser	Ser	Ala	Gln	Ala 510	Ser	Val
Leu	Lys 515	Met	Leu	Gln	Ala	Ala	Arg 520	Asp	Met	Val	Thr	Thr 525	Ala	Gly	Val
Ser 530	Ser	Ser	Leu	Asp	Arg	Ala 535	Thr	Arg	Thr	Ile	Glu 540	Asn	Trp	Gly	Gly
Gly 545	Arg	Arg	Ala	Pro	Pro 550	Pro	Ser	Pro	Cys	Pro 555	Thr	Pro	Arg	Ser	Gly 560
Pro	Ser	Pro	Cys	Leu 565	Pro	Thr	Pro	Asp	Pro 570	Pro	Pro	Glu	Pro	Ser 575	Pro
Thr	Gly	Trp	Gly 580	Pro	Pro	Asp	Gly	Gly 585	Arg	Ala	Ala	Leu	Val 590	Arg	Arg
Ala	Pro 595	Gln	Pro	Pro	Gly	Arg	Pro 600	Pro	Thr	Pro	Gly	Pro 605	Pro	Leu	Ser
Asp 610	Val	Ser	Arg	Val	Ser	Arg 615	Arg	Pro	Ala	Trp	Glu 620	Ala	Arg	Trp	Pro
Val 625	Arg	Thr	Gly	His	Cys 630	Gly	Arg	His	Leu	Ser 635	Ala	Ser	Glu	Arg	Pro 640
Leu	Ser	Pro	Ala	Arg 645	Cys	His	Tyr	Ser	Ser 650	Phe	Pro	Arg	Ala 655	Asp	Arg
Ser	Gly	Arg	Pro 660	Phe	Leu	Pro	Leu	Phe 665	Pro	Glu	Pro	Pro	Glu 670	Leu	Glu
Asp	Leu 675	Pro	Leu	Leu	Gly	Pro	Glu 680	Gln	Leu	Ala	Arg	Arg 685	Glu	Ala	Leu
Leu 690	His	Ala	Ala	Trp	Ala	Arg 695	Gly	Ser	Arg	Pro	Arg 700	His	Ala	Ser	Leu

Pro Ser Ser Val Ala Glu Ala Phe Ala Arg Pro Ser Ser Leu Pro Ala  
 705 710 715 720  
 Gly Cys Thr Gly Pro Ala Cys Ala Arg Pro Asp Gly His Ser Ala Cys  
 725 730 735  
 Arg Arg Leu Ala Gln Ala Gln Ser Met Cys Leu Pro Ile Tyr Arg Glu  
 740 745 750  
 Ala Cys Gln Glu Gly Glu Gln Ala Gly Ala Pro Ala Trp Gln His Arg  
 755 760 765  
 Gln His Val Cys Leu His Ala His Ala His Leu Pro Phe Cys Trp Gly  
 770 775 780  
 Ala Val Cys Pro His Leu Pro Pro Cys Ala Ser His Gly Ser Trp Leu  
 785 790 795 800  
 Ser Gly Ala Trp Gly Pro Leu Gly His Arg Gly Arg Thr Leu Gly Leu  
 805 810 815  
 Gly Thr Gly Tyr Arg Asp Ser Gly Gly Leu Asp Glu Ile Ser Xaa Val  
 820 825 830  
 Ala Arg Gly Thr Gln Gly Phe Pro Gly Pro Cys Thr Trp Arg Arg Ile  
 835 840 845  
 Ser Ser Leu Glu Ser Glu Val  
 850 855

<210> 124  
 <211> 665  
 <212> PRT  
 <213> Homo sapiens

<400> 124  
 Met Arg Leu Ala Val Gly Ala Leu Leu Val Cys Ala Val Leu Gly Leu  
 1 5 10 15  
 Cys Leu Ala Val Pro Asp Lys Thr Val Arg Trp Cys Ala Val Ser Glu  
 20 25 30  
 His Glu Ala Thr Lys Cys Gln Ser Phe Arg Asp His Met Lys Ser Val  
 35 40 45  
 Ile Pro Ser Asp Gly Pro Ser Val Ala Cys Val Lys Lys Ala Ser Tyr  
 50 55 60  
 Leu Asp Cys Ile Arg Ala Ile Ala Ala Asn Glu Ala Asp Ala Val Thr  
 65 70 75 80  
 Leu Asp Ala Gly Leu Val Tyr Asp Ala Tyr Leu Ala Pro Asn Asn Leu  
 85 90 95  
 Lys Pro Val Val Ala Glu Phe Tyr Gly Ser Lys Glu Asp Pro Gln Thr  
 100 105 110  
 Phe Tyr Tyr Ala Val Ala Val Val Lys Lys Asp Ser Gly Phe Gln Met  
 115 120 125

Asn Gln Leu Arg Gly Lys Lys Ser Cys His Thr Gly Leu Gly Arg Ser  
 130 135 140  
 Ala Gly Trp Asn Ile Pro Ile Gly Leu Leu Tyr Cys Asp Leu Pro Glu  
 145 150 155 160  
 Pro Arg Lys Pro Leu Glu Lys Ala Val Ala Asn Phe Phe Ser Gly Ser  
 165 170 175  
 Cys Ala Pro Cys Ala Asp Gly Thr Asp Phe Pro Gln Leu Cys Gln Leu  
 180 185 190  
 Cys Pro Gly Cys Gly Cys Ser Thr Leu Asn Gln Tyr Phe Gly Tyr Ser  
 195 200 205  
 Gly Ala Phe Lys Cys Leu Lys Asp Gly Ala Gly Asp Val Ala Phe Val  
 210 215 220  
 Lys His Ser Thr Ile Phe Glu Asn Leu Ala Asn Lys Ala Asp Arg Asp  
 225 230 235 240  
 Gln Tyr Glu Leu Leu Cys Leu Asp Asn Thr Arg Lys Pro Val Asp Glu  
 245 250 255  
 Tyr Lys Asp Cys His Leu Ala Gln Val Pro Ser His Thr Val Val Ala  
 260 265 270  
 Arg Ser Met Gly Gly Lys Glu Asp Leu Ile Trp Glu Leu Leu Asn Gln  
 275 280 285  
 Ala Gln Glu His Phe Gly Lys Asp Lys Ser Lys Glu Phe Gln Leu Phe  
 290 295 300  
 Ser Ser Pro His Gly Lys Asp Leu Leu Phe Lys Asp Ser Ala His Gly  
 305 310 315 320  
 Phe Leu Lys Val Pro Pro Arg Met Asp Ala Lys Met Tyr Leu Gly Tyr  
 325 330 335  
 Glu Tyr Val Thr Ala Ile Arg Asn Leu Arg Glu Gly Thr Cys Pro Glu  
 340 345 350  
 Ala Pro Thr Asp Glu Cys Lys Pro Val Lys Trp Cys Ala Leu Ser His  
 355 360 365  
 His Glu Arg Leu Lys Cys Asp Glu Trp Ser Val Asn Ser Val Gly Lys  
 370 375 380  
 Ile Glu Cys Val Ser Ala Glu Thr Thr Glu Asp Cys Ile Ala Lys Ile  
 385 390 395 400  
 Met Asn Gly Glu Ala Asp Ala Met Ser Leu Asp Gly Gly Phe Val Tyr  
 405 410 415  
 Ile Ala Gly Lys Cys Gly Leu Val Pro Val Leu Ala Glu Asn Tyr Asn  
 420 425 430  
 Lys Ser Asp Asn Cys Glu Asp Thr Pro Glu Ala Gly Tyr Phe Ala Val  
 435 440 445

Ala Val Val Lys Lys Ser Ala Ser Asp Leu Thr Trp Asp Asn Leu Lys  
 450 455 460  
 Gly Lys Lys Ser Cys His Thr Ala Phe Gly Arg Thr Ala Gly Trp Asn  
 465 470 475 480  
 Ile Pro Met Gly Leu Leu Tyr Asn Lys Ile Asn His Cys Arg Phe Asp  
 485 490 495  
 Glu Phe Phe Ser Glu Gly Cys Ala Pro Gly Ser Lys Lys Asp Ser Ser  
 500 505 510  
 Leu Cys Lys Leu Cys Met Gly Ser Gly Leu Asn Leu Cys Glu Pro Asn  
 515 520 525  
 Asn Lys Glu Gly Tyr Tyr Gly Tyr Thr Gly Ala Phe Arg Cys Leu Val  
 530 535 540  
 Glu Lys Gly Asp Val Ala Phe Val Lys His Gln Thr Val Pro Gln Asn  
 545 550 555 560  
 Thr Gly Gly Lys Asn Pro Asp Pro Trp Ala Lys Asn Leu Asn Glu Lys  
 565 570 575  
 Asp Tyr Glu Leu Leu Cys Leu Asp Gly Thr Arg Lys Pro Val Glu Glu  
 580 585 590  
 Tyr Ala Asn Cys His Leu Ala Arg Ala Pro Asn His Ala Val Val Thr  
 595 600 605  
 Arg Lys Asp Lys Glu Ala Cys Val His Lys Ile Leu Arg Gln Gln Gln  
 610 615 620  
 His Leu Phe Gly Ser Asn Val Thr Asp Cys Ser Gly Asn Phe Cys Leu  
 625 630 635 640  
 Phe Arg Ser Glu Thr Lys Asp Leu Leu Phe Arg Asp Asp Thr His Leu  
 645 650 655  
 Leu Glu Ala Cys Thr Phe Arg Arg Pro ;  
 660 665

&lt;210&gt; 125

&lt;211&gt; 646

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 125

Met Arg Leu Ala Val Gly Ala Leu Leu Val Cys Ala Val Leu Gly Leu  
 1 5 10 15  
 Cys Leu Ala Val Pro Asp Lys Thr Val Arg Trp Cys Ala Val Ser Glu  
 20 25 30  
 His Glu Ala Thr Lys Cys Gln Ser Phe Arg Asp His Met Lys Ser Val  
 35 40 45  
 Ile Pro Ser Asp Gly Pro Ser Val Ala Cys Val Lys Lys Ala Ser Tyr  
 50 55 60



Leu Asp Cys Ile Arg Ala Ile Ala Ala Asn Glu Ala Asp Ala Val Thr  
 65 70 75 80  
 Leu Asp Ala Gly Leu Val Tyr Asp Ala Tyr Leu Ala Pro Asn Asn Leu  
 85 90 95  
 Lys Pro Val Val Ala Glu Phe Tyr Gly Ser Lys Glu Asp Pro Gln Thr  
 100 105 110  
 Phe Tyr Tyr Ala Val Ala Val Val Lys Lys Asp Ser Gly Phe Gln Met  
 115 120 125  
 Asn Gln Leu Arg Gly Lys Lys Ser Cys His Thr Gly Leu Gly Arg Ser  
 130 135 140  
 Ala Gly Trp Asn Ile Pro Ile Gly Leu Leu Tyr Cys Asp Leu Pro Glu  
 145 150 155 160  
 Pro Arg Lys Pro Leu Glu Lys Ala Val Ala Asn Phe Phe Ser Gly Ser  
 165 170 175  
 Cys Ala Pro Cys Ala Asp Gly Thr Asp Phe Pro Gln Leu Cys Gln Leu  
 180 185 190  
 Cys Pro Gly Cys Gly Cys Ser Thr Leu Asn Gln Tyr Phe Gly Tyr Ser  
 195 200 205  
 Gly Ala Phe Lys Cys Leu Lys Asp Gly Ala Gly Asp Val Ala Phe Val  
 210 215 220  
 Lys His Ser Thr Ile Phe Glu Asn Leu Ala Asn Lys Ala Asp Arg Asp  
 225 230 235 240  
 Gln Tyr Glu Leu Leu Cys Leu Asp Asn Thr Arg Lys Pro Val Asp Glu  
 245 250 255  
 Tyr Lys Asp Cys His Leu Ala Gln Val Pro Ser His Thr Val Val Ala  
 260 265 270  
 Arg Ser Met Gly Gly Lys Glu Asp Leu Ile Trp Glu Leu Leu Asn Gln  
 275 280 285  
 Ala Gln Glu His Phe Gly Lys Asp Lys Ser Lys Glu Phe Gln Leu Phe  
 290 295 300  
 Ser Ser Pro His Gly Lys Asp Leu Leu Phe Lys Asp Ser Ala His Gly  
 305 310 315 320  
 Phe Leu Lys Val Pro Pro Arg Met Asp Ala Lys Met Tyr Leu Gly Tyr  
 325 330 335  
 Glu Tyr Val Thr Ala Ile Arg Asn Leu Arg Glu Gly Thr Cys Pro Glu  
 340 345 350  
 Ala Pro Thr Asp Glu Cys Lys Pro Val Lys Trp Cys Ala Leu Ser His  
 355 360 365  
 His Glu Arg Leu Lys Cys Asp Glu Trp Ser Val Asn Ser Val Gly Lys  
 370 375 380  
 Ile Glu Cys Val Ser Ala Glu Thr Thr Glu Asp Cys Ile Ala Lys Ile

385                      390                      395                      400  
 Met Asn Gly Glu Ala Asp Ala Met Ser Leu Asp Gly Gly Phe Val Tyr  
                                  405                      410                      415  
 Ile Ala Gly Lys Cys Gly Leu Val Pro Val Leu Ala Glu Asn Tyr Asn  
                                  420                      425                      430  
 Lys Ser Asp Asn Cys Glu Asp Thr Pro Glu Ala Gly Tyr Phe Ala Glu  
                                  435                      440                      445  
 Glu Gly Cys Ala Pro Gly Ser Lys Lys Asp Ser Ser Leu Cys Lys Leu  
                                  450                      455                      460  
 Cys Met Gly Ser Gly Leu Asn Leu Cys Glu Pro Asn Asn Lys Glu Gly  
 465                                   470                      475                      480  
 Tyr Tyr Gly Tyr Thr Gly Ala Phe Arg Cys Leu Val Glu Lys Gly Asp  
                                  485                      490                      495  
 Val Ala Phe Val Lys His Gln Thr Val Pro Gln Asn Thr Gly Gly Lys  
                                  500                      505                      510  
 Asn Pro Asp Pro Trp Ala Lys Asn Leu Asn Glu Lys Asp Tyr Glu Leu  
                                  515                      520                      525  
 Leu Cys Leu Asp Gly Thr Arg Lys Pro Val Glu Glu Tyr Ala Asn Cys  
                                  530                      535                      540  
 His Leu Ala Arg Ala Pro Asn His Ala Val Val Thr Arg Lys Asp Lys  
 545                                   550                      555                      560  
 Glu Ala Cys Val His Lys Ile Leu Arg Gln Gln Gln His Leu Phe Gly  
                                  565                      570                      575  
 Ser Asn Val Thr Asp Cys Ser Gly Asn Phe Cys Leu Phe Arg Ser Glu  
                                  580                      585                      590  
 Thr Lys Asp Leu Leu Phe Arg Asp Asp Thr Val Cys Leu Ala Lys Leu  
                                  595                      600                      605  
 His Asp Arg Asn Thr Tyr Glu Lys Tyr Leu Gly Glu Glu Tyr Val Lys  
                                  610                      615                      620  
 Ala Val Gly Asn Leu Arg Lys Cys Ser Thr Ser Ser Leu Leu Glu Ala  
 625                                   630                      635                      640  
 Cys Thr Phe Arg Arg Pro  
                                  645

&lt;210&gt; 126

&lt;211&gt; 4787

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 126

Met Ala Glu Gly Gly Glu Gly Gly Glu Asp Glu Ile Gln Phe Leu Arg  
 1                                      5                                      10                                      15

Thr Glu Asp Glu Val Val Leu Gln Cys Ile Ala Thr Ile His Lys Glu

20					25					30					
Gln	Arg	Lys	Phe	Cys	Leu	Ala	Ala	Glu	Gly	Leu	Gly	Asn	Arg	Leu	Cys
		35					40					45			
Phe	Leu	Glu	Pro	Thr	Ser	Glu	Ala	Lys	Tyr	Ile	Pro	Pro	Asp	Leu	Cys
	50					55					60				
Val	Cys	Asn	Phe	Val	Leu	Glu	Gln	Ser	Leu	Ser	Val	Arg	Ala	Leu	Gln
	65					70					75				80
Glu	Met	Leu	Ala	Asn	Thr	Gly	Glu	Asn	Gly	Gly	Glu	Gly	Ala	Ala	Gln
				85					90					95	
Gly	Gly	Gly	His	Arg	Thr	Leu	Leu	Tyr	Gly	His	Ala	Val	Leu	Leu	Arg
			100					105					110		
His	Ser	Phe	Ser	Gly	Met	Tyr	Leu	Thr	Cys	Leu	Thr	Thr	Ser	Arg	Ser
		115					120					125			
Gln	Thr	Asp	Lys	Leu	Ala	Phe	Asp	Val	Gly	Leu	Arg	Glu	His	Ala	Thr
	130					135					140				
Gly	Glu	Ala	Cys	Trp	Trp	Thr	Ile	His	Pro	Ala	Ser	Lys	Gln	Arg	Ser
145					150					155					160
Glu	Gly	Glu	Lys	Val	Arg	Ile	Gly	Asp	Asp	Leu	Ile	Leu	Val	Ser	Val
				165					170					175	
Ser	Ser	Glu	Arg	Tyr	Leu	His	Leu	Ser	Val	Ser	Asn	Gly	Asn	Ile	Gln
			180					185					190		
Val	Asp	Ala	Ser	Phe	Met	Gln	Thr	Leu	Trp	Asn	Val	His	Pro	Thr	Cys
		195					200					205			
Ser	Gly	Ser	Ser	Ile	Glu	Glu	Gly	Tyr	Leu	Leu	Gly	Gly	His	Val	Val
	210					215					220				
Arg	Leu	Phe	His	Gly	His	Asp	Glu	Cys	Leu	Thr	Ile	Pro	Ser	Thr	Asp
225					230					235					240
Gln	Asn	Asp	Ser	Gln	His	Arg	Arg	Ile	Phe	Tyr	Glu	Ala	Gly	Gly	Ala
				245					250					255	
Gly	Thr	Arg	Ala	Xaa	Ser	Leu	Trp	Arg	Val	Glu	Pro	Leu	Arg	Ile	Ser
			260					265					270		
Trp	Ser	Gly	Ser	Asn	Ile	Arg	Trp	Gly	Gln	Ala	Phe	Arg	Leu	Arg	His
		275					280					285			
Leu	Thr	Thr	Gly	His	Tyr	Leu	Ala	Leu	Thr	Glu	Asp	Gln	Gly	Leu	Ile
	290					295					300				
Leu	Gln	Asp	Arg	Ala	Lys	Ser	Asp	Thr	Lys	Ser	Thr	Ala	Phe	Ser	Phe
305					310					315					320
Arg	Ala	Ser	Lys	Glu	Leu	Lys	Glu	Lys	Leu	Asp	Ser	Ser	His	Lys	Arg
				325					330					335	
Asp	Ile	Glu	Gly	Met	Gly	Val	Pro	Glu	Ile	Lys	Tyr	Gly	Asp	Ser	Val
			340					345					350		

Cys Phe Val Gln His Ile Ala Ser Gly Leu Trp Val Thr Tyr Lys Ala  
 355 360 365  
 Gln Asp Ala Lys Thr Ser Arg Leu Gly Pro Leu Lys Arg Lys Val Ile  
 370 375 380  
 Leu His Gln Glu Gly His Met Asp Asp Gly Leu Thr Leu Gln Arg Cys  
 385 390 395 400  
 Gln Arg Glu Glu Ser Gln Ala Ala Arg Ile Ile Arg Asn Thr Thr Ala  
 405 410 415  
 Leu Phe Ser Gln Phe Val Ser Gly Asn Asn Arg Thr Ala Ala Pro Ile  
 420 425 430  
 Thr Leu Pro Ile Glu Glu Val Leu Gln Thr Leu Gln Asp Leu Ile Ala  
 435 440 445  
 Tyr Phe Gln Pro Pro Glu Glu Glu Met Arg His Glu Asp Lys Gln Asn  
 450 455 460  
 Lys Leu Arg Ser Leu Lys Asn Arg Gln Asn Leu Phe Lys Glu Glu Gly  
 465 470 475 480  
 Met Leu Ala Leu Val Leu Asn Cys Ile Asp Arg Leu Asn Xaa Tyr Asn  
 485 490 495  
 Ser Val Ala His Phe Ala Gly Ile Ala Arg Glu Glu Ser Gly Met Ala  
 500 505 510  
 Trp Lys Glu Ile Leu Asn Leu Leu Tyr Lys Leu Leu Ala Ala Leu Ile  
 515 520 525  
 Arg Gly Asn Arg Asn Asn Cys Ala Gln Phe Ser Asn Asn Leu Asp Trp  
 530 535 540  
 Leu Ile Ser Lys Leu Asp Arg Leu Glu Ser Ser Ser Gly Ile Leu Glu  
 545 550 555 560  
 Val Leu His Cys Ile Leu Thr Glu Ser Pro Glu Ala Leu Asn Leu Ile  
 565 570 575  
 Ala Glu Gly His Ile Lys Ser Ile Ile Ser Leu Leu Asp Lys His Gly  
 580 585 590  
 Arg Asn His Lys Val Leu Asp Ile Leu Cys Ser Leu Cys Leu Cys Asn  
 595 600 605  
 Gly Val Ala Val Arg Ala Asn Gln Asn Leu Ile Cys Asp Asn Leu Leu  
 610 615 620  
 Pro Arg Arg Asn Leu Leu Leu Gln Thr Arg Leu Ile Asn Asp Val Thr  
 625 630 635 640  
 Ser Ile Arg Pro Asn Ile Phe Leu Gly Val Ala Glu Gly Ser Ala Gln  
 645 650 655  
 Tyr Lys Lys Trp Tyr Phe Glu Leu Ile Ile Asp Gln Val Asp Pro Phe  
 660 665 670

Leu Thr Ala Glu Pro Thr His Leu Arg Val Gly Trp Ala Ser Ser Ser  
 675 680 685  
 Gly Tyr Ala Pro Xaa Pro Gly Gly Gly Glu Gly Trp Gly Gly Asn Gly  
 690 695 700  
 Val Gly Asp Asp Leu Tyr Ser Tyr Gly Phe Asp Gly Leu His Leu Trp  
 705 710 715 720  
 Ser Gly Arg Ile Pro Arg Ala Val Ala Ser Xaa Asn Gln His Leu Leu  
 725 730 735  
 Arg Ser Asp Asp Val Val Ser Cys Cys Leu Asp Leu Gly Cys Pro Ala  
 740 745 750  
 Ser His Ser Ala Ser Met Gly Ser Pro Cys Arg Gly Cys Leu Arg Asn  
 755 760 765  
 Phe Asn Thr Asp Gly Leu Phe Phe Pro Val Met Ser Phe Ser Ala Gly  
 770 775 780  
 Val Lys Val Arg Phe Leu Met Gly Gly Arg His Gly Glu Phe Lys Phe  
 785 790 795 800  
 Leu Pro Pro Ser Gly Tyr Ala Pro Cys Tyr Glu Ala Leu Leu Pro Lys  
 805 810 815  
 Glu Lys Met Arg Leu Glu Pro Val Lys Glu Tyr Lys Arg Asp Ala Asp  
 820 825 830  
 Gly Ile Arg Asp Leu Leu Gly Thr Thr Gln Phe Leu Ser Gln Ala Ser  
 835 840 845  
 Phe Ile Pro Cys Pro Val Asp Thr Ser Gln Val Ile Leu Pro Pro His  
 850 855 860  
 Leu Glu Lys Ile Arg Asp Arg Leu Ala Glu Asn Ile His Glu Leu Trp  
 865 870 875 880  
 Gly Met Asn Lys Ile Glu Leu Gly Trp Thr Phe Gly Lys Ile Arg Asp  
 885 890 895  
 Asp Asn Lys Arg Gln His Pro Cys Leu Val Glu Phe Ser Lys Leu Pro  
 900 905 910  
 Glu Thr Glu Lys Asn Tyr Asn Leu Gln Met Ser Thr Glu Thr Leu Lys  
 915 920 925  
 Thr Leu Leu Xaa Leu Gly Cys His Ile Ala His Val Asn Pro Ala Ala  
 930 935 940  
 Glu Glu Asp Leu Lys Lys Val Lys Leu Pro Lys Asn Tyr Met Met Ser  
 945 950 955 960  
 Asn Gly Tyr Lys Pro Ala Pro Leu Asp Leu Ser Asp Val Lys Leu Leu  
 965 970 975  
 Pro Pro Gln Glu Ile Leu Val Asp Lys Leu Ala Glu Asn Ala His Asn  
 980 985 990  
 Val Trp Ala Lys Asp Arg Ile Lys Gln Gly Trp Thr Tyr Gly Ile Gln

995	1000	1005
Gln Asp Leu Lys Asn Lys Arg Asn Pro Arg Leu Val Pro Tyr Ala Leu 1010	1015	1020
Leu Asp Glu Arg Thr Lys Lys Ser Asn Arg Asp Ser Leu Arg Glu Ala 1025	1030	1035 1040
Val Arg Thr Phe Val Gly Tyr Gly Tyr Asn Ile Glu Pro Ser Asp Gln 1045	1050	1055
Glu Leu Ala Asp Ser Ala Val Glu Lys Val Ser Ile Asp Lys Ile Arg 1060	1065	1070
Phe Phe Arg Val Glu Arg Ser Tyr Xaa Val Arg Ser Gly Lys Trp Tyr 1075	1080	1085
Phe Glu Phe Glu Val Val Thr Gly Gly Asp Met Arg Val Gly Trp Ala 1090	1095	1100
Arg Pro Gly Cys Arg Pro Asp Val Glu Leu Gly Ala Asp Asp Gln Ala 1105	1110	1115 1120
Phe Val Phe Glu Gly Asn Arg Gly Gln Arg Trp His Gln Gly Ser Gly 1125	1130	1135
Tyr Phe Gly Arg Thr Trp Gln Pro Gly Asp Val Val Gly Cys Met Ile 1140	1145	1150
Asn Leu Asp Asp Ala Ser Met Ile Phe Thr Leu Asn Gly Glu Leu Leu 1155	1160	1165
Ile Thr Asn Lys Gly Ser Glu Leu Ala Phe Ala Asp Tyr Glu Ile Glu 1170	1175	1180
Asn Gly Phe Val Pro Ile Cys Cys Leu Gly Leu Ser Gln Ile Gly Arg 1185	1190	1195 1200
Met Asn Leu Gly Thr Asp Ala Ser Thr Phe Lys Phe Tyr Thr Met Cys 1205	1210	1215
Gly Leu Gln Glu Gly Phe Glu Pro Phe Ala Val Asn Met Asn Arg Asp 1220	1225	1230
Val Ala Met Trp Phe Ser Lys Arg Leu Pro Thr Phe Val Asn Val Pro 1235	1240	1245
Lys Asp His Pro His Ile Glu Val Met Arg Ile Asp Gly Thr Met Asp 1250	1255	1260
Ser Pro Pro Cys Leu Lys Val Thr His Lys Thr Phe Gly Thr Gln Asn 1265	1270	1275 1280
Ser Asn Ala Asp Met Ile Tyr Cys Arg Leu Ser Met Pro Val Glu Cys 1285	1290	1295
His Ser Ser Phe Ser His Ser Pro Cys Leu Asp Ser Glu Ala Phe Gln 1300	1305	1310
Lys Arg Lys Gln Met Gln Glu Ile Leu Ser His Thr Thr Thr Gln Cys 1315	1320	1325

Tyr Tyr Ala Ile Arg Ile Phe Xaa Gly Gln Asp Pro Ser Cys Val Trp  
 1330 1335 1340  
 Val Gly Trp Val Thr Pro Asp Tyr His Leu Tyr Ser Glu Lys Phe Asp  
 1345 1350 1355 1360  
 Leu Asn Lys Asn Cys Thr Val Thr Val Thr Leu Gly Asp Glu Arg Gly  
 1365 1370 1375  
 Arg Val His Glu Ser Val Lys Arg Ser Asn Cys Tyr Met Val Trp Gly  
 1380 1385 1390  
 Gly Asp Ile Val Ala Ser Ser Gln Arg Ser Asn Arg Ser Asn Val Asp  
 1395 1400 1405  
 Leu Glu Ile Gly Cys Leu Val Asp Leu Ala Met Gly Met Leu Ser Phe  
 1410 1415 1420  
 Ser Ala Asn Gly Lys Glu Leu Gly Thr Cys Tyr Gln Val Glu Pro Asn  
 1425 1430 1435 1440  
 Thr Lys Val Phe Pro Ala Val Phe Leu Gln Pro Thr Ser Thr Ser Leu  
 1445 1450 1455  
 Phe Gln Phe Glu Leu Gly Lys Leu Lys Asn Ala Met Pro Leu Ser Ala  
 1460 1465 1470  
 Ala Ile Phe Arg Ser Glu Glu Xaa Asn Pro Val Pro Gln Cys Pro Pro  
 1475 1480 1485  
 Arg Leu Asp Val Gln Thr Ile Gln Pro Val Leu Trp Ser Arg Met Pro  
 1490 1495 1500  
 Asn Ser Phe Leu Lys Val Glu Thr Glu Arg Val Ser Glu Arg His Gly  
 1505 1510 1515 1520  
 Trp Val Val Gln Cys Leu Glu Pro Leu Gln Met Met Ala Leu His Ile  
 1525 1530 1535  
 Pro Glu Glu Asn Arg Cys Val Asp Ile Leu Glu Leu Cys Glu Gln Glu  
 1540 1545 1550  
 Asp Leu Met Arg Phe His Tyr His Thr Leu Arg Leu Tyr Ser Ala Val  
 1555 1560 1565  
 Cys Ala Leu Gly Asn Ser Arg Val Ala Tyr Ala Leu Cys Ser His Val  
 1570 1575 1580  
 Asp Leu Ser Gln Leu Phe Tyr Ala Ile Asp Asn Lys Tyr Leu Pro Gly  
 1585 1590 1595 1600  
 Leu Leu Arg Ser Gly Phe Tyr Asp Leu Leu Ile Ser Ile His Leu Ala  
 1605 1610 1615  
 Ser Ala Lys Glu Arg Lys Leu Met Met Lys Asn Glu Tyr Ile Ile Pro  
 1620 1625 1630  
 Ile Thr Ser Thr Thr Arg Asn Ile Cys Leu Phe Pro Asp Glu Ser Lys  
 1635 1640 1645

Arg His Gly Leu Pro Gly Val Gly Leu Arg Thr Cys Leu Lys Pro Gly  
 1650 1655 1660  
 Phe Arg Phe Ser Thr Pro Cys Phe Val Val Thr Gly Glu Asp His Gln  
 1665 1670 1675 1680  
 Lys Gln Ser Pro Glu Ile Pro Leu Glu Ser Leu Arg Thr Lys Ala Leu  
 1685 1690 1695  
 Ser Met Leu Thr Glu Ala Val Gln Cys Ser Gly Ala His Ile Arg Asp  
 1700 1705 1710  
 Pro Val Gly Gly Ser Val Glu Phe Gln Phe Val Pro Val Leu Lys Leu  
 1715 1720 1725  
 Ile Gly Thr Leu Leu Val Met Gly Val Phe Asp Asp Asp Asp Val Arg  
 1730 1735 1740  
 Gln Ile Leu Leu Leu Ile Asp Pro Ser Val Phe Gly Glu His Ser Ala  
 1745 1750 1755 1760  
 Gly Thr Glu Glu Gly Ala Glu Lys Glu Glu Val Thr Gln Val Glu Glu  
 1765 1770 1775  
 Lys Ala Val Glu Ala Gly Glu Lys Ala Gly Lys Glu Ala Pro Val Lys  
 1780 1785 1790  
 Gly Leu Leu Gln Thr Arg Leu Pro Glu Ser Val Lys Leu Gln Met Cys  
 1795 1800 1805  
 Glu Leu Leu Ser Tyr Leu Cys Asp Cys Glu Leu Gln His Arg Val Glu  
 1810 1815 1820  
 Ala Ile Val Ala Phe Gly Asp Ile Tyr Val Ser Lys Leu Gln Ala Asn  
 1825 1830 1835 1840  
 Gln Lys Phe Arg Tyr Asn Glu Leu Met Gln Ala Leu Asn Met Ser Ala  
 1845 1850 1855  
 Ala Leu Thr Ala Arg Lys Thr Lys Glu Phe Arg Ser Pro Pro Gln Glu  
 1860 1865 1870  
 Gln Ile Asn Met Leu Leu Asn Phe Gln Leu Gly Glu Asn Cys Pro Cys  
 1875 1880 1885  
 Pro Glu Glu Ile Arg Glu Glu Leu Tyr Asp Phe His Glu Asp Leu Leu  
 1890 1895 1900  
 Leu His Cys Gly Val Pro Leu Glu Glu Glu Glu Glu Glu Glu Asp  
 1905 1910 1915 1920  
 Thr Ser Trp Thr Gly Lys Leu Cys Ala Leu Val Tyr Lys Ile Lys Gly  
 1925 1930 1935  
 Pro Pro Lys Pro Glu Lys Glu Gln Pro Thr Glu Glu Glu Glu Arg Cys  
 1940 1945 1950  
 Pro Thr Thr Leu Lys Glu Leu Ile Ser Gln Thr Met Ile Cys Trp Ala  
 1955 1960 1965  
 Gln Glu Asp Gln Ile Gln Asp Ser Glu Leu Val Arg Met Met Phe Asn



1970	1975	1980
Leu Leu Arg Arg Gln Tyr Asp Ser Ile Gly Glu Leu Leu Gln Ala Leu 1985	1990	1995 2000
Arg Lys Thr Tyr Thr Ile Ser His Thr Ser Val Ser Asp Thr Ile Asn 2005	2010	2015
Leu Leu Ala Ala Leu Gly Gln Ile Arg Ser Leu Leu Ser Val Arg Met 2020	2025	2030
Gly Lys Glu Glu Glu Leu Leu Met Ile Asn Gly Leu Gly Asp Ile Met 2035	2040	2045
Asn Asn Lys Val Phe Tyr Gln His Pro Asn Leu Met Arg Val Leu Gly 2050	2055	2060
Met His Glu Thr Val Met Glu Val Met Val Asn Val Leu Gly Thr Glu 2065	2070	2075 2080
Lys Ser Gln Ile Ala Phe Pro Lys Met Val Ala Ser Cys Cys Arg Phe 2085	2090	2095
Leu Cys Tyr Phe Cys Arg Ile Ser Arg Gln Asn Gln Lys Ala Met Phe 2100	2105	2110
Glu His Leu Ser Tyr Leu Leu Glu Asn Ser Ser Val Gly Leu Ala Ser 2115	2120	2125
Pro Ser Met Arg Gly Ser Thr Pro Leu Asp Val Ala Ala Ser Ser Val 2130	2135	2140
Met Asp Asn Asn Glu Leu Ala Leu Ser Leu Glu Glu Pro Asp Leu Glu 2145	2150	2155 2160
Lys Val Val Thr Tyr Leu Ala Gly Cys Gly Leu Gln Ser Cys Pro Met 2165	2170	2175
Leu Leu Ala Lys Gly Tyr Pro Asp Val Gly Trp Asn Pro Ile Glu Gly 2180	2185	2190
Glu Arg Tyr Leu Ser Phe Leu Arg Phe Ala Val Phe Val Asn Ser Glu 2195	2200	2205
Ser Val Glu Glu Asn Ala Ser Val Val Val Lys Leu Leu Ile Arg Arg 2210	2215	2220
Pro Glu Cys Phe Gly Pro Ala Leu Arg Gly Glu Gly Gly Asn Gly Leu 2225	2230	2235 2240
Leu Ala Ala Met Gln Gly Ala Ile Lys Ile Ser Glu Asn Pro Ala Leu 2245	2250	2255
Asp Leu Pro Ser Gln Gly Tyr Lys Arg Glu Val Ser Thr Glu Asp Asp 2260	2265	2270
Glu Glu Glu Glu Glu Ile Val His Met Gly Asn Ala Ile Met Ser Phe 2275	2280	2285
Tyr Ser Ala Leu Ile Asp Leu Leu Gly Arg Cys Ala Pro Glu Met His 2290	2295	2300

Leu Ile Gln Thr Gly Lys Gly Glu Ala Ile Arg Ile Arg Ser Ile Leu  
 2305 2310 2315 2320  
 Arg Ser Leu Val Pro Thr Glu Asp Leu Val Gly Ile Ile Ser Ile Pro  
 2325 2330 2335  
 Leu Lys Leu Pro Ser Leu Asn Lys Asp Gly Ser Val Ser Glu Pro Asp  
 2340 2345 2350  
 Met Ala Xaa Asn Phe Cys Pro Asp His Lys Ala Pro Met Val Leu Phe  
 2355 2360 2365  
 Leu Asp Arg Val Tyr Gly Ile Lys Asp Gln Thr Phe Leu Leu His Leu  
 2370 2375 2380  
 Leu Glu Val Gly Phe Leu Pro Asp Leu Arg Ala Ser Ala Ser Leu Asp  
 2385 2390 2395 2400  
 Thr Val Ser Leu Ser Thr Thr Glu Ala Ala Leu Ala Leu Asn Arg Tyr  
 2405 2410 2415  
 Ile Cys Ser Ala Val Leu Pro Leu Leu Thr Arg Cys Ala Pro Leu Phe  
 2420 2425 2430  
 Xaa Gly Thr Glu His Cys Thr Ser Leu Ile Asp Ser Thr Leu Gln Thr  
 2435 2440 2445  
 Ile Tyr Arg Leu Ser Lys Gly Arg Ser Leu Thr Lys Ala Gln Arg Asp  
 2450 2455 2460  
 Thr Ile Glu Glu Cys Leu Leu Ala Ile Cys Asn His Leu Arg Pro Ser  
 2465 2470 2475 2480  
 Met Leu Gln Gln Leu Leu Arg Arg Leu Val Phe Asp Val Pro Gln Leu  
 2485 2490 2495  
 Asn Glu Tyr Cys Lys Met Pro Leu Lys Leu Leu Thr Asn His Tyr Glu  
 2500 2505 2510  
 Gln Cys Trp Lys Tyr Tyr Cys Leu Pro Ser Gly Trp Gly Ser Tyr Gly  
 2515 2520 2525  
 Leu Ala Val Glu Glu Glu Leu His Leu Thr Glu Lys Leu Phe Trp Gly  
 2530 2535 2540  
 Ile Xaa Asp Ser Leu Ser His Lys Lys Tyr Asp Pro Asp Leu Phe Arg  
 2545 2550 2555 2560  
 Met Ala Leu Pro Cys Leu Ser Ala Ile Ala Gly Ala Leu Pro Pro Asp  
 2565 2570 2575  
 Tyr Leu Asp Xaa Arg Ile Thr Ala Thr Leu Glu Lys Gln Ile Ser Val  
 2580 2585 2590  
 Asp Ala Asp Gly Asn Phe Asp Pro Lys Pro Ile Asn Thr Met Asn Phe  
 2595 2600 2605  
 Ser Leu Pro Glu Lys Leu Glu Tyr Ile Val Thr Lys Tyr Ala Glu His  
 2610 2615 2620

Ser His Asp Lys Trp Ala Cys Asp Lys Ser Gln Ser Gly Trp Lys Tyr  
 2625 2630 2635 2640  
 Gly Ile Ser Leu Asp Glu Asn Val Lys Thr His Pro Leu Ile Arg Pro  
 2645 2650 2655  
 Phe Lys Thr Leu Thr Glu Lys Glu Lys Glu Ile Tyr Arg Trp Pro Ala  
 2660 2665 2670  
 Arg Glu Ser Leu Lys Thr Met Leu Ala Val Gly Trp Thr Val Glu Arg  
 2675 2680 2685  
 Thr Lys Glu Gly Glu Ala Leu Val Gln Gln Arg Glu Asn Glu Lys Leu  
 2690 2695 2700  
 Arg Ser Val Ser Gln Ala Asn Gln Gly Asn Ser Tyr Ser Pro Ala Pro  
 2705 2710 2715 2720  
 Leu Asp Leu Ser Asn Val Val Leu Ser Arg Glu Leu Gln Gly Met Val  
 2725 2730 2735  
 Glu Val Val Ala Glu Asn Tyr His Asn Ile Trp Ala Lys Lys Lys Lys  
 2740 2745 2750  
 Leu Glu Leu Glu Ser Lys Gly Gly Gly Ser His Pro Leu Leu Val Pro  
 2755 2760 2765  
 Tyr Asp Thr Leu Thr Ala Lys Glu Lys Phe Lys Asp Arg Glu Lys Ala  
 2770 2775 2780  
 Gln Asp Leu Phe Lys Phe Leu Gln Val Asn Gly Ile Ile Val Ser Arg  
 2785 2790 2795 2800  
 Gly Met Lys Asp Met Glu Leu Asp Ala Ser Ser Met Glu Lys Arg Phe  
 2805 2810 2815  
 Xaa Tyr Lys Phe Leu Lys Lys Ile Leu Lys Tyr Val Asp Ser Ala Gln  
 2820 2825 2830  
 Glu Phe Ile Ala His Leu Glu Ala Ile Val Ser Ser Gly Lys Thr Glu  
 2835 2840 2845  
 Lys Ser Pro Arg Asp Gln Glu Ile Lys Phe Phe Ala Lys Val Leu Leu  
 2850 2855 2860  
 Pro Leu Val Asp Gln Tyr Phe Thr Ser His Cys Leu Tyr Phe Leu Ser  
 2865 2870 2875 2880  
 Ser Pro Leu Lys Pro Leu Ser Ser Ser Gly Tyr Ala Ser His Lys Glu  
 2885 2890 2895  
 Lys Glu Met Val Ala Gly Leu Phe Cys Lys Leu Ala Ala Leu Val Arg  
 2900 2905 2910  
 His Arg Ile Ser Leu Phe Gly Ser Asp Ser Thr Thr Met Val Ser Cys  
 2915 2920 2925  
 Leu His Ile Leu Ala Gln Thr Leu Asp Thr Arg Thr Val Met Lys Ser  
 2930 2935 2940  
 Gly Ser Glu Leu Val Lys Ala Gly Leu Arg Ala Phe Phe Glu Asn Ala

2945	2950	2955	2960
Ala Glu Asp Leu Glu Lys Thr Ser Glu Asn Leu Lys Leu Gly Lys Phe			
2965	2970	2975	
Thr His Ser Arg Thr Gln Ile Lys Gly Val Ser Gln Asn Ile Asn Tyr			
2980	2985	2990	
Thr Thr Val Ala Leu Leu Pro Ile Leu Thr Ser Ile Phe Glu His Val			
2995	3000	3005	
Thr Gln His Gln Phe Gly Met Asp Leu Leu Leu Gly Asp Val Gln Ile			
3010	3015	3020	
Ser Cys Tyr His Ile Leu Cys Ser Leu Tyr Ser Leu Gly Thr Gly Lys			
3025	3030	3035	3040
Asn Ile Tyr Val Glu Arg Gln Arg Pro Ala Leu Gly Glu Cys Leu Ala			
3045	3050	3055	
Ser Leu Ala Ala Ala Ile Pro Val Ala Phe Leu Glu Pro Thr Leu Asn			
3060	3065	3070	
Arg Tyr Asn Pro Leu Ser Val Phe Asn Thr Lys Thr Pro Arg Glu Arg			
3075	3080	3085	
Ser Ile Leu Gly Met Pro Asp Thr Val Glu Asp Met Cys Pro Asp Ile			
3090	3095	3100	
Pro Gln Leu Glu Gly Leu Met Lys Glu Ile Asn Asp Leu Ala Glu Ser			
3105	3110	3115	3120
Gly Ala Arg Tyr Thr Glu Met Pro His Val Ile Glu Val Ile Leu Pro			
3125	3130	3135	
Met Leu Cys Asn Tyr Leu Ser Tyr Trp Trp Glu Arg Gly Pro Glu Asn			
3140	3145	3150	
Leu Pro Pro Ser Thr Gly Pro Cys Cys Thr Lys Val Thr Ser Glu His			
3155	3160	3165	
Leu Ser Leu Ile Leu Gly Asn Ile Leu Lys Ile Ile Asn Asn Asn Leu			
3170	3175	3180	
Gly Ile Asp Glu Ala Ser Trp Met Lys Arg Ile Ala Val Tyr Ala Gln			
3185	3190	3195	3200
Pro Ile Ile Ser Lys Ala Arg Pro Asp Leu Leu Arg Ser His Phe Ile			
3205	3210	3215	
Pro Thr Leu Glu Lys Leu Lys Lys Lys Ala Val Lys Thr Val Gln Glu			
3220	3225	3230	
Glu Glu Gln Leu Lys Ala Asp Gly Lys Gly Asp Thr Gln Glu Ala Glu			
3235	3240	3245	
Leu Leu Ile Leu Asp Glu Phe Ala Val Leu Cys Arg Asp Leu Tyr Ala			
3250	3255	3260	
Phe Tyr Pro Met Leu Ile Arg Tyr Val Asp Asn Asn Arg Ser Asn Trp			
3265	3270	3275	3280

Leu Lys Ser Pro Asp Ala Asp Ser Asp Gln Leu Phe Arg Met Val Ala  
 3285 3290 3295  
 Glu Val Phe Ile Leu Trp Cys Lys Ser His Asn Phe Lys Arg Glu Glu  
 3300 3305 3310  
 Gln Asn Phe Val Ile Gln Asn Glu Ile Asn Asn Leu Ala Phe Leu Thr  
 3315 3320 3325  
 Gly Asp Ser Lys Ser Lys Met Ser Lys Ser Gly Gly Gln Asp Gln Glu  
 3330 3335 3340  
 Arg Lys Lys Thr Lys Arg Arg Gly Asp Leu Tyr Ser Ile Gln Thr Ser  
 3345 3350 3355 3360  
 Leu Ile Val Ala Ala Leu Lys Lys Met Leu Pro Ile Gly Leu Asn Met  
 3365 3370 3375  
 Cys Thr Pro Gly Asp Gln Glu Leu Ile Ser Leu Ala Lys Ser Arg Tyr  
 3380 3385 3390  
 Ser His Arg Asp Thr Asp Glu Glu Val Arg Glu His Leu Arg Asn Asn  
 3395 3400 3405  
 Leu His Leu Gln Glu Lys Ser Asp Asp Pro Ala Val Lys Trp Gln Leu  
 3410 3415 3420  
 Asn Leu Tyr Lys Asp Val Leu Lys Ser Glu Glu Pro Phe Asn Pro Glu  
 3425 3430 3435 3440  
 Lys Thr Val Glu Arg Val Gln Arg Ile Ser Ala Ala Val Phe His Leu  
 3445 3450 3455  
 Glu Gln Val Glu Gln Pro Leu Arg Ser Lys Lys Ala Val Trp His Lys  
 3460 3465 3470  
 Leu Leu Ser Lys Gln Arg Lys Arg Ala Val Val Ala Cys Phe Arg Met  
 3475 3480 3485  
 Ala Pro Leu Tyr Asn Leu Pro Arg His Arg Ser Ile Asn Leu Phe Leu  
 3490 3495 3500  
 His Gly Tyr Gln Arg Phe Trp Ile Glu Thr Glu Glu Tyr Ser Phe Glu  
 3505 3510 3515 3520  
 Glu Lys Leu Val Gln Asp Leu Ala Lys Ser Pro Lys Val Glu Glu Glu  
 3525 3530 3535  
 Glu Glu Glu Glu Thr Glu Lys Gln Pro Asp Pro Leu His Gln Ile Ile  
 3540 3545 3550  
 Leu Tyr Phe Ser Arg Asn Ala Leu Thr Glu Arg Ser Lys Leu Glu Asp  
 3555 3560 3565  
 Asp Pro Leu Tyr Thr Ser Tyr Ser Ser Met Met Ala Lys Ser Cys Gln  
 3570 3575 3580  
 Ser Gly Glu Asp Glu Glu Glu Asp Glu Asp Lys Glu Lys Thr Phe Glu  
 3585 3590 3595 3600

3605	3610	3615
His Glu Arg Gly Ala Ala Glu Met Val Leu Gln Met Ile Ser Ala Ser		
3620	3625	3630
Lys Gly Glu Met Ser Pro Met Val Val Glu Thr Leu Lys Leu Gly Ile		
3635	3640	3645
Ala Ile Leu Asn Gly Gly Asn Ala Gly Val Gln Gln Lys Met Leu Asp		
3650	3655	3660
Tyr Leu Lys Glu Lys Lys Asp Ala Gly Phe Phe Gln Ser Leu Xaa Gly		
3665	3670	3675
3680		
Leu Met Gln Ser Cys Ser Val Leu Asp Leu Asn Ala Xaa Glu Arg Gln		
3685	3690	3695
Asn Lys Ala Glu Gly Leu Gly Met Val Thr Glu Glu Gly Thr Leu Ile		
3700	3705	3710
Val Arg Glu Arg Gly Glu Lys Val Leu Gln Asn Asp Glu Phe Thr Arg		
3715	3720	3725
Asp Leu Phe Arg Phe Leu Gln Leu Leu Cys Glu Gly His Asn Ser Asp		
3730	3735	3740
Phe Gln Asn Phe Leu Arg Thr Gln Met Gly Asn Thr Thr Thr Val Asn		
3745	3750	3755
3760		
Val Ile Ile Ser Thr Val Asp Tyr Leu Leu Arg Leu Gln Glu Ser Ile		
3765	3770	3775
Ser Asp Phe Tyr Trp Tyr Tyr Ser Gly Lys Asp Ile Ile Asp Glu Ser		
3780	3785	3790
Gly Gln His Asn Phe Ser Lys Ala Leu Ala Val Thr Lys Gln Ile Phe		
3795	3800	3805
Asn Ser Leu Thr Glu Tyr Ile Gln Gly Pro Cys Ile Gly Asn Gln Gln		
3810	3815	3820
Ser Leu Ala His Ser Arg Leu Trp Asp Ala Val Val Gly Phe Leu His		
3825	3830	3835
3840		
Val Phe Ala Asn Met Gln Met Lys Leu Ser Gln Asp Ser Ser Gln Ile		
3845	3850	3855
Glu Leu Leu Lys Glu Leu Leu Asp Leu Leu Gln Asp Met Val Val Met		
3860	3865	3870
Leu Leu Ser Leu Leu Glu Gly Asn Val Val Asn Gly Thr Ile Gly Lys		
3875	3880	3885
Gln Met Val Asp Thr Leu Val Glu Ser Ser Thr Asn Val Glu Met Ile		
3890	3895	3900
Leu Lys Phe Phe Asp Met Phe Leu Lys Leu Lys Asp Leu Thr Ser Ser		
3905	3910	3915
3920		
Asp Thr Phe Lys Glu Tyr Asp Pro Asp Gly Lys Gly Ile Ile Ser Lys		

3925	3930	3935
Lys Glu Phe Gln Lys Ala Met Glu Gly Gln Lys Gln Tyr Thr Gln Ser		
3940	3945	3950
Glu Ile Asp Phe Leu Leu Ser Cys Ala Glu Ala Asp Glu Asn Asp Met		
3955	3960	3965
Phe Asn Tyr Val Asp Phe Val Asp Arg Phe His Glu Pro Ala Lys Asp		
3970	3975	3980
Ile Gly Phe Asn Val Ala Val Leu Leu Thr Asn Leu Ser Glu His Met		
3985	3990	4000
Pro Asn Asp Ser Arg Leu Lys Cys Leu Leu Asp Pro Ala Glu Ser Val		
4005	4010	4015
Leu Asn Tyr Phe Xaa Pro Tyr Leu Gly Arg Ile Glu Ile Met Gly Gly		
4020	4025	4030
Ala Lys Lys Ile Glu Arg Val Tyr Phe Glu Ile Ser Glu Ser Ser Arg		
4035	4040	4045
Thr Gln Trp Glu Lys Pro Gln Val Lys Glu Ser Lys Arg Gln Phe Ile		
4050	4055	4060
Phe Asp Val Val Asn Glu Gly Gly Glu Gln Glu Lys Met Xaa Leu Phe		
4065	4070	4075
Val Asn Phe Cys Glu Asp Thr Ile Phe Glu Met Gln Leu Ala Ser Gln		
4085	4090	4095
Ile Ser Glu Ser Asp Ser Ala Asp Arg Pro Glu Glu Glu Glu Glu Asp		
4100	4105	4110
Glu Asp Ser Ser Tyr Val Leu Glu Ile Ala Gly Glu Glu Glu Glu Asp		
4115	4120	4125
Gly Ser Leu Glu Pro Ala Ser Ala Phe Ala Met Ala Cys Ala Ser Val		
4130	4135	4140
Lys Arg Asn Val Thr Asp Phe Leu Lys Arg Ala Thr Leu Lys Asn Leu		
4145	4150	4155
Arg Lys Gln Tyr Arg Asn Val Lys Lys Met Thr Ala Lys Glu Leu Val		
4165	4170	4175
Lys Val Leu Phe Ser Phe Phe Trp Met Leu Phe Val Gly Leu Phe Gln		
4180	4185	4190
Leu Leu Phe Thr Ile Leu Gly Gly Ile Phe Gln Ile Leu Trp Ser Thr		
4195	4200	4205
Val Phe Gly Gly Gly Leu Val Glu Gly Ala Lys Asn Ile Arg Val Thr		
4210	4215	4220
Lys Ile Leu Gly Asp Met Pro Asp Pro Thr Gln Phe Gly Ile His Asp		
4225	4230	4235
Asp Thr Met Glu Ala Glu Arg Ala Glu Val Met Glu Pro Gly Ile Thr		
4245	4250	4255

Thr Glu Leu Val His Phe Ile Lys Gly Glu Lys Gly Asp Thr Asp Ile  
 4260 4265 4270  
 Met Ser Asp Leu Phe Gly Leu His Pro Lys Lys Glu Gly Ser Leu Lys  
 4275 4280 4285  
 His Gly Pro Glu Val Gly Leu Gly Asp Leu Ser Glu Ile Ile Gly Lys  
 4290 4295 4300  
 Asp Glu Pro Pro Thr Leu Glu Ser Thr Val Gln Lys Lys Arg Lys Ala  
 4305 4310 4315 4320  
 Gln Ala Ala Glu Met Lys Ala Ala Asn Glu Ala Glu Gly Lys Val Glu  
 4325 4330 4335  
 Ser Glu Lys Ala Asp Met Glu Asp Gly Glu Lys Glu Asp Lys Asp Lys  
 4340 4345 4350  
 Glu Glu Glu Gln Ala Glu Tyr Leu Trp Thr Glu Val Thr Lys Lys Lys  
 4355 4360 4365  
 Lys Arg Arg Cys Gly Gln Lys Val Glu Lys Pro Glu Ala Phe Thr Ala  
 4370 4375 4380  
 Asn Phe Phe Lys Gly Leu Glu Ile Tyr Gln Thr Lys Leu Leu His Tyr  
 4385 4390 4395 4400  
 Leu Ala Arg Asn Phe Tyr Asn Leu Arg Phe Leu Ala Leu Phe Val Ala  
 4405 4410 4415  
 Phe Ala Ile Asn Phe Ile Leu Leu Phe Tyr Lys Val Thr Glu Glu Pro  
 4420 4425 4430  
 Leu Glu Glu Glu Thr Glu Asp Val Ala Asn Leu Trp Asn Ser Phe Asn  
 4435 4440 4445  
 Asp Glu Glu Glu Glu Glu Ala Met Val Phe Phe Val Leu Gln Glu Ser  
 4450 4455 4460  
 Thr Gly Tyr Met Ala Pro Thr Leu Arg Ala Leu Ala Ile Ile His Thr  
 4465 4470 4475 4480  
 Ile Ile Ser Leu Val Cys Val Val Gly Tyr Tyr Cys Leu Lys Val Pro  
 4485 4490 4495  
 Leu Val Val Phe Lys Arg Glu Lys Glu Ile Ala Arg Lys Leu Glu Phe  
 4500 4505 4510  
 Asp Gly Leu Tyr Ile Thr Glu Gln Pro Ser Glu Asp Asp Ile Lys Gly  
 4515 4520 4525  
 Gln Trp Asp Xaa Leu Val Ile Asn Thr Pro Ser Phe Pro Asn Asn Tyr  
 4530 4535 4540  
 Trp Asp Lys Phe Val Lys Arg Lys Val Ile Asn Lys Tyr Gly Asp Leu  
 4545 4550 4555 4560  
 Tyr Gly Ala Glu Arg Ile Ala Glu Leu Leu Gly Leu Asp Lys Asn Ala  
 4565 4570 4575



Leu Asp Phe Ser Pro Val Glu Glu Thr Lys Ala Glu Ala Ala Ser Leu  
 4580 4585 4590

Val Ser Trp Leu Ser Ser Xaa Asp Met Lys Tyr His Ile Trp Lys Leu  
 4595 4600 4605

Gly Val Val Phe Thr Asp Asn Ser Phe Leu Tyr Leu Ala Trp Tyr Thr  
 4610 4615 4620

Thr Met Ser Val Leu Gly His Tyr Asn Asn Phe Phe Phe Ala Ala His  
 4625 4630 4635 4640

Leu Leu Asp Ile Ala Met Gly Phe Lys Thr Leu Arg Thr Ile Leu Ser  
 4645 4650 4655

Ser Val Thr His Asn Gly Lys Gln Leu Val Leu Thr Val Gly Leu Leu  
 4660 4665 4670

Ala Val Val Val Tyr Leu Tyr Thr Val Val Ala Phe Asn Phe Phe Arg  
 4675 4680 4685

Lys Phe Tyr Asn Lys Ser Glu Asp Asp Asp Glu Pro Asp Met Lys Cys  
 4690 4695 4700

Asp Asp Met Met Thr Cys Tyr Leu Phe His Met Tyr Val Gly Val Arg  
 4705 4710 4715 4720

Ala Gly Gly Gly Ile Gly Asp Glu Ile Glu Asp Pro Ala Gly Asp Pro  
 4725 4730 4735

Tyr Glu Met Tyr Arg Ile Val Phe Asp Ile Thr Phe Phe Phe Phe Val  
 4740 4745 4750

Ile Val Ile Leu Leu Ala Ile Ile Gln Gly Leu Ile Ile Asp Ala Phe  
 4755 4760 4765

Gly Glu Leu Arg Asp Gln Gln Glu Gln Val Arg Glu Asp Met Glu Val  
 4770 4775 4780

Met Leu Leu  
 4785

<210> 127

<211> 374

<212> PRT

<213> Homo sapiens

<400> 127

Met Arg Thr Leu Leu Pro Pro Ala Leu Leu Thr Cys Trp Leu Leu Ala  
 1 5 10 15

Pro Val Asn Ser Ile His Pro Glu Cys Arg Phe His Leu Glu Ile Gln  
 20 25 30

Glu Glu Glu Thr Lys Cys Xaa Glu Leu Leu Arg Ser Gln Thr Glu Lys  
 35 40 45

His Lys Ala Cys Ser Gly Val Trp Asp Asn Ile Thr Cys Trp Arg Pro  
 50 55 60

Ala Asn Val Gly Glu Thr Val Thr Val Pro Cys Pro Lys Val Phe Ser  
 65 70 75 80  
 Asn Phe Tyr Ser Lys Ala Gly Asn Ile Ser Lys Asn Cys Thr Ser Asp  
 85 90 95  
 Gly Trp Ser Glu Thr Phe Pro Asp Phe Val Asp Ala Cys Gly Tyr Ser  
 100 105 110  
 Asp Pro Glu Asp Glu Ser Lys Ile Thr Phe Tyr Ile Leu Val Lys Ala  
 115 120 125  
 Ile Tyr Thr Leu Gly Tyr Ser Val Ser Leu Met Ser Leu Ala Thr Gly  
 130 135 140  
 Ser Ile Ile Leu Cys Leu Phe Arg Lys Leu His Cys Thr Arg Asn Tyr  
 145 150 155 160  
 Ile His Leu Asn Leu Phe Leu Ser Phe Ile Leu Arg Ala Ile Ser Val  
 165 170 175  
 Leu Val Lys Asp Asp Val Leu Tyr Ser Ser Ser Gly Thr Leu His Cys  
 180 185 190  
 Pro Asp Gln Pro Ser Ser Trp Val Gly Cys Lys Leu Ser Leu Val Phe  
 195 200 205  
 Leu Gln Tyr Cys Ile Met Ala Asn Phe Phe Trp Leu Leu Val Glu Gly  
 210 215 220  
 Leu Tyr Leu His Thr Leu Leu Val Ala Met Leu Pro Pro Arg Arg Cys  
 225 230 235 240  
 Phe Leu Ala Tyr Leu Leu Ile Gly Trp Gly Leu Pro Thr Val Cys Ile  
 245 250 255  
 Gly Ala Trp Thr Ala Ala Arg Leu Tyr Leu Glu Asp Thr Gly Cys Trp  
 260 265 270  
 Asp Thr Asn Asp His Ser Val Pro Trp Trp Val Ile Arg Ile Pro Ile  
 275 280 285  
 Leu Ile Ser Ile Ile Val Asn Phe Val Leu Phe Ile Ser Ile Ile Arg  
 290 295 300  
 Ile Leu Leu Gln Lys Leu Thr Ser Pro Asp Val Gly Gly Asn Asp Gln  
 305 310 315 320  
 Ser Gln Tyr Lys Arg Leu Ala Lys Ser Thr Leu Leu Leu Ile Pro Leu  
 325 330 335  
 Phe Gly Val His Tyr Met Val Phe Ala Val Phe Pro Ile Ser Ile Ser  
 340 345 350  
 Ser Lys Tyr Gln Ile Leu Phe Glu Leu Cys Leu Gly Ser Phe Gln Val  
 355 360 365  
 Gly Val Arg Arg Arg Pro  
 370

<210> 128  
 <211> 447  
 <212> PRT  
 <213> Homo sapiens

<400> 128

Met Ala Gly Val Val His Val Ser Leu Ala Ala Leu Leu Leu Leu Pro  
 1 5 10 15

Met Ala Pro Ala Met His Ser Asp Cys Ile Phe Lys Lys Glu Gln Ala  
 20 25 30

Met Cys Leu Glu Lys Ile Gln Arg Ala Asn Glu Leu Met Gly Phe Asn  
 35 40 45

Asp Ser Ser Pro Gly Cys Pro Gly Met Trp Asp Asn Ile Thr Cys Trp  
 50 55 60

Lys Pro Ala His Val Gly Glu Met Val Leu Val Ser Cys Pro Glu Leu  
 65 70 75 80

Phe Arg Ile Phe Asn Pro Asp Gln Asp Met Gly Val Val Ser Arg Asn  
 85 90 95

Cys Thr Glu Asp Gly Trp Ser Glu Pro Phe Pro His Tyr Phe Asp Ala  
 100 105 110

Cys Gly Phe Asp Glu Tyr Glu Ser Glu Thr Gly Asp Gln Asp Tyr Tyr  
 115 120 125

Tyr Leu Ser Val Lys Ala Leu Tyr Thr Val Gly Tyr Ser Thr Ser Leu  
 130 135 140

Val Thr Leu Thr Thr Ala Met Val Ile Leu Cys Arg Phe Arg Lys Leu  
 145 150 155 160

His Cys Thr Arg Asn Phe Ile His Met Asn Leu Phe Val Ser Phe Met  
 165 170 175

Leu Arg Ala Ile Ser Val Phe Ile Lys Asp Trp Ile Leu Tyr Ala Glu  
 180 185 190

Gln Asp Ser Asn His Cys Phe Ile Ser Thr Val Glu Cys Lys Ala Val  
 195 200 205

Met Val Phe Phe His Tyr Cys Val Val Ser Asn Tyr Phe Trp Leu Phe  
 210 215 220

Ile Glu Gly Leu Tyr Leu Phe Thr Leu Leu Val Glu Thr Phe Phe Pro  
 225 230 235 240

Glu Arg Arg Tyr Phe Tyr Trp Tyr Thr Ile Ile Gly Trp Gly Thr Pro  
 245 250 255

Thr Val Cys Val Thr Val Trp Ala Thr Leu Arg Leu Tyr Phe Asp Asp  
 260 265 270

Thr Gly Cys Trp Asp Met Asn Asp Ser Thr Ala Leu Trp Trp Val Ile  
 275 280 285

290                      295                      300  
 Gly Ile Ile Val Ile Leu Val Gln Lys Leu Gln Ser Pro Asp Met Gly  
 305                      310                      315                      320  
 Gly Asn Glu Ser Ser Ile Tyr Leu Arg Leu Ala Arg Ser Thr Leu Leu  
                     325                      330                      335  
 Leu Ile Pro Leu Phe Gly Ile His Tyr Thr Val Phe Ala Phe Ser Pro  
                     340                      345                      350  
 Glu Asn Val Ser Lys Arg Glu Arg Leu Val Phe Glu Leu Gly Leu Gly  
                     355                      360                      365  
 Ser Phe Gln Gly Phe Val Val Ala Val Leu Tyr Cys Phe Leu Asn Gly  
                     370                      375                      380  
 Glu Val Gln Ala Glu Ile Lys Arg Lys Trp Arg Ser Trp Lys Val Asn  
 385                      390                      395                      400  
 Arg Tyr Phe Ala Val Asp Phe Lys His Arg His Pro Ser Leu Ala Ser  
                     405                      410                      415  
 Ser Gly Val Asn Gly Gly Thr Gln Leu Ser Ile Leu Ser Lys Ser Ser  
                     420                      425                      430  
 Ser Gln Ile Arg Met Ser Gly Leu Pro Ala Asp Asn Leu Ala Thr  
                     435                      440                      445

&lt;210&gt; 129

&lt;211&gt; 381

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 129

Met Glu Arg Gly Leu Pro Leu Leu Cys Ala Val Leu Ala Leu Val Leu  
   1                    5                    10                    15  
 Ala Pro Ala Gly Ala Phe Arg Asn Asp Lys Cys Gly Asp Thr Ile Lys  
                     20                    25                    30  
 Ile Glu Ser Pro Gly Tyr Leu Thr Ser Pro Gly Tyr Pro His Ser Tyr  
                     35                    40                    45  
 His Pro Ser Glu Lys Cys Glu Trp Leu Ile Gln Ala Pro Asp Pro Tyr  
                     50                    55                    60  
 Gln Arg Ile Met Ile Asn Phe Asn Pro His Phe Asp Leu Glu Asp Arg  
   65                    70                    75                    80  
 Asp Cys Lys Tyr Asp Tyr Val Glu Val Phe Asp Gly Glu Asn Glu Asn  
                     85                    90                    95  
 Gly His Phe Arg Gly Lys Phe Cys Gly Lys Ile Ala Pro Pro Pro Val  
                     100                    105                    110  
 Val Ser Ser Gly Pro Phe Leu Phe Ile Lys Phe Val Ser Asp Tyr Glu  
                     115                    120                    125

130	135	140
Pro Glu Cys Ser Gln Asn Tyr Thr Thr Pro Ser Gly Val Ile Lys Ser		
145	150	155 160
Pro Gly Phe Pro Glu Lys Tyr Pro Asn Ser Leu Glu Cys Thr Tyr Ile		
	165	170 175
Val Phe Ala Pro Lys Met Ser Glu Ile Ile Leu Glu Phe Glu Ser Phe		
	180	185 190
Asp Leu Glu Pro Asp Ser Asn Pro Pro Gly Gly Met Phe Cys Arg Tyr		
	195	200 205
Asp Arg Leu Glu Ile Trp Asp Gly Phe Pro Asp Val Gly Pro His Ile		
	210	215 220
Gly Arg Tyr Cys Gly Gln Lys Thr Pro Gly Arg Ile Arg Ser Ser Ser		
	225	230 235 240
Gly Ile Leu Ser Met Val Phe Tyr Thr Asp Ser Ala Ile Ala Lys Glu		
	245	250 255
Gly Phe Ser Ala Asn Tyr Ser Val Leu Gln Ser Ser Val Ser Glu Asp		
	260	265 270
Phe Lys Cys Met Glu Ala Leu Gly Met Glu Ser Gly Glu Ile His Ser		
	275	280 285
Asp Gln Ile Thr Ala Ser Ser Gln Tyr Ser Thr Asn Trp Ser Ala Glu		
	290	295 300
Arg Ser Arg Leu Asn Tyr Pro Glu Asn Gly Trp Thr Pro Gly Glu Asp		
	305	310 315 320
Ser Tyr Arg Glu Trp Ile Gln Val Asp Leu Gly Leu Leu Arg Phe Val		
	325	330 335
Thr Ala Val Gly Thr Gln Gly Ala Ile Ser Lys Glu Thr Lys Lys Lys		
	340	345 350
Tyr Tyr Val Lys Thr Tyr Lys Ile Asp Val Ser Ser Asn Gly Glu Asp		
	355	360 365
Trp Ile Thr Ile Lys Glu Gly Asn Lys Pro Val Val Ser		
	370	375 380

&lt;210&gt; 130

&lt;211&gt; 339

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 130

Met Glu Arg Gly Leu Pro Leu Leu Cys Ala Val Leu Ala Leu Val Leu
1 5 10 15

Ala Pro Ala Gly Ala Phe Arg Asn Asp Lys Cys Gly Asp Thr Ile Lys
20 25 30

35					40					45					
His	Pro	Ser	Glu	Lys	Cys	Glu	Trp	Leu	Ile	Gln	Ala	Pro	Asp	Pro	Tyr
	50					55					60				
Gln	Arg	Ile	Met	Ile	Asn	Phe	Asn	Pro	His	Phe	Asp	Leu	Glu	Asp	Arg
65					70					75					80
Asp	Cys	Lys	Tyr	Asp	Tyr	Val	Glu	Val	Phe	Asp	Gly	Glu	Asn	Glu	Asn
				85					90					95	
Gly	His	Phe	Arg	Gly	Lys	Phe	Cys	Gly	Lys	Ile	Ala	Pro	Pro	Pro	Val
			100					105					110		
Val	Ser	Ser	Gly	Pro	Phe	Leu	Phe	Ile	Lys	Phe	Val	Ser	Asp	Tyr	Glu
		115					120					125			
Thr	His	Gly	Ala	Gly	Phe	Ser	Ile	Arg	Tyr	Glu	Ile	Phe	Lys	Arg	Gly
	130					135					140				
Pro	Glu	Cys	Ser	Gln	Asn	Tyr	Thr	Thr	Pro	Ser	Gly	Val	Ile	Lys	Ser
145					150					155					160
Pro	Gly	Phe	Pro	Glu	Lys	Tyr	Pro	Asn	Ser	Leu	Glu	Cys	Thr	Tyr	Ile
				165					170					175	
Val	Phe	Ala	Pro	Lys	Met	Ser	Glu	Ile	Ile	Leu	Glu	Phe	Glu	Ser	Phe
			180					185					190		
Asp	Leu	Glu	Pro	Asp	Ser	Asn	Pro	Pro	Gly	Gly	Met	Phe	Cys	Arg	Tyr
		195					200					205			
Asp	Arg	Leu	Glu	Ile	Trp	Asp	Gly	Phe	Pro	Asp	Val	Gly	Pro	His	Ile
	210					215					220				
Gly	Arg	Tyr	Cys	Gly	Gln	Lys	Thr	Pro	Gly	Arg	Ile	Arg	Ser	Ser	Ser
225					230					235					240
Gly	Ile	Leu	Ser	Met	Val	Phe	Tyr	Thr	Asp	Ser	Ala	Ile	Ala	Lys	Glu
				245					250					255	
Gly	Phe	Ser	Ala	Asn	Tyr	Ser	Val	Leu	Gln	Ser	Ser	Val	Ser	Glu	Asp
			260					265					270		
Phe	Lys	Cys	Met	Glu	Ala	Leu	Gly	Met	Glu	Ser	Gly	Glu	Ile	His	Ser
		275					280					285			
Asp	Gln	Ile	Thr	Ala	Ser	Ser	Gln	Tyr	Ser	Thr	Asn	Trp	Ser	Ala	Glu
	290					295					300				
Arg	Ser	Arg	Leu	Asn	Tyr	Pro	Glu	Asn	Gly	Trp	Thr	Pro	Gly	Glu	Asp
305					310					315					320
Ser	Tyr	Arg	Glu	Trp	Ile	Gln	Val	Cys	Ser	Ile	Arg	Ser	Ser	Leu	Ser
				325					330					335	
Arg	Ile	Glu													

&lt;211&gt; 1350

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 131

Met Gly Arg Val Gly Tyr Trp Thr Leu Leu Val Leu Pro Ala Leu Leu  
 1 5 10 15

Val Trp Arg Gly Pro Ala Pro Ser Ala Ala Ala Glu Lys Gly Pro Pro  
 20 25 30

Ala Leu Asn Ile Ala Val Met Leu Gly His Ser His Asp Val Thr Glu  
 35 40 45

Arg Glu Leu Arg Thr Leu Trp Gly Pro Glu Gln Ala Ala Gly Leu Pro  
 50 55 60

Leu Asp Val Asn Val Val Ala Leu Leu Met Asn Arg Thr Asp Pro Lys  
 65 70 75 80

Ser Leu Ile Thr His Val Cys Asp Leu Met Ser Gly Ala Arg Ile His  
 85 90 95

Gly Leu Val Phe Gly Asp Asp Thr Asp Gln Glu Ala Val Ala Gln Met  
 100 105 110

Leu Asp Phe Ile Ser Ser His Thr Phe Val Pro Ile Leu Gly Ile His  
 115 120 125

Gly Gly Ala Ser Met Ile Met Ala Asp Lys Asp Pro Thr Ser Thr Phe  
 130 135 140

Phe Gln Phe Gly Ala Ser Ile Gln Gln Gln Ala Thr Val Met Leu Lys  
 145 150 155 160

Ile Met Gln Asp Tyr Asp Trp His Val Phe Ser Leu Val Thr Thr Ile  
 165 170 175

Phe Pro Gly Tyr Arg Glu Phe Ile Ser Phe Val Lys Thr Thr Val Asp  
 180 185 190

Asn Ser Phe Val Gly Trp Asp Met Gln Asn Val Ile Thr Leu Asp Thr  
 195 200 205

Ser Phe Glu Asp Ala Lys Thr Gln Val Gln Leu Lys Lys Ile His Ser  
 210 215 220

Ser Val Ile Leu Leu Tyr Cys Ser Lys Asp Glu Ala Val Leu Ile Leu  
 225 230 235 240

Ser Glu Ala Arg Ser Leu Gly Leu Thr Gly Tyr Asp Phe Phe Trp Ile  
 245 250 255

Val Pro Ser Leu Val Ser Gly Asn Thr Glu Leu Ile Pro Lys Glu Phe  
 260 265 270

Pro Ser Gly Leu Ile Ser Val Ser Tyr Asp Asp Trp Asp Tyr Ser Leu  
 275 280 285

Glu Ala Arg Val Arg Asp Gly Ile Gly Ile Leu Thr Thr Ala Ala Ser

Ser Met Leu Glu Lys Phe Ser Tyr Ile Pro Glu Ala Lys Ala Ser Cys  
 305 310 315 320  
 Tyr Gly Gln Met Glu Arg Pro Glu Val Pro Met His Thr Leu His Pro  
 325 330 335  
 Phe Met Val Asn Val Thr Trp Asp Gly Lys Asp Leu Ser Phe Thr Glu  
 340 345 350  
 Glu Gly Tyr Gln Val His Pro Arg Leu Val Val Ile Val Leu Asn Lys  
 355 360 365  
 Asp Arg Glu Trp Glu Lys Val Gly Lys Trp Glu Asn His Thr Leu Ser  
 370 375 380  
 Leu Arg His Ala Val Trp Pro Arg Tyr Lys Ser Phe Ser Asp Cys Glu  
 385 390 395 400  
 Pro Asp Asp Asn His Leu Ser Ile Val Thr Leu Glu Glu Ala Pro Phe  
 405 410 415  
 Val Ile Val Glu Asp Ile Asp Pro Leu Thr Glu Thr Cys Val Arg Asn  
 420 425 430  
 Thr Val Pro Cys Arg Lys Phe Val Lys Ile Asn Asn Ser Thr Asn Glu  
 435 440 445  
 Gly Met Asn Val Lys Lys Cys Cys Lys Gly Phe Cys Ile Asp Ile Leu  
 450 455 460  
 Lys Lys Leu Ser Arg Thr Val Lys Phe Thr Tyr Asp Leu Tyr Leu Val  
 465 470 475 480  
 Thr Asn Gly Lys His Gly Lys Lys Val Asn Asn Val Trp Asn Gly Met  
 485 490 495  
 Ile Gly Glu Val Val Tyr Gln Arg Ala Val Met Ala Val Gly Ser Leu  
 500 505 510  
 Thr Ile Asn Glu Glu Arg Ser Glu Val Val Asp Phe Ser Val Pro Phe  
 515 520 525  
 Val Glu Thr Gly Ile Ser Val Met Val Ser Arg Ser Asn Gly Thr Val  
 530 535 540  
 Ser Pro Ser Ala Phe Leu Glu Pro Phe Ser Ala Ser Val Trp Val Met  
 545 550 555 560  
 Met Phe Val Met Leu Leu Ile Val Ser Ala Ile Ala Val Phe Val Phe  
 565 570 575  
 Glu Tyr Phe Ser Pro Val Gly Tyr Asn Arg Asn Leu Ala Lys Gly Lys  
 580 585 590  
 Ala Pro His Gly Pro Ser Phe Thr Ile Gly Lys Ala Ile Trp Leu Leu  
 595 600 605  
 Trp Gly Leu Val Phe Asn Asn Ser Val Pro Val Gln Asn Pro Lys Gly  
 610 615 620



Thr Thr Ser Lys Ile Met Val Ser Val Trp Ala Phe Phe Ala Val Ile  
 625 630 635 640  
 Phe Leu Ala Ser Tyr Thr Ala Asn Leu Ala Ala Phe Met Ile Gln Glu  
 645 650 655  
 Glu Phe Val Asp Gln Val Thr Gly Leu Ser Asp Lys Lys Phe Gln Arg  
 660 665 670  
 Pro His Asp Tyr Ser Pro Pro Phe Arg Phe Gly Thr Val Pro Asn Gly  
 675 680 685  
 Ser Thr Glu Arg Asn Ile Arg Asn Asn Tyr Pro Tyr Met His Gln Tyr  
 690 695 700  
 Met Thr Lys Phe Asn Gln Lys Gly Val Glu Asp Ala Leu Val Ser Leu  
 705 710 715 720  
 Lys Thr Gly Lys Leu Asp Ala Phe Ile Tyr Asp Ala Ala Val Leu Asn  
 725 730 735  
 Tyr Lys Ala Gly Arg Asp Glu Gly Cys Lys Leu Val Thr Ile Gly Ser  
 740 745 750  
 Gly Tyr Ile Phe Ala Thr Thr Gly Tyr Gly Ile Ala Leu Gln Lys Gly  
 755 760 765  
 Ser Pro Trp Lys Arg Gln Ile Asp Leu Ala Leu Leu Gln Phe Val Gly  
 770 775 780  
 Asp Gly Glu Met Glu Glu Leu Glu Thr Leu Trp Leu Thr Gly Ile Cys  
 785 790 795 800  
 His Asn Glu Lys Asn Glu Val Met Ser Ser Gln Leu Asp Ile Asp Asn  
 805 810 815  
 Met Ala Gly Val Phe Tyr Met Leu Ala Ala Ala Met Ala Leu Ser Leu  
 820 825 830  
 Ile Thr Phe Ile Trp Glu His Leu Phe Tyr Trp Lys Leu Arg Phe Cys  
 835 840 845  
 Phe Thr Gly Val Cys Ser Asp Arg Pro Gly Leu Leu Phe Ser Ile Ser  
 850 855 860  
 Arg Gly Ile Tyr Ser Cys Ile His Gly Val His Ile Glu Glu Lys Lys  
 865 870 875 880  
 Lys Ser Pro Asp Phe Asn Leu Thr Gly Ser Gln Ser Asn Met Leu Lys  
 885 890 895  
 Leu Leu Arg Ser Ala Lys Asn Ile Ser Ser Met Ser Asn Met Asn Ser  
 900 905 910  
 Ser Arg Met Asp Ser Pro Lys Arg Ala Ala Asp Phe Ile Gln Arg Gly  
 915 920 925  
 Ser Leu Ile Met Asp Met Val Ser Asp Lys Gly Asn Leu Met Tyr Ser  
 930 935 940  
 Asp Asn Arg Ser Phe Gln Gly Lys Glu Ser Ile Phe Gly Asp Asn Met

945	950	955	960
Asn Glu Leu Gln Thr Phe Val Ala Asn Arg Gln Lys Asp Asn Leu Asn			
965		970	975
Asn Tyr Val Phe Gln Gly Gln His Pro Leu Thr Leu Asn Glu Ser Asn			
980	985		990
Pro Asn Thr Val Glu Val Ala Val Ser Thr Glu Ser Lys Ala Asn Ser			
995	1000	1005	
Arg Pro Arg Gln Leu Trp Lys Lys Ser Val Asp Ser Ile Arg Gln Asp			
1010	1015	1020	
Ser Leu Ser Gln Asn Pro Val Ser Gln Arg Asp Glu Ala Thr Ala Glu			
1025	1030	1035	1040
Asn Arg Thr His Ser Leu Lys Ser Pro Arg Tyr Leu Pro Glu Glu Met			
1045	1050		1055
Ala His Ser Asp Ile Ser Glu Thr Ser Asn Arg Ala Thr Cys His Arg			
1060	1065		1070
Glu Pro Asp Asn Ser Lys Asn His Lys Thr Lys Asp Asn Phe Lys Arg			
1075	1080	1085	
Ser Val Ala Ser Lys Tyr Pro Lys Asp Cys Ser Glu Val Glu Arg Thr			
1090	1095	1100	
Tyr Leu Lys Thr Lys Ser Ser Ser Pro Arg Asp Lys Ile Tyr Thr Ile			
1105	1110	1115	1120
Asp Gly Glu Lys Glu Pro Gly Phe His Leu Asp Pro Pro Gln Phe Val			
1125	1130		1135
Glu Asn Val Thr Leu Pro Glu Asn Val Asp Phe Pro Asp Pro Tyr Gln			
1140	1145		1150
Asp Pro Ser Glu Asn Phe Arg Lys Gly Asp Ser Thr Leu Pro Met Asn			
1155	1160	1165	
Arg Asn Pro Leu His Asn Glu Glu Gly Leu Ser Asn Asn Asp Gln Tyr			
1170	1175	1180	
Lys Leu Tyr Ser Lys His Phe Thr Leu Lys Asp Lys Gly Ser Pro His			
1185	1190	1195	1200
Ser Glu Thr Ser Glu Arg Tyr Arg Gln Asn Ser Thr His Cys Arg Ser			
1205	1210		1215
Cys Leu Ser Asn Met Pro Thr Tyr Ser Gly His Phe Thr Met Arg Ser			
1220	1225		1230
Pro Phe Lys Cys Asp Ala Cys Leu Arg Met Gly Asn Leu Tyr Asp Ile			
1235	1240		1245
Asp Glu Asp Gln Met Leu Gln Glu Thr Arg Asp Asp Gln Arg Leu Val			
1250	1255	1260	
Ile Gly Arg Cys Pro Ser Asp Pro Tyr Lys His Ser Leu Pro Ser Gln			
1265	1270	1275	1280

Ala Val Asn Asp Ser Tyr Leu Arg Ser Ser Leu Arg Ser Thr Ala Ser  
 1285 1290 1295

Tyr Cys Ser Arg Asp Ser Arg Gly His Asn Asp Val Tyr Ile Ser Glu  
 1300 1305 1310

His Val Met Pro Tyr Ala Ala Asn Lys Asn Asn Met Tyr Ser Thr Pro  
 1315 1320 1325

Arg Val Leu Asn Ser Cys Ser Asn Arg Arg Val Tyr Lys Lys Met Pro  
 1330 1335 1340

Ser Ile Glu Ser Asp Val  
 1345 1350

<210> 132

<211> 455

<212> PRT

<213> Homo sapiens

<400> 132

Met Arg Thr Leu Leu Pro Pro Ala Leu Leu Thr Cys Trp Leu Leu Ala  
 1 5 10 15

Pro Val Asn Ser Ile His Pro Glu Cys Arg Phe His Leu Glu Ile Gln  
 20 25 30

Glu Glu Glu Thr Lys Cys Xaa Glu Leu Leu Arg Ser Gln Thr Glu Lys  
 35 40 45

His Lys Ala Cys Ser Gly Val Trp Asp Asn Ile Thr Cys Trp Arg Pro  
 50 55 60

Ala Asn Val Gly Glu Thr Val Thr Val Pro Cys Pro Lys Val Phe Ser  
 65 70 75 80

Asn Phe Tyr Ser Lys Ala Gly Asn Ile Ser Lys Asn Cys Thr Ser Asp  
 85 90 95

Gly Trp Ser Glu Thr Phe Pro Asp Phe Val Asp Ala Cys Gly Tyr Ser  
 100 105 110

Asp Pro Glu Asp Glu Ser Lys Ile Thr Phe Tyr Ile Leu Val Lys Ala  
 115 120 125

Ile Tyr Thr Leu Gly Tyr Ser Val Ser Leu Met Ser Leu Ala Thr Gly  
 130 135 140

Ser Ile Ile Leu Cys Leu Phe Arg Lys Leu His Cys Thr Arg Asn Tyr  
 145 150 155 160

Ile His Leu Asn Leu Phe Leu Ser Phe Ile Leu Arg Ala Ile Ser Val  
 165 170 175

Leu Val Lys Asp Asp Val Leu Tyr Ser Ser Ser Gly Thr Leu His Cys  
 180 185 190

Pro Asp Gln Pro Ser Ser Trp Val Gly Cys Lys Leu Ser Leu Val Phe  
 195 200 205

Leu Gln Tyr Cys Ile Met Ala Asn Phe Phe Trp Leu Leu Val Glu Gly  
 210 215 220  
 Leu Tyr Leu His Thr Leu Leu Val Ala Met Leu Pro Pro Arg Arg Cys  
 225 230 235 240  
 Phe Leu Ala Tyr Leu Leu Ile Gly Trp Gly Leu Pro Thr Val Cys Ile  
 245 250 255  
 Gly Ala Trp Thr Ala Ala Arg Leu Tyr Leu Glu Asp Thr Gly Cys Trp  
 260 265 270  
 Asp Thr Asn Asp His Ser Val Pro Trp Trp Val Ile Arg Ile Pro Ile  
 275 280 285  
 Leu Ile Ser Ile Ile Val Asn Phe Val Leu Phe Ile Ser Ile Ile Arg  
 290 295 300  
 Ile Leu Leu Gln Lys Leu Thr Ser Pro Asp Val Gly Gly Asn Asp Gln  
 305 310 315 320  
 Ser Gln Tyr Lys Arg Leu Ala Lys Ser Thr Leu Leu Leu Ile Pro Leu  
 325 330 335  
 Phe Gly Val His Tyr Met Val Phe Ala Val Phe Pro Ile Ser Ile Ser  
 340 345 350  
 Ser Lys Tyr Gln Ile Leu Phe Glu Leu Cys Leu Gly Ser Phe Gln Gly  
 355 360 365  
 Leu Val Val Ala Val Leu Tyr Cys Phe Leu Asn Ser Glu Val Ser Ser  
 370 375 380  
 Trp Pro Pro Trp Asn Gln Ala Gln Val Leu Thr Cys Phe Leu Arg Cys  
 385 390 395 400  
 Cys Pro Ala Trp Cys Arg Ser Pro His Thr Cys Leu Ser Ser Ala Gly  
 405 410 415  
 Ser Ser Tyr Cys Pro Gly Pro His Ser Ser Val Ser Pro Ser Glu Asn  
 420 425 430  
 Pro Gln Arg His Arg Gln Thr His Ser Ser Gly Pro Ser Phe Gln Thr  
 435 440 445  
 Pro Pro Ser Phe Arg Pro Pro  
 450 455

&lt;210&gt; 133

&lt;211&gt; 452

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 133

Met Arg Thr Leu Leu Pro Pro Ala Leu Leu Thr Cys Trp Leu Leu Ala  
 1 5 10 15

Pro Val Asn Ser Ile His Pro Glu Cys Arg Phe His Leu Glu Ile Gln  
 20 25 30

Glu Glu Glu Thr Lys Cys Xaa Glu Leu Leu Arg Ser Gln Thr Glu Lys  
                   35                                  40                                  45  
 His Lys Ala Cys Ser Gly Val Trp Asp Asn Ile Thr Cys Trp Arg Pro  
           50                                  55                                  60  
 Ala Asn Val Gly Glu Thr Val Thr Val Pro Cys Pro Lys Val Phe Ser  
       65                                  70                                  75                                  80  
 Asn Phe Tyr Ser Lys Ala Gly Asn Ile Ser Lys Asn Cys Thr Ser Asp  
                                   85                                  90                                  95  
 Gly Trp Ser Glu Thr Phe Pro Asp Phe Val Asp Ala Cys Gly Tyr Ser  
                   100                                  105                                  110  
 Asp Pro Glu Asp Glu Ser Lys Ile Thr Phe Tyr Ile Leu Val Lys Ala  
           115                                  120                                  125  
 Ile Tyr Thr Leu Gly Tyr Ser Val Ser Leu Met Ser Leu Ala Thr Gly  
       130                                  135                                  140  
 Ser Ile Ile Leu Cys Leu Phe Arg Lys Leu His Cys Thr Arg Asn Tyr  
       145                                  150                                  155                                  160  
 Ile His Leu Asn Leu Phe Leu Ser Phe Ile Leu Arg Ala Ile Ser Val  
                                   165                                  170                                  175  
 Leu Val Lys Asp Asp Val Leu Tyr Ser Ser Ser Gly Thr Leu His Cys  
           180                                  185                                  190  
 Pro Asp Gln Pro Ser Ser Trp Val Gly Cys Lys Leu Ser Leu Val Phe  
           195                                  200                                  205  
 Leu Gln Tyr Cys Ile Met Ala Asn Phe Phe Trp Leu Leu Val Glu Gly  
       210                                  215                                  220  
 Leu Tyr Leu His Thr Leu Leu Val Ala Met Leu Pro Pro Arg Arg Cys  
       225                                  230                                  235                                  240  
 Phe Leu Ala Tyr Leu Leu Ile Gly Trp Gly Leu Pro Thr Val Cys Ile  
           245                                  250                                  255  
 Gly Ala Trp Thr Ala Ala Arg Leu Tyr Leu Glu Asp Thr Gly Cys Trp  
           260                                  265                                  270  
 Asp Thr Asn Asp His Ser Val Pro Trp Trp Val Ile Arg Ile Pro Ile  
           275                                  280                                  285  
 Leu Ile Ser Ile Ile Val Asn Phe Val Leu Phe Ile Ser Ile Ile Arg  
       290                                  295                                  300  
 Ile Leu Leu Gln Lys Leu Thr Ser Pro Asp Val Gly Gly Asn Asp Gln  
       305                                  310                                  315                                  320  
 Ser Gln Tyr Lys Arg Leu Ala Lys Ser Thr Leu Leu Leu Ile Pro Leu  
           325                                  330                                  335  
 Phe Gly Val His Tyr Met Val Phe Ala Val Phe Pro Ile Ser Ile Ser  
           340                                  345                                  350

Ser Lys Tyr Gln Ile Leu Phe Glu Leu Cys Leu Gly Ser Phe Gln Gly  
 355 360 365  
 Leu Val Val Ala Val Leu Tyr Cys Phe Leu Asn Ser Glu Val Ser Ser  
 370 375 380  
 Trp Pro Pro Trp Asn Gln Ala Gln Val Leu Thr Cys Phe Leu Arg Cys  
 385 390 395 400  
 Cys Pro Ala Trp Cys Arg Ser Pro His Thr Cys Leu Ser Ser Ala Gly  
 405 410 415  
 Ser Ser Tyr Cys Pro Gly Pro His Ser Ser Val Ser Pro Ser Glu Asn  
 420 425 430  
 Pro Gln Arg His Arg Gln Thr His Ser Ser Gly Trp Gly Val Gly Leu  
 435 440 445  
 His Ser Val Leu  
 450

<210> 134  
 <211> 1344  
 <212> PRT  
 <213> Homo sapiens

<400> 134  
 Met Lys Ser Gly Ser Gly Gly Gly Ser Pro Thr Ser Leu Trp Gly Leu  
 1 5 10 15  
 Leu Phe Leu Ser Ala Ala Leu Ser Leu Trp Pro Thr Ser Gly Glu Ile  
 20 25 30  
 Cys Gly Pro Gly Ile Asp Ile Arg Asn Asp Tyr Gln Gln Leu Lys Arg  
 35 40 45  
 Leu Glu Asn Cys Thr Val Ile Glu Gly Tyr Leu His Ile Leu Leu Ile  
 50 55 60  
 Ser Lys Ala Glu Asp Tyr Arg Ser Tyr Arg Phe Pro Lys Leu Thr Val  
 65 70 75 80  
 Ile Thr Glu Tyr Leu Leu Leu Phe Arg Val Ala Gly Leu Glu Ser Leu  
 85 90 95  
 Gly Asp Leu Phe Pro Asn Leu Thr Val Ile Arg Gly Trp Lys Leu Phe  
 100 105 110  
 Tyr Asn Tyr Ala Leu Val Ile Phe Glu Met Thr Asn Leu Lys Asp Ile  
 115 120 125  
 Gly Leu Tyr Asn Leu Arg Asn Ile Thr Arg Gly Ala Ile Arg Ile Glu  
 130 135 140  
 Lys Asn Ala Asp Leu Cys Tyr Leu Ser Thr Val Asp Trp Ser Leu Ile  
 145 150 155 160  
 Leu Asp Ala Val Ser Asn Asn Tyr Ile Val Gly Asn Lys Pro Pro Lys  
 165 170 175

Glu Cys Gly Asp Leu Cys Pro Gly Thr Met Glu Glu Lys Pro Met Cys  
 180 185 190  
 Glu Lys Thr Thr Ile Asn Asn Glu Tyr Asn Tyr Arg Cys Trp Thr Thr  
 195 200 205  
 Asn Arg Cys Gln Lys Met Cys Pro Ser Thr Cys Gly Lys Arg Ala Cys  
 210 215 220  
 Thr Glu Asn Asn Glu Cys Cys His Pro Glu Cys Leu Gly Ser Cys Ser  
 225 230 235 240  
 Ala Pro Asp Asn Asp Thr Ala Cys Val Ala Cys Arg His Tyr Tyr Tyr  
 245 250 255  
 Ala Gly Val Cys Val Pro Ala Cys Pro Pro Asn Thr Tyr Arg Phe Glu  
 260 265 270  
 Gly Trp Arg Cys Val Asp Arg Asp Phe Cys Ala Asn Ile Leu Ser Ala  
 275 280 285  
 Glu Ser Ser Asp Ser Glu Gly Phe Val Ile His Asp Gly Glu Cys Met  
 290 295 300  
 Gln Glu Cys Pro Ser Gly Phe Ile Arg Asn Gly Ser Gln Ser Met Tyr  
 305 310 315 320  
 Cys Ile Pro Cys Glu Gly Pro Cys Pro Lys Val Cys Glu Glu Glu Lys  
 325 330 335  
 Lys Thr Lys Thr Ile Asp Ser Val Thr Ser Ala Gln Met Leu Gln Gly  
 340 345 350  
 Cys Thr Ile Phe Lys Gly Asn Leu Leu Ile Asn Ile Arg Arg Gly Asn  
 355 360 365  
 Asn Ile Ala Ser Glu Leu Glu Asn Phe Met Gly Leu Ile Glu Val Val  
 370 375 380  
 Thr Gly Tyr Val Lys Ile Arg His Ser His Ala Leu Val Ser Leu Ser  
 385 390 395 400  
 Phe Leu Lys Asn Leu Arg Leu Ile Leu Gly Glu Glu Gln Leu Glu Gly  
 405 410 415  
 Asn Tyr Ser Phe Tyr Val Leu Asp Asn Gln Asn Leu Gln Gln Leu Trp  
 420 425 430  
 Asp Trp Asp His Arg Asn Leu Thr Ile Lys Ala Gly Lys Met Tyr Phe  
 435 440 445  
 Ala Phe Asn Pro Lys Leu Cys Val Ser Glu Ile Tyr Arg Met Glu Glu  
 450 455 460  
 Val Thr Gly Thr Lys Gly Arg Gln Ser Lys Gly Asp Ile Asn Thr Arg  
 465 470 475 480  
 Asn Asn Gly Glu Arg Ala Ser Cys Glu Ser Asp Val Leu His Phe Thr  
 485 490 495  
 Ser Thr Thr Thr Ser Lys Asn Arg Ile Ile Ile Thr Trp His Arg Tyr

500					505					510					
Arg	Pro	Pro	Asp	Tyr	Arg	Asp	Leu	Ile	Ser	Phe	Thr	Val	Tyr	Tyr	Lys
		515					520					525			
Glu	Ala	Pro	Phe	Lys	Asn	Val	Thr	Glu	Tyr	Asp	Gly	Gln	Asp	Ala	Cys
		530					535					540			
Gly	Ser	Asn	Ser	Trp	Asn	Met	Val	Asp	Val	Asp	Leu	Pro	Pro	Asn	Lys
							550					555			560
Asp	Val	Glu	Pro	Gly	Ile	Leu	Leu	His	Gly	Leu	Lys	Pro	Trp	Thr	Gln
				565					570					575	
Tyr	Ala	Val	Tyr	Val	Lys	Ala	Val	Thr	Leu	Thr	Met	Val	Glu	Asn	Asp
				580					585					590	
His	Ile	Arg	Gly	Ala	Lys	Ser	Glu	Ile	Leu	Tyr	Ile	Arg	Thr	Asn	Ala
				595					600					605	
Ser	Val	Pro	Ser	Ile	Pro	Leu	Asp	Val	Leu	Ser	Ala	Ser	Asn	Ser	Ser
				610					615					620	
Ser	Gln	Leu	Ile	Val	Lys	Trp	Asn	Pro	Pro	Ser	Leu	Pro	Asn	Gly	Asn
							630							635	640
Leu	Ser	Tyr	Tyr	Ile	Val	Arg	Trp	Gln	Arg	Gln	Pro	Gln	Asp	Gly	Tyr
				645					650					655	
Leu	Tyr	Arg	His	Asn	Tyr	Cys	Ser	Lys	Asp	Lys	Ile	Pro	Ile	Arg	Lys
				660					665					670	
Tyr	Ala	Asp	Gly	Thr	Ile	Asp	Ile	Glu	Glu	Val	Thr	Glu	Asn	Pro	Lys
				675					680					685	
Thr	Glu	Val	Cys	Gly	Gly	Glu	Lys	Gly	Pro	Cys	Cys	Ala	Cys	Pro	Lys
									695					700	
Thr	Glu	Ala	Glu	Lys	Gln	Ala	Glu	Lys	Glu	Glu	Ala	Glu	Tyr	Arg	Lys
									710					715	720
Val	Phe	Glu	Asn	Phe	Leu	His	Asn	Ser	Ile	Phe	Val	Pro	Arg	Pro	Glu
				725					730					735	
Arg	Lys	Arg	Arg	Asp	Val	Met	Gln	Val	Ala	Asn	Thr	Thr	Met	Ser	Ser
				740					745					750	
Arg	Ser	Arg	Asn	Thr	Thr	Ala	Ala	Asp	Thr	Tyr	Asn	Ile	Thr	Asp	Pro
				755					760					765	
Glu	Glu	Leu	Glu	Thr	Glu	Tyr	Pro	Phe	Phe	Glu	Ser	Arg	Val	Asp	Asn
				770					775					780	
Lys	Glu	Arg	Thr	Val	Ile	Ser	Asn	Leu	Arg	Pro	Phe	Thr	Leu	Tyr	Arg
									790					795	800
Ile	Asp	Ile	His	Ser	Cys	Asn	His	Glu	Ala	Glu	Lys	Leu	Gly	Cys	Ser
				805					810					815	
Ala	Ser	Asn	Phe	Val	Phe	Ala	Arg	Thr	Met	Pro	Ala	Glu	Gly	Ala	Asp
				820					825					830	



Asp Ile Pro Gly Pro Val Thr Trp Glu Pro Arg Pro Glu Asn Ser Ile  
 835 840 845  
 Phe Leu Lys Trp Pro Glu Pro Glu Asn Pro Asn Gly Leu Ile Leu Met  
 850 855 860  
 Tyr Glu Ile Lys Tyr Gly Ser Gln Val Glu Asp Gln Arg Glu Cys Val  
 865 870 875 880  
 Ser Arg Gln Glu Tyr Arg Lys Tyr Gly Gly Ala Lys Leu Asn Arg Leu  
 885 890 895  
 Asn Pro Gly Asn Tyr Thr Ala Arg Ile Gln Ala Thr Ser Leu Ser Gly  
 900 905 910  
 Asn Gly Ser Trp Thr Asp Pro Val Phe Phe Tyr Val Gln Ala Lys Thr  
 915 920 925  
 Gly Tyr Glu Asn Phe Ile His Leu Ile Ile Ala Leu Pro Val Ala Val  
 930 935 940  
 Leu Leu Ile Val Gly Gly Leu Val Ile Met Leu Tyr Val Phe His Arg  
 945 950 955 960  
 Lys Arg Asn Asn Ser Arg Leu Gly Asn Gly Val Leu Tyr Ala Ser Val  
 965 970 975  
 Asn Pro Glu Tyr Phe Ser Ala Ala Asp Val Tyr Val Pro Asp Glu Trp  
 980 985 990  
 Glu Val Ala Arg Glu Lys Ile Thr Met Ser Arg Glu Leu Gly Gln Gly  
 995 1000 1005  
 Ser Phe Gly Met Val Tyr Glu Gly Val Ala Lys Gly Val Val Lys Asp  
 1010 1015 1020  
 Glu Pro Glu Thr Arg Val Ala Ile Lys Thr Val Asn Glu Ala Ala Ser  
 1025 1030 1035 1040  
 Met Arg Glu Arg Ile Glu Phe Leu Asn Glu Ala Ser Val Met Lys Glu  
 1045 1050 1055  
 Phe Asn Cys His His Val Val Arg Leu Leu Gly Val Val Ser Gln Gly  
 1060 1065 1070  
 Gln Pro Thr Leu Val Ile Met Glu Leu Met Thr Arg Gly Asp Leu Lys  
 1075 1080 1085  
 Ser Tyr Leu Arg Ser Leu Arg Pro Glu Met Glu Asn Asn Pro Val Leu  
 1090 1095 1100  
 Ala Pro Pro Ser Leu Ser Lys Met Ile Gln Met Ala Gly Glu Ile Ala  
 1105 1110 1115 1120  
 Asp Gly Met Ala Tyr Leu Asn Ala Asn Lys Phe Val His Arg Asp Leu  
 1125 1130 1135  
 Ala Ala Arg Asn Cys Met Val Ala Glu Asp Phe Thr Val Lys Ile Gly  
 1140 1145 1150

Asp Phe Gly Met Thr Arg Asp Ile Tyr Glu Thr Asp Tyr Tyr Arg Lys  
 1155 1160 1165  
 Gly Gly Lys Gly Leu Leu Pro Val Arg Trp Met Ser Pro Glu Ser Leu  
 1170 1175 1180  
 Lys Asp Gly Val Phe Thr Thr Tyr Ser Asp Val Trp Ser Phe Gly Val  
 1185 1190 1195 1200  
 Val Leu Trp Glu Ile Ala Thr Leu Ala Glu Gln Pro Tyr Gln Gly Leu  
 1205 1210 1215  
 Ser Asn Glu Gln Val Leu Arg Phe Val Met Glu Gly Gly Leu Leu Asp  
 1220 1225 1230  
 Lys Pro Asp Asn Cys Pro Asp Met Leu Phe Glu Leu Met Arg Met Cys  
 1235 1240 1245  
 Trp Gln Tyr Asn Pro Lys Met Arg Pro Ser Phe Leu Glu Ile Ile Ser  
 1250 1255 1260  
 Ser Ile Lys Glu Glu Leu Asp Leu Glu Pro Glu Asn Met Glu Ser Val  
 1265 1270 1275 1280  
 Pro Leu Asp Pro Ser Ala Ser Ser Ser Ser Leu Pro Leu Pro Asp Arg  
 1285 1290 1295  
 His Ser Gly His Lys Ala Glu Asn Gly Pro Gly Pro Gly Val Leu Val  
 1300 1305 1310  
 Leu Arg Ala Ser Phe Asp Glu Arg Gln Pro Tyr Ala His Met Asn Gly  
 1315 1320 1325  
 Gly Arg Lys Asn Glu Arg Ala Leu Pro Leu Pro Gln Ser Ser Thr Cys  
 1330 1335 1340

<210> 135  
 <211> 600  
 <212> PRT  
 <213> Homo sapiens

<400> 135  
 Met Glu Arg Gly Leu Pro Leu Leu Cys Ala Val Leu Ala Leu Val Leu  
 1 5 10 15  
 Ala Pro Ala Gly Ala Phe Arg Asn Asp Lys Cys Gly Asp Thr Ile Lys  
 20 25 30  
 Ile Glu Ser Pro Gly Tyr Leu Thr Ser Pro Gly Tyr Pro His Ser Tyr  
 35 40 45  
 His Pro Ser Glu Lys Cys Glu Trp Leu Ile Gln Ala Pro Asp Pro Tyr  
 50 55 60  
 Gln Arg Ile Met Ile Asn Phe Asn Pro His Phe Asp Leu Glu Asp Arg  
 65 70 75 80

Asp Cys Lys Tyr Asp Tyr Val Glu Val Phe Asp Gly Glu Asn Glu Asn  
 85 90 95  
 Gly His Phe Arg Gly Lys Phe Cys Gly Lys Ile Ala Pro Pro Pro Val  
 100 105 110  
 Val Ser Ser Gly Pro Phe Leu Phe Ile Lys Phe Val Ser Asp Tyr Glu  
 115 120 125  
 Thr His Gly Ala Gly Phe Ser Ile Arg Tyr Glu Ile Phe Lys Arg Gly  
 130 135 140  
 Pro Glu Cys Ser Gln Asn Tyr Thr Thr Pro Ser Gly Val Ile Lys Ser  
 145 150 155 160  
 Pro Gly Phe Pro Glu Lys Tyr Pro Asn Ser Leu Glu Cys Thr Tyr Ile  
 165 170 175  
 Val Phe Ala Pro Lys Met Ser Glu Ile Ile Leu Glu Phe Glu Ser Phe  
 180 185 190  
 Asp Leu Glu Pro Asp Ser Asn Pro Pro Gly Gly Met Phe Cys Arg Tyr  
 195 200 205  
 Asp Arg Leu Glu Ile Trp Asp Gly Phe Pro Asp Val Gly Pro His Ile  
 210 215 220  
 Gly Arg Tyr Cys Gly Gln Lys Thr Pro Gly Arg Ile Arg Ser Ser Ser  
 225 230 235 240  
 Gly Ile Leu Ser Met Val Phe Tyr Thr Asp Ser Ala Ile Ala Lys Glu  
 245 250 255  
 Gly Phe Ser Ala Asn Tyr Ser Val Leu Gln Ser Ser Val Ser Glu Asp  
 260 265 270  
 Phe Lys Cys Met Glu Ala Leu Gly Met Glu Ser Gly Glu Ile His Ser  
 275 280 285  
 Asp Gln Ile Thr Ala Ser Ser Gln Tyr Ser Thr Asn Trp Ser Ala Glu  
 290 295 300  
 Arg Ser Arg Leu Asn Tyr Pro Glu Asn Gly Trp Thr Pro Gly Glu Asp  
 305 310 315 320  
 Ser Tyr Arg Glu Trp Ile Gln Val Asp Leu Gly Leu Leu Arg Phe Val  
 325 330 335  
 Thr Ala Val Gly Thr Gln Gly Ala Ile Ser Lys Glu Thr Lys Lys Lys  
 340 345 350  
 Tyr Tyr Val Lys Thr Tyr Lys Ile Asp Val Ser Ser Asn Gly Glu Asp  
 355 360 365  
 Trp Ile Thr Ile Lys Glu Gly Asn Lys Pro Val Leu Phe Gln Gly Asn  
 370 375 380  
 Thr Asn Pro Thr Asp Val Val Val Ala Val Phe Pro Lys Pro Leu Ile  
 385 390 395 400  
 Thr Arg Phe Val Arg Ile Lys Pro Ala Thr Trp Glu Thr Gly Ile Ser

405										410					415				
Met	Arg	Phe	Glu	Val	Tyr	Gly	Cys	Lys	Ile	Thr	Asp	Tyr	Pro	Cys	Ser				
			420					425					430						
Gly	Met	Leu	Gly	Met	Val	Ser	Gly	Leu	Ile	Ser	Asp	Ser	Gln	Ile	Thr				
		435					440					445							
Ser	Ser	Asn	Gln	Gly	Asp	Arg	Asn	Trp	Met	Pro	Glu	Asn	Ile	Arg	Leu				
	450					455					460								
Val	Thr	Ser	Arg	Ser	Gly	Trp	Ala	Leu	Pro	Pro	Ala	Pro	His	Ser	Tyr				
465					470					475					480				
Ile	Asn	Glu	Trp	Leu	Gln	Ile	Asp	Leu	Gly	Glu	Glu	Lys	Ile	Val	Arg				
				485					490					495					
Gly	Ile	Ile	Ile	Gln	Gly	Gly	Lys	His	Arg	Glu	Asn	Lys	Val	Phe	Met				
			500				505						510						
Arg	Lys	Phe	Lys	Ile	Gly	Tyr	Ser	Asn	Asn	Gly	Ser	Asp	Trp	Lys	Met				
		515					520					525							
Ile	Met	Asp	Asp	Ser	Lys	Arg	Lys	Ala	Lys	Ser	Phe	Glu	Gly	Asn	Asn				
	530					535					540								
Asn	Tyr	Asp	Thr	Pro	Glu	Leu	Arg	Thr	Phe	Pro	Ala	Leu	Ser	Thr	Arg				
545					550					555					560				
Phe	Ile	Arg	Ile	Tyr	Pro	Glu	Arg	Ala	Thr	His	Gly	Gly	Leu	Gly	Leu				
			565						570					575					
Arg	Met	Glu	Leu	Leu	Gly	Cys	Glu	Val	Glu	Ala	Pro	Thr	Ala	Gly	Pro				
			580					585					590						
Thr	Thr	Pro	Asn	Gly	Asn	Leu	Val												
		595					600												

```
<210> 136
<211> 840
<212> PRT
<213> Homo sapiens
```

```

<400> 136
Met Glu Arg Gly Leu Pro Leu Leu Cys Ala Val Leu Ala Leu Val Leu
  1             5             10             15
Ala Pro Ala Gly Ala Phe Arg Asn Asp Lys Cys Gly Asp Thr Ile Lys
      20             25             30
Ile Glu Ser Pro Gly Tyr Leu Thr Ser Pro Gly Tyr Pro His Ser Tyr
      35             40             45
His Pro Ser Glu Lys Cys Glu Trp Leu Ile Gln Ala Pro Asp Pro Tyr
      50             55             60
Gln Arg Ile Met Ile Asn Phe Asn Pro His Phe Asp Leu Glu Asp Arg
  65             70             75             80
Asp Cys Lys Tyr Asp Tyr Val Glu Val Phe Asp Gly Glu Asn Glu Asn

```

85								90				95			
Gly	His	Phe	Arg	Gly	Lys	Phe	Cys	Gly	Lys	Ile	Ala	Pro	Pro	Pro	Val
			100							105				110	
Val	Ser	Ser	Gly	Pro	Phe	Leu	Phe	Ile	Lys	Phe	Val	Ser	Asp	Tyr	Glu
		115					120					125			
Thr	His	Gly	Ala	Gly	Phe	Ser	Ile	Arg	Tyr	Glu	Ile	Phe	Lys	Arg	Gly
	130					135					140				
Pro	Glu	Cys	Ser	Gln	Asn	Tyr	Thr	Thr	Pro	Ser	Gly	Val	Ile	Lys	Ser
145					150					155					160
Pro	Gly	Phe	Pro	Glu	Lys	Tyr	Pro	Asn	Ser	Leu	Glu	Cys	Thr	Tyr	Ile
				165					170					175	
Val	Phe	Ala	Pro	Lys	Met	Ser	Glu	Ile	Ile	Leu	Glu	Phe	Glu	Ser	Phe
			180						185				190		
Asp	Leu	Glu	Pro	Asp	Ser	Asn	Pro	Pro	Gly	Gly	Met	Phe	Cys	Arg	Tyr
		195					200					205			
Asp	Arg	Leu	Glu	Ile	Trp	Asp	Gly	Phe	Pro	Asp	Val	Gly	Pro	His	Ile
	210					215					220				
Gly	Arg	Tyr	Cys	Gly	Gln	Lys	Thr	Pro	Gly	Arg	Ile	Arg	Ser	Ser	Ser
225					230					235					240
Gly	Ile	Leu	Ser	Met	Val	Phe	Tyr	Thr	Asp	Ser	Ala	Ile	Ala	Lys	Glu
				245					250					255	
Gly	Phe	Ser	Ala	Asn	Tyr	Ser	Val	Leu	Gln	Ser	Ser	Val	Ser	Glu	Asp
			260						265				270		
Phe	Lys	Cys	Met	Glu	Ala	Leu	Gly	Met	Glu	Ser	Gly	Glu	Ile	His	Ser
		275					280					285			
Asp	Gln	Ile	Thr	Ala	Ser	Ser	Gln	Tyr	Ser	Thr	Asn	Trp	Ser	Ala	Glu
	290					295					300				
Arg	Ser	Arg	Leu	Asn	Tyr	Pro	Glu	Asn	Gly	Trp	Thr	Pro	Gly	Glu	Asp
305					310					315					320
Ser	Tyr	Arg	Glu	Trp	Ile	Gln	Val	Asp	Leu	Gly	Leu	Leu	Arg	Phe	Val
				325					330					335	
Thr	Ala	Val	Gly	Thr	Gln	Gly	Ala	Ile	Ser	Lys	Glu	Thr	Lys	Lys	Lys
			340						345				350		
Tyr	Tyr	Val	Lys	Thr	Tyr	Lys	Ile	Asp	Val	Ser	Ser	Asn	Gly	Glu	Asp
		355					360					365			
Trp	Ile	Thr	Ile	Lys	Glu	Gly	Asn	Lys	Pro	Val	Leu	Phe	Gln	Gly	Asn
	370					375					380				
Thr	Asn	Pro	Thr	Asp	Val	Val	Val	Ala	Val	Phe	Pro	Lys	Pro	Leu	Ile
385					390					395					400
Thr	Arg	Phe	Val	Arg	Ile	Lys	Pro	Ala	Thr	Trp	Glu	Thr	Gly	Ile	Ser
				405					410					415	

Met Arg Phe Glu Val Tyr Gly Cys Lys Ile Thr Asp Tyr Pro Cys Ser  
 420 425 430  
 Gly Met Leu Gly Met Val Ser Gly Leu Ile Ser Asp Ser Gln Ile Thr  
 435 440 445  
 Ser Ser Asn Gln Gly Asp Arg Asn Trp Met Pro Glu Asn Ile Arg Leu  
 450 455 460  
 Val Thr Ser Arg Ser Gly Trp Ala Leu Pro Pro Ala Pro His Ser Tyr  
 465 470 475 480  
 Ile Asn Glu Trp Leu Gln Ile Asp Leu Gly Glu Glu Lys Ile Val Arg  
 485 490 495  
 Gly Ile Ile Ile Gln Gly Gly Lys His Arg Glu Asn Lys Val Phe Met  
 500 505 510  
 Arg Lys Phe Lys Ile Gly Tyr Ser Asn Asn Gly Ser Asp Trp Lys Met  
 515 520 525  
 Ile Met Asp Asp Ser Lys Arg Lys Ala Lys Gly Gly Thr Thr Val Leu  
 530 535 540  
 Ala Thr Glu Lys Pro Thr Val Ile Asp Ser Thr Ile Gln Ser Glu Phe  
 545 550 555 560  
 Pro Thr Tyr Gly Phe Asn Cys Glu Phe Gly Trp Gly Ser His Lys Thr  
 565 570 575  
 Phe Cys His Trp Glu His Asp Asn His Val Gln Leu Lys Trp Ser Val  
 580 585 590  
 Leu Thr Ser Lys Thr Gly Pro Ile Gln Asp His Thr Gly Asp Gly Asn  
 595 600 605  
 Phe Ile Tyr Ser Gln Ala Asp Glu Asn Gln Lys Gly Lys Val Ala Arg  
 610 615 620  
 Leu Val Ser Pro Val Val Tyr Ser Gln Asn Ser Ala His Cys Met Thr  
 625 630 635 640  
 Phe Trp Tyr His Met Ser Gly Ser His Val Gly Thr Leu Arg Val Lys  
 645 650 655  
 Leu Arg Tyr Gln Lys Pro Glu Glu Tyr Asp Gln Leu Val Trp Met Ala  
 660 665 670  
 Ile Gly His Gln Gly Asp His Trp Lys Glu Gly Arg Val Leu Leu His  
 675 680 685  
 Lys Ser Leu Lys Leu Tyr Gln Val Ile Phe Glu Gly Glu Ile Gly Lys  
 690 695 700  
 Gly Asn Leu Gly Gly Ile Ala Val Asp Asp Ile Ser Ile Asn Asn His  
 705 710 715 720  
 Ile Ser Gln Glu Asp Cys Ala Lys Pro Ala Asp Leu Asp Lys Lys Asn  
 725 730 735

ro Glu Ile Lys Ile Asp Glu Thr Gly Ser Thr Pro Gly Tyr Glu Gly  
                     740                    745                    750  
 lu Gly Glu Gly Asp Lys Asn Ile Ser Arg Lys Pro Gly Asn Val Leu  
                     755                    760                    765  
 ys Thr Leu Xaa Pro Ile Leu Ile Thr Ile Ile Ala Met Ser Ala Leu  
                     770                    775                    780  
 ly Val Leu Leu Gly Ala Val Cys Gly Val Val Leu Tyr Cys Ala Cys  
                     785                    790                    795                    800  
 rp His Asn Gly Met Ser Glu Arg Asn Leu Ser Ala Leu Glu Asn Tyr  
                     805                    810                    815  
 Asn Phe Glu Leu Val Asp Gly Val Lys Leu Lys Lys Asp Lys Leu Asn  
                     820                    825                    830  
 Thr Gln Ser Thr Tyr Ser Glu Ala  
                     835                    840

<210> 137  
 <211> 538  
 <212> PRT  
 <213> Homo sapiens

<400> 137  
 Met Glu Arg Gly Leu Pro Leu Leu Cys Ala Val Leu Ala Leu Val Leu  
   1                    5                    10                    15  
 Ala Pro Ala Gly Ala Phe Arg Asn Asp Lys Cys Gly Asp Thr Ile Lys  
                     20                    25                    30  
 Ile Glu Ser Pro Gly Tyr Leu Thr Ser Pro Gly Tyr Pro His Ser Tyr  
                     35                    40                    45  
 His Pro Ser Glu Lys Cys Glu Trp Leu Ile Gln Ala Pro Asp Pro Tyr  
                     50                    55                    60  
 Gln Arg Ile Met Ile Asn Phe Asn Pro His Phe Asp Leu Glu Asp Arg  
                     65                    70                    75                    80  
 Asp Cys Lys Tyr Asp Tyr Val Glu Val Phe Asp Gly Glu Asn Glu Asn  
                     85                    90                    95  
 Gly His Phe Arg Gly Lys Phe Cys Gly Lys Ile Ala Pro Pro Pro Val  
                     100                    105                    110  
 Val Ser Ser Gly Pro Phe Leu Phe Ile Lys Phe Val Ser Asp Tyr Glu  
                     115                    120                    125  
 Thr His Gly Ala Gly Phe Ser Ile Arg Tyr Glu Ile Phe Lys Arg Gly  
                     130                    135                    140  
 Pro Glu Cys Ser Gln Asn Tyr Thr Thr Pro Ser Gly Val Ile Lys Ser  
                     145                    150                    155                    160  
 Pro Gly Phe Pro Glu Lys Tyr Pro Asn Ser Leu Glu Cys Thr Tyr Ile  
                     165                    170                    175

Val Phe Ala Pro Lys Met Ser Glu Ile Ile Leu Glu Phe Glu Ser Phe  
 180 185 190  
 Asp Leu Glu Pro Asp Ser Asn Pro Pro Gly Gly Met Phe Cys Arg Tyr  
 195 200 205  
 Asp Arg Leu Glu Ile Trp Asp Gly Phe Pro Asp Val Gly Pro His Ile  
 210 215 220  
 Gly Arg Tyr Cys Gly Gln Lys Thr Pro Gly Arg Ile Arg Ser Ser Ser  
 225 230 235 240  
 Gly Ile Leu Ser Met Val Phe Tyr Thr Asp Ser Ala Ile Ala Lys Glu  
 245 250 255  
 Gly Phe Ser Ala Asn Tyr Ser Val Leu Gln Ser Ser Val Ser Glu Asp  
 260 265 270  
 Phe Lys Cys Met Glu Ala Leu Gly Met Glu Ser Gly Glu Ile His Ser  
 275 280 285  
 Asp Gln Ile Thr Ala Ser Ser Gln Tyr Ser Thr Asn Trp Ser Ala Glu  
 290 295 300  
 Arg Ser Arg Leu Asn Tyr Pro Glu Asn Gly Trp Thr Pro Gly Glu Asp  
 305 310 315 320  
 Ser Tyr Arg Glu Trp Ile Gln Val Asp Leu Gly Leu Leu Arg Phe Val  
 325 330 335  
 Thr Ala Val Gly Thr Gln Gly Ala Ile Ser Lys Glu Thr Lys Lys Lys  
 340 345 350  
 Tyr Tyr Val Lys Thr Tyr Lys Ile Asp Val Ser Ser Asn Gly Glu Asp  
 355 360 365  
 Trp Ile Thr Ile Lys Glu Gly Asn Lys Pro Val Leu Phe Gln Gly Asn  
 370 375 380  
 Thr Asn Pro Thr Asp Val Val Val Ala Val Phe Pro Lys Pro Leu Ile  
 385 390 395 400  
 Thr Arg Phe Val Arg Ile Lys Pro Ala Thr Trp Glu Thr Gly Ile Ser  
 405 410 415  
 Met Arg Phe Glu Val Tyr Gly Cys Lys Ile Thr Asp Tyr Pro Cys Ser  
 420 425 430  
 Gly Met Leu Gly Met Val Ser Gly Leu Ile Ser Asp Ser Gln Ile Thr  
 435 440 445  
 Ser Ser Asn Gln Gly Asp Arg Asn Trp Met Pro Glu Asn Ile Arg Leu  
 450 455 460  
 Val Thr Ser Arg Ser Gly Trp Ala Leu Pro Pro Ala Pro His Ser Tyr  
 465 470 475 480  
 Ile Asn Glu Trp Leu Gln Ile Asp Leu Gly Glu Glu Lys Ile Val Arg  
 485 490 495  
 Gly Ile Ile Ile Gln Gly Gly Lys His Arg Glu Asn Lys Val Phe Met



500							505				510				
Arg	Lys	Phe	Lys	Ile	Gly	Tyr	Ser	Asn	Asn	Gly	Ser	Asp	Trp	Lys	Met
515							520				525				
Ile	Met	Asp	Asp	Ser	Lys	Arg	Lys	Ala	Arg						
530							535								

```
<210> 138
<211> 389
<212> PRT
<213> Homo sapiens
```

<400> 138															
Met	Gly	Ala	Pro	Ala	Cys	Ala	Leu	Ala	Leu	Cys	Val	Ala	Val	Ala	Ile
1				5					10					15	
Val	Ala	Gly	Ala	Ser	Ser	Glu	Ser	Leu	Gly	Thr	Glu	Gln	Arg	Val	Val
			20					25					30		
Gly	Arg	Ala	Ala	Glu	Val	Pro	Gly	Pro	Glu	Pro	Gly	Gln	Gln	Glu	Gln
		35					40					45			
Leu	Val	Phe	Gly	Ser	Gly	Asp	Ala	Val	Glu	Leu	Ser	Cys	Pro	Pro	Pro
	50					55					60				
Gly	Gly	Gly	Pro	Met	Gly	Pro	Thr	Val	Trp	Val	Lys	Asp	Gly	Thr	Gly
65					70					75					80
Leu	Val	Pro	Ser	Glu	Arg	Val	Leu	Val	Gly	Pro	Gln	Arg	Leu	Gln	Val
				85					90					95	
Leu	Asn	Ala	Ser	His	Glu	Asp	Ser	Gly	Ala	Tyr	Ser	Cys	Arg	Gln	Arg
		100						105					110		
Leu	Thr	Gln	Arg	Val	Leu	Cys	His	Phe	Ser	Val	Arg	Val	Thr	Asp	Ala
		115					120					125			
Pro	Ser	Ser	Gly	Asp	Asp	Glu	Asp	Gly	Glu	Asp	Glu	Ala	Glu	Asp	Thr
	130					135					140				
Gly	Val	Asp	Thr	Gly	Ala	Pro	Tyr	Trp	Thr	Arg	Pro	Glu	Arg	Met	Asp
145					150					155					160
Lys	Lys	Leu	Leu	Ala	Val	Pro	Ala	Ala	Asn	Thr	Val	Arg	Phe	Arg	Cys
				165					170					175	
Pro	Ala	Ala	Gly	Asn	Pro	Thr	Pro	Ser	Ile	Ser	Trp	Leu	Lys	Asn	Gly
			180					185					190		
Arg	Glu	Phe	Arg	Gly	Glu	His	Arg	Ile	Gly	Gly	Ile	Lys	Leu	Arg	His
		195					200					205			
Gln	Gln	Trp	Ser	Leu	Val	Met	Glu	Ser	Val	Val	Pro	Ser	Asp	Arg	Gly
	210					215					220				
Asn	Tyr	Thr	Cys	Val	Val	Glu	Asn	Lys	Phe	Gly	Ser	Ile	Arg	Gln	Thr
225					230					235					240
Tyr	Thr	Leu	Asp	Val	Leu	Glu	Arg	Ser	Pro	His	Arg	Pro	Ile	Leu	Gln

[illegible]

```
<210> 139
<211> 330
<212> PRT
<213> Mouse
```

<400> 139

Met	Thr	Leu	Arg	His	Leu	Pro	Phe	Ile	Leu	Leu	Ile	Leu	Ser	Gly					
1				5					10					15					
Glu	Leu	Tyr	Ala	Glu	Glu	Lys	Gln	Cys	Asp	Phe	Pro	Thr	Val	Glu	Asn				
			20					25					30						
Gly	Arg	Ile	Ala	Gln	Tyr	Tyr	Tyr	Thr	Phe	Lys	Ser	Phe	Tyr	Phe	Pro				
		35					40					45							
Met	Ser	Val	Asp	Lys	Lys	Leu	Ser	Phe	Phe	Cys	Leu	Ala	Gly	Tyr	Ala				
	50					55					60								
Thr	Glu	Ser	Gly	Lys	Gln	Glu	Glu	Gln	Ile	Arg	Cys	Thr	Ala	Glu	Gly				
65					70					75					80				
Trp	Ser	Pro	Asn	Pro	Arg	Cys	Tyr	Lys	Lys	Cys	Leu	Lys	Pro	Asp	Leu				
				85					90					95					
Arg	Asn	Gly	Tyr	Val	Ser	Asn	Asp	Lys	Val	Leu	Tyr	Lys	Leu	Gln	Glu				
		100						105					110						
Arg	Met	Ser	Tyr	Gly	Cys	Ser	Ser	Gly	Tyr	Lys	Thr	Thr	Gly	Gly	Lys				
	115						120					125							
Asp	Glu	Glu	Val	Val	His	Cys	Leu	Ser	Ala	Gly	Trp	Ser	Ser	Gln	Pro				

130                      135                      140  
 Ser Cys Arg Lys Glu Gln Glu Thr Cys Leu Ala Pro Glu Leu Glu His  
 145                      150                      155                      160  
 Gly Asn Tyr Ser Thr Thr Gln Arg Thr Phe Lys Val Lys Asp Ile Val  
                          165                      170                      175  
 Ala Tyr Thr Cys Thr Ala Gly Tyr Tyr Thr Thr Thr Gly Lys Gln Thr  
                          180                      185                      190  
 Gly Glu Ala Glu Cys Gln Ala Asn Gly Trp Ser Leu Thr Pro Gln Cys  
                          195                      200                      205  
 Asn Lys Leu Met Cys Ser Ser Leu Arg Leu Ile Glu Asn Gly Tyr Phe  
                          210                      215                      220  
 His Pro Val Lys Gln Thr Tyr Glu Glu Gly Asp Val Val Gln Phe Phe  
 225                      230                      235                      240  
 Cys His Glu Asn Tyr Tyr Leu Ser Gly Ser Asp Leu Ile Gln Cys Tyr  
                          245                      250                      255  
 Asn Phe Gly Trp Tyr Pro Glu Ser Pro Ile Cys Glu Gly Arg Arg Asn  
                          260                      265                      270  
 Arg Cys Pro Pro Pro Pro Val Pro Leu Asn Ser Lys Ile Gln Pro His  
                          275                      280                      285  
 Ser Thr Thr Tyr Arg His Gly Glu Arg Val His Ile Glu Cys Glu Leu  
                          290                      295                      300  
 Asn Phe Val Ile Gln Gly Ser Glu Glu Leu Leu Cys Glu Asn Gly Lys  
 305                      310                      315                      320  
 Trp Thr Glu Pro Pro Lys Cys Ile Gly Trp  
                          325                      330

<210> 140  
 <211> 1073  
 <212> PRT  
 <213> Mouse

<400> 140

Met Pro Trp Gly Arg Arg Pro Thr Trp Leu Leu Leu Ala Phe Leu Leu  
 1                      5                      10                      15  
 Val Phe Leu Lys Ile Ser Ile Leu Ser Val Thr Ala Trp Gln Thr Gly  
                          20                      25                      30  
 Asn Cys Gln Pro Gly Pro Leu Glu Arg Ser Glu Arg Ser Gly Thr Cys  
                          35                      40                      45  
 Ala Gly Pro Ala Pro Phe Leu Val Phe Ser Gln Gly Lys Ser Ile Ser  
                          50                      55                      60  
 Arg Ile Asp Pro Asp Gly Thr Asn His Gln Gln Leu Val Val Asp Ala  
 65                      70                      75                      80  
 Gly Ile Ser Ala Asp Met Asp Ile His Tyr Lys Lys Glu Arg Leu Tyr

85																90																95															
Trp	Val	Asp	Val	Glu	Arg	Gln	Val	Leu	Leu	Arg	Val	Phe	Leu	Asn	Gly																																
				100					105								110																														
Thr	Gly	Leu	Glu	Lys	Val	Cys	Asn	Val	Glu	Arg	Lys	Val	Ser	Gly	Leu																																
				115					120								125																														
Ala	Ile	Asp	Trp	Ile	Asp	Asp	Glu	Val	Leu	Trp	Val	Asp	Gln	Gln	Asn																																
				130					135								140																														
Gly	Val	Ile	Thr	Val	Thr	Asp	Met	Thr	Gly	Lys	Asn	Ser	Arg	Val	Leu																																
				145									155								160																										
Leu	Ser	Ser	Leu	Lys	His	Pro	Ser	Asn	Ile	Ala	Val	Asp	Pro	Ile	Glu																																
				165									170								175																										
Arg	Leu	Met	Phe	Trp	Ser	Ser	Glu	Val	Thr	Gly	Ser	Leu	His	Arg	Ala																																
				180					185								190																														
His	Leu	Lys	Gly	Val	Asp	Val	Lys	Thr	Leu	Leu	Glu	Thr	Gly	Gly	Ile																																
				195					200								205																														
Ser	Val	Leu	Thr	Leu	Asp	Val	Leu	Asp	Lys	Arg	Leu	Phe	Trp	Val	Gln																																
				210					215								220																														
Asp	Ser	Gly	Glu	Gly	Ser	His	Ala	Tyr	Ile	His	Ser	Cys	Asp	Tyr	Glu																																
				225									235								240																										
Gly	Gly	Ser	Val	Arg	Leu	Ile	Arg	His	Gln	Ala	Arg	His	Ser	Leu	Ser																																
				245					250								255																														
Ser	Met	Ala	Phe	Phe	Gly	Asp	Arg	Ile	Phe	Tyr	Ser	Val	Leu	Lys	Ser																																
				260					265								270																														
Lys	Ala	Ile	Trp	Ile	Ala	Asn	Lys	His	Thr	Gly	Lys	Asp	Thr	Val	Arg																																
				275					280								285																														
Ile	Asn	Leu	His	Pro	Ser	Phe	Val	Thr	Pro	Gly	Lys	Leu	Met	Val	Val																																
				290					295								300																														
His	Pro	Arg	Ala	Gln	Pro	Arg	Thr	Glu	Asp	Ala	Ala	Lys	Asp	Pro	Asp																																
				305					310								315					320																									
Pro	Glu	Leu	Leu	Lys	Gln	Arg	Gly	Arg	Pro	Cys	Arg	Phe	Gly	Leu	Cys																																
				325					330								335																														
Glu	Arg	Asp	Pro	Lys	Ser	His	Ser	Ser	Ala	Cys	Ala	Glu	Gly	Tyr	Thr																																
				340					345								350																														
Leu	Ser	Arg	Asp	Arg	Lys	Tyr	Cys	Glu	Asp	Val	Asn	Glu	Cys	Ala	Thr																																
				355					360								365																														
Gln	Asn	His	Gly	Cys	Thr	Leu	Gly	Cys	Glu	Asn	Thr	Pro	Gly	Ser	Tyr																																
				370					375								380																														
His	Cys	Thr	Cys	Pro	Thr	Gly	Phe	Val	Leu	Leu	Pro	Asp	Gly	Lys	Gln																																
				385					390								395					400																									
Cys	His	Glu	Leu	Val	Ser	Cys	Pro	Gly	Asn	Val	Ser	Lys	Cys	Ser	His																																
				405					410								415																														

Gly Cys Val Leu Thr Ser Asp Gly Pro Arg Cys Ile Cys Pro Ala Gly  
 420 425 430  
 Ser Val Leu Gly Arg Asp Gly Lys Thr Cys Thr Gly Cys Ser Ser Pro  
 435 440 445  
 Asp Asn Gly Gly Cys Ser Gln Ile Cys Leu Pro Leu Arg Pro Gly Ser  
 450 455 460  
 Trp Glu Cys Asp Cys Phe Pro Gly Tyr Asp Leu Gln Ser Asp Arg Lys  
 465 470 475 480  
 Ser Cys Ala Ala Ser Gly Pro Gln Pro Leu Leu Leu Phe Ala Asn Ser  
 485 490 495  
 Gln Asp Ile Arg His Met His Phe Asp Gly Thr Asp Tyr Lys Val Leu  
 500 505 510  
 Leu Ser Arg Gln Met Gly Met Val Phe Ala Leu Asp Tyr Asp Pro Val  
 515 520 525  
 Glu Ser Lys Ile Tyr Phe Ala Gln Thr Ala Leu Lys Trp Ile Glu Arg  
 530 535 540  
 Ala Asn Met Asp Gly Ser Gln Arg Glu Arg Leu Ile Thr Glu Gly Val  
 545 550 555 560  
 Asp Thr Leu Glu Gly Leu Ala Leu Asp Trp Ile Gly Arg Arg Ile Tyr  
 565 570 575  
 Trp Thr Asp Ser Gly Lys Ser Val Val Gly Gly Ser Asp Leu Ser Gly  
 580 585 590  
 Lys His His Arg Ile Ile Ile Gln Glu Arg Ile Ser Arg Pro Arg Gly  
 595 600 605  
 Ile Ala Val His Pro Arg Ala Arg Arg Leu Phe Trp Thr Asp Val Gly  
 610 615 620  
 Met Ser Pro Arg Ile Glu Ser Ala Ser Leu Gln Gly Ser Asp Arg Val  
 625 630 635 640  
 Leu Ile Ala Ser Ser Asn Leu Leu Glu Pro Ser Gly Ile Thr Ile Asp  
 645 650 655  
 Tyr Leu Thr Asp Thr Leu Tyr Trp Cys Asp Thr Lys Arg Ser Val Ile  
 660 665 670  
 Glu Met Ala Asn Leu Asp Gly Ser Lys Arg Arg Arg Leu Ile Gln Asn  
 675 680 685  
 Asp Val Gly His Pro Phe Ser Leu Ala Val Phe Glu Asp His Leu Trp  
 690 695 700  
 Val Ser Asp Trp Ala Ile Pro Ser Val Ile Arg Val Asn Lys Arg Thr  
 705 710 715 720  
 Gly Gln Asn Arg Val Arg Leu Gln Gly Ser Met Leu Lys Pro Ser Ser  
 725 730 735

Leu Val Val Val His Pro Leu Ala Lys Pro Gly Ala Asp Pro Cys Leu  
 740 745 750  
 Tyr Arg Asn Gly Gly Cys Glu His Ile Cys Gln Glu Ser Leu Gly Thr  
 755 760 765  
 Ala Arg Cys Leu Cys Arg Glu Gly Phe Val Lys Ala Trp Asp Gly Lys  
 770 775 780  
 Met Cys Leu Pro Gln Asp Tyr Pro Ile Leu Ser Gly Glu Asn Ala Asp  
 785 790 795 800  
 Leu Ser Lys Glu Val Thr Ser Leu Ser Asn Ser Thr Gln Ala Glu Val  
 805 810 815  
 Pro Asp Asp Asp Gly Thr Glu Ser Ser Thr Leu Val Ala Glu Ile Met  
 820 825 830  
 Val Ser Gly Met Asn Tyr Glu Asp Asp Cys Gly Pro Gly Gly Cys Gly  
 835 840 845  
 Ser His Ala Arg Cys Val Ser Asp Gly Glu Thr Ala Glu Cys Gln Cys  
 850 855 860  
 Leu Lys Gly Phe Ala Arg Asp Gly Asn Leu Cys Ser Asp Ile Asp Glu  
 865 870 875 880  
 Cys Val Leu Ala Arg Ser Asp Cys Pro Ser Thr Ser Ser Arg Cys Ile  
 885 890 895  
 Asn Thr Glu Gly Gly Tyr Val Cys Arg Cys Ser Glu Gly Tyr Glu Gly  
 900 905 910  
 Asp Gly Ile Ser Cys Phe Asp Ile Asp Glu Cys Gln Arg Gly Ala His  
 915 920 925  
 Asn Cys Ala Glu Asn Ala Ala Cys Thr Asn Thr Glu Gly Gly Tyr Asn  
 930 935 940  
 Cys Thr Cys Ala Gly Arg Pro Ser Ser Pro Gly Leu Ser Cys Pro Asp  
 945 950 955 960  
 Ser Thr Ala Pro Ser Leu Leu Gly Glu Asp Gly His His Leu Asp Arg  
 965 970 975  
 Asn Ser Tyr Pro Gly Cys Pro Ser Ser Tyr Asp Gly Tyr Cys Leu Asn  
 980 985 990  
 Gly Gly Val Cys Met His Ile Glu Ser Leu Asp Ser Tyr Thr Cys Asn  
 995 1000 1005  
 Cys Val Ile Gly Tyr Ser Gly Asp Arg Cys Gln Thr Pro Pro Ser Ser  
 1010 1015 1020  
 Asp Arg Gly Pro Gln Glu Ile Glu Gly Asn Ser His Leu Pro Ser Tyr  
 1025 1030 1035 1040  
 Arg Pro Val Gly Pro Glu Lys Leu His Ser Leu Gln Ser Ala Asn Gly  
 1045 1050 1055  
 Ser Cys His Glu Arg Ala Pro Asp Leu Pro Arg Gln Thr Glu Pro Val

1060

1065

1070

Gln

&lt;210&gt; 141

&lt;211&gt; 804

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 141

Met Pro Trp Gly Arg Arg Pro Thr Trp Leu Leu Leu Ala Phe Leu Leu  
 1 5 10 15

Val Phe Leu Lys Ile Ser Ile Leu Ser Val Thr Ala Trp Gln Thr Gly  
 20 25 30

Asn Cys Gln Pro Gly Pro Leu Glu Arg Ser Glu Arg Ser Gly Thr Cys  
 35 40 45

Ala Gly Pro Ala Pro Phe Leu Val Phe Ser Gln Gly Lys Ser Ile Ser  
 50 55 60

Arg Ile Asp Pro Asp Gly Thr Asn His Gln Gln Leu Val Val Asp Ala  
 65 70 75 80

Gly Ile Ser Ala Asp Met Asp Ile His Tyr Lys Lys Glu Arg Leu Tyr  
 85 90 95

Trp Val Asp Val Glu Arg Gln Val Leu Leu Arg Val Phe Leu Asn Gly  
 100 105 110

Thr Gly Leu Glu Lys Val Cys Asn Val Glu Arg Lys Val Ser Gly Leu  
 115 120 125

Ala Ile Asp Trp Ile Asp Asp Glu Val Leu Trp Val Asp Gln Gln Asn  
 130 135 140

Gly Val Ile Thr Val Thr Asp Met Thr Gly Lys Asn Ser Arg Val Leu  
 145 150 155 160

Leu Ser Ser Leu Lys His Pro Ser Asn Ile Ala Val Asp Pro Ile Glu  
 165 170 175

Arg Leu Met Phe Trp Ser Ser Glu Val Thr Gly Ser Leu His Arg Ala  
 180 185 190

His Leu Lys Gly Val Asp Val Lys Thr Leu Leu Glu Thr Gly Gly Ile  
 195 200 205

Ser Val Leu Thr Leu Asp Val Leu Asp Lys Arg Leu Phe Trp Val Gln  
 210 215 220

Asp Ser Gly Glu Gly Ser His Ala Tyr Ile His Ser Cys Asp Tyr Glu  
 225 230 235 240

Gly Gly Ser Val Arg Leu Ile Arg His Gln Ala Arg His Ser Leu Ser  
 245 250 255

Ser Met Ala Phe Phe Gly Asp Arg Ile Phe Tyr Ser Val Leu Lys Ser

260										265										270										
Lys	Ala	Ile	Trp	Ile	Ala	Asn	Lys	His	Thr	Gly	Lys	Asp	Thr	Val	Arg															
		275						280					285																	
Ile	Asn	Leu	His	Pro	Ser	Phe	Val	Thr	Pro	Gly	Lys	Leu	Met	Val	Val															
		290					295					300																		
His	Pro	Arg	Ala	Gln	Pro	Arg	Thr	Glu	Asp	Ala	Ala	Lys	Asp	Pro	Asp															
		305				310					315				320															
Pro	Glu	Leu	Leu	Lys	Gln	Arg	Gly	Arg	Pro	Cys	Arg	Phe	Gly	Leu	Cys															
				325					330					335																
Glu	Arg	Asp	Pro	Lys	Ser	His	Ser	Ser	Ala	Cys	Ala	Glu	Gly	Tyr	Thr															
			340					345					350																	
Leu	Ser	Arg	Asp	Arg	Lys	Tyr	Cys	Glu	Asp	Val	Asn	Glu	Cys	Ala	Thr															
		355					360					365																		
Gln	Asn	His	Gly	Cys	Thr	Leu	Gly	Cys	Glu	Asn	Thr	Pro	Gly	Ser	Tyr															
		370				375					380																			
His	Cys	Thr	Cys	Pro	Thr	Gly	Phe	Val	Leu	Leu	Pro	Asp	Gly	Lys	Gln															
		385				390					395				400															
Cys	His	Glu	Leu	Val	Ser	Cys	Pro	Gly	Asn	Val	Ser	Lys	Cys	Ser	His															
				405					410					415																
Gly	Cys	Val	Leu	Thr	Ser	Asp	Gly	Pro	Arg	Cys	Ile	Cys	Pro	Ala	Gly															
			420					425					430																	
Ser	Val	Leu	Gly	Arg	Asp	Gly	Lys	Thr	Cys	Thr	Gly	Cys	Ser	Ser	Pro															
		435					440					445																		
Asp	Asn	Gly	Gly	Cys	Ser	Gln	Ile	Cys	Leu	Pro	Leu	Arg	Pro	Gly	Ser															
		450				455					460																			
Trp	Glu	Cys	Asp	Cys	Phe	Pro	Gly	Tyr	Asp	Leu	Gln	Ser	Asp	Arg	Lys															
		465				470				475				480																
Ser	Cys	Ala	Ala	Ser	Gly	Pro	Gln	Pro	Leu	Leu	Leu	Phe	Ala	Asn	Ser															
				485					490					495																
Gln	Asp	Ile	Arg	His	Met	His	Phe	Asp	Gly	Thr	Asp	Tyr	Lys	Val	Leu															
			500					505					510																	
Leu	Ser	Arg	Gln	Met	Gly	Met	Val	Phe	Ala	Leu	Asp	Tyr	Asp	Pro	Val															
		515					520					525																		
Glu	Ser	Lys	Ile	Tyr	Phe	Ala	Gln	Thr	Ala	Leu	Lys	Trp	Ile	Glu	Arg															
		530				535					540																			
Ala	Asn	Met	Asp	Gly	Ser	Gln	Arg	Glu	Arg	Leu	Ile	Thr	Glu	Gly	Val															
		545				550				555				560																
Asp	Thr	Leu	Glu	Gly	Leu	Ala	Leu	Asp	Trp	Ile	Gly	Arg	Arg	Ile	Tyr															
				565				570						575																
Trp	Thr	Asp	Ser	Gly	Lys	Ser	Val	Val	Gly	Gly	Ser	Asp	Leu	Ser	Gly															
			580					585					590																	



Lys His His Arg Ile Ile Ile Gln Glu Arg Ile Ser Arg Pro Arg Gly  
           595                                600                                605  
 Ile Ala Val His Pro Arg Ala Arg Arg Leu Phe Trp Thr Asp Val Gly  
           610                                615                                620  
 Met Ser Pro Arg Ile Glu Ser Ala Ser Leu Gln Gly Ser Asp Arg Val  
           625                                630                                635                                640  
 Leu Ile Ala Ser Ser Asn Leu Leu Glu Pro Ser Gly Ile Thr Ile Asp  
                                 645                                650                                655  
 Tyr Leu Thr Asp Thr Leu Tyr Trp Cys Asp Thr Lys Arg Ser Val Ile  
                                 660                                665                                670  
 Glu Met Ala Asn Leu Asp Gly Ser Lys Arg Arg Arg Leu Ile Gln Asn  
                                 675                                680                                685  
 Asp Val Gly His Pro Phe Ser Leu Ala Val Phe Glu Asp His Leu Trp  
           690                                695                                700  
 Val Ser Asp Trp Ala Ile Pro Ser Val Ile Arg Val Asn Lys Arg Thr  
           705                                710                                715                                720  
 Gly Gln Asn Arg Val Arg Leu Gln Gly Ser Met Leu Lys Pro Ser Ser  
                                 725                                730                                735  
 Leu Val Val Val His Pro Leu Ala Lys Pro Gly Ala Asp Pro Cys Leu  
                                 740                                745                                750  
 Tyr Arg Asn Gly Gly Cys Glu His Ile Cys Gln Glu Ser Leu Gly Thr  
                                 755                                760                                765  
 Ala Arg Cys Leu Cys Arg Glu Gly Phe Val Lys Ala Trp Asp Gly Lys  
           770                                775                                780  
 Met Cys Leu Pro Gln Asp Tyr Pro Ile Leu Ser Gly Glu Asn Ala His  
           785                                790                                795                                800  
 Asn Cys Ala Phe

<210> 142  
 <211> 576  
 <212> PRT  
 <213> Homo sapiens

<400> 142  
 Met Pro Trp Gly Arg Arg Pro Thr Trp Leu Leu Leu Ala Phe Leu Leu  
       1                                5                                10                                15  
 Val Phe Leu Lys Ile Ser Ile Leu Ser Val Thr Ala Trp Gln Thr Gly  
           20                                25                                30  
 Asn Cys Gln Pro Gly Pro Leu Glu Arg Ser Glu Arg Ser Gly Thr Cys  
       35                                40                                45  
 Ala Gly Pro Ala Pro Phe Leu Val Phe Ser Gln Gly Lys Ser Ile Ser  
       50                                55                                60

Arg Ile Trp Ala Ile Pro Ser Val Ile Arg Val Asn Lys Arg Thr Gly  
 65 70 75 80  
 Gln Asn Arg Val Arg Leu Gln Gly Ser Met Leu Lys Pro Ser Ser Leu  
 85 90 95  
 Val Val Val His Pro Leu Ala Lys Pro Gly Ala Asp Pro Cys Leu Tyr  
 100 105 110  
 Arg Asn Gly Gly Cys Glu His Ile Cys Gln Glu Ser Leu Gly Thr Ala  
 115 120 125  
 Arg Cys Leu Cys Arg Glu Gly Phe Val Lys Ala Trp Asp Gly Lys Met  
 130 135 140  
 Cys Leu Pro Gln Asp Tyr Pro Ile Leu Ser Gly Glu Asn Ala Asp Leu  
 145 150 155 160  
 Ser Lys Glu Val Thr Ser Leu Ser Asn Ser Thr Gln Ala Glu Val Pro  
 165 170 175  
 Asp Asp Asp Gly Thr Glu Ser Ser Thr Leu Val Ala Glu Ile Met Val  
 180 185 190  
 Ser Gly Met Asn Tyr Glu Asp Asp Cys Gly Pro Gly Gly Cys Gly Ser  
 195 200 205  
 His Ala Arg Cys Val Ser Asp Gly Glu Thr Ala Glu Cys Gln Cys Leu  
 210 215 220  
 Lys Gly Phe Ala Arg Asp Gly Asn Leu Cys Ser Asp Ile Asp Glu Cys  
 225 230 235 240  
 Val Leu Ala Arg Ser Asp Cys Pro Ser Thr Ser Ser Arg Cys Ile Asn  
 245 250 255  
 Thr Glu Gly Gly Tyr Val Cys Arg Cys Ser Glu Gly Tyr Glu Gly Asp  
 260 265 270  
 Gly Ile Ser Cys Phe Asp Ile Asp Glu Cys Gln Arg Gly Ala His Asn  
 275 280 285  
 Cys Ala Glu Asn Ala Ala Cys Thr Asn Thr Glu Gly Gly Tyr Asn Cys  
 290 295 300  
 Thr Cys Ala Gly Arg Pro Ser Ser Pro Gly Leu Ser Cys Pro Asp Ser  
 305 310 315 320  
 Thr Ala Pro Ser Leu Leu Gly Glu Asp Gly His His Leu Asp Arg Asn  
 325 330 335  
 Ser Tyr Pro Gly Cys Pro Ser Ser Tyr Asp Gly Tyr Cys Leu Asn Gly  
 340 345 350  
 Gly Val Cys Met His Ile Glu Ser Leu Asp Ser Tyr Thr Cys Asn Cys  
 355 360 365  
 Val Ile Gly Tyr Ser Gly Asp Arg Cys Gln Thr Arg Asp Leu Arg Trp  
 370 375 380

Trp Glu Leu Arg His Ala Gly Tyr Gly Gln Lys His Asp Ile Met Val  
 385 390 395 400  
 Val Ala Val Cys Met Val Ala Leu Val Leu Leu Leu Leu Gly Met  
 405 410 415  
 Trp Gly Thr Tyr Tyr Tyr Arg Thr Arg Lys Gln Leu Ser Asn Pro Pro  
 420 425 430  
 Lys Asn Pro Cys Asp Glu Pro Ser Gly Ser Val Ser Ser Ser Gly Pro  
 435 440 445  
 Asp Ser Ser Ser Gly Ala Ala Val Ala Ser Cys Pro Gln Pro Trp Phe  
 450 455 460  
 Val Val Leu Glu Lys His Gln Asp Pro Lys Asn Gly Ser Leu Pro Ala  
 465 470 475 480  
 Asp Gly Thr Asn Gly Ala Val Val Asp Ala Gly Leu Ser Pro Ser Leu  
 485 490 495  
 Gln Leu Gly Ser Val His Leu Thr Ser Trp Arg Gln Lys Pro His Ile  
 500 505 510  
 Asp Gly Met Gly Thr Gly Gln Ser Cys Trp Ile Pro Pro Ser Ser Asp  
 515 520 525  
 Arg Gly Pro Gln Glu Ile Glu Gly Asn Ser His Leu Pro Ser Tyr Arg  
 530 535 540  
 Pro Val Gly Pro Glu Lys Leu His Ser Leu Gln Ser Ala Asn Gly Ser  
 545 550 555 560  
 Cys His Glu Arg Ala Pro Asp Leu Pro Arg Gln Thr Glu Pro Val Gln  
 565 570 575

<210> 143  
 <211> 376  
 <212> PRT  
 <213> Homo sapiens

<400> 143  
 Met Pro Trp Gly Arg Arg Pro Thr Trp Leu Leu Leu Ala Phe Leu Leu  
 1 5 10 15  
 Val Ser Ala Glu Cys Gln Cys Leu Lys Gly Phe Ala Arg Asp Gly Asn  
 20 25 30  
 Leu Cys Ser Asp Ile Asp Glu Cys Val Leu Ala Arg Ser Asp Cys Pro  
 35 40 45  
 Ser Thr Ser Ser Arg Cys Ile Asn Thr Glu Gly Gly Tyr Val Cys Arg  
 50 55 60  
 Cys Ser Glu Gly Tyr Glu Gly Asp Gly Ile Ser Cys Phe Asp Ile Asp  
 65 70 75 80

Glu Cys Gln Arg Gly Ala His Asn Cys Ala Glu Asn Ala Ala Cys Thr  
                                     85                                    90                                    95  
 Asn Thr Glu Gly Gly Tyr Asn Cys Thr Cys Ala Gly Arg Pro Ser Ser  
                                     100                                    105                                    110  
 Pro Gly Leu Ser Cys Pro Asp Ser Thr Ala Pro Ser Leu Leu Gly Glu  
                                     115                                    120                                    125  
 Asp Gly His His Leu Asp Arg Asn Ser Tyr Pro Gly Cys Pro Ser Ser  
                                     130                                    135                                    140  
 Tyr Asp Gly Tyr Cys Leu Asn Gly Gly Val Cys Met His Ile Glu Ser  
                                     145                                    150                                    155                                    160  
 Leu Asp Ser Tyr Thr Cys Asn Cys Val Ile Gly Tyr Ser Gly Asp Arg  
                                     165                                    170                                    175  
 Cys Gln Thr Arg Asp Leu Arg Trp Trp Glu Leu Arg His Ala Gly Tyr  
                                     180                                    185                                    190  
 Gly Gln Lys His Asp Ile Met Val Val Ala Val Cys Met Val Ala Leu  
                                     195                                    200                                    205  
 Val Leu Leu Leu Leu Leu Gly Met Trp Gly Thr Tyr Tyr Tyr Arg Thr  
                                     210                                    215                                    220  
 Arg Lys Gln Leu Ser Asn Pro Pro Lys Asn Pro Cys Asp Glu Pro Ser  
                                     225                                    230                                    235                                    240  
 Gly Ser Val Ser Ser Ser Gly Pro Asp Ser Ser Ser Gly Ala Ala Val  
                                     245                                    250                                    255  
 Ala Ser Cys Pro Gln Pro Trp Phe Val Val Leu Glu Lys His Gln Asp  
                                     260                                    265                                    270  
 Pro Lys Asn Gly Ser Leu Pro Ala Asp Gly Thr Asn Gly Ala Val Val  
                                     275                                    280                                    285  
 Asp Ala Gly Leu Ser Pro Ser Leu Gln Leu Gly Ser Val His Leu Thr  
                                     290                                    295                                    300  
 Ser Trp Arg Gln Lys Pro His Ile Asp Gly Met Gly Thr Gly Gln Ser  
                                     305                                    310                                    315                                    320  
 Cys Trp Ile Pro Pro Ser Ser Asp Arg Gly Pro Gln Glu Ile Glu Gly  
                                     325                                    330                                    335  
 Asn Ser His Leu Pro Ser Tyr Arg Pro Val Gly Pro Glu Lys Leu His  
                                     340                                    345                                    350  
 Ser Leu Gln Ser Ala Asn Gly Ser Cys His Glu Arg Ala Pro Asp Leu  
                                     355                                    360                                    365  
 Pro Arg Gln Thr Glu Pro Val Gln  
                                     370                                    375

&lt;210&gt; 144

&lt;211&gt; 1249

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 144

Met Gly Ala Ala Ser Gly Gln Arg Gly Arg Trp Pro Leu Ser Pro Pro  
 1 5 10 15  
 Leu Leu Met Leu Ser Leu Leu Val Leu Leu Leu Gln Pro Ser Pro Ala  
 20 25 30  
 Pro Ala Leu Asp Pro Gly Leu Gln Pro Gly Asn Phe Ser Pro Asp Glu  
 35 40 45  
 Ala Gly Ala Gln Leu Phe Ala Glu Ser Tyr Asn Ser Ser Ala Glu Val  
 50 55 60  
 Val Met Phe Gln Ser Thr Val Ala Ser Trp Ala His Asp Thr Asn Ile  
 65 70 75 80  
 Thr Glu Glu Asn Ala Arg Arg Gln Glu Glu Ala Ala Leu Val Ser Gln  
 85 90 95  
 Glu Phe Ala Glu Val Trp Gly Lys Lys Ala Lys Glu Leu Tyr Glu Ser  
 100 105 110  
 Ile Trp Gln Asn Phe Thr Asp Ser Lys Leu Arg Arg Ile Ile Gly Ser  
 115 120 125  
 Ile Arg Thr Leu Gly Pro Ala Asn Leu Pro Leu Ala Gln Arg Gln Gln  
 130 135 140  
 Tyr Asn Ser Leu Leu Ser Asn Met Ser Arg Ile Tyr Ser Thr Gly Lys  
 145 150 155 160  
 Val Cys Phe Pro Asn Lys Thr Ala Thr Cys Trp Ser Leu Asp Pro Glu  
 165 170 175  
 Leu Thr Asn Ile Leu Ala Ser Ser Arg Ser Tyr Ala Lys Leu Leu Phe  
 180 185 190  
 Ala Trp Glu Gly Trp His Asp Ala Val Gly Ile Pro Leu Lys Pro Leu  
 195 200 205  
 Tyr Gln Asp Phe Thr Ala Ile Ser Asn Glu Ala Tyr Arg Gln Asp Asp  
 210 215 220  
 Phe Ser Asp Thr Gly Ala Phe Trp Arg Ser Trp Tyr Glu Ser Pro Ser  
 225 230 235 240  
 Phe Glu Glu Ser Leu Glu His Ile Tyr His Gln Leu Glu Pro Leu Tyr  
 245 250 255  
 Leu Asn Leu His Ala Tyr Val Arg Arg Ala Leu His Arg Arg Tyr Gly  
 260 265 270  
 Asp Lys Tyr Val Asn Leu Arg Gly Pro Ile Pro Ala His Leu Leu Gly  
 275 280 285  
 Asp Met Trp Ala Gln Ser Trp Glu Asn Ile Tyr Asp Met Val Val Pro  
 290 295 300  
 Phe Pro Asp Lys Pro Asn Leu Asp Val Thr Ser Thr Met Val Gln Lys

305		310		315		320
Gly Trp Asn Ala Thr	His Met Phe Arg Val Ser Glu Glu Phe Phe Thr					
	325		330		335	
Ser Leu Gly Leu Ser Pro Met Pro Pro Glu Phe Trp Ala Glu Ser Met						
	340		345		350	
Leu Glu Lys Pro Thr Asp Gly Arg Glu Val Val Cys His Ala Ser Ala						
	355		360		365	
Trp Asp Phe Tyr Asn Arg Lys Asp Phe Arg Ile Lys Gln Cys Thr Arg						
	370		375		380	
Val Thr Met Glu Gln Leu Ala Thr Val His His Glu Met Gly His Val						
	385		390		395	400
Gln Tyr Tyr Leu Gln Tyr Lys Asp Leu His Val Ser Leu Arg Arg Gly						
	405		410		415	
Ala Asn Pro Gly Phe His Glu Ala Ile Gly Asp Val Leu Ala Leu Ser						
	420		425		430	
Val Ser Thr Pro Ala His Leu His Lys Ile Gly Leu Leu Asp His Val						
	435		440		445	
Thr Asn Asp Ile Glu Ser Asp Ile Asn Tyr Leu Leu Lys Met Ala Leu						
	450		455		460	
Glu Lys Ile Ala Phe Leu Pro Phe Gly Tyr Leu Val Asp Gln Trp Arg						
	465		470		475	480
Trp Gly Val Phe Ser Gly Arg Thr Pro Pro Ser Arg Tyr Asn Phe Asp						
	485		490		495	
Trp Trp Tyr Leu Arg Thr Lys Tyr Gln Gly Ile Cys Pro Pro Val Ala						
	500		505		510	
Arg Asn Glu Thr His Phe Asp Ala Gly Ala Lys Phe His Ile Pro Asn						
	515		520		525	
Val Thr Pro Tyr Ile Arg Tyr Phe Val Ser Phe Val Leu Gln Phe Gln						
	530		535		540	
Phe His Gln Ala Leu Cys Lys Glu Ala Gly His Gln Gly Pro Leu His						
	545		550		555	560
Gln Cys Asp Ile Tyr Gln Ser Xaa Gln Ala Gly Ala Lys Leu Lys Gln						
	565		570		575	
Val Leu Gln Ala Gly Cys Ser Arg Pro Trp Gln Glu Val Leu Lys Asp						
	580		585		590	
Leu Val Gly Ser Asp Ala Leu Asp Ala Lys Ala Leu Leu Glu Tyr Phe						
	595		600		605	
Gln Pro Val Ser Gln Trp Leu Glu Glu Gln Asn Gln Arg Asn Gly Glu						
	610		615		620	
Val Leu Gly Trp Pro Glu Asn Gln Trp Arg Pro Pro Leu Pro Asp Asn						
	625		630		635	640

Tyr Pro Glu Gly Ile Asp Leu Glu Thr Asp Glu Ala Lys Ala Asp Arg  
 645 650 655  
 Phe Val Glu Glu Tyr Asp Arg Thr Ala Gln Val Leu Leu Asn Glu Tyr  
 660 665 670  
 Ala Glu Ala Asn Trp Gln Tyr Asn Thr Asn Ile Thr Ile Glu Gly Ser  
 675 680 685  
 Lys Ile Leu Leu Glu Lys Ser Thr Glu Val Ser Asn His Thr Leu Lys  
 690 695 700  
 Tyr Gly Thr Arg Ala Lys Thr Phe Asp Val Ser Asn Phe Gln Asn Ser  
 705 710 715 720  
 Ser Ile Lys Arg Ile Ile Lys Lys Leu Gln Asn Leu Asp Arg Ala Val  
 725 730 735  
 Leu Pro Pro Lys Glu Leu Glu Glu Tyr Asn Gln Ile Leu Leu Asp Met  
 740 745 750  
 Glu Thr Thr Tyr Ser Leu Ser Asn Ile Cys Tyr Thr Asn Gly Thr Cys  
 755 760 765  
 Met Pro Leu Glu Pro Asp Leu Thr Asn Met Met Ala Thr Ser Arg Lys  
 770 775 780  
 Tyr Glu Glu Leu Leu Trp Ala Trp Lys Ser Trp Arg Asp Lys Val Gly  
 785 790 795 800  
 Arg Ala Ile Leu Pro Phe Phe Pro Lys Tyr Val Glu Phe Ser Asn Lys  
 805 810 815  
 Ile Ala Lys Leu Asn Gly Tyr Thr Asp Ala Gly Asp Ser Trp Arg Ser  
 820 825 830  
 Leu Tyr Glu Ser Asp Asn Leu Glu Gln Asp Leu Glu Lys Leu Tyr Gln  
 835 840 845  
 Glu Leu Gln Pro Leu Tyr Leu Asn Leu His Ala Tyr Val Arg Arg Ser  
 850 855 860  
 Leu His Arg His Tyr Gly Ser Glu Tyr Ile Asn Leu Asp Gly Pro Ile  
 865 870 875 880  
 Pro Ala His Leu Leu Gly Asn Met Trp Ala Gln Thr Trp Ser Asn Ile  
 885 890 895  
 Tyr Asp Leu Val Ala Pro Phe Pro Ser Ala Pro Asn Ile Asp Ala Thr  
 900 905 910  
 Glu Ala Met Ile Lys Gln Gly Trp Thr Pro Arg Arg Ile Phe Lys Glu  
 915 920 925  
 Ala Asp Asn Phe Phe Thr Ser Leu Gly Leu Leu Pro Val Pro Pro Glu  
 930 935 940  
 Phe Trp Asn Lys Ser Met Leu Glu Lys Pro Thr Asp Gly Arg Glu Val  
 945 950 955 960

Val Cys His Pro Ser Ala Trp Asp Phe Tyr Asn Gly Lys Asp Phe Arg  
 965 970 975  
 Ile Lys Gln Cys Thr Ser Val Asn Met Glu Asp Leu Val Ile Ala His  
 980 985 990  
 His Glu Met Gly His Ile Gln Tyr Phe Met Gln Tyr Lys Asp Leu Pro  
 995 1000 1005  
 Val Thr Phe Arg Glu Gly Ala Asn Pro Gly Phe His Glu Ala Ile Gly  
 1010 1015 1020  
 Asp Ile Met Ala Leu Ser Val Ser Thr Pro Lys His Leu Tyr Ser Leu  
 1025 1030 1035 1040  
 Asn Leu Leu Ser Thr Glu Gly Ser Gly Tyr Glu Tyr Asp Ile Asn Phe  
 1045 1050 1055  
 Leu Met Lys Met Ala Leu Asp Lys Ile Ala Phe Ile Pro Phe Ser Tyr  
 1060 1065 1070  
 Leu Ile Asp Gln Trp Arg Trp Arg Val Phe Asp Gly Ser Ile Thr Lys  
 1075 1080 1085  
 Glu Asn Tyr Asn Gln Glu Trp Trp Ser Leu Arg Leu Lys Tyr Gln Gly  
 1090 1095 1100  
 Leu Cys Pro Pro Val Pro Arg Ser Gln Gly Asp Phe Asp Pro Gly Ser  
 1105 1110 1115 1120  
 Lys Phe His Val Pro Ala Asn Val Pro Tyr Val Arg Tyr Phe Val Ser  
 1125 1130 1135  
 Phe Ile Ile Gln Phe Gln Phe His Glu Ala Leu Cys Arg Ala Ala Gly  
 1140 1145 1150  
 His Thr Gly Pro Leu His Lys Cys Asp Ile Tyr Gln Ser Lys Glu Ala  
 1155 1160 1165  
 Gly Lys Leu Leu Ala Asp Ala Met Lys Leu Gly Tyr Ser Lys Pro Trp  
 1170 1175 1180  
 Pro Glu Ala Met Lys Leu Ile Thr Gly Gln Pro Asn Met Ser Ala Ser  
 1185 1190 1195 1200  
 Ala Met Met Asn Tyr Phe Lys Pro Leu Thr Glu Trp Leu Val Thr Glu  
 1205 1210 1215  
 Asn Arg Arg His Gly Glu Thr Leu Gly Trp Pro Glu Tyr Asn Trp Ala  
 1220 1225 1230  
 Pro Asn Thr Gly Thr Thr Pro Thr Leu Pro Pro Ala Pro Gly Pro Ser  
 1235 1240 1245  
 Ser

&lt;210&gt; 145

&lt;211&gt; 382

&lt;212&gt; PRT



&lt;213&gt; Homo sapiens

&lt;400&gt; 145

Met Thr Met Thr Leu His Thr Lys Ala Ser Gly Met Ala Leu Leu His  
 1 5 10 15

Gln Ile Gln Gly Asn Glu Leu Glu Pro Leu Asn Arg Pro Gln Leu Lys  
 20 25 30

Met Pro Met Glu Arg Ala Leu Gly Glu Val Tyr Val Asp Asn Ser Lys  
 35 40 45

Pro Thr Val Phe Asn Tyr Pro Glu Gly Ala Ala Tyr Glu Phe Asn Ala  
 50 55 60

Ala Ala Ala Ala Ala Ala Ala Ala Ser Ala Pro Val Tyr Gly Gln Ser  
 65 70 75 80

Gly Ile Ala Tyr Gly Pro Gly Ser Glu Ala Ala Ala Phe Ser Ala Asn  
 85 90 95

Ser Leu Gly Ala Phe Pro Gln Leu Asn Ser Val Ser Pro Ser Pro Leu  
 100 105 110

Met Leu Leu His Pro Pro Pro Gln Leu Ser Pro Phe Leu His Pro His  
 115 120 125

Gly Gln Gln Val Pro Tyr Tyr Leu Glu Asn Glu Pro Ser Ala Tyr Ala  
 130 135 140

Val Arg Asp Thr Gly Pro Pro Ala Phe Tyr Arg Ser Asn Ser Asp Asn  
 145 150 155 160

Arg Arg Gln Asn Gly Arg Glu Arg Leu Ser Ser Ser Asn Glu Lys Gly  
 165 170 175

Asn Met Ile Met Glu Ser Ala Lys Glu Thr Arg Tyr Cys Ala Val Cys  
 180 185 190

Asn Asp Tyr Ala Ser Gly Tyr His Tyr Gly Val Trp Ser Cys Glu Gly  
 195 200 205

Cys Lys Ala Phe Phe Lys Arg Ser Ile Gln Gly His Asn Asp Tyr Met  
 210 215 220

Cys Pro Ala Thr Asn Gln Cys Thr Ile Asp Lys Asn Arg Arg Lys Ser  
 225 230 235 240

Cys Gln Ala Cys Arg Leu Arg Lys Cys Tyr Glu Val Gly Met Met Lys  
 245 250 255

Gly Gly Ile Arg Lys Asp Arg Arg Gly Gly Arg Met Leu Lys His Lys  
 260 265 270

Arg Gln Arg Asp Asp Leu Glu Gly Arg Asn Glu Met Gly Ala Ser Gly  
 275 280 285

Asp Met Arg Ala Ala Asn Leu Trp Pro Ser Pro Leu Val Ile Lys His  
 290 295 300

Thr Lys Lys Asn Ser Pro Ala Leu Ser Leu Thr Ala Asp Gln Met Val

305                      310                      315                      320  
 Ser Ala Leu Leu Asp Ala Glu Pro Pro Met Ile Tyr Ser Glu Tyr Asp  
                                  325                      330                      335  
 Pro Ser Arg Pro Phe Ser Glu Ala Ser Met Met Gly Leu Leu Thr Asn  
                                  340                      345                      350  
 Leu Ala Asp Arg Glu Leu Val His Met Ile Asn Trp Ala Lys Arg Val  
                                  355                      360                      365  
 Pro Gly Lys Asp Ala Lys Leu Asn Phe Tyr Val Lys Ser Glu  
                                  370                      375                      380

<210> 146  
 <211> 345  
 <212> PRT  
 <213> Homo sapiens

<400> 146  
 Met Val Pro Gln Ala His Gly Leu Leu Leu Leu Cys Phe Leu Leu Gln  
   1                                  5                                  10                                  15  
 Leu Gln Gly Pro Leu Gly Thr Ala Val Phe Ile Thr Gln Glu Glu Ala  
                                   20                                  25                                  30  
 His Gly Val Leu His Arg Gln Arg Arg Ala Asn Ser Leu Leu Glu Glu  
                                   35                                  40                                  45  
 Leu Trp Pro Gly Ser Leu Glu Arg Glu Cys Asn Glu Glu Gln Cys Ser  
                                   50                                  55                                  60  
 Phe Glu Glu Ala Arg Glu Ile Phe Lys Ser Pro Glu Arg Thr Lys Gln  
   65                                  70                                  75                                  80  
 Phe Trp Ile Val Tyr Ser Asp Gly Asp Gln Cys Ala Ser Asn Pro Cys  
                                   85                                  90                                  95  
 Gln Asn Gly Gly Thr Cys Gln Asp His Leu Lys Ser Tyr Val Cys Phe  
                                   100                                  105                                  110  
 Cys Leu Leu Asp Phe Glu Gly Ala Val Leu Leu Asp Ala Arg Trp Ile  
                                   115                                  120                                  125  
 Val Thr Ala Ala His Cys Phe Asp Asn Ile Arg Tyr Trp Gly Asn Ile  
                                   130                                  135                                  140  
 Thr Val Val Met Gly Glu His Asp Phe Ser Glu Lys Asp Gly Asp Glu  
   145                                  150                                  155                                  160  
 Gln Val Arg Arg Val Thr Gln Val Ile Met Pro Asp Lys Tyr Ile Arg  
                                   165                                  170                                  175  
 Gly Lys Ile Asn His Asp Ile Ala Leu Leu Arg Leu His Arg Pro Val  
                                   180                                  185                                  190  
 Thr Phe Thr Asp Tyr Val Val Pro Leu Cys Leu Pro Glu Lys Ser Phe  
                                   195                                  200                                  205  
 Ser Glu Asn Thr Leu Ala Arg Ile Arg Phe Ser Arg Val Ser Gly Trp

210                      215                      220  
 Gly Gln Leu Leu Asp Arg Gly Ala Thr Ala Leu Glu Leu Met Ser Ile  
 225                      230                      235                      240  
 Glu Val Pro Arg Leu Met Thr Gln Asp Cys Leu Glu His Ala Lys His  
                     245                      250                      255  
 Ser Ser Asn Thr Pro Lys Ile Thr Glu Asn Met Phe Cys Ala Gly Tyr  
                     260                      265                      270  
 Met Asp Gly Thr Lys Asp Ala Cys Lys Gly Asp Ser Gly Gly Pro His  
                     275                      280                      285  
 Ala Thr His Tyr His Gly Thr Trp Tyr Leu Thr Gly Val Val Ser Trp  
                     290                      295                      300  
 Gly Glu Gly Cys Ala Ala Ile Gly His Ile Gly Val Tyr Thr Arg Val  
 305                      310                      315                      320  
 Ser Gln Tyr Ile Asp Trp Leu Val Arg His Met Asp Ser Lys Leu Gln  
                     325                      330                      335  
 Val Gly Val Phe Arg Leu Pro Leu Leu  
                     340                      345

<210> 147  
 <211> 103  
 <212> PRT  
 <213> Homo sapiens

<400> 147  
 Met Gly Phe Leu Lys Phe Ser Pro Phe Leu Val Val Ser Ile Leu Leu  
   1                      5                      10                      15  
 Leu Ala Leu Val Gln Asp Tyr Met Gln Met Lys Ala Arg Glu Leu Glu  
                     20                      25                      30  
 Gln Glu Glu Glu Gln Glu Ala Glu Gly Ser Ser Leu Asp Ser Pro Arg  
                     35                      40                      45  
 Ser Lys Arg Cys Gly Asn Leu Ser Thr Cys Met Leu Gly Thr Tyr Thr  
                     50                      55                      60  
 Gln Asp Leu Asn Lys Phe His Thr Phe Pro Gln Thr Ser Ile Gly Val  
                     65                      70                      75                      80  
 Glu Ala Pro Gly Lys Lys Arg Asp Val Ala Lys Asp Leu Glu Thr Asn  
                     85                      90                      95  
 His Gln Ser His Phe Gly Asn  
                     100

<210> 148  
 <211> 525  
 <212> PRT  
 <213> Homo sapiens

<400> 148

Met Ala Thr Leu Leu Arg Ser Lys Leu Thr Asn Val Ala Thr Ser Val  
 1 5 10 15  
 Ser Asn Lys Ser Gln Ala Lys Val Ser Gly Met Phe Ala Arg Met Gly  
 20 25 30  
 Phe Gln Ala Ala Thr Asp Glu Glu Ala Val Gly Phe Ala His Cys Asp  
 35 40 45  
 Asp Leu Asp Phe Glu His Arg Gln Gly Leu Gln Met Asp Ile Leu Lys  
 50 55 60  
 Ser Glu Gly Glu Pro Cys Gly Asp Glu Gly Ala Glu Ala Pro Val Glu  
 65 70 75 80  
 Gly Asp Ile His Tyr Gln Arg Gly Gly Ala Pro Leu Pro Pro Ser Gly  
 85 90 95  
 Ser Lys Asp Gln Ala Val Gly Ala Gly Gly Glu Phe Gly Gly His Asp  
 100 105 110  
 Lys Pro Lys Ile Thr Ala Trp Glu Ala Gly Trp Asn Val Thr Asn Ala  
 115 120 125  
 Ile Gln Gly Met Phe Val Leu Gly Leu Pro Tyr Ala Ile Leu His Gly  
 130 135 140  
 Gly Tyr Leu Gly Leu Phe Leu Ile Ile Phe Ala Ala Val Val Cys Cys  
 145 150 155 160  
 Tyr Thr Gly Lys Ile Leu Ile Ala Cys Leu Tyr Glu Glu Asn Glu Asp  
 165 170 175  
 Gly Glu Val Val Arg Val Arg Asp Ser Tyr Val Ala Ile Ala Asn Ala  
 180 185 190  
 Cys Cys Ala Pro Arg Phe Pro Thr Leu Gly Gly Arg Val Val Asn Val  
 195 200 205  
 Ala Gln Ile Ile Glu Leu Val Met Thr Cys Ile Leu Tyr Val Val Val  
 210 215 220  
 Ser Gly Asn Leu Met Tyr Asn Ser Phe Pro Gly Leu Pro Val Ser Gln  
 225 230 235 240  
 Lys Ser Trp Ser Ile Ile Ala Thr Ala Val Leu Leu Pro Cys Ala Phe  
 245 250 255  
 Leu Lys Asn Leu Lys Ala Val Ser Lys Phe Ser Leu Leu Cys Thr Leu  
 260 265 270  
 Ala His Phe Val Ile Asn Ile Leu Val Ile Ala Tyr Cys Leu Ser Arg  
 275 280 285  
 Ala Arg Asp Trp Ala Trp Glu Lys Val Lys Phe Tyr Ile Asp Val Lys  
 290 295 300  
 Lys Phe Pro Ile Ser Ile Gly Ile Ile Val Phe Ser Tyr Thr Ser Gln  
 305 310 315 320  
 Ile Phe Leu Pro Ser Leu Glu Gly Asn Met Gln Gln Pro Ser Glu Phe

325 330 335  
 His Cys Met Met Asn Trp Thr His Ile Ala Ala Cys Val Leu Lys Gly  
 340 345 350  
 Leu Phe Ala Leu Val Ala Tyr Leu Thr Trp Ala Asp Glu Thr Lys Glu  
 355 360 365  
 Val Ile Thr Asp Asn Leu Pro Gly Ser Ile Arg Ala Val Val Asn Leu  
 370 375 380  
 Phe Leu Val Ala Lys Ala Leu Leu Ser Tyr Pro Leu Pro Phe Phe Ala  
 385 390 395 400  
 Ala Val Glu Val Leu Glu Lys Ser Leu Phe Gln Glu Gly Ser Arg Ala  
 405 410 415  
 Phe Phe Pro Ala Cys Tyr Gly Gly Asp Gly Arg Leu Lys Ser Trp Glu  
 420 425 430  
 Leu Thr Leu Arg Cys Ala Leu Val Val Phe Thr Leu Leu Met Ala Ile  
 435 440 445  
 Tyr Val Pro His Phe Ala Leu Leu Met Gly Leu Thr Gly Ser Leu Thr  
 450 455 460  
 Gly Ala Gly Leu Cys Phe Leu Leu Pro Ser Leu Phe His Leu Arg Leu  
 465 470 475 480  
 Leu Trp Arg Lys Leu Leu Trp His Gln Val Phe Phe Asp Val Ala Ile  
 485 490 495  
 Phe Val Ile Gly Gly Ile Cys Ser Val Ser Gly Phe Val His Ser Leu  
 500 505 510  
 Glu Gly Leu Ile Glu Ala Tyr Arg Thr Asn Ala Glu Asp  
 515 520 525

&lt;210&gt; 149

&lt;211&gt; 400

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 149

Met Asp Val Leu Ala Glu Ala Asn Gly Thr Phe Ala Leu Asn Leu Leu  
 1 5 10 15  
 Lys Thr Leu Gly Lys Asp Asn Ser Lys Asn Val Phe Phe Ser Pro Met  
 20 25 30  
 Ser Met Ser Cys Ala Leu Ala Met Val Tyr Met Gly Ala Lys Gly Asn  
 35 40 45  
 Thr Ala Ala Gln Met Ala Gln Ile Leu Ser Phe Asn Lys Ser Gly Gly  
 50 55 60  
 Gly Gly Asp Ile His Gln Gly Phe Gln Ser Leu Leu Thr Glu Val Asn  
 65 70 75 80  
 Lys Thr Gly Thr Gln Tyr Leu Leu Arg Val Ala Asn Arg Leu Phe Gly

85										90					95				
Glu	Lys	Ser	Cys	Asp	Phe	Leu	Ser	Ser	Phe	Arg	Asp	Ser	Cys	Gln	Lys				
			100					105					110						
Phe	Tyr	Gln	Ala	Glu	Met	Glu	Glu	Leu	Asp	Phe	Ile	Ser	Ala	Val	Glu				
		115					120					125							
Lys	Ser	Arg	Lys	His	Ile	Asn	Thr	Trp	Val	Ala	Glu	Lys	Thr	Glu	Gly				
	130					135					140								
Lys	Ile	Ala	Glu	Leu	Leu	Ser	Pro	Gly	Ser	Val	Asp	Pro	Leu	Thr	Arg				
145					150					155					160				
Leu	Val	Leu	Val	Asn	Ala	Val	Tyr	Phe	Arg	Gly	Asn	Trp	Asp	Glu	Gln				
				165					170					175					
Phe	Asp	Lys	Glu	Asn	Thr	Glu	Glu	Arg	Leu	Phe	Lys	Val	Ser	Lys	Asn				
		180						185					190						
Glu	Glu	Lys	Pro	Val	Gln	Met	Met	Phe	Lys	Gln	Ser	Thr	Phe	Lys	Lys				
		195					200					205							
Thr	Tyr	Ile	Gly	Glu	Ile	Phe	Thr	Gln	Ile	Leu	Val	Leu	Pro	Tyr	Val				
	210					215					220								
Gly	Lys	Glu	Leu	Asn	Met	Ile	Ile	Met	Leu	Pro	Asp	Glu	Thr	Thr	Asp				
225				230					235						240				
Leu	Arg	Thr	Val	Glu	Lys	Glu	Leu	Thr	Tyr	Glu	Lys	Phe	Val	Glu	Trp				
			245						250					255					
Thr	Arg	Leu	Asp	Met	Met	Asp	Glu	Glu	Glu	Val	Glu	Val	Ser	Leu	Pro				
		260					265						270						
Arg	Phe	Lys	Leu	Glu	Glu	Ser	Tyr	Asp	Met	Glu	Ser	Val	Leu	Arg	Asn				
		275					280					285							
Leu	Gly	Met	Thr	Asp	Ala	Phe	Glu	Leu	Gly	Lys	Ala	Asp	Phe	Ser	Gly				
	290					295					300								
Met	Ser	Gln	Thr	Asp	Leu	Ser	Leu	Ser	Lys	Val	Val	His	Lys	Ser	Phe				
305					310					315					320				
Val	Glu	Val	Asn	Glu	Glu	Gly	Thr	Glu	Ala	Ala	Ala	Ala	Thr	Ala	Ala				
			325						330					335					
Ile	Met	Met	Met	Arg	Cys	Ala	Arg	Phe	Val	Pro	Arg	Phe	Cys	Ala	Asp				
			340					345					350						
His	Pro	Phe	Leu	Phe	Phe	Ile	Gln	His	Ser	Lys	Thr	Asn	Gly	Ile	Leu				
		355					360					365							
Phe	Cys	Gly	Arg	Gln	Leu	Met	Asn	Phe	Ser	Pro	Asp	Ser	Ser	Ala	Gly				
	370					375					380								
Cys	Cys	Asn	Val	Xaa	Leu	Phe	Pro	Ser	Pro	Trp	Gly	Gly	Gly	Gly	Gly				
385					390					395					400				

<210> 150  
 <211> 372  
 <212> PRT  
 <213> Homo sapiens

<400> 150

Met	Asp	Val	Leu	Ala	Glu	Ala	Asn	Gly	Thr	Phe	Ala	Leu	Asn	Leu	Leu
1				5					10					15	
Lys	Thr	Leu	Gly	Lys	Asp	Asn	Ser	Lys	Asn	Val	Phe	Phe	Ser	Pro	Met
			20					25					30		
Ser	Met	Ser	Cys	Ala	Leu	Ala	Met	Val	Tyr	Met	Gly	Ala	Lys	Gly	Asn
		35					40					45			
Thr	Ala	Ala	Gln	Met	Ala	Gln	Ile	Leu	Ser	Phe	Asn	Lys	Ser	Gly	Gly
	50					55					60				
Gly	Gly	Asp	Ile	His	Gln	Gly	Phe	Gln	Ser	Leu	Leu	Thr	Glu	Val	Asn
65					70					75					80
Lys	Thr	Gly	Thr	Gln	Tyr	Leu	Leu	Arg	Val	Ala	Asn	Arg	Leu	Phe	Gly
				85					90					95	
Glu	Lys	Ser	Cys	Asp	Phe	Leu	Ser	Ser	Phe	Arg	Asp	Ser	Cys	Gln	Lys
			100					105					110		
Phe	Tyr	Gln	Ala	Glu	Met	Glu	Glu	Leu	Asp	Phe	Ile	Ser	Ala	Val	Glu
	115						120					125			
Lys	Ser	Arg	Lys	His	Ile	Asn	Thr	Trp	Val	Ala	Glu	Lys	Thr	Glu	Gly
	130					135					140				
Lys	Ile	Ala	Glu	Leu	Leu	Ser	Pro	Gly	Ser	Val	Asp	Pro	Leu	Thr	Arg
145					150					155					160
Leu	Val	Leu	Val	Asn	Ala	Val	Tyr	Phe	Arg	Gly	Asn	Trp	Asp	Glu	Gln
				165					170					175	
Phe	Asp	Lys	Glu	Asn	Thr	Glu	Glu	Arg	Leu	Phe	Lys	Val	Ser	Lys	Asn
			180					185					190		
Glu	Glu	Lys	Pro	Val	Gln	Met	Met	Phe	Lys	Gln	Ser	Thr	Phe	Lys	Lys
		195					200					205			
Thr	Tyr	Ile	Gly	Glu	Ile	Phe	Thr	Gln	Ile	Leu	Val	Leu	Pro	Tyr	Val
	210					215					220				
Gly	Lys	Glu	Leu	Asn	Met	Ile	Ile	Met	Leu	Pro	Asp	Glu	Thr	Thr	Asp
225					230					235					240
Leu	Arg	Thr	Val	Glu	Lys	Glu	Leu	Thr	Tyr	Glu	Lys	Phe	Val	Glu	Trp
				245					250					255	
Thr	Arg	Leu	Asp	Met	Met	Asp	Glu	Glu	Glu	Val	Glu	Val	Ser	Leu	Pro
			260					265					270		
Arg	Phe	Lys	Leu	Glu	Glu	Ser	Tyr	Asp	Met	Glu	Ser	Val	Leu	Arg	Asn
		275					280					285			

Leu Gly Met Thr Asp Ala Phe Glu Leu Gly Lys Ala Asp Phe Ser Gly  
 290 295 300

Met Ser Gln Thr Asp Leu Ser Leu Ser Lys Val Val His Lys Ser Phe  
 305 310 315 320

Val Glu Val Asn Glu Glu Gly Thr Glu Ala Ala Ala Thr Ala Ala  
 325 330 335

Ile Met Met Met Arg Cys Ala Arg Phe Val Pro Arg Phe Cys Ala Asp  
 340 345 350

His Pro Phe Leu Phe Phe Ile Gln Gln Arg Ile Pro Leu Val Leu Leu  
 355 360 365

Cys Trp Ser Thr  
 370

<210> 151

<211> 560

<212> PRT

<213> Homo sapiens

<400> 151

Met Phe Pro Asp Leu Val Gln Leu Ile Cys Ala Tyr Cys His Thr Arg  
 1 5 10 15

Asp Ile Leu Leu Leu Pro Leu Gln Leu Pro Arg Ala Ile His His Ala  
 20 25 30

Ala Thr His Lys Glu Leu Glu Ala Ile Ser His Leu Gly Ile Glu Phe  
 35 40 45

Trp Ser Ser Ser Leu Asn Ile Lys Ala Gln Arg Gly Pro Ala Gly Gly  
 50 55 60

Pro Val Leu Pro Gln Leu Lys Ala Arg Ser Pro Gln Glu Leu Asp Gln  
 65 70 75 80

Gly Thr Gly Ala Ala Leu Cys Phe Phe Asn Pro Leu Phe Pro Gly Asp  
 85 90 95

Leu Gly Pro Thr Lys Arg Glu Lys Phe Lys Arg Ser Phe Lys Val Arg  
 100 105 110

Val Ser Thr Glu Thr Ser Ser Pro Leu Ser Pro Pro Ala Val Pro Pro  
 115 120 125

Pro Pro Val Pro Val Leu Pro Gly Ala Val Pro Ser Gln Thr Glu Arg  
 130 135 140

Leu Pro Pro Cys Gln Leu Leu Arg Arg Glu Ser Ser Val Gly Tyr Arg  
 145 150 155 160

Val Pro Ala Gly Ser Gly Pro Ser Leu Pro Pro Met Pro Ser Leu Gln  
 165 170 175

Glu Val Asp Cys Gly Ser Pro Ser Ser Ser Glu Glu Glu Gly Val Pro  
 180 185 190



Gly Ser Arg Gly Ser Pro Ala Thr Ser Pro His Leu Gly Arg Arg Arg  
 195 200 205  
 Pro Leu Leu Arg Ser Met Ser Ala Ala Phe Cys Ser Leu Leu Ala Pro  
 210 215 220  
 Glu Arg Gln Val Gly Arg Ala Ala Ala Ala Leu Met Gln Asp Arg His  
 225 230 235 240  
 Thr Ala Ala Gly Gln Leu Val Gln Asp Leu Leu Thr Gln Val Arg Asp  
 245 250 255  
 Gly Gln Arg Pro Gln Glu Leu Glu Gly Ile Arg Gln Ala Leu Ser Arg  
 260 265 270  
 Ala Arg Ala Met Leu Ser Ala Glu Leu Gly Pro Glu Lys Leu Val Ser  
 275 280 285  
 Pro Lys Arg Leu Glu His Val Leu Glu Lys Ser Leu His Cys Ser Val  
 290 295 300  
 Leu Lys Pro Leu Arg Pro Ile Leu Ala Ala Arg Leu Arg Arg Arg Leu  
 305 310 315 320  
 Ala Ala Asp Gly Ser Leu Gly Arg Leu Ala Glu Gly Leu Arg Leu Ala  
 325 330 335  
 Arg Ala Gln Gly Pro Gly Ala Phe Gly Ser His Leu Ser Leu Pro Ser  
 340 345 350  
 Pro Val Glu Leu Glu Gln Val Arg Gln Lys Leu Leu Gln Leu Val Arg  
 355 360 365  
 Thr Tyr Ser Pro Ser Ala Gln Val Lys Arg Leu Leu Gln Ala Cys Lys  
 370 375 380  
 Leu Leu Tyr Met Ala Leu Arg Thr Gln Glu Gly Glu Gly Ser Gly Ala  
 385 390 395 400  
 Asp Gly Phe Leu Pro Leu Leu Ser Leu Val Leu Ala His Cys Asp Leu  
 405 410 415  
 Pro Glu Leu Leu Leu Glu Ala Glu Tyr Met Ser Glu Leu Leu Glu Pro  
 420 425 430  
 Ser Leu Leu Thr Gly Glu Gly Gly Tyr Tyr Leu Thr Ser Leu Ser Ala  
 435 440 445  
 Ser Leu Ala Leu Leu Ser Gly Leu Gly Gln Ala His Thr Leu Pro Leu  
 450 455 460  
 Ser Pro Val Gln Glu Leu Arg Arg Ser Leu Ser Leu Trp Glu Gln Arg  
 465 470 475 480  
 Arg Leu Pro Ala Thr His Cys Phe Gln Val Thr Gly Pro Pro Pro Cys  
 485 490 495  
 Pro Gln Ser Gln Thr Pro Ser Pro Pro Xaa Thr Phe Leu Ser Leu Val  
 500 505 510

Lys Ser Pro Asp Ser Val Asp Arg Ser Trp Val Leu Ile Leu Ala Leu  
515 520 525

His Trp Val Val Gly Thr Trp Ala Ser Tyr Leu Thr Thr Ser Cys Leu  
530 535 540

Ser Phe Leu Ile Ser Lys Met Gly Val Ile Gly Pro Thr Ser Trp Gly  
545 550 555 560

<210> 152

<211> 437

<212> PRT

<213> Homo sapiens

<400> 152

Met Leu Ile Ala Ala Gly Pro Ala Arg Thr Gly Val Gly Pro Ala Arg  
1 5 10 15

Ile Lys Gly Ala Gln Ala Gly Trp Ala Phe His Arg Pro Ser Ala Leu  
20 25 30

Cys Ser Arg Gly Ala Gly Gln Ala Xaa Ala Ser Glu Leu Ala Ser Arg  
35 40 45

His Arg Gly Gly Ala Ala Ala Val Arg Thr Arg Gln Ala Asn Pro Thr  
50 55 60

Gln Lys Ser Pro Pro Pro Asp Ser Gln Val Ala Ala Ala Ser Leu Ala  
65 70 75 80

His Ala Glu Ser Gly Gly Ala Gly Ser Pro Leu Arg Pro Ala Ser Ala  
85 90 95

Leu Ser Ser Ser Pro Phe Pro Phe Phe Ser Leu Ser Ser Pro Leu Ser  
100 105 110

Leu Pro Ala Phe Ala Gln Pro Arg Ala Met Ser Asp Ala Ser Leu Arg  
115 120 125

Ser Thr Ser Thr Met Glu Arg Leu Val Ala Arg Gly Thr Phe Pro Val  
130 135 140

Leu Val Arg Thr Ser Ala Cys Arg Ser Leu Phe Gly Pro Val Asp His  
145 150 155 160

Glu Glu Leu Ser Arg Glu Leu Gln Ala Arg Leu Ala Glu Leu Asn Ala  
165 170 175

Glu Asp Gln Asn Arg Trp Asp Tyr Asp Phe Gln Gln Asp Met Pro Leu  
180 185 190

Arg Gly Pro Gly Arg Leu Gln Trp Thr Glu Val Asp Ser Asp Ser Val  
195 200 205

Pro Ala Phe Tyr Arg Glu Thr Val Gln Val Gly Arg Cys Arg Leu Leu  
210 215 220

Leu Ala Pro Arg Pro Val Ala Val Ala Val Ala Val Ser Pro Pro Leu  
 225 230 235 240  
 Glu Pro Ala Ala Glu Ser Leu Asp Gly Leu Glu Glu Ala Pro Glu Gln  
 245 250 255  
 Leu Pro Ser Val Pro Val Pro Ala Pro Ala Ser Thr Pro Pro Pro Val  
 260 265 270  
 Pro Val Leu Ala Pro Ala Pro Ala Pro Ala Pro Ala Pro Val Ala Ala  
 275 280 285  
 Pro Val Ala Ala Pro Val Ala Val Pro Val Leu Ala Pro Ala Pro Ala  
 290 295 300  
 Pro Ala Pro Ala Pro Ala Pro Ala Pro Ala Pro Val Ala Ala Pro Ala  
 305 310 315 320  
 Pro Ala Pro Ala Pro Ala Pro Ala Pro Ala Pro Ala Pro Ala Pro Ala  
 325 330 335  
 Pro Asp Ala Ala Pro Gln Glu Ser Ala Glu Gln Gly Ala Asn Gln Gly  
 340 345 350  
 Gln Arg Gly Gln Glu Pro Leu Ala Asp Gln Leu His Ser Gly Ile Ser  
 355 360 365  
 Gly Arg Pro Ala Ala Gly Thr Ala Ala Ala Ser Ala Asn Gly Ala Ala  
 370 375 380  
 Ile Lys Lys Leu Ser Gly Pro Leu Ile Ser Asp Phe Phe Ala Lys Arg  
 385 390 395 400  
 Lys Arg Ser Ala Pro Glu Lys Ser Ser Gly Asp Val Pro Ala Pro Cys  
 405 410 415  
 Pro Ser Pro Ser Ala Ala Pro Gly Val Gly Ser Val Glu Gln Thr Pro  
 420 425 430  
 Arg Lys Arg Leu Arg  
 435

<210> 153  
 <211> 172  
 <212> PRT  
 <213> Homo sapiens

<400> 153  
 Met Glu Pro Ala Ala Gly Ser Ser Met Glu Pro Ser Ala Asp Trp Leu  
 1 5 10 15  
 Ala Ser Ala Ala Ala Arg Gly Leu Val Glu Lys Val Arg Gln Leu Leu  
 20 25 30  
 Glu Ala Gly Ala Asp Pro Asn Ala Pro Asn Ser Tyr Gly Arg Arg Pro  
 35 40 45  
 Ile Gln Val Met Met Met Gly Ser Ala Arg Val Ala Glu Leu Leu Leu  
 50 55 60

Leu His Gly Ala Glu Pro Asn Cys Ala Asp Pro Ala Thr Leu Thr Arg  
 65 70 75 80  
 Pro Val His Asp Ala Ala Arg Glu Gly Phe Leu Asp Thr Leu Val Val  
 85 90 95  
 Leu His Arg Ala Gly Ala Arg Leu Asp Val Arg Asp Ala Trp Gly Arg  
 100 105 110  
 Leu Pro Val Asp Leu Ala Glu Glu Leu Gly His Arg Asp Val Ala Arg  
 115 120 125  
 Tyr Leu Arg Ala Ala Ala Gly Gly Thr Arg Gly Ser Asn His Ala Arg  
 130 135 140  
 Ile Asp Ala Ala Glu Gly Pro Ser Val Thr Ala Ser Ile Gln Val Pro  
 145 150 155 160  
 Gly Gly Glu Glu Gly Asp Phe Gly Ser Ser Tyr Ser  
 165 170

<210> 154  
 <211> 174  
 <212> PRT  
 <213> Homo sapiens

<400> 154

Met Arg Glu Glu Asn Lys Gly Met Pro Ser Gly Gly Gly Ser Asp Glu  
 1 5 10 15  
 Gly Leu Ala Ser Ala Ala Ala Arg Gly Leu Val Glu Lys Val Arg Gln  
 20 25 30  
 Leu Leu Glu Ala Gly Ala Asp Pro Asn Gly Val Asn Arg Phe Gly Arg  
 35 40 45  
 Arg Ala Ile Gln Val Met Met Met Gly Ser Ala Arg Val Ala Glu Leu  
 50 55 60  
 Leu Leu Leu His Gly Ala Glu Pro Asn Cys Ala Asp Pro Ala Thr Leu  
 65 70 75 80  
 Thr Arg Pro Val His Asp Ala Ala Arg Glu Gly Phe Leu Asp Thr Leu  
 85 90 95  
 Val Val Leu His Arg Ala Gly Ala Arg Leu Asp Val Arg Asp Ala Trp  
 100 105 110  
 Gly Arg Leu Pro Val Asp Leu Ala Glu Glu Leu Gly His Arg Asp Val  
 115 120 125  
 Ala Arg Tyr Leu Arg Ala Ala Ala Gly Gly Thr Arg Gly Ser Asn His  
 130 135 140  
 Ala Arg Ile Asp Ala Ala Glu Gly Pro Ser Val Thr Ala Ser Ile Gln  
 145 150 155 160  
 Val Pro Gly Gly Glu Glu Gly Asp Phe Gly Ser Ser Tyr Ser  
 165 170

<210> 155  
 <211> 349  
 <212> PRT  
 <213> Homo sapiens

<400> 155

```

Met Lys His Ser Leu Asn Ala Leu Leu Ile Phe Leu Ile Ile Thr Ser
 1           5           10           15

Ala Trp Gly Gly Ser Lys Gly Pro Leu Asp Gln Leu Glu Lys Gly Gly
          20           25           30

Glu Thr Ala Gln Ser Ala Asp Pro Gln Trp Glu Gln Leu Asn Asn Lys
          35           40           45

Asn Leu Ser Met Pro Leu Leu Pro Ala Asp Phe His Lys Glu Asn Thr
          50           55           60

Val Thr Asn Asp Trp Ile Pro Glu Gly Glu Glu Asp Asp Asp Tyr Leu
          65           70           75           80

Asp Leu Glu Lys Ile Phe Ser Glu Asp Asp Asp Tyr Ile Asp Ile Val
          85           90           95

Asp Ser Leu Ser Val Ser Pro Thr Asp Ser Asp Val Ser Ala Gly Asn
          100          105          110

Ile Leu Gln Leu Phe His Gly Lys Ser Arg Ile Gln Arg Leu Asn Ile
          115          120          125

Leu Asn Ala Lys Phe Ala Phe Asn Leu Tyr Arg Val Leu Lys Asp Gln
          130          135          140

Val Asn Thr Phe Asp Asn Ile Phe Ile Ala Pro Val Gly Ile Ser Thr
          145          150          155          160

Ala Met Gly Met Ile Ser Leu Gly Leu Lys Gly Glu Thr His Glu Gln
          165          170          175

Val His Ser Ile Leu His Phe Lys Asp Phe Val Asn Ala Ser Ser Lys
          180          185          190

Tyr Glu Ile Thr Thr Ile His Asn Leu Phe Arg Lys Leu Thr His Arg
          195          200          205

Leu Phe Arg Arg Asn Phe Gly Tyr Thr Leu Arg Ser Val Asn Asp Leu
          210          215          220

Tyr Ile Gln Lys Gln Phe Pro Ile Leu Leu Asp Phe Lys Thr Lys Val
          225          230          235          240

Arg Glu Tyr Tyr Phe Ala Glu Ala Gln Ile Ala Asp Phe Ser Asp Pro
          245          250          255

Ala Phe Ile Ser Lys Thr Asn Asn His Ile Met Lys Leu Thr Lys Gly
          260          265          270

Leu Ile Lys Asp Ala Leu Glu Asn Ile Asp Pro Ala Thr Gln Met Met
          275          280          285

```

Ile Leu Asn Cys Ile Tyr Phe Lys Gly Ser Trp Val Asn Lys Phe Pro  
290 295 300

Val Glu Met Thr His Asn His Asn Phe Arg Leu Asn Glu Arg Glu Val  
305 310 315 320

Val Lys Val Ser Met Met Gln Thr Lys Gly Asn Phe Leu Ala Ser Cys  
325 330 335

Leu Leu Phe Met Gly Arg Val Ala Asn Pro Ser Arg Ser  
340 345

<210> 156

<211> 211

<212> PRT

<213> Homo sapiens

<400> 156

Met Asp Pro Ala Arg Pro Leu Gly Leu Ser Ile Leu Leu Leu Phe Leu  
1 5 10 15

Thr Glu Ala Ala Leu Gly Asp Ala Ala Gln Glu Pro Thr Gly Asn Asn  
20 25 30

Ala Glu Ile Cys Leu Leu Pro Leu Asp Tyr Gly Pro Cys Arg Ala Leu  
35 40 45

Leu Leu Arg Tyr Tyr Tyr Asp Arg Tyr Thr Gln Ser Cys Arg Gln Phe  
50 55 60

Leu Tyr Gly Gly Cys Glu Gly Asn Ala Asn Asn Phe Tyr Thr Trp Glu  
65 70 75 80

Ala Cys Asp Asp Ala Cys Trp Arg Ile Glu Lys Val Pro Lys Val Cys  
85 90 95

Arg Leu Gln Val Ser Val Asp Asp Gln Cys Glu Gly Ser Thr Glu Lys  
100 105 110

Tyr Phe Phe Asn Leu Ser Ser Met Thr Cys Glu Lys Phe Phe Ser Gly  
115 120 125

Gly Cys His Arg Asn Arg Ile Glu Asn Arg Phe Pro Asp Glu Ala Thr  
130 135 140

Cys Met Gly Phe Cys Ala Pro Lys Lys Ile Pro Ser Phe Cys Tyr Ser  
145 150 155 160

Pro Lys Asp Glu Gly Leu Cys Ser Ala Asn Val Thr Arg Tyr Tyr Phe  
165 170 175

Asn Pro Arg Tyr Arg Thr Cys Asp Ala Phe Thr Tyr Thr Gly Cys Gly  
180 185 190

Gly Asn Asp Asn Asn Phe Val Thr Val Gln Lys Met Arg Asp Cys Ala  
195 200 205

Leu Pro Met  
210

<210> 157  
 <211> 210  
 <212> PRT  
 <213> Homo sapiens

<400> 157

Met Asp Pro Ala Arg Pro Leu Gly Leu Ser Ile Leu Leu Leu Phe Leu  
 1 5 10 15

Thr Glu Ala Ala Leu Gly Asp Ala Ala Gln Glu Pro Thr Gly Asn Asn  
 20 25 30

Ala Glu Ile Cys Leu Leu Pro Leu Asp Tyr Gly Pro Cys Arg Ala Leu  
 35 40 45

Leu Leu Arg Tyr Tyr Tyr Asp Arg Tyr Thr Gln Ser Cys Arg Gln Phe  
 50 55 60

Leu Tyr Gly Gly Cys Glu Gly Asn Ala Asn Asn Phe Tyr Thr Trp Glu  
 65 70 75 80

Ala Cys Asp Asp Ala Cys Trp Arg Ile Glu Lys Val Pro Lys Val Cys  
 85 90 95

Arg Leu Gln Val Ser Val Asp Asp Gln Cys Glu Gly Ser Thr Glu Lys  
 100 105 110

Tyr Phe Phe Asn Leu Ser Ser Met Thr Cys Glu Lys Phe Phe Ser Gly  
 115 120 125

Gly Cys His Arg Asn Arg Ile Glu Asn Arg Phe Pro Asp Glu Ala Thr  
 130 135 140

Cys Met Gly Phe Cys Ala Pro Lys Lys Lys Tyr Arg Thr Cys Asp Ala  
 145 150 155 160

Phe Thr Tyr Thr Gly Cys Gly Gly Asn Asp Asn Asn Phe Val Ser Arg  
 165 170 175

Glu Asp Cys Lys Arg Ala Cys Ala Lys Ala Leu Lys Lys Lys Lys Lys  
 180 185 190

Met Pro Lys Leu Arg Phe Ala Ser Arg Ile Arg Lys Ile Arg Lys Lys  
 195 200 205

Gln Phe  
 210

<210> 158  
 <211> 225  
 <212> PRT  
 <213> Homo sapiens

<400> 158

Met Ile Tyr Thr Met Lys Lys Val His Ala Leu Trp Ala Ser Val Cys  
 1 5 10 15

Leu Leu Leu Asn Leu Ala Pro Ala Pro Leu Asn Ala Asp Ser Glu Glu  
 20 25 30

Asp Glu Glu His Thr Ile Ile Thr Asp Thr Glu Leu Pro Pro Leu Lys  
           35                          40                          45  
 Leu Met His Ser Phe Cys Ala Phe Lys Ala Asp Asp Gly Pro Cys Lys  
           50                          55                          60  
 Ala Ile Met Lys Arg Phe Phe Phe Asn Ile Phe Thr Arg Gln Cys Glu  
           65                          70                          75                          80  
 Glu Phe Ile Tyr Gly Gly Cys Glu Gly Asn Gln Asn Arg Phe Glu Ser  
                           85                          90                          95  
 Leu Glu Glu Cys Lys Lys Met Cys Thr Arg Asp Asn Ala Asn Arg Ile  
                           100                          105                          110  
 Ile Lys Thr Thr Leu Gln Gln Glu Lys Pro Asp Phe Cys Phe Leu Glu  
           115                          120                          125  
 Glu Asp Pro Gly Ile Cys Arg Gly Tyr Ile Thr Arg Tyr Phe Tyr Asn  
           130                          135                          140  
 Asn Gln Thr Lys Gln Cys Glu Arg Phe Lys Tyr Gly Gly Cys Leu Gly  
           145                          150                          155                          160  
 Asn Met Asn Asn Phe Glu Thr Leu Glu Glu Cys Lys Asn Ile Cys Glu  
                           165                          170                          175  
 Asp Gly Pro Asn Gly Phe Gln Val Asp Asn Tyr Gly Thr Gln Leu Asn  
           180                          185                          190  
 Ala Val Asn Asn Ser Leu Thr Pro Gln Ser Thr Lys Val Pro Ser Leu  
           195                          200                          205  
 Phe Gly Lys Asn Leu Val Asp Phe Ile Ala Ser Arg Lys Leu Leu Ser  
           210                          215                          220

Cys  
 225

<210> 159  
 <211> 636  
 <212> PRT  
 <213> Homo sapiens

<400> 159  
 Met Ala Ser Arg Leu Thr Leu Leu Thr Leu Leu Leu Leu Leu Ala  
       1                          5                          10                          15  
 Gly Asp Arg Ala Ser Ser Asn Pro Asn Ala Thr Ser Ser Ser Ser Gln  
           20                          25                          30  
 Asp Pro Glu Ser Leu Gln Asp Arg Gly Glu Gly Lys Val Ala Thr Thr  
           35                          40                          45  
 Val Ile Ser Lys Met Leu Phe Val Glu Pro Ile Leu Glu Val Ser Ser  
           50                          55                          60  
 Leu Pro Thr Thr Asn Ser Thr Thr Asn Ser Ala Thr Lys Ile Thr Ala  
           65                          70                          75                          80



Asn Thr Thr Asp Glu Pro Thr Thr Gln Pro Thr Thr Glu Pro Thr Thr  
 85 90 95  
 Gln Pro Thr Ile Gln Pro Thr Gln Pro Thr Thr Gln Leu Pro Thr Asp  
 100 105 110  
 Ser Pro Thr Gln Pro Thr Thr Gly Ser Phe Cys Pro Gly Pro Val Thr  
 115 120 125  
 Leu Cys Ser Asp Leu Glu Ser His Ser Thr Glu Ala Val Leu Gly Asp  
 130 135 140  
 Ala Leu Val Asp Phe Ser Leu Lys Leu Tyr His Ala Phe Ser Ala Met  
 145 150 155 160  
 Lys Lys Val Glu Thr Asn Met Ala Phe Ser Pro Phe Ser Ile Ala Ser  
 165 170 175  
 Leu Leu Thr Gln Val Leu Leu Gly Ala Gly Glu Asn Thr Lys Thr Asn  
 180 185 190  
 Leu Glu Ser Ile Leu Ser Tyr Pro Lys Asp Phe Thr Cys Val His Gln  
 195 200 205  
 Ala Leu Lys Gly Phe Thr Thr Lys Gly Val Thr Ser Val Ser Gln Ile  
 210 215 220  
 Phe His Ser Pro Val Asp Trp Arg Leu Leu Gln Ser Lys Ser Gln Glu  
 225 230 235 240  
 Val Leu Ser Gln Thr Ser Thr Lys Ala Arg Lys Gln Ser Leu Phe Arg  
 245 250 255  
 Ala Lys Ile Lys Gly Arg Lys Glu Gly Lys Ser Arg Gln Met Glu Phe  
 260 265 270  
 Asn Ile Ser Lys Arg Leu Ser Cys Arg Ala Ile Val His Ser Lys Leu  
 275 280 285  
 Arg Gln Arg Arg Leu Gly Ala Thr Ser Leu Val Leu Gly Ser Gly Phe  
 290 295 300  
 Thr Phe Phe Gly Pro Tyr Leu Pro His Leu Glu Glu Glu Trp Ala Gly  
 305 310 315 320  
 Pro Arg Ser Thr Met Pro Tyr Ser Leu Ser Glu Gln Ile Glu Pro Lys  
 325 330 335  
 Lys Ala Cys Ser Leu Ser Asn Cys Ala His Gly Lys Asn Asp Val Phe  
 340 345 350  
 Arg Thr Tyr Cys Phe Pro Phe Leu Lys Tyr Pro Pro Asp Leu Ala Ile  
 355 360 365  
 Arg Asp Thr Phe Val Asn Ala Ser Arg Thr Leu Tyr Ser Ser Ser Pro  
 370 375 380  
 Arg Val Leu Ser Asn Asn Ser Asp Ala Asn Leu Glu Leu Ile Asn Thr  
 385 390 395 400

Trp Val Ala Lys Asn Thr Asn Asn Lys Ile Ser Arg Leu Leu Asp Ser  
405 410 415

Leu Pro Ser Asp Thr Arg Leu Val Leu Leu Asn Ala Ile Tyr Leu Ser  
420 425 430

Ala Lys Trp Lys Thr Thr Phe Asp Pro Lys Lys Thr Arg Met Glu Pro  
435 440 445

Phe His Phe Lys Asn Ser Val Ile Lys Val Pro Met Met Asn Ser Lys  
450 455 460

Lys Tyr Pro Val Ala His Phe Ile Asp Gln Thr Leu Lys Ala Lys Val  
465 470 475 480

Gly Gln Leu Gln Leu Ser His Asn Leu Ser Leu Val Ile Leu Val Pro  
485 490 495

Gln Asn Leu Lys His Arg Leu Glu Asp Met Glu Gln Ala Leu Ser Pro  
500 505 510

Ser Val Phe Lys Ala Ile Met Glu Lys Leu Glu Met Ser Lys Phe Gln  
515 520 525

Pro Thr Leu Leu Thr Leu Pro Arg Ile Lys Val Thr Thr Ser Gln Asp  
530 535 540

Met Leu Ser Ile Met Glu Lys Leu Glu Phe Phe Asp Phe Ser Tyr Asp  
545 550 555 560

Leu Asn Leu Cys Gly Leu Thr Glu Asp Pro Asp Leu Gln Val Ser Ala  
565 570 575

Met Gln His Gln Thr Val Leu Glu Leu Thr Glu Thr Gly Val Glu Ala  
580 585 590

Ala Ala Ala Ser Ala Ile Ser Val Ala Arg Thr Leu Leu Val Phe Glu  
595 600 605

Val Gln Gln Pro Phe Leu Phe Val Leu Trp Asp Gln Gln His Lys Phe  
610 615 620

Pro Val Phe Met Gly Arg Val Tyr Asp Pro Arg Ala  
625 630 635

<210> 160

<211> 389

<212> PRT

<213> Homo sapiens

<400> 160

Met Asp Val Leu Ala Glu Ala Asn Gly Thr Phe Ala Leu Asn Leu Leu  
1 5 10 15

Lys Thr Leu Gly Lys Asp Asn Ser Lys Asn Val Phe Phe Ser Pro Met  
20 25 30

Ser Met Ser Cys Ala Leu Ala Met Val Tyr Met Gly Ala Lys Gly Asn  
35 40 45

Thr Ala Ala Gln Met Ala Gln Ile Leu Ser Phe Asn Lys Ser Gly Gly  
 50 55 60  
 Gly Gly Asp Ile His Gln Gly Phe Gln Ser Leu Leu Thr Glu Val Asn  
 65 70 75 80  
 Lys Thr Gly Thr Gln Tyr Leu Leu Arg Met Ala Asn Arg Leu Phe Gly  
 85 90 95  
 Glu Lys Ser Cys Asp Phe Leu Ser Ser Phe Arg Asp Ser Cys Gln Lys  
 100 105 110  
 Phe Tyr Gln Ala Glu Met Glu Glu Leu Asp Phe Ile Ser Ala Val Glu  
 115 120 125  
 Lys Ser Arg Lys His Ile Asn Thr Trp Val Ala Glu Lys Thr Glu Gly  
 130 135 140  
 Lys Ile Ala Glu Leu Leu Ser Pro Gly Ser Val Asp Pro Leu Thr Arg  
 145 150 155 160  
 Leu Val Leu Val Asn Ala Val Tyr Phe Arg Gly Asn Trp Asp Glu Gln  
 165 170 175  
 Phe Asp Lys Glu Asn Thr Glu Glu Arg Leu Phe Lys Val Ser Lys Asn  
 180 185 190  
 Glu Glu Lys Pro Val Gln Met Met Phe Lys Gln Ser Thr Phe Lys Lys  
 195 200 205  
 Thr Tyr Ile Gly Glu Ile Phe Thr Gln Ile Leu Val Leu Pro Tyr Val  
 210 215 220  
 Gly Lys Glu Leu Asn Met Ile Ile Met Leu Pro Asp Glu Thr Thr Asp  
 225 230 235 240  
 Leu Arg Thr Val Glu Lys Glu Leu Thr Tyr Glu Lys Phe Val Glu Trp  
 245 250 255  
 Thr Arg Leu Asp Met Met Asp Glu Glu Glu Val Glu Val Ser Leu Pro  
 260 265 270  
 Arg Phe Lys Leu Glu Glu Ser Tyr Asp Met Glu Ser Val Leu Arg Asn  
 275 280 285  
 Leu Gly Met Thr Asp Ala Phe Glu Leu Gly Lys Ala Asp Phe Ser Gly  
 290 295 300  
 Met Ser Gln Thr Asp Leu Ser Leu Ser Lys Val Val His Lys Ser Phe  
 305 310 315 320  
 Val Glu Val Asn Glu Glu Gly Thr Glu Ala Ala Ala Ala Thr Ala Ala  
 325 330 335  
 Ile Met Met Met Arg Cys Ala Arg Phe Val Pro Arg Phe Cys Ala Asp  
 340 345 350  
 His Pro Phe Leu Phe Phe Ile Gln His Ser Cys Pro Leu Thr Leu His  
 355 360 365  
 Ser Val Pro Ala Thr Gln Val Ala Leu Ser Val Gln Trp Trp Gln Phe

370

375

380

Arg Asn Lys Gly Pro  
385

<210> 161  
<211> 204  
<212> PRT  
<213> Homo sapiens

<400> 161  
Met Asp Val Leu Ala Glu Ala Asn Gly Thr Phe Ala Leu Asn Leu Leu  
1 5 10 15  
Lys Thr Leu Gly Lys Asp Asn Ser Lys Asn Val Phe Phe Ser Pro Met  
20 25 30  
Ser Met Ser Cys Ala Leu Ala Met Val Tyr Met Gly Ala Lys Gly Asn  
35 40 45  
Thr Ala Ala Gln Met Ala Gln Ile Leu Ser Phe Asn Lys Ser Gly Gly  
50 55 60  
Gly Gly Asp Ile His Gln Gly Phe Gln Ser Leu Leu Thr Glu Val Asn  
65 70 75 80  
Lys Thr Gly Thr Gln Tyr Leu Leu Arg Met Ala Asn Arg Leu Phe Gly  
85 90 95  
Glu Lys Ser Cys Asp Phe Leu Ser Ser Phe Arg Asp Ser Cys Gln Lys  
100 105 110  
Phe Tyr Gln Ala Glu Met Glu Glu Leu Asp Phe Ile Ser Ala Val Glu  
115 120 125  
Lys Ser Arg Lys His Ile Asn Thr Trp Val Ala Glu Lys Thr Glu Gly  
130 135 140  
Lys Ile Ala Glu Leu Leu Ser Pro Gly Ser Val Asp Pro Leu Thr Arg  
145 150 155 160  
Leu Val Leu Val Asn Ala Val Tyr Phe Arg Gly Asn Trp Asp Glu Gln  
165 170 175  
Phe Asp Lys Glu Asn Thr Glu Glu Arg Leu Phe Lys Val Ser Lys Thr  
180 185 190  
Asn Gly Ile Leu Phe Cys Gly Arg Phe Ser Ser Pro  
195 200

<210> 162  
<211> 156  
<212> PRT  
<213> Homo sapiens

<400> 162  
Met Asp Val Leu Ala Glu Ala Asn Gly Thr Phe Ala Leu Asn Leu Leu  
1 5 10 15

Lys Thr Leu Gly Lys Asp Asn Ser Lys Asn Val Phe Phe Ser Pro Met  
                   20                                  25                                  30  
 Ser Met Ser Cys Ala Leu Ala Met Val Tyr Met Gly Ala Lys Gly Asn  
                   35                                  40                                  45  
 Thr Ala Ala Gln Met Ala Gln Ile Leu Ser Phe Asn Lys Ser Gly Gly  
                   50                                  55                                  60  
 Gly Gly Asp Ile His Gln Gly Phe Gln Ser Leu Leu Thr Glu Val Asn  
                   65                                  70                                  75                                  80  
 Lys Thr Gly Thr Gln Tyr Leu Leu Arg Met Ala Asn Arg Leu Phe Gly  
                                   85                                  90                                  95  
 Glu Lys Ser Cys Asp Phe Leu Ser Ser Phe Arg Asp Ser Cys Gln Lys  
                                   100                                  105                                  110  
 Phe Tyr Gln Ala Glu Met Glu Glu Leu Asp Phe Ile Ser Ala Val Glu  
                   115                                  120                                  125  
 Lys Ser Arg Lys His Ile Asn Thr Trp Val Ala Glu Lys Thr Glu Gly  
                   130                                  135                                  140  
 Lys Met Tyr Cys Tyr Ser Thr Phe Val Ile Thr Ser  
                   145                                  150                                  155

<210> 163  
 <211> 517  
 <212> PRT  
 <213> Homo sapiens

<400> 163  
 Met Ala Ala Leu Met Thr Pro Gly Thr Gly Ala Pro Pro Ala Pro Gly  
                   1                                  5                                  10                                  15  
 Asp Phe Ser Gly Glu Gly Ser Gln Gly Leu Pro Asp Pro Ser Pro Glu  
                                   20                                  25                                  30  
 Pro Lys Gln Leu Pro Glu Leu Ile Arg Met Lys Arg Asp Gly Gly Arg  
                                   35                                  40                                  45  
 Leu Ser Glu Ala Asp Ile Arg Gly Phe Val Ala Ala Val Val Asn Gly  
                   50                                  55                                  60  
 Ser Ala Gln Gly Ala Gln Ile Gly Ala Met Leu Met Ala Ile Arg Leu  
                   65                                  70                                  75                                  80  
 Arg Gly Met Asp Leu Glu Glu Thr Ser Val Leu Thr Gln Ala Leu Ala  
                                   85                                  90                                  95  
 Gln Ser Gly Gln Gln Leu Glu Trp Pro Glu Ala Trp Arg Gln Gln Leu  
                                   100                                  105                                  110  
 Val Asp Lys His Ser Thr Gly Gly Val Gly Asp Lys Val Ser Leu Val  
                   115                                  120                                  125  
 Leu Ala Pro Ala Leu Ala Ala Cys Gly Cys Lys Val Pro Met Ile Ser  
                   130                                  135                                  140

Gly Arg Gly Leu Gly His Thr Gly Gly Thr Leu Asp Lys Leu Glu Ser  
 145 150 155 160  
 Ile Pro Gly Phe Asn Val Ile Gln Ser Pro Glu Gln Met Gln Val Leu  
 165 170 175  
 Leu Asp Gln Ala Gly Cys Cys Ile Val Gly Gln Ser Glu Gln Leu Val  
 180 185 190  
 Pro Ala Asp Gly Ile Leu Tyr Ala Ala Arg Asp Val Thr Ala Thr Val  
 195 200 205  
 Asp Ser Leu Pro Leu Ile Thr Ala Ser Ile Leu Ser Lys Lys Leu Val  
 210 215 220  
 Glu Gly Leu Ser Ala Leu Val Val Asp Val Lys Phe Gly Gly Ala Ala  
 225 230 235 240  
 Val Phe Pro Asn Gln Glu Gln Ala Arg Glu Leu Ala Lys Thr Leu Val  
 245 250 255  
 Gly Val Gly Ala Ser Leu Gly Leu Arg Val Ala Ala Ala Leu Thr Ala  
 260 265 270  
 Met Asp Lys Pro Leu Gly Arg Cys Val Gly His Ala Leu Glu Val Glu  
 275 280 285  
 Glu Ala Leu Leu Cys Met Asp Gly Ala Gly Pro Pro Asp Leu Arg Asp  
 290 295 300  
 Leu Val Thr Thr Leu Gly Gly Ala Leu Leu Trp Leu Ser Gly His Ala  
 305 310 315 320  
 Gly Thr Gln Ala Gln Gly Ala Ala Arg Val Ala Ala Ala Leu Asp Asp  
 325 330 335  
 Gly Ser Ala Leu Gly Arg Phe Glu Arg Met Leu Ala Ala Gln Gly Val  
 340 345 350  
 Asp Pro Gly Leu Ala Arg Ala Leu Cys Ser Gly Ser Pro Ala Glu Arg  
 355 360 365  
 Arg Gln Leu Leu Pro Arg Ala Arg Glu Gln Glu Glu Leu Leu Ala Pro  
 370 375 380  
 Ala Asp Gly Glu Arg Ser Gly Glu Ser Pro Ser Phe Arg Leu Arg His  
 385 390 395 400  
 Pro Leu Pro Phe Pro Arg Pro Arg Pro Phe Pro Ser Pro Arg Leu Ser  
 405 410 415  
 Ala Pro Leu Pro Ala Gly Thr Val Glu Leu Val Arg Ala Leu Pro Leu  
 420 425 430  
 Ala Leu Val Leu His Glu Leu Gly Ala Gly Arg Ser Arg Ala Gly Glu  
 435 440 445  
 Pro Leu Arg Leu Gly Val Gly Ala Glu Leu Leu Val Asp Val Gly Gln  
 450 455 460  
 Arg Leu Arg Arg Gly Thr Pro Trp Leu Arg Val His Arg Asp Gly Pro

465                      470                      475                      480

Ala Leu Ser Gly Pro Gln Ser Arg Ala Leu Gln Glu Ala Leu Val Leu  
                                  485                      490                      495

Ser Asp Arg Ala Pro Phe Ala Ala Pro Ser Pro Phe Ala Glu Leu Val  
                                  500                      505                      510

Leu Pro Pro Gln Gln  
                                  515

<210> 164  
 <211> 142  
 <212> PRT  
 <213> Homo sapiens

<400> 164

Met Ser Asp Ala Ser Leu Arg Ser Thr Ser Thr Met Glu Arg Leu Val  
   1                                  5                                  10                                  15

Ala Arg Gly Thr Phe Pro Val Leu Val Arg Thr Ser Ala Cys Arg Ser  
                                   20                                  25                                  30

Leu Phe Gly Pro Val Asp His Glu Glu Leu Ser Arg Glu Leu Gln Ala  
                                   35                                  40                                  45

Arg Leu Ala Glu Leu Asn Ala Glu Asp Gln Asn Arg Trp Asp Tyr Asp  
   50                                  55                                  60

Phe Gln Gln Asp Met Pro Leu Arg Gly Pro Gly Arg Leu Gln Trp Thr  
   65                                  70                                  75                                  80

Glu Val Asp Ser Asp Ser Val Pro Ala Phe Tyr Arg Glu Thr Val Gln  
                                   85                                  90                                  95

Ile Ser Ser Pro Ser Ala Arg Asp Gln Arg Leu Arg Ser Arg Arg Ala  
                                   100                                  105                                  110

Met Ser Pro Arg Arg Val Pro Leu Gln Ala Pro Pro Leu Ala Trp Ala  
   115                                  120                                  125

Arg Trp Ser Arg Pro Arg Ala Arg Gly Cys Gly Glu Pro Ile  
   130                                  135                                  140

<210> 165  
 <211> 561  
 <212> PRT  
 <213> Homo sapiens

<400> 165

Met Gly Ala Pro Ala Cys Ala Leu Ala Leu Cys Val Ala Val Ala Ile  
   1                                  5                                  10                                  15

Val Ala Gly Ala Ser Ser Glu Ser Leu Gly Thr Glu Gln Arg Val Val  
                                   20                                  25                                  30

Gly Arg Ala Ala Glu Val Pro Gly Pro Glu Pro Gly Gln Gln Glu Gln  
   35                                  40                                  45

Leu Val Phe Gly Ser Gly Asp Ala Val Glu Leu Ser Cys Pro Pro Pro  
 50 55 60  
 Gly Gly Gly Pro Met Gly Pro Thr Val Trp Val Lys Asp Gly Thr Gly  
 65 70 75 80  
 Leu Val Pro Ser Glu Arg Val Leu Val Gly Pro Gln Arg Leu Gln Val  
 85 90 95  
 Leu Asn Ala Ser His Glu Asp Ser Gly Ala Tyr Ser Cys Arg Gln Arg  
 100 105 110  
 Leu Thr Gln Arg Val Leu Cys His Phe Ser Val Arg Val Thr Asp Ala  
 115 120 125  
 Pro Ser Ser Gly Asp Asp Glu Asp Gly Glu Asp Glu Ala Glu Asp Thr  
 130 135 140  
 Gly Val Asp Thr Gly Ala Pro Tyr Trp Thr Arg Pro Glu Arg Met Asp  
 145 150 155 160  
 Lys Lys Leu Leu Ala Val Pro Ala Ala Asn Thr Val Arg Phe Arg Cys  
 165 170 175  
 Pro Ala Ala Gly Asn Pro Thr Pro Ser Ile Ser Trp Leu Lys Asn Gly  
 180 185 190  
 Arg Glu Phe Arg Gly Glu His Arg Ile Gly Gly Ile Lys Leu Arg His  
 195 200 205  
 Gln Gln Trp Ser Leu Val Met Glu Ser Val Val Pro Ser Asp Arg Gly  
 210 215 220  
 Asn Tyr Thr Cys Val Val Glu Asn Lys Phe Gly Ser Ile Arg Gln Thr  
 225 230 235 240  
 Tyr Thr Leu Asp Val Leu Glu Arg Ser Pro His Arg Pro Ile Leu Gln  
 245 250 255  
 Ala Gly Leu Pro Ala Asn Gln Thr Ala Val Leu Gly Ser Asp Val Glu  
 260 265 270  
 Phe His Cys Lys Val Tyr Ser Asp Ala Gln Pro His Ile Gln Trp Leu  
 275 280 285  
 Lys His Val Glu Val Asn Gly Ser Lys Val Gly Pro Asp Gly Thr Pro  
 290 295 300  
 Tyr Val Thr Val Leu Lys Thr Ala Gly Ala Asn Thr Thr Asp Lys Glu  
 305 310 315 320  
 Leu Glu Val Leu Ser Leu His Asn Val Thr Phe Glu Asp Ala Gly Glu  
 325 330 335  
 Tyr Thr Cys Leu Ala Gly Asn Ser Ile Gly Phe Ser His His Ser Ala  
 340 345 350  
 Trp Leu Val Val Leu Pro Ala Glu Glu Glu Leu Val Glu Ala Asp Glu  
 355 360 365  
 Ala Gly Ser Val Tyr Ala Gly Ile Leu Ser Tyr Gly Val Gly Phe Phe



370                      375                      380  
 Leu Phe Ile Leu Val Val Ala Ala Val Thr Xaa Cys Arg Leu Arg Ser  
 385                      390                      395                      400  
 Pro Pro Lys Lys Gly Leu Gly Ser Pro Thr Val His Lys Ile Ser Arg  
                     405                      410                      415  
 Phe Pro Leu Lys Arg Gln Val Ser Leu Glu Ser Asn Ala Ser Met Ser  
                     420                      425                      430  
 Ser Asn Thr Pro Leu Val Arg Ile Ala Arg Leu Ser Ser Gly Glu Gly  
                     435                      440                      445  
 Pro Thr Leu Ala Asn Val Ser Glu Leu Glu Leu Pro Ala Asp Pro Lys  
                     450                      455                      460  
 Trp Glu Leu Ser Arg Ala Arg Leu Thr Leu Gly Lys Pro Leu Gly Glu  
 465                      470                      475                      480  
 Gly Cys Phe Gly Gln Val Val Met Ala Glu Ala Ile Gly Ile Asp Lys  
                     485                      490                      495  
 Asp Arg Ala Ala Lys Pro Val Thr Val Ala Val Lys Met Leu Lys Asp  
                     500                      505                      510  
 Asp Ala Thr Asp Lys Asp Leu Ser Asp Leu Val Ser Glu Met Glu Met  
                     515                      520                      525  
 Met Lys Met Ile Gly Lys His Lys Asn Ile Ile Asn Leu Leu Gln Val  
                     530                      535                      540  
 Pro Met Leu Leu Asp Val Thr Ser Leu Tyr Ile Ser Ile Tyr Ile Ile  
 545                      550                      555                      560  
 Tyr

<210> 166  
 <211> 188  
 <212> PRT  
 <213> Homo sapiens

<400> 166  
 Met Asp Pro Ala Arg Pro Leu Gly Leu Ser Ile Leu Leu Leu Phe Leu  
   1                    5                    10                    15  
 Thr Glu Ala Ala Leu Gly Asp Ala Ala Gln Glu Pro Thr Gly Asn Asn  
                     20                    25                    30  
 Ala Glu Ile Cys Leu Leu Pro Leu Asp Tyr Gly Pro Cys Arg Ala Leu  
                     35                    40                    45  
 Leu Leu Arg Tyr Tyr Tyr Asp Arg Tyr Thr Gln Ser Cys Arg Gln Phe  
                     50                    55                    60  
 Leu Tyr Gly Gly Cys Glu Gly Asn Arg Asn Asn Phe Tyr Thr Trp Glu  
                     65                    70                    75                    80  
 Ala Cys Asp Asp Ala Cys Trp Arg Ile Glu Lys Val Pro Lys Val Cys

85 90 95  
 Arg Leu Gln Val Ser Val Asp Asp Gln Cys Glu Gly Ser Thr Glu Lys  
 100 105 110  
 Tyr Phe Phe Asn Leu Ser Ser Met Thr Cys Glu Lys Phe Phe Ser Gly  
 115 120 125  
 Gly Cys His Arg Asn Arg Ile Glu Asn Arg Phe Pro Asp Glu Ala Thr  
 130 135 140  
 Cys Met Gly Phe Cys Ala Pro Lys Lys Ile Pro Ser Phe Cys Tyr Ser  
 145 150 155 160  
 Pro Lys Asp Glu Gly Leu Cys Ser Ala Asn Val Thr Arg Tyr Tyr Phe  
 165 170 175  
 Asn Ile Asp Val Ser Ile Ser Thr Ala Val Lys Leu  
 180 185

<210> 167  
 <211> 539  
 <212> PRT  
 <213> Homo sapiens

<400> 167  
 Met Asn Gln Leu Arg Gly Lys Lys Ser Cys His Thr Gly Leu Gly Arg  
 1 5 10 15  
 Ser Ala Gly Trp Asn Ile Pro Ile Gly Leu Leu Tyr Cys Asp Leu Pro  
 20 25 30  
 Glu Pro Arg Lys Pro Leu Glu Lys Ala Val Ala Asn Phe Phe Ser Gly  
 35 40 45  
 Ser Cys Ala Pro Cys Ala Asp Gly Thr Asp Phe Pro Gln Leu Cys Gln  
 50 55 60  
 Leu Cys Pro Gly Cys Gly Cys Ser Thr Leu Asn Gln Tyr Phe Gly Tyr  
 65 70 75 80  
 Ser Gly Ala Phe Lys Cys Leu Lys Asp Gly Ala Gly Asp Val Ala Phe  
 85 90 95  
 Val Lys His Ser Thr Ile Phe Glu Asn Leu Ala Asn Lys Ala Asp Arg  
 100 105 110  
 Asp Gln Tyr Glu Leu Leu Cys Leu Asp Asn Thr Arg Lys Pro Val Asp  
 115 120 125  
 Glu Tyr Lys Asp Cys His Leu Ala Gln Val Pro Ser His Thr Val Val  
 130 135 140  
 Ala Arg Ser Met Gly Gly Lys Glu Asp Leu Ile Trp Glu Leu Leu Asn  
 145 150 155 160  
 Gln Ala Gln Glu His Phe Gly Lys Asp Lys Ser Lys Glu Phe Gln Leu  
 165 170 175  
 Phe Ser Ser Pro His Gly Lys Asp Leu Leu Phe Lys Asp Ser Ala His

197

Glu Glu Tyr Val Lys Ala Val Gly Asn Leu Arg Lys Cys Ser Thr Ser  
 515 520 525

Ser Leu Leu Glu Ala Cys Thr Phe Arg Arg Pro  
 530 535

<210> 168  
 <211> 77  
 <212> PRT  
 <213> Homo sapiens

<400> 168  
 Met Arg Thr Leu Leu Pro Pro Ala Leu Leu Thr Cys Trp Leu Leu Ala  
 1 5 10 15

Pro Val Asn Ser Ile His Pro Glu Cys Arg Phe His Leu Glu Ile Gln  
 20 25 30

Glu Glu Glu Thr Lys Cys Ala Glu Leu Leu Arg Ser Gln Thr Glu Lys  
 35 40 45

His Lys Gly His Thr Lys Gly Phe Ile Leu Ile His Ala Gly Gly Leu  
 50 55 60

Lys Arg Ile Leu Asp Pro His Thr Tyr Pro Leu Ala Pro  
 65 70 75

<210> 169  
 <211> 161  
 <212> PRT  
 <213> Homo sapiens

<400> 169  
 Met Lys Leu Pro Glu Val Cys Phe Phe Asn Cys Cys Thr Leu His Glu  
 1 5 10 15

Ser Lys Tyr Glu Ile Val Thr Met Phe Ile Tyr Phe Asn Trp Leu Tyr  
 20 25 30

Phe Phe Pro Ala Asn Gly Phe Gln Val Asp Asn Tyr Gly Thr Gln Leu  
 35 40 45

Asn Ala Val Asn Asn Ser Leu Thr Pro Gln Ser Thr Lys Val Pro Ser  
 50 55 60

Leu Phe Glu Phe His Gly Pro Ser Trp Cys Leu Thr Pro Ala Asp Arg  
 65 70 75 80

Gly Leu Cys Arg Ala Asn Glu Asn Arg Phe Tyr Tyr Asn Ser Val Ile  
 85 90 95

Gly Lys Cys Arg Pro Phe Lys Tyr Ser Gly Cys Gly Gly Asn Glu Asn  
 100 105 110

Asn Phe Thr Ser Lys Gln Glu Cys Leu Arg Ala Cys Lys Lys Gly Phe  
 115 120 125

Ile Gln Arg Ile Ser Lys Gly Gly Leu Ile Lys Thr Lys Arg Lys Arg

130		135		140
Lys Lys Gln Arg Val	Lys Ile Ala Tyr Glu Glu Ile Phe Val Lys Asn			
145	150	155		160

Met

<210> 170  
 <211> 157  
 <212> PRT  
 <213> Mouse

<400> 170  
 Met Tyr Asn Thr Ser Xaa Met Xaa Pro Xaa Asn Pro Arg Pro Ile Leu  
   1                  5                  10                  15  
 Thr Ile Ile Thr Leu Glu Asp Ser Ser Gly Asn Leu Leu Gly Arg Asp  
                   20                  25                  30  
 Ser Phe Glu Val Arg Val Cys Ala Ser Pro Gly Arg Asp Pro Arg Thr  
                   35                  40                  45  
 Glu Glu Glu Asn Phe Arg Lys Lys Glu Val Leu Cys Pro Glu Leu Pro  
                   50                  55                  60  
 Pro Gly Ser Ala Lys Arg Ala Leu Pro Thr Cys Thr Ser Ala Ser Pro  
   65                  70                  75                  80  
 Pro Gln Lys Lys Lys Pro Leu Asp Gly Glu Tyr Phe Thr Leu Lys Ile  
                   85                  90                  95  
 Arg Gly Arg Lys Arg Phe Glu Met Phe Arg Glu Leu Asn Glu Ala Leu  
                   100                  105                  110  
 Glu Leu Lys Asp Ala His Ala Thr Glu Glu Ser Gly Asp Ser Arg Ala  
                   115                  120                  125  
 His Ser Ser Tyr Leu Lys Thr Lys Lys Gly Gln Ser Thr Ser Arg His  
   130                  135                  140  
 Lys Lys Thr Met Val Lys Lys Val Gly Pro Asp Ser Asp  
 145                  150                  155

<210> 171  
 <211> 157  
 <212> PRT  
 <213> Mouse

<400> 171  
 Met Phe Asn Arg Ser Cys Leu Arg Gly Met Asn Pro Arg Pro Ile Leu  
   1                  5                  10                  15  
 Thr Ile Ile Thr Leu Glu Asp Ser Ser Gly Asn Leu Leu Gly Arg Asp  
                   20                  25                  30  
 Ser Phe Glu Val Arg Val Cys Ala Ser Pro Gly Arg Asp Pro Arg Thr  
                   35                  40                  45

Glu Glu Glu Asn Phe Arg Lys Lys Glu Val Leu Cys Pro Glu Leu Pro  
 50 55 60

Pro Gly Ser Ala Lys Arg Ala Leu Pro Thr Cys Thr Ser Ala Ser Pro  
 65 70 75 80

Pro Gln Lys Lys Lys Pro Leu Asp Gly Glu Tyr Phe Thr Leu Lys Ile  
 85 90 95

Arg Gly Arg Lys Arg Phe Glu Met Phe Arg Glu Leu Asn Glu Ala Leu  
 100 105 110

Glu Leu Lys Asp Ala His Ala Thr Glu Glu Ser Gly Asp Ser Arg Ala  
 115 120 125

His Ser Ser Tyr Leu Lys Thr Lys Lys Gly Gln Ser Thr Ser Arg His  
 130 135 140

Lys Lys Thr Met Val Lys Lys Val Gly Pro Asp Ser Asp  
 145 150 155

<210> 172

<211> 1252

<212> PRT

<213> Mouse

<400> 172

Met Gly Ala Ala Ser Gly Gln Arg Gly Arg Trp Pro Leu Ser Pro Pro  
 1 5 10 15

Leu Leu Met Leu Ser Leu Leu Val Leu Leu Leu Gln Pro Ser Pro Ala  
 20 25 30

Pro Ala Leu Asp Pro Gly Leu Gln Pro Gly Asn Phe Ser Pro Asp Glu  
 35 40 45

Ala Gly Ala Gln Leu Phe Ala Glu Ser Tyr Asn Ser Ser Ala Glu Val  
 50 55 60

Val Met Phe Gln Ser Thr Val Ala Ser Trp Ala His Asp Thr Asn Ile  
 65 70 75 80

Thr Glu Glu Asn Ala Arg Arg Gln Glu Glu Ala Ala Leu Val Ser Gln  
 85 90 95

Glu Phe Ala Glu Val Trp Gly Lys Lys Ala Lys Glu Leu Tyr Glu Ser  
 100 105 110

Ile Trp Gln Asn Phe Thr Asp Ser Lys Leu Arg Arg Ile Ile Gly Ser  
 115 120 125

Ile Arg Thr Leu Gly Pro Ala Asn Leu Pro Leu Ala Gln Arg Gln Gln  
 130 135 140

Tyr Asn Ser Leu Leu Ser Asn Met Ser Arg Ile Tyr Ser Thr Gly Lys  
 145 150 155 160

Val Cys Phe Pro Asn Lys Thr Ala Thr Cys Trp Ser Leu Asp Pro Glu  
 165 170 175

Leu Thr Asn Ile Leu Ala Ser Ser Arg Ser Tyr Ala Lys Leu Leu Phe  
 180 185 190  
 Ala Trp Glu Gly Trp His Asp Ala Val Gly Ile Pro Leu Lys Pro Leu  
 195 200 205  
 Tyr Gln Asp Phe Thr Ala Ile Ser Asn Glu Ala Tyr Arg Gln Asp Asp  
 210 215 220  
 Phe Ser Asp Thr Gly Ala Phe Trp Arg Ser Trp Tyr Glu Ser Pro Ser  
 225 230 235 240  
 Phe Glu Glu Ser Leu Glu His Ile Tyr His Gln Leu Glu Pro Leu Tyr  
 245 250 255  
 Leu Asn Leu His Ala Tyr Val Arg Arg Ala Leu His Arg Arg Tyr Gly  
 260 265 270  
 Asp Lys Tyr Val Asn Leu Arg Gly Pro Ile Pro Ala His Leu Leu Gly  
 275 280 285  
 Asp Met Trp Ala Gln Ser Trp Glu Asn Ile Tyr Asp Met Val Val Pro  
 290 295 300  
 Phe Pro Asp Lys Pro Asn Leu Asp Val Thr Ser Thr Met Val Gln Lys  
 305 310 315 320  
 Gly Trp Asn Ala Thr His Met Phe Arg Val Ser Glu Glu Phe Phe Thr  
 325 330 335  
 Ser Leu Gly Leu Ser Pro Met Pro Pro Glu Phe Trp Ala Glu Ser Met  
 340 345 350  
 Leu Glu Lys Pro Thr Asp Gly Arg Glu Val Val Cys His Ala Ser Ala  
 355 360 365  
 Trp Asp Phe Tyr Asn Arg Lys Asp Phe Arg Ile Lys Gln Cys Thr Arg  
 370 375 380  
 Val Thr Met Glu Gln Leu Ala Thr Val His His Glu Met Gly His Val  
 385 390 395 400  
 Gln Tyr Tyr Leu Gln Tyr Lys Asp Leu His Val Ser Leu Arg Arg Gly  
 405 410 415  
 Ala Asn Pro Gly Phe His Glu Ala Ile Gly Asp Val Leu Ala Leu Ser  
 420 425 430  
 Val Ser Thr Pro Ala His Leu His Lys Ile Gly Leu Leu Asp His Val  
 435 440 445  
 Thr Asn Asp Ile Glu Ser Asp Ile Asn Tyr Leu Leu Lys Met Ala Leu  
 450 455 460  
 Glu Lys Ile Ala Phe Leu Pro Phe Gly Tyr Leu Val Asp Gln Trp Arg  
 465 470 475 480  
 Trp Gly Val Phe Ser Gly Arg Thr Pro Pro Ser Arg Tyr Asn Phe Asp  
 485 490 495  
 Trp Trp Tyr Leu Arg Thr Lys Tyr Gln Gly Ile Cys Pro Pro Val Ala

500					505					510						
Arg	Asn	Glu	Thr	His	Phe	Asp	Ala	Gly	Ala	Lys	Phe	His	Ile	Pro	Asn	
515					520					525						
Val	Thr	Pro	Tyr	Ile	Arg	Tyr	Phe	Val	Ser	Phe	Val	Leu	Gln	Phe	Gln	
530					535					540						
Phe	His	Gln	Ala	Leu	Cys	Lys	Glu	Ala	Gly	His	Gln	Gly	Pro	Leu	His	
545					550					555					560	
Gln	Cys	Asp	Ile	Tyr	Gln	Ser	Ala	Gln	Ala	Gly	Ala	Lys	Leu	Lys	Gln	
565					570					575						
Val	Leu	Gln	Ala	Gly	Cys	Ser	Arg	Pro	Trp	Gln	Glu	Val	Leu	Lys	Asp	
580					585					590						
Leu	Val	Gly	Ser	Asp	Ala	Leu	Asp	Ala	Lys	Ala	Leu	Leu	Glu	Tyr	Phe	
595					600					605						
Gln	Pro	Val	Ser	Gln	Trp	Leu	Glu	Glu	Gln	Asn	Gln	Arg	Asn	Gly	Glu	
610					615					620						
Val	Leu	Gly	Trp	Pro	Glu	Asn	Gln	Trp	Arg	Pro	Pro	Leu	Pro	Asp	Asn	
625					630					635					640	
Tyr	Pro	Glu	Gly	Ile	Asp	Leu	Glu	Thr	Asp	Glu	Ala	Lys	Ala	Asp	Arg	
645					650					655						
Phe	Val	Glu	Glu	Tyr	Asp	Arg	Thr	Ala	Gln	Val	Leu	Leu	Asn	Glu	Tyr	
660					665					670						
Ala	Glu	Ala	Asn	Trp	Gln	Tyr	Asn	Thr	Asn	Ile	Thr	Ile	Glu	Gly	Ser	
675					680					685						
Lys	Ile	Leu	Leu	Glu	Lys	Ser	Thr	Glu	Val	Ser	Asn	His	Thr	Leu	Lys	
690					695					700						
Tyr	Gly	Thr	Arg	Ala	Lys	Thr	Phe	Asp	Val	Ser	Asn	Phe	Gln	Asn	Ser	
705					710					715					720	
Ser	Ile	Lys	Arg	Ile	Ile	Lys	Lys	Leu	Gln	Asn	Leu	Asp	Arg	Ala	Val	
725					730					735						
Leu	Pro	Pro	Lys	Glu	Leu	Glu	Glu	Tyr	Asn	Gln	Ile	Leu	Leu	Asp	Met	
740					745					750						
Glu	Thr	Thr	Tyr	Ser	Leu	Ser	Asn	Ile	Cys	Tyr	Thr	Asn	Gly	Thr	Cys	
755					760					765						
Met	Pro	Leu	Glu	Pro	Asp	Leu	Thr	Asn	Met	Met	Ala	Thr	Ser	Arg	Lys	
770					775					780						
Tyr	Glu	Glu	Leu	Leu	Trp	Ala	Trp	Lys	Ser	Trp	Arg	Asp	Lys	Val	Gly	
785					790					795					800	
Arg	Ala	Ile	Leu	Pro	Phe	Phe	Pro	Lys	Tyr	Val	Glu	Phe	Ser	Asn	Lys	
805					810					815						
Ile	Ala	Lys	Leu	Asn	Gly	Tyr	Thr	Asp	Ala	Gly	Asp	Ser	Trp	Arg	Ser	
820					825					830						



Leu Tyr Glu Ser Asp Asn Leu Glu Gln Asp Leu Glu Lys Leu Tyr Gln  
 835 840 845  
 Glu Leu Gln Pro Leu Tyr Leu Asn Leu His Ala Tyr Val Arg Arg Ser  
 850 855 860  
 Leu His Arg His Tyr Gly Ser Glu Tyr Ile Asn Leu Asp Gly Pro Ile  
 865 870 875 880  
 Pro Ala His Leu Leu Gly Asn Met Trp Ala Gln Thr Trp Ser Asn Ile  
 885 890 895  
 Tyr Asp Leu Val Ala Pro Phe Pro Ser Ala Pro Asn Ile Asp Ala Thr  
 900 905 910  
 Glu Ala Met Ile Lys Gln Gly Trp Thr Pro Arg Arg Ile Phe Lys Glu  
 915 920 925  
 Ala Asp Asn Phe Phe Thr Ser Leu Gly Leu Leu Pro Val Pro Pro Glu  
 930 935 940  
 Phe Trp Asn Lys Ser Met Leu Glu Lys Pro Thr Asp Gly Arg Glu Val  
 945 950 955 960  
 Val Cys His Pro Ser Ala Trp Asp Phe Tyr Asn Gly Lys Asp Phe Arg  
 965 970 975  
 Ile Lys Gln Cys Thr Ser Val Asn Met Glu Asp Leu Val Ile Ala His  
 980 985 990  
 His Glu Met Gly His Ile Gln Tyr Phe Met Gln Tyr Lys Asp Leu Pro  
 995 1000 1005  
 Val Thr Phe Arg Glu Gly Ala Asn Pro Gly Phe His Glu Ala Ile Gly  
 1010 1015 1020  
 Asp Ile Met Ala Leu Ser Val Ser Thr Pro Lys His Leu Tyr Ser Leu  
 1025 1030 1035 1040  
 Asn Leu Leu Ser Thr Glu Gly Ser Gly Tyr Glu Tyr Asp Ile Asn Phe  
 1045 1050 1055  
 Leu Met Lys Met Ala Leu Asp Lys Ile Ala Phe Ile Pro Phe Ser Tyr  
 1060 1065 1070  
 Leu Ile Asp Gln Trp Arg Trp Arg Val Phe Asp Gly Ser Ile Thr Lys  
 1075 1080 1085  
 Glu Asn Tyr Asn Gln Glu Trp Trp Ser Leu Arg Leu Lys Tyr Gln Gly  
 1090 1095 1100  
 Leu Cys Pro Pro Val Pro Arg Ser Gln Gly Asp Phe Asp Pro Gly Ser  
 1105 1110 1115 1120  
 Lys Phe His Val Pro Ala Asn Val Pro Tyr Val Arg Tyr Phe Val Ser  
 1125 1130 1135  
 Phe Ile Ile Gln Phe Gln Phe His Glu Ala Leu Cys Arg Ala Ala Gly  
 1140 1145 1150

His Thr Gly Pro Leu His Lys Cys Asp Ile Tyr Gln Ser Lys Glu Ala  
 1155 1160 1165

Gly Lys Leu Leu Ala Asp Ala Met Lys Leu Gly Tyr Ser Lys Pro Trp  
 1170 1175 1180

Pro Glu Ala Met Lys Leu Ile Thr Gly Gln Pro Asn Met Ser Ala Ser  
 1185 1190 1195 1200

Ala Met Met Asn Tyr Phe Lys Pro Leu Thr Glu Trp Leu Val Thr Glu  
 1205 1210 1215

Asn Arg Arg His Gly Glu Thr Leu Gly Trp Pro Glu Tyr Asn Trp Ala  
 1220 1225 1230

Pro Asn Thr Gly Thr Thr Pro Thr Leu Pro Pro Ala Pro Ile Leu Trp  
 1235 1240 1245

Ile Pro Ser Val  
 1250

<210> 173  
 <211> 374  
 <212> PRT  
 <213> Mouse

<400> 173

Met Thr Met Thr Leu His Thr Lys Ala Ser Gly Met Ala Leu Leu His  
 1 5 10 15

Gln Ile Gln Gly Asn Glu Leu Glu Pro Leu Asn Arg Pro Gln Leu Lys  
 20 25 30

Met Pro Met Glu Arg Ala Leu Gly Glu Val Tyr Val Asp Asn Ser Lys  
 35 40 45

Pro Thr Val Phe Asn Tyr Pro Glu Gly Ala Ala Tyr Glu Phe Asn Ala  
 50 55 60

Ala Ala Ala Ala Ala Ala Ala Ala Ser Ala Pro Val Tyr Gly Gln Ser  
 65 70 75 80

Gly Ile Ala Tyr Gly Pro Gly Ser Glu Ala Ala Ala Phe Ser Ala Asn  
 85 90 95

Ser Leu Gly Ala Phe Pro Gln Leu Asn Ser Val Ser Pro Ser Pro Leu  
 100 105 110

Met Leu Leu His Pro Pro Pro Gln Leu Ser Pro Phe Leu His Pro His  
 115 120 125

Gly Gln Gln Val Pro Tyr Tyr Leu Glu Asn Glu Pro Ser Ala Tyr Ala  
 130 135 140

Val Arg Asp Thr Gly Pro Pro Ala Phe Tyr Arg Ser Asn Ser Asp Asn  
 145 150 155 160

Arg Arg Gln Asn Gly Arg Glu Arg Leu Ser Ser Ser Asn Glu Lys Gly  
 165 170 175

Asn Met Ile Met Glu Ser Ala Lys Glu Thr Arg Tyr Cys Ala Val Cys  
 180 185 190

Asn Asp Tyr Ala Ser Gly Tyr His Tyr Gly Val Trp Ser Cys Glu Gly  
 195 200 205

Cys Lys Ala Phe Phe Lys Arg Ser Ile Gln Gly His Asn Asp Tyr Met  
 210 215 220

Cys Pro Ala Thr Asn Gln Cys Thr Ile Asp Lys Asn Arg Arg Lys Ser  
 225 230 235 240

Cys Gln Ala Cys Arg Leu Arg Lys Cys Tyr Glu Val Gly Met Met Lys  
 245 250 255

Gly Gly Ile Arg Lys Asp Arg Arg Gly Gly Arg Met Leu Lys His Lys  
 260 265 270

Arg Gln Arg Asp Asp Leu Glu Gly Arg Asn Glu Met Gly Ala Ser Gly  
 275 280 285

Asp Met Arg Ala Ala Asn Leu Trp Pro Ser Pro Leu Val Ile Lys His  
 290 295 300

Thr Lys Lys Asn Ser Pro Ala Leu Ser Leu Thr Ala Asp Gln Met Val  
 305 310 315 320

Ser Ala Leu Leu Asp Ala Glu Pro Pro Met Ile Tyr Ser Glu Tyr Asp  
 325 330 335

Pro Ser Arg Pro Phe Ser Glu Ala Ser Met Met Gly Leu Leu Thr Asn  
 340 345 350

Leu Ala Asp Arg Glu Leu Val His Met Ile Asn Trp Ala Lys Arg Val  
 355 360 365

Pro Gly Gly Asn Ser Leu  
 370

<210> 174  
 <211> 468  
 <212> PRT  
 <213> Mouse

<400> 174  
 Met Ala Thr Leu Leu Arg Ser Lys Leu Thr Asn Val Ala Thr Ser Val  
 1 5 10 15

Ser Asn Lys Ser Gln Ala Lys Val Ser Gly Met Phe Ala Arg Met Gly  
 20 25 30

Phe Gln Ala Ala Thr Asp Glu Glu Ala Val Gly Phe Ala His Cys Asp  
 35 40 45

Asp Leu Asp Phe Glu His Arg Gln Gly Leu Gln Met Asp Ile Leu Lys  
 50 55 60

Ser Glu Gly Glu Pro Cys Gly Asp Glu Gly Ala Glu Ala Pro Val Glu  
 65 70 75 80

Gly Asp Ile His Tyr Gln Arg Gly Gly Ala Pro Leu Pro Pro Ser Gly  
                                   85                                  90                                  95  
 Ser Lys Asp Gln Ala Val Gly Ala Gly Gly Glu Phe Gly Gly His Asp  
                                   100                                  105                                  110  
 Lys Pro Lys Ile Thr Ala Trp Glu Ala Gly Trp Asn Val Thr Asn Ala  
                                   115                                  120                                  125  
 Ile Gln Gly Met Phe Val Leu Gly Leu Pro Tyr Ala Ile Leu His Gly  
                                   130                                  135                                  140  
 Gly Tyr Leu Gly Leu Phe Leu Ile Ile Phe Ala Ala Val Val Cys Cys  
                                   145                                  150                                  155                                  160  
 Tyr Thr Gly Lys Ile Leu Ile Ala Cys Leu Tyr Glu Glu Asn Glu Asp  
                                   165                                  170                                  175  
 Gly Glu Val Val Arg Val Arg Asp Ser Tyr Val Ala Ile Ala Asn Ala  
                                   180                                  185                                  190  
 Cys Cys Ala Pro Arg Phe Pro Thr Leu Gly Gly Arg Val Val Asn Val  
                                   195                                  200                                  205  
 Ala Gln Ile Ile Glu Leu Val Met Thr Cys Ile Leu Tyr Val Val Val  
                                   210                                  215                                  220  
 Ser Gly Asn Leu Met Tyr Asn Ser Phe Pro Gly Leu Pro Val Ser Gln  
                                   225                                  230                                  235                                  240  
 Lys Ser Trp Ser Ile Ile Ala Thr Ala Val Leu Leu Pro Cys Ala Phe  
                                   245                                  250                                  255  
 Leu Lys Asn Leu Lys Ala Val Ser Lys Phe Ser Leu Leu Cys Thr Leu  
                                   260                                  265                                  270  
 Ala His Phe Val Ile Asn Ile Leu Val Ile Ala Tyr Cys Leu Ser Arg  
                                   275                                  280                                  285  
 Ala Arg Asp Trp Ala Trp Glu Lys Val Lys Phe Tyr Ile Asp Val Lys  
                                   290                                  295                                  300  
 Lys Phe Pro Ile Ser Ile Gly Ile Ile Val Phe Ser Tyr Thr Ser Gln  
                                   305                                  310                                  315                                  320  
 Ile Phe Leu Pro Ser Leu Glu Gly Asn Met Gln Gln Pro Ser Glu Phe  
                                   325                                  330                                  335  
 His Cys Met Met Asn Trp Thr His Ile Ala Ala Cys Val Leu Lys Gly  
                                   340                                  345                                  350  
 Leu Phe Ala Leu Val Ala Tyr Leu Thr Trp Ala Asp Glu Thr Lys Glu  
                                   355                                  360                                  365  
 Val Ile Thr Asp Asn Leu Pro Gly Ser Ile Arg Ala Val Val Asn Leu  
                                   370                                  375                                  380  
 Phe Leu Val Ala Lys Ala Leu Leu Ser Tyr Pro Leu Pro Phe Phe Ala  
                                   385                                  390                                  395                                  400  
 Ala Val Glu Val Leu Glu Lys Ser Leu Phe Gln Glu Gly Ser Arg Ala

405										410					415				
Phe	Phe	Pro	Ala	Cys	Tyr	Gly	Gly	Asp	Gly	Arg	Leu	Lys	Ser	Trp	Gly				
			420					425					430						
Leu	Thr	Leu	Arg	Cys	Ala	Leu	Val	Val	Phe	Thr	Leu	Leu	Met	Ala	Ile				
			435					440					445						
Ser	Ser	Cys	Ala	Met	Tyr	Pro	Phe	Val	Glu	Leu	Tyr	Thr	Val	Arg	Val				
			450					455					460						
Val	Cys	Ser	Trp																
465																			

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
25 May 2001 (25.05.2001)

PCT

(10) International Publication Number  
**WO 01/36632 A3**

- (51) International Patent Classification<sup>7</sup>: C12N 15/12, 15/57, C07K 14/47, 14/705, C12N 9/48, C12Q 1/68, G01N 33/68, 33/50, A61K 38/17, 38/48
- (21) International Application Number: PCT/IL00/00766
- (22) International Filing Date:  
17 November 2000 (17.11.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
132978 17 November 1999 (17.11.1999) IL  
133455 10 December 1999 (10.12.1999) IL
- (71) Applicant (for all designated States except US): COMPU-GEN LTD. [IL/IL]; 72 Pinchas Rozen Street, 69512 Tel Aviv (IL).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): LEVINE, Zurit [IL/IL]; 5 Hakozrim Street, 46360 Herzliya (IL). DAVID, Anat [IL/IL]; 11 Afner Street, 53292 Givatayim (IL). AZAR, Idit [IL/IL]; 2 Hankin Street, 76354 Rehovot (IL). KHOSRAVI, Rami [IL/IL]; 36 Yehuda Halevy Street, 46490 Herzliya (IL). BERNSTEIN, Jeanne [IL/IL]; 23 Harimon Street, 40300 Kfar Yona (IL).
- (74) Agent: REINHOLD COHN AND PARTNERS; P.O.B. 4060, 61040 Tel Aviv (IL).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW). Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM). European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR). OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:  
— with international search report
- (88) Date of publication of the international search report:  
3 January 2002
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: VARIANTS OF ALTERNATIVE SPLICING

(57) Abstract: The present invention concerns novel variants, amino acid and nucleic acid sequences obtained by alternative splicing of known sequences, expression vectors and host cells containing the variants' nucleic acid sequence, and antibodies reactive with the variants' products. The invention also concerns pharmaceutical compositions containing any of the above as well as methods of detection. A preferred example is the angiotensin converting enzyme (ACE) variant.

WO 01/36632 A3

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12N15/12 C12N15/57 C07K14/47 C07K14/705 C12N9/48  
C12Q1/68 G01N33/68 G01N33/50 A61K38/17 A61K38/48

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C07K C12N A61K C12Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

BIOSIS, EMBASE, MEDLINE

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB 2 264 948 A (MERCK & CO INC) 15 September 1993 (1993-09-15) figure 3 page 41 -page 42, line 7	2,8,9, 20-22
A	claims 9-14 ---	1-30
X	WO 93 25677 A (GARVAN INST MED RES ;PIERCE KERRIE DIANE (AU); SELBIE LISA (AU); F) 23 December 1993 (1993-12-23)	2,8,9, 20-22
A	the whole document ---	1-30
	--- -/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

## \* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*Z\* document member of the same patent family

Date of the actual completion of the international search

30 July 2001

Date of mailing of the international search report

13.08.01

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Andres, S

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/IL 00/00766

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	FURLONG T J ET AL: "MOLECULAR CHARACTERIZATION OF A HUMAN BRAIN ADENOSINE A2 RECEPTOR" MOLECULAR BRAIN RESEARCH, vol. 15, no. 1/02, 1 September 1992 (1992-09-01), pages 62-66, XP000615546 ISSN: 0169-328X the whole document	2,8,9
X	----- DATABASE EM_HUM 'Online! EMBL; Accession number : U40771; ID : HS2AAR02, 15 December 1995 (1995-12-15) "Human A2a adenosine receptor subtype (ADORA2A) gene" XP002165717 abstract	2
A	----- GELFAND M S ET AL: "ASDB: Database of alternatively spliced genes." NUCLEIC ACIDS RESEARCH, vol. 27, no. 1, 1 January 1999 (1999-01-01), pages 301-302, XP002165716 ISSN: 0305-1048 cited in the application	
A	----- CHU Y Y ET AL: "Characterization of the rat A2a adenosine receptor gene." DNA AND CELL BIOLOGY, (1996 APR) 15 (4) 329-37., XP000992998	
X	----- BERNSTEIN K E ET AL: "THE ISOLATION OF ANGIOTENSIN-CONVERTING ENZYME CDNA" JOURNAL OF BIOLOGICAL CHEMISTRY, vol. 263, no. 23, 15 August 1988 (1988-08-15), pages 11021-11024, XP000095152 ISSN: 0021-9258	2,8,9, 32,38,39
Y	the whole document	1-22, 25-53, 56-61
Y	----- SUGIMURA K ET AL.: "Alternative splicing of the mRNA coding for the human endothelial angiotensin-converting enzyme: a new mechanism for solubilization." BIOCHEM BIOPHYS RES COMMUN 1998 JUN 18;247(2):466-72., XP002173427 the whole document	1-22, 25-53, 56-61

-/-



## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	BERNSTEIN K E ET AL: "MOUSE ANGIOTENSIN-CONVERTING ENZYME IS A PROTEIN COMPOSED OF TWO HOMOLOGOUS DOMAINS" JOURNAL OF BIOLOGICAL CHEMISTRY, vol. 264, no. 20, 1989, pages 11945-11951, XP002173428 ISSN: 0021-9258 the whole document ---	2,8,9, 32,38,39
X	WO 90 03435 A (INST NAT SANTE RECH MED) 5 April 1990 (1990-04-05) the whole document ---	2,8-13, 32,38-44
X	WO 85 00369 A (CHIRON CORP) 31 January 1985 (1985-01-31) the whole document ---	2,8,9
X	DATABASE EM_EST 'Online! EMBL; Accession number : AI790464, 4 July 1999 (1999-07-04) MARRA, M. ET AL.: "u101e02.x1 Sugano mouse kidney mkia Mus musculus cDNA clone IMAGE:2064794 3' " XP002173429 abstract ---	2
Y	WHITE R ET AL: "STRUCTURAL ORGANIZATION AND EXPRESSION OF THE MOUSE ESTROGEN RECEPTOR" MOLECULAR ENDOCRINOLOGY, vol. 1, no. 10, 1987, pages 735-744, XP001002989 ISSN: 0888-8809 the whole document ---	1-22, 25-30
Y	LU B ET AL: "Estrogen receptor-beta mRNA variants in human and murine tissues." MOLECULAR AND CELLULAR ENDOCRINOLOGY, vol. 138, no. 1-2, 16 March 1998 (1998-03-16), pages 199-203, XP001002992 ISSN: 0303-7207 the whole document ---	1-22, 25-30
X	KOIKE S ET AL: "MOLECULAR CLONING AND CHARACTERIZATION OF RAT ESTROGEN RECEPTOR CDNA" NUCLEIC ACIDS RESEARCH, vol. 15, no. 6, 25 March 1987 (1987-03-25), pages 2499-2513, XP002026307 ISSN: 0305-1048 the whole document ---	2,8,9

-/--

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/IL 00/00766

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>PFEFFER ULRICH ET AL: "Alternative splicing of the estrogen receptor primary transcript normally occurs in estrogen receptor positive tissues and cell lines." JOURNAL OF STEROID BIOCHEMISTRY AND MOLECULAR BIOLOGY, vol. 56, no. 1-6, 1996, pages 99-105, XP001002991  ISSN: 0960-0760  the whole document</p>	1-22, 25-30
T	<p>WO 01 00823 A (EUROP MOLECULAR BIOLOGY LAB ;DENGIER STEFANIE (IT); FLOURIOT GILLES)  4 January 2001 (2001-01-04)</p>	

# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/IL 00/00766

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☒ Claims Nos.: 23 24 54 55  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:  
see FURTHER INFORMATION sheet PCT/ISA/210
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☒ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:  
1-61 (inventions 1, 30 and 31)
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

### Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☒ No protest accompanied the payment of additional search fees.

## FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims Nos.: 23 24 54 55

Present claims 23, 24, 54 and 55 relate to compounds defined by reference to a desirable characteristic or property, namely their capacity to be an activator or deactivator of a particular protein.

The claims cover all compounds having this characteristic or property, whereas the application provides no support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT for any of such compounds. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search is impossible. Independent of the above reasoning, the claims also lack clarity (Article 6 PCT). An attempt is made to define the compound by reference to a result to be achieved. Again, this lack of clarity in the present case is such as to render a meaningful search impossible. Consequently, no search has been carried out for these claims.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

## FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: Invention 1: Claims 1-30 (all partially)

A nucleic acid sequence defined by SEQ ID 1 and its corresponding aminoacid sequence SEQ ID 88. An antibody binding specifically to the protein, vectors and hosts expressing the nucleic acid, pharmaceutical compositions containing them and their uses in therapy or diagnostic.

2. Claims: Invention 2: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 2 and 89.

3. Claims: Invention 3: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 3 and 90.

4. Claims: Invention 4: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 4,5,91 and 92.

5. Claims: Invention 5: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 6 and 93.

6. Claims: Invention 6: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 7 and 94.

7. Claims: Invention 7: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 8 and 95.

8. Claims: Invention 8: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 9,10,96 and 97.

9. Claims: Invention 9: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 11 and 98.

10. Claims: Invention 10: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 12 and 99.

## FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

11. Claims: Invention 11: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 13-16 and 100-103.

12. Claims: Invention 12: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 17-19,104-106 and 163.

13. Claims: Invention 13: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 20,107 and 159.

14. Claims: Invention 14: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 21-24,61,62, 108-111,149,150 and 160-162.

15. Claims: Invention 15: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 25 and 112.

16. Claims: Invention 16: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 26,27,113 and 114.

17. Claims: Invention 17: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 28,64,115,152 and 164.

18. Claims: Invention 18: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 29,116 and 139.

19. Claims: Invention 19: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 30-34,52-55,117-121 and 140-143.

20. Claims: Invention 20: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 35,122,170 and 171.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

21. Claims: Invention 21: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 36 and 123.

22. Claims: Invention 22: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 37,38,124,125 and 167.

23. Claims: Invention 23: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 39 and 126.

24. Claims: Invention 24: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 40,45,46,127, 132,133 and 168.

25. Claims: Invention 25: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 41 and 128.

26. Claims: Invention 26: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 42,43,48-50, 129,130 and 135-137.

27. Claims: Invention 27: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 44 and 131.

28. Claims: Invention 28: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 47 and 134.

29. Claims: Invention 29: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 51,138 and 165.

30. Claims: Invention 30: Claims 1-30 (all partially) and  
claims 31-61

As for subject 1, but concerning SEQ IDs 56,85,144 and 172.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

31. Claims: Invention 31: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 57,145 and 173.

32. Claims: Invention 32: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 58 and 146.

33. Claims: Invention 33: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 59 and 147.

34. Claims: Invention 34: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 60,148 and 174.

35. Claims: Invention 35: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 63 and 151.

36. Claims: Invention 36: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 65 and 153.

37. Claims: Invention 37: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 66 and 154.

38. Claims: Invention 38: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 67 and 155.

39. Claims: Invention 39: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 68,69,156,157 and 166.

40. Claims: Invention 40: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 70,158 and 169.

41. Claims: Inventions 41 to 56: Claims 1-30 (all partially)

As for subject 1, but concerning SEQ IDs 71-84, 86 and 87



FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

respectively.

# INTERNATIONAL SEARCH REPORT

Information on patent family members

In International Application No

PCT/IL 00/00766

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB 2264948 A	15-09-1993	US 6166181 A	26-12-2000
		US 5599671 A	04-02-1997
		US 5817760 A	06-10-1998
WO 9325677 A	23-12-1993	AU 4296693 A	04-01-1994
		EP 0644935 A	29-03-1995
		JP 8500967 T	06-02-1996
WO 9003435 A	05-04-1990	FR 2636968 A	30-03-1990
		AT 121457 T	15-05-1995
		DE 68922297 D	24-05-1995
		DE 68922297 T	14-09-1995
		EP 0388466 A	26-09-1990
		JP 2854062 B	03-02-1999
		JP 3502643 T	20-06-1991
		US 5480793 A	02-01-1996
		US 5359045 A	25-10-1994
WO 8500369 A	31-01-1985	DE 148922 T	05-12-1985
		EP 0148922 A	24-07-1985
		US 4783412 A	08-11-1988
WO 0100823 A	04-01-2001	AU 6152700 A	31-01-2001